

Objects and Data Structures Assessment Test

Test your knowledge.

Answer the following questions

Write a brief description of all the following Object Types and Data Structures we've learned about:

Numbers:

Strings:

Lists:

Tuples:

Dictionaries:

Numbers

Write an equation that uses multiplication, division, an exponent, addition, and subtraction that is equal to 100.25.

Hint: This is just to test your memory of the basic arithmetic commands, work backwards from 100.25

In []:

Explain what the cell below will produce and why. Can you change it so the answer is correct?

In []: 2/3

Answer these 3 questions without typing code. Then type code to check your answer.

What is the value of the expression $4 * (6 + 5)$

What is the value of the expression $4 * 6 + 5$

What is the value of the expression $4 + 6 * 5$

In []:

What is the *type* of the result of the expression $3 + 1.5 + 4$?

What would you use to find a number's square root, as well as its square?

In []:

Strings

Given the string 'hello' give an index command that returns 'e'. Use the code below:

```
In [ ]: s = 'hello'
        # Print out 'e' using indexing

        # Code here
```

Reverse the string 'hello' using indexing:

```
In [ ]: s = 'hello'

        # Reverse the string using indexing

        # Code here
```

Given the string hello, give two methods of producing the letter 'o' using indexing.

```
In [ ]: s = 'hello'

        # Print out the

        # Code here
```

Lists

Build this list [0,0,0] two separate ways.

In []:

Reassign 'hello' in this nested list to say 'goodbye' item in this list:

```
In [14]: l = [1,2,[3,4,'hello']]
```

Sort the list below:

```
In [15]: l = [3,4,5,5,6]
```

Dictionaries

Using keys and indexing, grab the 'hello' from the following dictionaries:

```
In [10]: d = {'simple_key':'hello'}  
# Grab 'hello'
```

```
In [12]: d = {'k1':{'k2':'hello'}}  
# Grab 'hello'
```

```
In [13]: # Getting a little trickier  
d = {'k1':[{'nest_key':['this is deep',['hello']]]}]  
  
#Grab hello
```

```
In [ ]: # This will be hard and annoying!  
d = {'k1':[1,2,{'k2':['this is tricky',{'tough':[1,2,['hello']]}]}]}
```

Can you sort a dictionary? Why or why not?

Tuples

What is the major difference between tuples and lists?

How do you create a tuple?

Sets

What is unique about a set?

Use a set to find the unique values of the list below:

```
In [ ]: l = [1,2,2,33,4,4,11,22,3,3,2]
```

Booleans

For the following quiz questions, we will get a preview of comparison operators:

Operator	Description	Example
==	If the values of two operands are equal, then the condition becomes true.	(a == b) is not true.
!=	If values of two operands are not equal, then condition becomes true.	
<>	If values of two operands are not equal, then condition becomes true.	(a <> b) is true. This is similar to != operator.
>	If the value of left operand is greater than the value of right operand, then condition becomes true.	(a > b) is not true.
<	If the value of left operand is less than the value of right operand, then condition becomes true.	(a < b) is true.
>=	If the value of left operand is greater than or equal to the value of right operand, then condition becomes true.	(a >= b) is not true.
<=	If the value of left operand is less than or equal to the value of right operand, then condition becomes true.	(a <= b) is true.

What will be the resulting Boolean of the following pieces of code (answer fist then check by typing it in!)

```
In [ ]: # Answer before running cell
2 > 3
```

```
In [17]: # Answer before running cell
3 <= 2
```

```
In [18]: # Answer before running cell
3 == 2.0
```

```
In [ ]: # Answer before running cell
3.0 == 3
```

```
In [ ]: # Answer before running cell
4**0.5 != 2
```

Final Question: What is the boolean output of the cell block below?

```
In [ ]: # two nested lists
        l_one = [1,2,[3,4]]
        l_two = [1,2,{'k1':4}]

        #True or False?
        l_one[2][0] >= l_two[2]['k1']
```

Great Job on your first assessment!