
on Specific Adverse Events Grade 2+ HR = 1.23, CI = (0.84, 1.81), p = 0.28neutropenia (32/238) HR = 1.18, Cl = (0.71, 1.98), p = 0.51hematologic thrombocytopenia (18/135) HR = 2.12, CI = (1.35, 3.32), p = 0.00086anemia (26/123) HR = 2.32, CI = (1.19, 4.53), p = 0.012leukopenia (12/54) HR = 2.01, CI = (1.12, 3.6), p = 0.017nausea (15/87) HR = 1.74, CI = (0.91, 3.34), p = 0.088vomiting (12/68) gastro. HR = 1.96, CI = (0.94, 4.11), p = 0.068constipation (10/47) HR = 2.67, CI = (1.22, 5.82), p = 0.012diarrhea (9/36) HR = 1.07, CI = (0.54, 2.13), p = 0.84fatigue (10/79) const. HR = 1.04, CI = (0.43, 2.49), p = 0.93fever (6/53)

Hazard Ratio of Antibiotic Exposure with lag 14 days



HR = 1.38, CI = (0.5, 3.84), p = 0.53

ALT elevation (5/25)

HR = 1.66, CI = (0.61, 4.54), p = 0.31

2.0

4.0

₹ loss of appetite (5/26)

1.0

0.5