

## Coursework 1: Property Viewer

Jeffery Raphael, Ian Kenny, and Jie Zhang


---

The goal of this assignment is to implement an application that allows the user to view properties loaded from a spreadsheet. The application is partially implemented, but you need to finish implementing some of the methods, and fix one that is currently not working as intended.

---

### Getting started

- You will need to download the ‘Property’ project from the KEATS page. This is the partially implemented project.
- When you open it, you will see the class structure depicted below.
- Three of the four classes are fully implemented so you do not need to modify them. One class, `PropertyViewer`, has been left unfinished, and it is your job to finish the implementation of this class.



## Project Overview

Here is a quick overview of the existing classes:

- **Property**
  - This class represents a single property.
  - It has methods you will need to use, such as `getID`, `getLatitude`, and `toggleFavourite`.
- **Portfolio**
  - This represents a collection of properties.
  - A portfolio is built by specifying a spreadsheet on disk with the data on some properties in it (this is by default the file called `airbnb-london.csv` — this is real-world data are some of the actual AirBnB listings).
  - The portfolio will automatically load all the properties that it finds in that spreadsheet. Feel free to add more properties to the spreadsheet if you like!
- **PropertyViewerGUI**
  - This class presents the GUI (Graphical User Interface) of the application. That is: it draws the main window, the buttons, and all the other things you see on the screen.
  - The class does two additional things: (1) if the user clicks a button, that call is passed onto the relevant **PropertyViewer** method; (2) the **PropertyViewer** class may call this one to display a **Property** or **String** in the interface.
- **PropertyViewer**
  - This class implements the logic of the property viewer.
  - This is where you have to do your work.
  - This is also the class that you instantiate to run the application.

## Base Tasks (60 points)

To complete the assignment you have to do the following tasks.

- When the application is started, the first property in the portfolio (index 0) should be automatically displayed.
- With any property that is displayed, the ID of the property should be shown near the top of the window. The GUI class has a method to do this.
- When the *Toggle Favourite* button is pressed, the `isFavourite` field of that property should be updated. There is a method in the **Property** class to do this.
- The bar at the bottom of the window should show whether the property has been marked by the user as one of their favourites.
- When the *Next* button is pressed, the next property should be displayed, with the correct data. Furthermore, the ID at the top should be updated correctly, as well as whether the property is one of the user's favourites. The application should return to the first property if the *Next* button is pressed while on the last property.
- When the *Previous* button is pressed, the previous property should be displayed, with the correct data. Furthermore, the ID at the top should be updated correctly, as well as whether the property is one of the user's favourites. The application should go to the last property if the *Previous* button is pressed while on the first property.
- In the **PropertyViewer** class, several methods are undocumented. Provide appropriate method level comments.

## Challenge Tasks (30 points)

These are tasks you should complete only when you have completed the base tasks. Note, challenge tasks may require knowledge far beyond that which we have covered so far in the course.

- Implement a method named `getNumberOfPropertiesViewed` that returns the number of properties that have been viewed since the application was started. The return type should be `int`. Viewing the same property twice counts as two views.
- Implement a method named `averagePropertyPrice` that returns the average price of the properties viewed so far. The return type should be `int`.
  - Example: viewing property A (£50), then property B (£20), and then property A again counts as 3 views, and the average price should be  $\frac{50+20+50}{3} = 40$ .
- The *View Property on Map* button is currently broken, in that it only ever displays Bush House on the map. Fix this functionality so that it instead displays the location of the property on the map.
- Add a new *Statistics* button to the application. When clicked, a new window should open that displays the statistics information from the two new methods from the Challenge Tasks.

## Submission (10 points) and Deadline

- You must submit your assignment on Gradescope via KEATS by **Fri., Oct. 27<sup>th</sup> 16:00 (4pm)**. You'll submit a zip file containing the following
  1. A Jar file of your BlueJ project. —You can create a Jar from within BlueJ by going to Project, and then “Create Jar File...”. You do not need to change any of the default options, and so you should just click the “Continue” button.
  2. All of your Java files
- **The Jar file must contain your source code, i.e., the \*.java files, and it must run on BlueJ.**
- **Your assignment will be penalised if you are missing any files or included files that were not asked for in the task sheet.**
- Click the *Assignment 1: Submission Link* to submit your work. Follow all instructions in the ‘Student Submission Guide’. If you have any trouble submitting your work, email Jeffery Raphael as soon as possible. Do not wait until the last hour to attempt your first submission.
- Marking details can be found in the ‘Marking Rubric’.

### Late Submission Policy.

All coursework must be submitted on time. If you submit coursework late and have not applied for an extension or have not had a mitigating circumstances claim upheld, you will have an automatic penalty applied. If you submit late, but within 24 hours of the stated deadline, the work will be marked, and 10 raw marks will be deducted. If this deduction brings your mark for the assessment below the usual pass mark (40%), your assessment mark will be capped at the pass mark. **All work submitted more than 24 hours late will receive a mark of zero.**