

File Edit View Navigate Code Refactor Run Tools VCS Window Help

/ home > rdanf0 > .local > share > virtualenvs > fastApiProject_Daniel-TeF20BUx > lib > python3.11 > site-packages > uvicorn

Project Pipenv (fastApiProject_Daniel) /home/rdanf0/.local/share/virtualenvs/fastApiProject_Daniel-TeF20BUx/lib/python3.11/site-packages/uvicorn

test_main.http main.py

```
from fastapi import FastAPI
app = FastAPI()
@app.get("/")
async def root():
    return {"message": "Hello World"}
@app.get("/hello/{name}")
async def say_hello(name: str):
    return {"message": f"Hello {name}"}
```

Binary Skeletons
Extended Definitions
lib-dynload
python3.11 library root
site-packages library root
site-packages library root
_distutils_hack
anyio
anyio-3.6.2.dist-info
click
click-8.1.3.dist-info
dotenv
fastapi
fastapi-0.92.0.dist-info
h11
h11-0.14.0.dist-info
idna
idna-3.4.dist-info
pip
pip-22.2.2.dist-info
pkg_resources
python_dotenv-0.21.1.dist-info
setuptools
setuptools-62.6.0.dist-info
sniffio
sniffio-1.3.0.dist-info
starlette
starlette-0.25.0.dist-info
typing_extensions-4.5.0.dist-info
uvicorn

Structure Bookmarks

Version Control TODO Problems Terminal Python Packages Python Console Services Endpoints

2 elements selected 6:14 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools VCS Window Help

fastApiProject_Daniel › main.py

Project

fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

- main.py
- Pipfile
- Pipfile.lock
- test_main.http

External Libraries

- < Pipenv (fastApiProject_Daniel) > /home/rodrigo/.local/share/virtualenvs/fastApiProject_Daniel-3.11.1
- Binary Skeletons
- Extended Definitions
- lib-dynload
- python3.11 library root
- site-packages library root
- site-packages library root
- Typeshed Stubs

Scratches and Consoles

main.py test_main.http

```
from fastapi import FastAPI
app = FastAPI()
@app.get("/")
async def root():
    return {"message": "Hello World"}
@app.get("/hello/{name}")
async def say_hello(name: str):
    return {"message": f"Hello {name}"}
```

async root()

Version Control TODO Problems Terminal Python Packages Python Console Services Endpoints

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of ... (2 minutes ago)) 6:14 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools VCS Window Help

fastApiProject_Daniel > main.py

Project

fastApiProject_Daniel ~/PycharmProjects/fa

- main.py
- Pipfile
- Pipfile.lock
- test_main.http

External Libraries

- < Pipenv (fastApiProject_Daniel) > /home/rene/PycharmProjects/fastApiProject_Daniel/.venv
- Binary Skeletons
- Extended Definitions
- lib-dynload
- python3.11 library root
- site-packages library root
- site-packages library root
- TypeShed Stubs

Scratches and Consoles

main.py x API test_main.http x

+ ⏪ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏻ Run with: No Environment

```
1 # Test your FastAPI endpoints
2
3 ➤ GET http://127.0.0.1:8000/
4   Accept: application/json
5
6 #####
7
8 ➤ GET http://127.0.0.1:8000/hello/User
9   Accept: application/json
10 #####
11
12
```

*Examples ✓ Notifications Database SciView

Version Control TODO Problems Terminal Python Packages Python Console Services Endpoints

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of 5,874). (5 minutes ago)

1:1 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools VCS Window Help

fastApiProject_Daniel > API test_main.http

Project

fastApiProject_Daniel ~/PycharmProjects/fa

- main.py
- Pipfile
- Pipfile.lock
- test_main.http

External Libraries

- < Pipenv (fastApiProject_Daniel) > /home/rdanf0/.local/share/virtualenvs/fastApiProject_Daniel-TeF20BUx/bin/python
 - Binary Skeletons
 - Extended Definitions
 - lib-dynload
 - python3.11 library root
 - site-packages library root
 - site-packages library root
 - Typeshed Stubs

Scratches and Consoles

main.py x API test_main.http x

*Examples

Notifications

Database

Sciview

```
# Test your FastAPI endpoints
GET http://127.0.0.1:8000/
Accept: application/json
###
GET http://127.0.0.1:8000/hello/User
Accept: application/json
###
```

Version Control TODO Problems Terminal Python Packages Python Console Services Endpoints

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of 5,874). (5 minutes ago)

1:1 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools VCS Window Help

fastApiProject_Daniel > main.py

Project

fastApiProject_Daniel ~/PycharmProjects/fa

main.py Pipfile Pipfile.lock test_main.http

External Libraries

< Pipenv (fastApiProject_Daniel) > /home/rdanf0/PycharmProjects/fastApiProject_Daniel

Scratches and Consoles

Nom

FastApi_01_2023-02-17_18-03-10.png

FastApi_02_2023-02-17_18-03-10.png

FastApi_03_2023-02-17_18-03-10.png

FastApi_04_2023-02-17_18-03-10.png

FastApi_05_2023-02-17_18-03-10.png

FastApi_06_2023-02-17_18-03-10.png

FastApi_07_2023-02-17_18-03-10.png

Version Control

To track changes to code: 37,3 KiB

Create Git repository... 143,0 KiB

Use Local History...

② Version control integration

fastApiProject_Daniel - test_main.http

File Edit View Navigate Code Refactor Run Tools VCS Window Help

fastApiProject_Daniel

Project

fastApiProject_Daniel ~/PycharmProjects/fa

main.py test_main.http

Run with: No Environment

```
1 # Test your FastAPI endpoints
2
3 GET http://127.0.0.1:8000/
4 Accept: application/json
5
6 #####
7
8 GET http://127.0.0.1:8000/hello/User
9 Accept: application/json
10 #####
11
12
```

Structure

Bookmarks

Endpoints

Version Control

TODO

Problems

Terminal

Python Packages

Python Console

Services

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of 5,874). (7 minutes ago)

1:1 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1]

Create Git Repository

Select directory where the new Git repository will be created.

/home/rdanf0/PycharmProjects/fastApiProject_Daniel

NOTBOOKS

PhpstormProjects

Postman

Public

PyCharmProjects

PycharmProjects

fastApiProject_Daniel

PyChess_Games

share

Studi-Share

tmp

tmp0

Drag and drop a file into the space above to quickly locate it

OK Cancel

fastApiProject_Daniel - test_main.http

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > API test_main.http

Project

fastApiProject_Daniel ~/PycharmProjects/fa

- main.py
- Pipfile
- Pipfile.lock
- test_main.http

External Libraries

> Pipenv (fastApiProject_Daniel) > /home/rdanf0

Scratches and Consoles

main.py x API test_main.http x

*Examples

Notifications

Database

Sciview

Test your FastAPI endpoints

3 ▶ GET http://127.0.0.1:8000/

4 Accept: application/json

6 ###

8 ▶ GET http://127.0.0.1:8000/hello/User

9 Accept: application/json

11 ###

Git: Log Console

18:12:38.489: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false init
Initialized empty Git repository in /home/rdanf0/PycharmProjects/fastApiProject_Daniel/.git/

Structure

Bookmarks

Git TODO Problems Terminal Python Packages Python Console Services Endpoints

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of 5,874). (8 minutes ago)

2:93 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1]

fastApiProject_Daniel - main.py

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel main.py

Commit to main

Changes

Unversioned Files 2 files

Pipfile

Pipfile.lock

Amend

1st Commit after new project env installations

from fastapi import FastAPI
app = FastAPI()

@app.get("/")
async def root():
 return {"message": "Hello World"}

@app.get("/hello/{name}")
async def say_hello(name: str):
 return {"message": f"Hello {name}"}

Commit Commit and Push...

Git: Log Console

18:12:38.489: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false init
Initialized empty Git repository in /home/rdanf0/PycharmProjects/fastApiProject_Daniel/.git/
18:16:57.759: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false add --ignore-errors -A -- .idea/inspectionProfiles/profiles_settings.xml .idea/.gitignore
.idea/fastApiProject_Daniel.iml .idea/misc.xml .idea/modules.xml .idea/vcs.xml
18:19:03.461: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false add --ignore-errors -A -- test_main.http main.py
18:19:04.181: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false add --ignore-errors -A -f -- .idea/fastApiProject_Daniel.iml .idea/inspectionProfiles/profiles_settings.xml
.idea/misc.xml .idea/modules.xml .idea/.gitignore test_main.http main.py .idea/vcs.xml
18:19:04.201: [fastApiProject_Daniel] git -c credential.helper= -c core.quotePath=false -c log.showSignature=false commit -F /tmp/git-commit-msg.txt --
[main (root-commit) bad5ffb] 1st Commit after new project env installations
8 files changed, 239 insertions(+)
create mode 100644 .idea/.gitignore
create mode 100644 .idea/fastApiProject_Daniel.iml
create mode 100644 .idea/inspectionProfiles/profiles_settings.xml
create mode 100644 .idea/misc.xml
create mode 100644 .idea/modules.xml
create mode 100644 .idea/vcs.xml
create mode 100644 main.py
create mode 100644 test_main.http

Git TODO Problems Terminal Python Packages Services Endpoints

8 files committed: 1st Commit after new project env installations (a minute ago)

17:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

A screenshot of a GitHub commit history. The top navigation bar includes search, filter, and sorting options like 'Branch', 'User', 'Date', 'Paths', and a plus sign icon. Below the header, a dark blue banner displays the message '1st Commit after new project env installations' in white text. To the right of the banner, there's a green octocat icon, the branch name 'main', the user 'rdanfl1', and the timestamp '3 minutes ago'. The main body of the page is mostly blank, indicating no other commits have been made yet.

```
1st Commit after new project env  
installations  
  
d5ffbb rdanf1 <reylet.daniel@gmail.com> on  
17/02/2023 at 18:19  
  
HEAD → main  
  
n 2 branches: HEAD, main
```



Search or jump to...

[Pull requests](#) [Issues](#) [Codespaces](#) [Marketplace](#) [Explore](#)




Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

Owner *

Repository name *



 rdanf1 | FastApiProject_Daniel



Great repository names are short and memorable. Need inspiration? How about [urban-octo-invention](#)?

Description (optional)

FastApi Python Project - Nathan Live Studio

Public

 Anyone on the internet can see this repository. You choose who can commit.

Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

Add a README file

Add .gitignore

Choose which files not to track from a list of templates. [Learn more](#)

gitignore template: None

ignore template None

Choose a license

License: None

 You are creating a public repository in your personal account.

Create repository

Quick setup — if you've done this kind of thing before

or

HTTPS SSH

git@github.com:rdanf1/FastApiProject_Daniel.git



Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# FastApiProject_Daniel" >> README.md  
git init  
git add README.md  
git commit -m "first commit"  
git branch -M main  
git remote add origin git@github.com:rdanf1/FastApiProject_Daniel.git  
git push -u origin main
```



...or push an existing repository from the command line

```
git remote add origin git@github.com:rdanf1/FastApiProject_Daniel.git  
git branch -M main  
git push -u origin main
```



...or import code from another repository

You can initialize this repository with code from a Subversion, Mercurial, or TFS project.

Import code

💡 ProTip! Use the URL for this page when adding GitHub as a remote.



File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > main.py

Commit to main

Changes

Unversioned Files 2 files

Pipfile

Pipfile.lock

Amend

1st Commit after new project env installations

main.py x API test_main.http x

from fastapi import FastAPI
app = FastAPI()

@app.get("/")
async def root():
 return {"message": "Hello World"}

@app.get("/hello/{name}")
async def say_hello(name: str):
 return {"message": f"Hello {name}!"}

Notifications

Timeline

Clear all

8 files committed: 1st Commit after new project env installations 18:19

Indexing completed in 27 sec. Shared indexes were applied to 70% of files (4,162 of 5,874). 18:05

Shared indexes for Python package "pydantic==1.10.5" are downloaded (195.59 kB in 718 ms) 18:05

Commit Commit and Push... Terminal: Local +

(fastApiProject_Daniel) : git remote add origin git@github.com:rdanf1/FastApiProject_Daniel.git
git branch -M main
git push -u origin main
Énumération des objets: 12, fait.
Décompte des objets: 100% (12/12), fait.
Compression par delta en utilisant jusqu'à 4 fils d'exécution
Compression des objets: 100% (11/11), fait.
Écriture des objets: 100% (12/12), 3.29 Kio | 1.65 Mio/s, fait.
Total 12 (delta 0), réutilisés 0 (delta 0), réutilisés du pack 0
To github.com:rdanf1/FastApiProject_Daniel.git
 * [new branch] main -> main
la branche 'main' est paramétrée pour suivre 'origin/main'.
(fastApiProject_Daniel) :

Git TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (41 minutes ago)

4:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > main.py

Commit to main

Changes

Unversioned Files 2 files

Pipfile

Pipfile.lock

Amend

1st Commit after new project env installations

from fastapi import FastAPI
app = FastAPI()

@app.get("/")
async def root():
 return {"message": "Hello World"}

@app.get("/hello/{name}")
async def say_hello(name: str):
 return {"message": f"Hello {name}!"}

Create a data source with Alt+Insérer

Commit Commit and Push...

Git: Log Console

HEAD (Current Branch)
Local
main
Remote
origin
main

1st Commit after new project env installations origin & main rdanf1 42 minutes ago

fastApiProject_Daniel 8 files
.idea 6 files
inspectionProfiles 1 file
profiles_settings.xml
.gitignore
fastApiProject_Daniel.iml
misc.xml
modules.xml

1st Commit after new project env installations
bad5ffbb rdanf1
<reylet.daniel@gmail.com> on
17/02/2023 at 18:19

Git TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (42 minutes ago)

4:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

rdanf1/F... x Grille de... x https://w... x define re... x JB Set up a... x Start a n... x https://w... x Dark Re... x fastApiProject_Daniel - main.py x

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel

Commit to main

Changes

Unversioned Files 2 files

Pipfile

Pipfile.lock

Amend

1st Commit after new project env installations

Commit Commit and Push...

Git Log Console

HEAD (Current Branch)

Local

main

Remote

origin

main

1st Commit after new project env installations

origin & main rdanf1 43 minutes ago

fastApiProject_Daniel 8 files

.idea 6 files

main.py

test_main.http

1st Commit after new project env installations

bad5ffbb rdanf1

<reylet.daniel@gmail.com> on

17/02/2023 at 18:19

HEAD main origin/main

In 3 branches: Hide

HEAD

main

origin/main

Git TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (43 minutes ago)

1:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

SciView: Data Plots


Empty

Nothing to show

Format:

Notifications Database SciView

Project Commit Pull Requests



Documents Downloads python_avance_4_5.pny Following For 500 0-Ko Python avance 1_5_pratique_Fastapi_Gunicorn_deskshare.mp4 - mpv

Uvicorn Excalidraw Miniconda -- conda document Gunicorn - Python WSGI HTTP L'hébergement conçu pour tou

alwaysdata.com/fr/

Cloud Public • Cloud Privé • Noms de domaine • Marketplace • Programmes • Tout savoir

Tous vos services en un seul endroit

Hébergez vos fichiers,
... vos emails,
... vos sites,
... vos médias,
... vos bases de données,
... vos services, etc.

Pack 100 Mo	Pack 10 Go	Pack 20 Go	Pack 50 Go
Gratuit à vie	7 € HT/mois	11 € HT/mois	22 € HT/mois
S'inscrire	S'inscrire	S'inscrire	S'inscrire

Opera 2 Firefox

Documents Downloads python avancé main.py Python_avance_1_5_pratique_Fastapi_Gunicorn_deskshare.mp4 - mpv Jeu. 16 févr. à 19:21

PyCharm File Edit View Navigate Code Refactor Run Tools Git Window Help catalog-api - test_main.http

catalog-api test_main.http Project catalog-api ~/Documents/studi/live/catalog-api main.py test_main.http External Libraries Scratches and Consoles

*Examples Notifications Database SciView

Test your FastAPI endpoints

Run HTTP Request ^R /127.0.0.1:8000/

Accept: application/json

###

GET http://127.0.0.1:8000/hello/User

Accept: application/json

Run: catalog-api

```
/opt/homebrew/anaconda3/envs/catalog-api/bin/python -m uvicorn main:app --reload
INFO:     Will watch for changes in these directories: ['/Users/nathan/Documents/studi/live/catalog-api']
INFO:     Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
INFO:     Started reloader process [10646] using statreload
INFO:     Started server process [10649]
INFO:     Waiting for application startup.
INFO:     Application startup complete.
```

Git Run TODO Problems Terminal Python Packages Python Console Services

Opera Firefox 2:1 LF UTF-8 0 space Python 3.10 (catalog-api) master

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel main.py

Project fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel main.py README.md test_main.http http-client.env.json

Commit Pipfile Pipfile.lock README.md test_main.http External Libraries < Pipenv (fastApiProject_Daniel) > Scratches and Consoles

Notifications Database SciView

Run: fastApiProject_Daniel

/home/rdanf0/.local/share/virtualenvs/fastApiProject_Daniel-TeF20BUx/bin/python -m uvicorn main:app --reload

INFO: Will watch for changes in these directories: ['/home/rdanf0/PycharmProjects/fastApiProject_Daniel']

INFO: Uvicorn running on <http://127.0.0.1:8000> (Press CTRL+C to quit)

INFO: Started reloader process [122729] using WatchFiles

INFO: Started server process [122734]

INFO: Waiting for application startup.

INFO: Application startup complete.

INFO: 127.0.0.1:37860 - "GET / HTTP/1.1" 200 OK

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (today 18:19) 4:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

fastApiProject_Daniel - test_main.http

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel API test_main.http

Project fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

Commit Pipfile Pipfile.lock README.md test_main.http External Libraries < Pipenv (fastApiProject_Daniel) > Scratches and Consoles

*Examples Notifications Databases SciView

Test your FastAPI endpoints

▶ GET http://127.0.0.1:8000/ Accept: application/json

###

▶ GET http://127.0.0.1:8000/hello/User Accept: application/json

###

Services

HTTP Request Finished test_main | #1 Status: 200 (203 ms)

Console Request

GET http://127.0.0.1:8000

HTTP/1.1 200 OK

date: Fri, 17 Feb 2023 19:11:11 GMT

server: uvicorn

content-length: 25

content-type: application/json

{ "message": "Hello World" }

Response file saved.

> 2023-02-17T201112.200.json

Response code: 200 (OK); Time: 203ms (203 ms); Content length: 25 bytes (25 B)

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (today 18:19) 9:25 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

fastApiProject_Daniel - http-client.env.json

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > http-client.env.json

Project fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

http-client.env.json main.py README.md test_main.http http-client.env.json

1 {
2 "dev": {
3 "Chrome": "chrome-stable"
4 }
5 }

Commit Pipfile Pipfile.lock README.md test_main.http

Pull Requests External Libraries < Pipenv (fastApiProject_Daniel) >

Scratches and Consoles

Services

HTTP Request Finished test_main | #1 Status: 200 (203 ms)

Console Request

GET http://127.0.0.1:8000

HTTP/1.1 200 OK
date: Fri, 17 Feb 2023 19:11:11 GMT
server: uvicorn
content-length: 25
content-type: application/json

{
"message": "Hello World"
}
Response file saved.
> 2023-02-17T201112.200.json

Response code: 200 (OK); Time: 203ms (203 ms); Content length: 25 bytes (25 B)

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (today 18:19) 2:6 LF UTF-8 2 spaces JSON: HTTP Client Environment File Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

fastApiProject_Daniel - test_main.http

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel API test_main.http

Project fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

Commit Pipfile Pipfile.lock README.md test_main.http External Libraries < Pipenv (fastApiProject_Daniel) > Scratches and Consoles

*Examples Notifications Database SciView

Test your FastAPI endpoints

▶ GET http://127.0.0.1:8000/ Accept: application/json

###

▶ GET http://127.0.0.1:8000/hello/Daniel Accept: application/json

###

Services

HTTP Request Finished

test_main | #1 Status: 200 (203 ms)

test_main | #2 Status: 200 (5 ms)

GET http://127.0.0.1:8000/hello/Daniel

Show Request

HTTP/1.1 200 OK

date: Fri, 17 Feb 2023 19:19:56 GMT

server: uvicorn

content-length: 26

content-type: application/json

{ "message": "Hello Daniel" }

Response file saved.

> 2023-02-17T201957.200.json

Response code: 200 (OK); Time: 5ms (5 ms); Content length: 26 bytes (26 B)

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

8 files committed: 1st Commit after new project env installations (today 18:19) 8:39 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

MyAPI 0.0.0 OAS3

/openapi.json

Product

MyAPI

0.0.0 OAS3

/openapi.json

Product

GET /api/product/ Hello World

Parameters

Cancel

No parameters

Execute

Clear

Responses

Server response

Code Details

200

Response body

```
{  
    "message": "bonjour"  
}
```



[Download](#)

Response headers

response 16...json ^

[Tout afficher](#)

fastApiProject_Daniel - main.py

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > main.py

Project fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

src

api

endpoints

__init__.py

productWs.py

__init__.py

api.py

__init__.py

http-client.env.json

main.py

Pipfile

Pipfile.lock

README.md

requirements.txt

test_main.http

External Libraries

< Pipenv (fastApiProject_Daniel) >

Scratches and Consoles

Run: fastApiProject_Daniel

```
/home/rdanf0/.local/share/virtualenvs/fastApiProject_Daniel-TeF20BUx/bin/python -m uvicorn main:app --reload
INFO:     Will watch for changes in these directories: ['/home/rdanf0/PycharmProjects/fastApiProject_Daniel']
INFO:     Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
INFO:     Started reloader process [130242] using WatchFiles
INFO:     Started server process [130244]
INFO:     Waiting for application startup.
INFO:     Application startup complete.
INFO:     127.0.0.1:42482 - "GET /docs HTTP/1.1" 200 OK
INFO:     127.0.0.1:42482 - "GET /openapi.json HTTP/1.1" 200 OK
INFO:     127.0.0.1:49878 - "GET /api/product/" HTTP/1.1" 200 OK
```

Git

Run

TODO

Problems

Terminal

Python Packages

Python Console

Services

Endpoints

Pushed 1 commit to origin/main (26 minutes ago)

Notifications

Database

SciView

8:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1]

fastApiProject_Daniel - Commit: main.py

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > main.py

Project Commit Requests

Commit to main

Changes 2 files

- api.py src/api
- main.py

Unversioned Files 2 files

- Pipfile
- Pipfile.lock

Amend

3d Commit : swagger tips see on ↗
`route 127.0.0.1:8000/docs` (API)

Commit Commit and Push...

Git: Log Console

HEAD (Current Branch)

Local

- main

Remote

- origin
- main

2d Commit : Structured Fastapi origin & main rdanf1 30 minutes ago

Create README.md with useful <init> content None_Python_s* Today 19:05

1st Commit after new project env Installations rdanf1 Today 18:19

fastApiProject_Daniel 1 file

README.md

Create README.md with useful <init> content

a20d6688 None_Python_s* <101021270+rdanf1@users.noreply.github.com> on 17/02/2023 at 19:05 committed by GitHub <noreply@github.com> Unverified GPG signature

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

Pushed 1 commit to origin/main (30 minutes ago)

5:1 Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > src > api > api.py

Commit to main

Changes 2 files

- api.py src/api
- main.py

Unversioned Files 2 files

- Pipfile
- Pipfile.lock

Amend

3d Commit : swagger tips see on
route 127.0.0.1:8000/docs (API)
and some Caps...

Commit Commit and Push...

Git: Log Console

HEAD (Current Branch)

Local

- main

Remote

- origin
- main

2d Commit : Structured Fastapi origin & main rdanf1 34 minutes ago

Create README.md with useful <init> content None_Python_s* Today 19:05

1st Commit after new project env Installations rdanf1 Today 18:19

fastApiProject_Daniel 1 file

README.md

Create README.md with useful <init> content

a20d6688 None_Python_s <101021270+rdanf1@users.noreply.github.com> on 17/02/2023 at 19:05 committed by GitHub <noreply@github.com> Unverified GPG signature

Pushed 1 commit to origin/main (33 minutes ago)

2:2 (16 chars) Pipenv (fastApiProject_Daniel) [Python 3.11.1]

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > src > api > endpoints > productWs.py

Project Commit Pull Requests Notifications Timeline Clear all Database SciView

fastApiProject_Daniel ~/PycharmProjects/fastApiProject_Daniel

src

api

endpoints

productWs.py

main.py

api.py

test_main.py

README.md

Pipfile

Pipfile.lock

requirements.txt

http-client.env.json

main.py

External Libraries

< Pipenv (fastApiProject_Daniel) >

Scratches and Consoles

Run: fastApiProject_Daniel

/home/rdanf0/.local/share/virtualenvs/fastApiProject_Daniel-TeF20BUx/bin/python -m uvicorn main:app --reload

INFO: Will watch for changes in these directories: ['/home/rdanf0/PycharmProjects/fastApiProject_Daniel']

INFO: Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)

INFO: Started reloader process [130242] using WatchFiles

INFO: Started server process [130244]

INFO: Waiting for application startup.

INFO: Application startup complete.

INFO: 127.0.0.1:42482 - "GET /docs HTTP/1.1" 200 OK

INFO: 127.0.0.1:42482 - "GET /openapi.json HTTP/1.1" 200 OK

INFO: 127.0.0.1:49878 - "GET /api/product/" HTTP/1.1" 200 OK

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

Pushed 1 commit to origin/main (35 minutes ago)

9:1 LF UTF-8 4 spaces Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

Notifications

Pushed 1 commit to origin/main 22:54

10 files committed: 2d Commit : Structured Fastapi routes in python packages Generation of requirements.txt from Terminal with \$ pip freeze

Externally added files can be added to Git

View Files Always Add Don't Ask Again

8 files committed: 1st Commit after new project env installations

Indexing completed in 27 sec. Shared indexes were applied to

File Edit View Navigate Code Refactor Run Tools Git Window Help

fastApiProject_Daniel > API test_main.http

Commit to main

Changes 1 file

Unversioned Files 2 files

Pipfile

Pipfile.lock

Amend

3d Commit : swagger tips see on route 127.0.0.1:8000/docs (API) and some Caps...

Commit Commit and Push...

Services

HTTP Request

All In test_main [passed: 2 of 2 tests]

test_main | #1 Status: 200 (5 ms)

test_main | #2 Status: 404 (6 ms)

GET http://127.0.0.1:8000/api/product/

Show Request

HTTP/1.1 200 OK

date: Fri, 17 Feb 2023 22:31:34 GMT

server: uvicorn

content-length: 21

content-type: application/json

{
 "message": "bonjour"
}
Response file saved.
> [2023-02-17T233135.200.json](#)

Response code: 200 (OK); Time: 5ms (5 ms); Content length: 21 bytes (21 B)

Notifications

Timeline

Clear all

Tests passed: 2 23:31

Pushed 1 commit to origin/main 23:30

2 files committed: 3d Commit : swagger tips see on route 127.0.0.1:8000/docs (API) and some Caps... 23:30

Pushed 1 commit to origin/main 22:54

ScView

Git Run TODO Problems Terminal Python Packages Python Console Services Endpoints

Run selected configuration(s)

8:30 LF UTF-8 0 space Pipenv (fastApiProject_Daniel) [Python 3.11.1] main

A screenshot of a web browser showing the GitHub settings page for managing personal access tokens. The URL in the address bar is `github.com/settings/tokens`. The page title is "Personal access tokens (classic)".

The left sidebar shows navigation links: GitHub Apps, OAuth Apps, Personal access tokens (selected), Fine-grained tokens (Beta), and Tokens (classic). The "Personal access tokens" section is expanded.

The main content area displays a table of generated tokens:

Token Name	Scopes	Last used	Action
fed37 (Pycharm Pro)	<code>gist</code> , <code>read:org</code> , <code>repo</code> , <code>workflow</code>	Last used within the last week	Delete

Below the table, a note states: "Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to authenticate to the API over Basic Authentication."