

COVID-19 Data Analysis with R - China*

Yanchang Zhao
yanchang@RDataMining.com
<http://RDataMining.com>

02 June 2020

Contents

1	Introduction	1
1.1	Data Source	1
1.2	R Packages	1
1.3	Notes	1
2	Loading Data	2
3	Data Preparation	2
3.1	Selecting Last Record of Each Day	2
3.2	Daily New Cases and Death Rates	3
3.3	Data Imputation	3
3.4	Data Discrepancy	4
4	Visualisation	4
4.1	Number of Cases	4
4.2	Current (or Remaining) Confirmed Cases	8
4.3	Deaths and Cured Cases	8
4.4	Death Rates	10
	Appendix A. Processed Data	11
	Appendix B. How to Cite This Work	14
	Appendix C. Contact	14

1 Introduction

This is a simple analysis of data around the Novel Coronavirus (COVID-19) in China, to demonstrate data processing and visualisation with R, *tidyverse* and *ggplot2*.

I have also produced a similar report for COVID-19 worldwide. If you are interested, please find it at <http://www.rdatamining.com/docs/Coronavirus-data-analysis-world.pdf>.

*©2020 Yanchang Zhao, RDataMining.com.

1.1 Data Source

The data source used for this analysis is Ding Xiang Yuan¹, which provides the data around the Novel Coronavirus (COVID-19) in China. Specifically, the data was retrieved from the *COVID-19/2019-nCoV Time Series Infection Data Warehouse* repository on GitHub². Detailed descriptions of the data can be found at <http://lab.isaacclin.cn/nCoV/en>.

The data was collected from 24 January 2020, the second day of Wuhan lockdown.

1.2 R Packages

Below is a list of R packages used for this analysis. Package *magrittr* is for pipe operations like `%>%` and `%<>%` and *lubridate* is for date operations. Package *tidyverse* is a collection of R packages for data science, including *dplyr* and *tidyr* for data processing and *ggplot2* for graphics. Package *gridExtra* is for arranging multiple grid-based plots on a page and *kableExtra* works together with `kable()` from *knitr* to build complex HTML or LaTeX tables.

```
library(magrittr)
library(lubridate)
library(tidyverse)
library(gridExtra)
library(kableExtra)
```

1.3 Notes

If you want to run the R scripts without using R Markdown, please remove all the `kable` related stuff when printing the data.

2 Loading Data

At first, the dataset, which is a CSV file, is downloaded and saved as a local file, and then it is loaded into R.

```
url <- 'https://raw.githubusercontent.com/BlankerL/DXY-COVID-19-Data/master/csv/DXYOverall.csv'
filename <- './data/DXYOverall.csv'
download.file(url, filename)
data.raw <- read.csv(filename)
# summary(data.raw)
# names(data.raw)
```

The data was last updated at 2020-06-02 10:19:54.

Then we select relevant columns and have a look at the first 30 rows.

```
## select columns
data.raw %<>% select(c(updateTime, curedCount, deadCount,
                      currentConfirmedCount, confirmedCount, suspectedCount,
                      # seriousCount,
                      curedIncr, deadIncr, confirmedIncr, suspectedIncr
                      # currentConfirmedIncr,
                      # seriousIncr
                      ))
head(data.raw, 30) %>%
  kable('latex', booktabs=T, caption='Raw Data (with Selected Columns Only)') %>%
  kable_styling(font_size=4, latex_options = c('striped', 'hold_position', 'repeat_header'))
```

¹<https://ncov.dxy.cn/ncovh5/view/pneumonia>

²<https://github.com/BlankerL/DXY-COVID-19-Data>

Table 1: Raw Data (with Selected Columns Only)

updateTime	curedCount	deadCount	currentConfirmedCount	confirmedCount	suspectedCount	curedIncr	deadIncr	confirmedIncr	suspectedIncr
2020-06-02 10:19:54	79824	4645	128	84597	1761	12	0	9	5
2020-06-02 10:01:34	79824	4645	128	84597	1761	12	0	9	5
2020-06-02 08:25:08	79824	4645	128	84597	1761	12	0	9	5
2020-06-02 08:09:50	79822	4645	126	84593	1756				
2020-06-02 08:03:44	79822	4645	126	84593	1756				
2020-06-02 07:25:53	79822	4645	126	84593	1756				
2020-06-02 02:00:31	79822	4645	126	84593	1756				
2020-06-01 23:48:48	79822	4645	126	84593	1756	16	0	23	16
2020-06-01 23:40:39	79822	4645	126	84593	1756	16	0	23	16
2020-06-01 23:28:22	79822	4645	126	84593	1756	16	0	23	16
2020-06-01 23:22:15	79822	4645	126	84593	1756	16	0	23	16
2020-06-01 22:59:41	79822	4645	126	84593	1756	16	0	23	16
2020-06-01 22:45:25	79823	4645	125	84593	1756	17	0	23	16
2020-06-01 22:40:20	79820	4645	128	84593	1756	14	0	23	16
2020-06-01 22:34:14	79819	4645	129	84593	1756	13	0	23	16
2020-06-01 21:38:54	79817	4645	131	84593	1756	11	0	23	16
2020-06-01 21:32:48	79813	4645	134	84592	1756	7	0	22	16
2020-06-01 21:24:39	79813	4645	134	84592	1756	7	0	22	16
2020-06-01 18:40:53	79813	4645	134	84592	1756	7	0	22	16
2020-06-01 18:39:52	79813	4645	134	84592	1756	7	0	22	16
2020-06-01 18:31:42	79813	4645	134	84592	1756	7	0	22	16
2020-06-01 18:25:37	79813	4645	131	84589	1756	7	0	19	16
2020-06-01 14:47:51	79812	4645	132	84589	1756	6	0	19	16
2020-06-01 14:39:42	79812	4645	132	84589	1756	6	0	19	16
2020-06-01 11:37:47	79812	4645	132	84589	1756	6	0	19	16
2020-06-01 11:32:41	79812	4645	131	84588	1756	6	0	18	16
2020-06-01 10:01:46	79812	4645	131	84588	1756	6	0	18	16
2020-06-01 09:20:49	79812	4645	131	84588	1756	6	0	18	16
2020-06-01 09:18:47	79812	4645	131	84588	1756	6	0	18	16
2020-06-01 09:07:36	79812	4645	131	84588	1756	6	0	18	16

3 Data Preparation

3.1 Selecting Last Record of Each Day

There are many records with different timestamps for every single day. For this analysis, we focus on daily numbers and therefore keep only the last record on each day. To achieve that, we group dataset by date and then select the first record from each group (i.e., from each day).

```
## convert from character to date
data.raw %<>% mutate(date=date(updateTime))
## sort by timestamp
# data.raw %<>% arrange(updateTime)
## select the latest record on each day
data <- tbl_df(data.raw) %>%
  group_by(date) %>%
  top_n(1, updateTime)
## sort by date ascendingly and remove updateTime
data %<>% arrange(date) %>% select(-updateTime)

min.date <- min(data.raw$date)
max.date <- max(data.raw$date)
min.date.txt <- min.date %>% format('%d %B %Y')
max.date.txt <- max.date %>% format('%d %B %Y')
```

3.2 Daily New Cases and Death Rates

After that, the daily increases of death and cured cases and the death rates are calculated.

`rate.upper` is calculated with the total deaths and cured cases. It is the upper bound of death rate and the reasons are

- 1) there were much more deaths than cured cases when the coronavirus broke out and when it was not contained, and

- 2) the daily number of death will decrease and that of the cured will increase as it becomes contained and more effective measures and treatments are used.

`rate.lower` is calculated with total deaths and confirmed cases. It is a lower bound of death rate, because there are and will be new deaths from the current confirmed cases. The final death rate is expected to be in between of the above two rates.

`rate.daily` is calculated with the daily deaths and cured cases and therefore is more volatile than the above two. However, it can give us a clue of the current situation: whether it is very serious or is getting better.

```
## daily new cases
n <- nrow(data)
data %<>% as.data.frame() %>%
  mutate(new.dead = deadCount - lag(deadCount, n=1),
         new.cured = curedCount - lag(curedCount, n=1),
         new.confirmed = confirmedCount - lag(confirmedCount, n=1))

## death rate based on total deaths and cured cases
data %<>% mutate(rate.upper = (100 * deadCount / (deadCount + curedCount)) %>% round(1))
## lower bound: death rate based on total confirmed cases
data %<>% mutate(rate.lower = (100 * deadCount / confirmedCount) %>% round(1))
## death rate based on the number of death/cured on every single day
data %<>% mutate(rate.daily = (100 * new.dead / (new.dead + new.cured)) %>% round(1))
```

3.3 Data Imputation

Some rows of column `currentConfirmedCount` are not populated in the raw dataset and we impute it as below.

```
## impute missing currentConfirmedCount
data %<>% mutate(currentConfirmedCount =
  ifelse(is.na(currentConfirmedCount),
        confirmedCount - curedCount - deadCount,
        currentConfirmedCount))
```

3.4 Data Discrepancy

There is discrepancy in the dataset, which is checked with code below. Please understand that some numbers are not 100% accurate.

```
## check for data discrepancy
data %<>% mutate(total = currentConfirmedCount + curedCount + deadCount)
data %<>% mutate(error.dead = new.dead - deadIncr,
               error.cured = new.cured - curedIncr,
               error.total = total - confirmedCount)
data$error.dead %>% summary()
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
## -108.000   0.000   0.000  -1.158   0.000   1.000    10
```

```
data$error.cured %>% summary()
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
##  -569.0  -159.8   -41.0  -107.8  -10.0     3.0    10
```

```
data$error.total %>% summary()
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
```

```
##      0      0      0      0      0      0
# head(data %>% as.data.frame())
```

Since today's cured and death counts are subject to change and will not be finalised until end of today, we might want to exclude today's rates and new cases from some plots in next section.

```
# data %<>% arrange(date)
# if(data$date[n] == today()) {
#   data$rate.daily[n] <- NA
#   data$new.dead[n] <- NA
#   data$new.cured[n] <- NA
#   data$new.confirmed[n] <- NA
# }
```

4 Visualisation

After tidying up the data, we visualise it with various charts.

4.1 Number of Cases

Figure 1 shows the number of COVID-19 cases in China. The line and area plots show the numbers of dead, cured, current confirmed and suspected cases. Note that, in the area plot, the total number of confirmed cases is represented by the total areas of confirmed, cured and deaths.

```
# total/current confirmed cases
p <- ggplot(data, aes(x=date)) +
  geom_line(aes(y=suspectedCount, color='Suspected')) +
  geom_line(aes(y=confirmedCount, color='Total Confimed')) +
  geom_line(aes(y=currentConfirmedCount, color='Current Confimed')) +
  geom_line(aes(y=curedCount, color='Cured')) +
  geom_line(aes(y=deadCount, color='Deaths')) +
  xlab('') + ylab('Count') +
  theme(legend.title=element_blank(), axis.text.x = element_text(angle=45, hjust=1)) +
  scale_color_manual(values = c(
    'Suspected' = 'orange',
    'Total Confimed' = 'purple',
    'Current Confimed' = 'red',
    'Cured' = 'green',
    'Deaths' = 'black'))

## draw a plot and add annotations
plot1 <- p + labs(title=paste0('Number of Cases - ', max.date.txt)) +
  annotate('segment', x=ymd('2020-01-27'), xend=ymd('2020-01-24'),
    y=29000, yend=5000, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-01-28'), y=35000,
    label='Wuhan lockdown\n on 23 Jan',
    color='skyblue', size=1.8) +
  annotate('segment', x=ymd('2020-02-02'), xend=ymd('2020-02-11'),
    y=64000, yend=52000, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-02-01'), y=75000,
    label='New criteria introduced \n and new Heads of \n Wuhan & Hubei started\n on 13 Feb',
    color='skyblue', size=1.8) +
```

```

  annotate('segment', x=ymd('2020-04-08'), xend=ymd('2020-04-08'),
    y=14000, yend=6000, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-04-07'), y=20000,
    label='Wuhan unlocked\n on 8 Apr',
    color='skyblue', size=1.8) +
  annotate('segment', x=ymd('2020-04-17'), xend=ymd('2020-04-17'),
    y=29000, yend=7000, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-04-17'), y=35000,
    label='Death toll rectified\n on 17 Apr',
    color='skyblue', size=1.8)

plot2 <- p + scale_y_continuous(trans='log10') +
  labs(title=paste0('Number of Cases (log scale) - ', max.date.txt))

## convert from wide to long format, for purpose of drawing an area plot
data.long <- data %>% select(c(date, suspectedCount,
  currentConfirmedCount, curedCount, deadCount)) %>%
  rename(Suspected=suspectedCount, Confimed=currentConfirmedCount,
    Cured=curedCount, Deaths=deadCount) %>%
  gather(key=type, value=count, -date)
## set factor levels to show them in a desirable order
data.long %<>% mutate(type = factor(type, c('Suspected', 'Confimed', 'Cured', 'Deaths')))
## area plot
plot3 <- ggplot(data.long, aes(x=date, y=count, fill=type)) +
  geom_area(alpha=0.5) + xlab('') + ylab('Count') +
  labs(title=paste0('COVID-19 in China - ', max.date.txt)) +
  theme(legend.title=element_blank(), axis.text.x = element_text(angle=45, hjust=1)) +
  scale_fill_manual(values=c('orange', 'red', 'green', 'black'))

## show three plots together
grid.arrange(plot1, plot2, plot3, ncol=1)

```






Figure 1: Numbers of COVID-19 Cases

Figure 1 (based on official stats) shows that the coronavirus seems to be contained in China, in that

- there are a lot of recovered cases (in green) every day,
- the remaining confirmed cases (in red) are shrinking significantly, and
- suspected cases (in orange) are almost gone.

4.2 Current (or Remaining) Confirmed Cases

In the right chart of Figure 2, there is a big spike of more than 15,000 new confirmed cases on 13 February 2020. The reasons are that Chinese government changed the criteria for confirmed cases and new measures were introduced by a new Head of Hubei Province and a new Head of Wuhan City, who replaced their predecessors on that day.

```
## current confirmed and its increase
plot1 <- ggplot(data, aes(x=date, y=currentConfirmedCount)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Current Confirmed Cases') +
  theme(axis.text.x = element_text(angle=45, hjust=1))
plot2 <- ggplot(data, aes(x=date, y=new.confirmed)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Daily New Confirmed Cases') +
  theme(axis.text.x = element_text(angle=45, hjust=1)) +
  annotate('segment', x=ymd('2020-03-01'), xend=ymd('2020-02-16'),
    y=14000, yend=14800, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-03-24'), y=12500,
    label='New criteria introduced \n and new Heads of \n Wuhan & Hubei started\n on 13 Feb',
    color='skyblue', size=2)
grid.arrange(plot1, plot2, ncol=2)
```




Figure 2: Current (or Remaining) Confirmed Cases

4.3 Deaths and Cured Cases

In the bottom-left chart of Figure 3, there is a big spike of 1,290 new deaths on 17 April 2020. The explanation given by Chinese government is that it is caused by a rectification of previously missed deaths.


```

## a scatter plot with a smoothed line and vertical x-axis labels
plot1 <- ggplot(data, aes(x=date, y=deadCount)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Cumulative Deaths') +
  theme(axis.text.x = element_text(angle=45, hjust=1))
plot2 <- ggplot(data, aes(x=date, y=curedCount)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Cumulative Cured Cases') +
  theme(axis.text.x = element_text(angle=45, hjust=1))
plot3 <- ggplot(data, aes(x=date, y=new.dead)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Daily New Deaths') +
  theme(axis.text.x = element_text(angle=45, hjust=1)) +
  annotate('segment', x=ymd('2020-04-02'), xend=ymd('2020-04-14'),
    y=1150, yend=1250, colour='skyblue', size=0.5,
    arrow=arrow(length=unit(0.2, 'cm')))) +
  geom_text(x=ymd('2020-03-15'), y=1130,
    label='Death toll rectified\n on 17 Apr',
    color='skyblue', size=2.5)
plot4 <- ggplot(data, aes(x=date, y=new.cured)) +
  geom_point() + geom_smooth() +
  xlab('') + ylab('Count') + labs(title='Daily New Cured Cases') +
  theme(axis.text.x = element_text(angle=45, hjust=1))
## show four plots together, with 2 plots in each row
grid.arrange(plot1, plot2, plot3, plot4, nrow=2)

```




Figure 3: Deaths and Cured Cases

4.4 Death Rates

Figure 4 shows death rates calculated in three different ways (see Section 3.2 for details). The left chart shows the death rates from 24 January 2020 to 02 June 2020 and the right one is a zoom-in view of the rates in last two weeks.

In the right chart, the upper bound (in blue) is decreasing, as there will be more cured cases and fewer deaths daily as time goes on. However, the lower bound (in green) keeps going up, as there are and will be new deaths from the current confirmed cases. Therefore, the final death rate is expected to be in-between of those two rates, and based on the latest data as of 02 June 2020, it will be around 5.5% (see the last row in the table at the end of this report).

```
## three death rates
plot1 <- ggplot(data, aes(x=date)) +
  geom_line(aes(y=rate.upper, colour='Upper bound')) +
  geom_line(aes(y=rate.lower, colour='Lower bound')) +
  geom_line(aes(y=rate.daily, colour='Daily')) +
  xlab('') + ylab('Death Rate (%)') + labs(title='Overall') +
```

```

theme(legend.position='bottom', legend.title=element_blank(),
      axis.text.x = element_text(angle=45, hjust=1)) +
ylim(0, 100)
## focusing on last 2 weeks
plot2 <- ggplot(data[n-(14:0),], aes(x=date)) +
  geom_line(aes(y=rate.upper, colour='Upper bound')) +
  geom_line(aes(y=rate.lower, colour='Lower bound')) +
  geom_line(aes(y=rate.daily, colour='Daily')) +
  xlab('') + ylab('Death Rate (%)') + labs(title='Last two weeks') +
  theme(legend.position='bottom', legend.title=element_blank(),
        axis.text.x = element_text(angle=45, hjust=1)) +
  ylim(0, 8)
grid.arrange(plot1, plot2, ncol=2)

```




Figure 4: Death Rate

Appendix A. Processed Data

Below is the processed data for this analysis and visualisation. Note that numbers in the first row of the table are subject to change, if they are about today (02 June 2020).

```

## sort by date descendingly and re-order columns
data %<>% arrange(desc(date)) %>%
  select(c(date, confirmedCount, deadCount, curedCount, currentConfirmedCount,
           new.confirmed, new.dead, new.cured, rate.upper, rate.daily, rate.lower))
## to make column names shorter for output purpose only
names(data) %<>% gsub(pattern='Count', replacement='')
## output as a table
## highlight two anomaly days, one with new.confirmed >= 10000 and the other with new.dead >= 1000
data %>%
  mutate(rate.upper = rate.upper %>% format(nsmall=1) %>% paste0('\\\\%'),
         rate.lower = rate.lower %>% format(nsmall=1) %>% paste0('\\\\%'),

```

```

    rate.daily = rate.daily %>% format(nsmall=1) %>% paste0('\\%') %>%
mutate(new.confirmed=ifelse(!is.na(new.confirmed) & new.confirmed >= 10000,
    cell_spec(format(new.confirmed, big.mark=','),
        "latex", color="red", bold=T),
    cell_spec(format(new.confirmed, big.mark=','),
        "latex", color="black", bold=F)),
    new.dead=ifelse(!is.na(new.dead) & new.dead >= 1000,
    cell_spec(format(new.dead, big.mark=','),
        "latex", color="red", bold=T),
    cell_spec(format(new.dead, big.mark=','),
        "latex", color="black", bold=F))
) %>%
kable(format='latex', escape=F, booktabs=T, longtable=T,
    caption='COVID-19 in China',
    format.args=list(big.mark=','),
    align=c('l', rep('r', 10))) %>%
kable_styling(font_size=6, latex_options = c('striped', 'hold_position', 'repeat_header'))

```

Table 2: COVID-19 in China

date	confirmed	dead	cured	currentConfirmed	new.confirmed	new.dead	new.cured	rate.upper	rate.daily	rate.lower
2020-06-02	84,597	4,645	79,824	128	4	0	2	5.5%	0.0%	5.5%
2020-06-01	84,593	4,645	79,822	126	21	0	12	5.5%	0.0%	5.5%
2020-05-31	84,572	4,645	79,810	117	3	0	5	5.5%	0.0%	5.5%
2020-05-30	84,569	4,645	79,805	119	8	0	5	5.5%	0.0%	5.5%
2020-05-29	84,561	4,645	79,800	116	14	0	9	5.5%	0.0%	5.5%
2020-05-28	84,547	4,645	79,791	111	2	0	11	5.5%	0.0%	5.5%
2020-05-27	84,545	4,645	79,780	120	2	0	8	5.5%	0.0%	5.5%
2020-05-26	84,543	4,645	79,772	126	7	0	10	5.5%	0.0%	5.5%
2020-05-25	84,536	4,645	79,762	129	11	0	13	5.5%	0.0%	5.5%
2020-05-24	84,525	4,645	79,749	131	3	0	9	5.5%	0.0%	5.5%
2020-05-23	84,522	4,645	79,740	137	0	0	4	5.5%	0.0%	5.5%
2020-05-22	84,522	4,645	79,736	141	16	0	18	5.5%	0.0%	5.5%
2020-05-20	84,506	4,645	79,718	143	3	0	5	5.5%	0.0%	5.5%
2020-05-19	84,503	4,645	79,713	145	9	0	8	5.5%	0.0%	5.5%
2020-05-18	84,494	4,645	79,705	144	7	0	15	5.5%	0.0%	5.5%
2020-05-17	84,487	4,645	79,690	152	9	1	21	5.5%	4.5%	5.5%
2020-05-16	84,478	4,644	79,669	165	7	0	9	5.5%	0.0%	5.5%
2020-05-15	84,471	4,644	79,660	167	6	0	25	5.5%	0.0%	5.5%
2020-05-14	84,465	4,644	79,635	186	4	0	18	5.5%	0.0%	5.5%
2020-05-13	84,461	4,644	79,617	200	10	0	37	5.5%	0.0%	5.5%
2020-05-12	84,451	4,644	79,580	227	1	0	41	5.5%	0.0%	5.5%
2020-05-11	84,450	4,644	79,539	267	15	1	29	5.5%	3.3%	5.5%
2020-05-10	84,435	4,643	79,510	282	19	0	93	5.5%	0.0%	5.5%
2020-05-09	84,416	4,643	79,417	356	0	0	69	5.5%	0.0%	5.5%
2020-05-08	84,416	4,643	79,348	425	2	0	57	5.5%	0.0%	5.5%
2020-05-07	84,414	4,643	79,291	480	7	0	52	5.5%	0.0%	5.5%
2020-05-06	84,407	4,643	79,239	525	3	0	58	5.5%	0.0%	5.5%
2020-05-05	84,404	4,643	79,181	580	1	0	138	5.5%	0.0%	5.5%
2020-05-04	84,403	4,643	79,043	717	10	0	78	5.5%	0.0%	5.5%
2020-05-03	84,393	4,643	78,965	785	2	0	55	5.6%	0.0%	5.5%
2020-05-02	84,391	4,643	78,910	838	4	0	19	5.6%	0.0%	5.5%
2020-05-01	84,387	4,643	78,891	853	14	0	76	5.6%	0.0%	5.5%
2020-04-30	84,373	4,643	78,815	915	4	0	49	5.6%	0.0%	5.5%
2020-04-29	84,369	4,643	78,766	960	2	0	56	5.6%	0.0%	5.5%
2020-04-28	84,367	4,643	78,710	1,014	26	0	114	5.6%	0.0%	5.5%
2020-04-27	84,341	4,643	78,596	1,102	3	1	127	5.6%	0.8%	5.5%
2020-04-26	84,338	4,642	78,469	1,227	8	0	67	5.6%	0.0%	5.5%
2020-04-25	84,330	4,642	78,402	1,286	17	0	114	5.6%	0.0%	5.5%
2020-04-24	84,313	4,642	78,288	1,383	8	0	98	5.6%	0.0%	5.5%
2020-04-23	84,305	4,642	78,190	1,473	11	0	95	5.6%	0.0%	5.5%
2020-04-22	84,294	4,642	78,095	1,557	16	0	79	5.6%	0.0%	5.5%
2020-04-21	84,278	4,642	78,016	1,620	39	0	68	5.6%	0.0%	5.5%
2020-04-20	84,239	4,642	77,948	1,649	14	0	69	5.6%	0.0%	5.5%
2020-04-19	84,225	4,642	77,879	1,704	40	0	87	5.6%	0.0%	5.5%

Table 2: COVID-19 in China (continued)

date	confirmed	dead	cured	currentConfirmed	new.confirmed	new.dead	new.cured	rate.upper	rate.daily	rate.lower
2020-04-18	84,185	4,642	77,792	1,751	29	0	74	5.6%	0.0%	5.5%
2020-04-17	84,156	4,642	77,718	1,796	357	1,290	-838	5.6%	285.4%	5.5%
2020-04-16	83,799	3,352	78,556	1,891	47	0	121	4.1%	0.0%	4.0%
2020-04-15	83,752	3,352	78,435	1,965	52	1	111	4.1%	0.9%	4.0%
2020-04-14	83,700	3,351	78,324	2,025	93	0	176	4.1%	0.0%	4.0%
2020-04-13	83,607	3,351	78,148	2,108	84	2	83	4.1%	2.4%	4.0%
2020-04-12	83,523	3,349	78,065	2,109	123	0	89	4.1%	0.0%	4.0%
2020-04-11	83,400	3,349	77,976	2,075	76	3	94	4.1%	3.1%	4.0%
2020-04-10	83,324	3,346	77,882	2,096	60	2	136	4.1%	1.4%	4.0%
2020-04-09	83,264	3,344	77,746	2,174	75	2	119	4.1%	1.7%	4.0%
2020-04-08	83,189	3,342	77,627	2,220	94	2	160	4.1%	1.2%	4.0%
2020-04-07	83,095	3,340	77,467	2,288	56	0	100	4.1%	0.0%	4.0%
2020-04-06	83,039	3,340	77,367	2,332	73	2	110	4.1%	1.8%	4.0%
2020-04-05	82,966	3,338	77,257	2,371	67	3	261	4.1%	1.1%	4.0%
2020-04-04	82,899	3,335	76,996	2,568	42	4	186	4.2%	2.1%	4.0%
2020-04-03	82,857	3,331	76,810	2,716	85	4	200	4.2%	2.0%	4.0%
2020-04-02	82,772	3,327	76,610	2,835	81	6	172	4.2%	3.4%	4.0%
2020-04-01	82,691	3,321	76,438	2,932	90	7	199	4.2%	3.4%	4.0%
2020-03-31	82,601	3,314	76,239	3,048	96	1	283	4.2%	0.4%	4.0%
2020-03-30	82,505	3,313	75,956	3,236	84	7	350	4.2%	2.0%	4.0%
2020-03-29	82,421	3,306	75,606	3,509	139	5	482	4.2%	1.0%	4.0%
2020-03-28	82,282	3,301	75,124	3,857	118	3	381	4.2%	0.8%	4.0%
2020-03-27	82,164	3,298	74,743	4,123	130	5	539	4.2%	0.9%	4.0%
2020-03-26	82,034	3,293	74,204	4,537	138	6	408	4.2%	1.4%	4.0%
2020-03-25	81,896	3,287	73,796	4,813	90	4	493	4.3%	0.8%	4.0%
2020-03-24	81,806	3,283	73,303	5,220	115	7	455	4.3%	1.5%	4.0%
2020-03-23	81,691	3,276	72,848	5,567	125	9	458	4.3%	1.9%	4.0%
2020-03-22	81,566	3,267	72,390	5,909	109	6	505	4.3%	1.2%	4.0%
2020-03-21	81,457	3,261	71,885	6,311	72	6	593	4.3%	1.0%	4.0%
2020-03-20	81,385	3,255	71,292	6,838	122	5	731	4.4%	0.7%	4.0%
2020-03-19	81,263	3,250	70,561	7,452	61	8	784	4.4%	1.0%	4.0%
2020-03-18	81,202	3,242	69,777	8,183	67	11	957	4.4%	1.1%	4.0%
2020-03-17	81,135	3,231	68,820	9,084	36	13	890	4.5%	1.4%	4.0%
2020-03-16	81,099	3,218	67,930	9,951	37	14	893	4.5%	1.5%	4.0%
2020-03-15	81,062	3,204	67,037	10,821	33	10	1,362	4.6%	0.7%	4.0%
2020-03-14	81,029	3,194	65,675	12,160	22	13	1,449	4.6%	0.9%	3.9%
2020-03-13	81,007	3,181	64,226	13,600	26	8	1,302	4.7%	0.6%	3.9%
2020-03-12	80,981	3,173	62,924	14,884	12	11	1,256	4.8%	0.9%	3.9%
2020-03-11	80,969	3,162	61,668	16,139	37	22	1,471	4.9%	1.5%	3.9%
2020-03-10	80,932	3,140	60,197	17,595	27	16	1,373	5.0%	1.2%	3.9%
2020-03-09	80,905	3,124	58,824	18,957	37	23	1,412	5.0%	1.6%	3.9%
2020-03-08	80,868	3,101	57,412	20,355	53	28	1,854	5.1%	1.5%	3.8%
2020-03-07	80,815	3,073	55,558	22,184	81	28	1,590	5.2%	1.7%	3.8%
2020-03-06	80,734	3,045	53,968	23,721	153	29	1,663	5.3%	1.7%	3.8%
2020-03-05	80,581	3,016	52,305	25,260	157	32	2,295	5.5%	1.4%	3.7%
2020-03-04	80,424	2,984	50,010	27,430	121	36	2,576	5.6%	1.4%	3.7%
2020-03-03	80,303	2,948	47,434	29,921	128	33	2,589	5.9%	1.3%	3.7%
2020-03-02	80,175	2,915	44,845	32,415	203	42	2,683	6.1%	1.5%	3.6%
2020-03-01	79,972	2,873	42,162	34,937	578	35	2,854	6.4%	1.2%	3.6%
2020-02-29	79,394	2,838	39,308	37,248	432	47	2,996	6.7%	1.5%	3.6%
2020-02-28	78,962	2,791	36,312	39,859	331	44	3,396	7.1%	1.3%	3.5%
2020-02-27	78,631	2,747	32,916	42,968	436	29	2,838	7.7%	1.0%	3.5%
2020-02-26	78,195	2,718	30,078	45,399	410	52	2,423	8.3%	2.1%	3.5%
2020-02-25	77,785	2,666	27,655	47,464	516	70	2,648	8.8%	2.6%	3.4%
2020-02-24	77,269	2,596	25,007	49,666	221	151	1,824	9.4%	7.6%	3.4%
2020-02-23	77,048	2,445	23,183	51,420	652	97	2,108	9.5%	4.4%	3.2%
2020-02-22	76,396	2,348	21,075	52,973	825	109	2,388	10.0%	4.4%	3.1%
2020-02-21	75,571	2,239	18,687	54,645	891	117	1,966	10.7%	5.6%	3.0%
2020-02-20	74,680	2,122	16,721	55,837	396	113	1,783	11.3%	6.0%	2.8%
2020-02-19	74,284	2,009	14,938	57,337	1,752	137	1,935	11.9%	6.6%	2.7%
2020-02-18	72,532	1,872	13,003	57,657	1,888	100	1,725	12.6%	5.5%	2.6%
2020-02-17	70,644	1,772	11,278	57,594	2,049	105	1,515	13.6%	6.5%	2.5%
2020-02-16	68,595	1,667	9,763	57,165	2,014	143	1,269	14.6%	10.1%	2.4%
2020-02-15	66,581	1,524	8,494	56,563	2,631	142	1,402	15.2%	9.2%	2.3%
2020-02-14	63,950	1,382	7,092	55,476	4,043	14	877	16.3%	1.6%	2.2%
2020-02-13	59,907	1,368	6,215	52,324	15,142	252	1,149	18.0%	18.0%	2.3%
2020-02-12	44,765	1,116	5,066	38,583	2,018	99	765	18.1%	11.5%	2.5%
2020-02-11	42,747	1,017	4,301	37,429	2,485	108	750	19.1%	12.6%	2.4%

Table 2: COVID-19 in China (*continued*)

date	confirmed	dead	cured	currentConfirmed	new.confirmed	new.dead	new.cured	rate.upper	rate.daily	rate.lower
2020-02-10	40,262	909	3,551	35,802	2,973	96	651	20.4%	12.9%	2.3%
2020-02-09	37,289	813	2,900	33,576	2,616	89	525	21.9%	14.5%	2.2%
2020-02-08	34,673	724	2,375	31,574	3,409	87	622	23.4%	12.3%	2.1%
2020-02-07	31,264	637	1,753	28,874	3,126	73	380	26.7%	16.1%	2.0%
2020-02-06	28,138	564	1,373	26,201	3,704	71	355	29.1%	16.7%	2.0%
2020-02-05	24,434	493	1,018	22,923	3,904	67	300	32.6%	18.3%	2.0%
2020-02-04	20,530	426	718	19,386	3,189	65	191	37.2%	25.4%	2.1%
2020-02-03	17,341	361	527	16,453	2,851	57	93	40.7%	38.0%	2.1%
2020-02-02	14,490	304	434	13,752	2,589	45	159	41.2%	22.1%	2.1%
2020-02-01	11,901	259	275	11,367	2,090	46	61	48.5%	43.0%	2.2%
2020-01-31	9,811	213	214	9,384	1,662	42	79	49.9%	34.7%	2.2%
2020-01-30	8,149	171	135	7,843	2,054	38	16	55.9%	70.4%	2.1%
2020-01-29	6,095	133	119	5,843	1,465	27	46	52.8%	37.0%	2.2%
2020-01-28	4,630	106	73	4,451	1,773	24	17	59.2%	58.5%	2.3%
2020-01-27	2,857	82	56	2,719	781	26	7	59.4%	78.8%	2.9%
2020-01-26	2,076	56	49	1,971	668	14	10	53.3%	58.3%	2.7%
2020-01-25	1,408	42	39	1,327	511	16	3	51.9%	84.2%	3.0%
2020-01-24	897	26	36	835	NA	NA		41.9%	NA%	2.9%

Appendix B. How to Cite This Work

Citation

Yanchang Zhao, COVID-19 Data Analysis with R – China. RDataMining.com, 2020. URL: <http://www.rdatamining.com/docs/Coronavirus-data-analysis-china.pdf>.

BibTex

```
@techreport{Zhao2020Covid19china,
  Author = {Yanchang Zhao},
  Institution = {RDataMining.com},
  Title = {COVID-19 Data Analysis with R – China},
  Url = {http://www.rdatamining.com/docs/Coronavirus-data-analysis-china.pdf},
  Year = {2020}}
```

Appendix C. Contact

Contact:

Dr. Yanchang Zhao

Email: yanchang@RDataMining.com

Twitter: @RDataMining

LinkedIn: <http://group.rdatamining.com>

Comments and suggestions and welcome. Thanks!