

OFFICIAL ABSTRACT and CERTIFICATION

Optimizing the Adsorption Operating Conditions for Dual Functional Materials in Direct Capture of CO₂ from Air

Kyle Pinzon

Herricks High School, New Hyde Park NY, USA

A study of Dual Functional Material (DFM) composed of 0.5% Ru/ 6.1% NaO supported on γ - Al₂O₃ for the adsorption of CO₂ and conversion to fuel, CH₄, is presented. This process operates at 320 oC for both of the steps, utilizing H₂ from an excess renewable energy source to hydrogenate the adsorbed CO₂. Previous research with DFM has been performed with applications for large point-sources of CO₂ emissions, such as natural gas power plants, using flue gas (7-10% CO₂). In this study, DFM was tested for the first time using air with low CO₂ concentrations (0.1% CO₂, 20% O₂, 80% N₂), for applications in Direct Air Capture (DAC) of CO₂. Four trials were run (10 mL/min air for 15 minutes; 40 mL/min air for 15 minutes; 10 mL/min air for 30 minutes; 40 mL/min air for 30 minutes) testing the flow rate of CO₂-containing air and the length of adsorption in order to maximize the adsorption of CO₂. Results demonstrated that DFM can adsorb CO₂ from concentrations as low as 0.1%. Furthermore, it has been shown that faster flow rates of air (40 mL/min) and longer adsorption times (30 minutes) (122.41 μ mol CH₄/gcat; $p < 0.05$) were more favorable for the production of CH₄, and inherently the adsorption of CO₂. These results evidence that DFM is a promising candidate for applications in DAC, and suggest further research is needed to optimize the operating conditions of the adsorption step.

Category
Pick one only—
mark an "X" in box
at right

- | | |
|--|-------------------------------------|
| Animal Sciences | <input type="checkbox"/> |
| Behavioral & Social Sciences | <input type="checkbox"/> |
| Biochemistry | <input type="checkbox"/> |
| Biomedical & Health Sciences | <input type="checkbox"/> |
| Biomedical Engineering | <input type="checkbox"/> |
| Cellular & Molecular Biology | <input type="checkbox"/> |
| Chemistry | <input type="checkbox"/> |
| Computational Biology & Bioinformatics | <input type="checkbox"/> |
| Earth & Environmental Sciences | <input type="checkbox"/> |
| Embedded Systems | <input type="checkbox"/> |
| Energy: Chemical | <input type="checkbox"/> |
| Energy: Physical | <input type="checkbox"/> |
| Engineering Mechanics | <input type="checkbox"/> |
| Environmental Engineering | <input checked="" type="checkbox"/> |
| Materials Science | <input type="checkbox"/> |
| Mathematics | <input type="checkbox"/> |
| Microbiology | <input type="checkbox"/> |
| Physics & Astronomy | <input type="checkbox"/> |
| Plant Sciences | <input type="checkbox"/> |
| Robotics & Intelligent Machines | <input type="checkbox"/> |
| Systems Software | <input type="checkbox"/> |
| Translational Medical Sciences | <input type="checkbox"/> |

- As a part of this research project, the student directly handled, manipulated, or interacted with (check ALL that apply):
☐ human participants ☐ potentially hazardous biological agents
☐ vertebrate animals ☐ microorganisms ☐ rDNA ☐ tissue
- I/we worked or used equipment in a regulated research institution or industrial setting: ☒ Yes ☐ No
- This project is a continuation of previous research. ☐ Yes ☒ No
- My display board includes non-published photographs/visual depictions of humans (other than myself): ☐ Yes ☒ No
- This abstract describes only procedures performed by me/us, reflects my/our own independent research, and represents one year's work only ☒ Yes ☐ No
- I/we hereby certify that the abstract and responses to the above statements are correct and properly reflect my/our own work. ☒ Yes ☐ No

This stamp or embossed seal attests that this project is in compliance with all federal and state laws and regulations and that all appropriate reviews and approvals have been obtained including the final clearance by the Scientific Review Committee.

