





The screenshot shows an IDE interface. At the top, the project is named 'rddevry_project1' and the current branch is 'feature/new_page'. The code editor displays 'feature1.html' with the following content:

```
6 </head>
7 <body>
```

The terminal window shows the following commands and output:

```
volodymyr@HP:/mnt/c/Users/Ry/IdeaProjects/rddevry_project1$ cd devops2_volodymyr/
volodymyr@HP:/mnt/c/Users/Ry/IdeaProjects/rddevry_project1/devops2_volodymyr$ git commit -m "feature1 update"
On branch feature/new_page
Your branch is ahead of 'origin/feature/new_page' by 1 commit.
(use "git push" to publish your local commits)

..
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   feature1.html

no changes added to commit (use "git add" and/or "git commit -a")
volodymyr@HP:/mnt/c/Users/Ry/IdeaProjects/rddevry_project1/devops2_volodymyr$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 423 bytes | 4.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:rddevry/devops2_volodymyr.git
   6c2da14..46bef38  feature/new_page -> feature/new_page
volodymyr@HP:/mnt/c/Users/Ry/IdeaProjects/rddevry_project1/devops2_volodymyr$ git log
commit 4bfa595b4a5ff97b433142f42846f98ebf4c8f50 (HEAD -> feature/new_page)
Author: volodymyr <rddevry@gmail.com>
Date: Tue Sep 3 10:24:37 2024 +0300

    add file feature1.html
    index.html
```

