

1/1

Alpha Biologix

Ipamorelin (10mg)

$60.00

Quantity

− 1 +

Add to cart

Buy it now

Ipamorelin (10mg) is a selective growth hormone-releasing peptide (GHRP) that stimulates the pituitary gland to increase natural growth hormone (GH) production, promoting muscle growth, fat loss, and improved recovery. This peptide is known for its ability to trigger GH release without significantly affecting cortisol or prolactin levels, making it one of the cleanest and most well-tolerated GHRPs.

Ipamorelin enhances lean muscle mass development, accelerates fat metabolism, and supports faster recovery times after physical activity, making it ideal for athletes and fitness enthusiasts. It also promotes better sleep quality and overall well-being by optimizing the body's natural GH cycles, which contribute to tissue repair and energy restoration.

Perfect for individuals looking for a safe and effective way to boost growth hormone levels, Ipamorelin (10mg) offers significant benefits for muscle growth, fat loss, and overall physical performance.

What is Ipamorelin (10mg)?

Ipamorelin, a pentapeptide composed of five amino acids, functions as a growth hormone (GH) secretagogue, acting as an agonist by binding to specific cell receptors and eliciting cellular responses. In animal test subjects, the peptide demonstrates the capacity to stimulate the pituitary gland, promoting the expression of growth-related secretions.

Simultaneously, Ipamorelin inhibits the production of somatostatin, a known secretion. Notably, it has been observed that Ipamorelin contributes to the elevation of Insulin-like Growth Factor 1 (IGF-1), a crucial factor in the growth and repair processes of muscular and skeletal tissues.

This peptide, with its specific binding to the ghrelin/growth hormone secretagogue receptor, stands out as one of the most selective GH secretagogues, as laboratory studies confirm its lack of impact on various hormones like ACTH, prolactin, follicle-stimulating hormone, luteinizing hormone, thyroid-stimulating hormone, and cortisol release.

Its remarkable specificity positions Ipamorelin as a valuable subject for research, shedding light on the intricate mechanisms of receptor binding selectivity.

What Are the Effects of Ipamorelin (10mg)?

Ipamorelin: Investigating Therapeutic Applications

Ipamorelin and Alleviation of Negative Corticosteroid Effects

Glucocorticoids, frequently employed in treating inflammatory conditions spanning cancer to autoimmune diseases, exhibit considerable side effects, curbing their clinical utility. Addressing these side effects holds potential for enhancing medication dosages and prolonging treatment, positively impacting morbidity and mortality rates.

Ipamorelin, evident in various studies, has demonstrated the capacity to mitigate or reverse the adverse effects induced by glucocorticoid use.

Ipamorelin and Skeletal Health

Long-term glucocorticoid usage is associated with a significant challenge—loss of bone density leading to an elevated risk of fractures. While current therapies pose side effects, limited efficacy, or high costs, Ipamorelin offers a cost-effective alternative with minimal side effects.

Rat studies indicate Ipamorelin's ability to halt corticosteroid-induced bone loss, fostering a **four-fold increase in bone formation**. Additionally, Ipamorelin enhances systemic bone mineral density, fortifying both existing and newly formed bone, while mitigating muscle wasting and visceral fat deposition associated with steroid use.

Ipamorelin and its Impact on Muscle Growth

Evidence suggests that Ipamorelin, as a growth hormone secretagogue, may counteract the catabolic effects of glucocorticoids on muscle. Research involving rats administered glucocorticoids reveals a reduction in liver nitrogen wasting and improved nitrogen balance following Ipamorelin administration.

Combating muscle catabolism and bone density loss with a single drug presents significant potential for patients requiring glucocorticoid therapy.

Ipamorelin and Diabetes

Studies in diabetic rats indicate that Ipamorelin augments insulin release, possibly through indirect stimulation of calcium channels in pancreatic islet cells. This effect sheds light on Ipamorelin's potential in understanding the functional constraints of type 2 diabetes and its role in developing novel therapeutic or preventive measures.

Investigation of Ipamorelin for Post-Operative Ileus Treatment

Post-operative ileus (POI), prevalent after certain surgeries, significantly impacts patients' recovery by delaying oral nutrition intake. Ipamorelin's exploration in clinical trials aimed at reducing POI duration indicates a potential to **expedite the time to the first meal by approximately 12 hours**.

While early trials faced limitations, ongoing research and exploration of combination therapies incorporating Ipamorelin could enhance effectiveness.

Ipamorelin as a Ghrelin Receptor Probe

As a selective ghrelin receptor agonist with robust binding, Ipamorelin holds promise for application as a probe in positron emission tomography (PET) for aiding in cancer diagnosis and heart failure. In vitro studies confirm Ipamorelin's feasibility for PET, emphasizing its

potential utility in vivo, necessitating further testing and standardization of interpreting PET studies.

Share