

```

(gdb) bt
#0 __libc_do_syscall () at libc-do-syscall.S:49
#1 0xf56c1d14 in __libc_signal_restore_set (set=0xa2bf1378) at ../sysdeps/unix/sysv/linux/internal-signals.h:86
#2 __GI_raise (sig=sig@entry=6) at ../sysdeps/unix/sysv/linux/raise.c:48
#3 0xf56b56dc in __GI_abort () at abort.c:79
#4 0xf56e1fca in __libc_message (action=action@entry=do_abort, fmt=<optimized out>) at ../sysdeps/posix/libc_fatal.c:155
#5 0xf56e626a in malloc_printerr (str=<optimized out>) at malloc.c:5347
#6 0xf56e6482 in munmap_chunk (p=<optimized out>) at malloc.c:2830
#7 0xf473980a in magazine_cache_trim (allocator=0xf47c6c60 <allocator>, stamp=<optimized out>, ix=14994432) at ../glib-2.62.4/glib/gslice.c:678
#8 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=47) at ../glib-2.62.4/glib/gslice.c:709
#9 0xf47398ce in private_thread_memory_cleanup (data=0xfefb07308) at ../glib-2.62.4/glib/gslice.c:776
#10 0xf5667610 in __nptl_deallocate_tsd () at pthread_create.c:301
#11 0xf566779c in start_thread (arg=0x359f2d57) at pthread_create.c:488
#12 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
(gdb) bt full
#0 __libc_do_syscall () at libc-do-syscall.S:49
No locals.
#1 0xf56c1d14 in __libc_signal_restore_set (set=0xa2bf1378) at ../sysdeps/unix/sysv/linux/internal-signals.h:86
    _a2tmp = -1564535944
    _a2 = -1564535944
    _a3 = 0
    _a1 = 0
    _a4 = 8
    _name = 175
#2 __GI_raise (sig=sig@entry=6) at ../sysdeps/unix/sysv/linux/raise.c:48
    set = {__val = {0, 0, 2730431848, 2, 2, 2730431272, 4117270364, 16, 4, 0, 0, 4294967295, 4294967295, 4294967295, 2160397312, 4, 0, 0, 17066000, 0, 4087739549, 2730431608, 17072792, 2730431848, 0, 0, 4087744749, 4092131951, 0, 2730431960, 4117503619}}
    pid = <optimized out>
    tid = <optimized out>
    ret = 0
#3 0xf56b56dc in __GI_abort () at abort.c:79
    save_stage = 1
    act = {__sigaction_handler = {
        sa_handler = 0x1048298 <WebCore::TextPainter::paintTextWithShadows(WebCore::ShadowData const*, WebCore::FilterOperations const*, WebCore::FontCascade const&, WebCore::TextRun const&, WebCore::FloatRect const&, WebCore::FloatPoint const&, unsigned int, unsigned int, WTF::AtomString const&, float, bool)+104>,
        sa_sigaction = 0x1048298 <WebCore::TextPainter::paintTextWithShadows(WebCore::ShadowData const*, WebCore::FilterOperations const*, WebCore::FontCascade const&, WebCore::TextRun const&, WebCore::FloatRect const&, WebCore::FloatPoint const&, unsigned int, unsigned int, WTF::AtomString const&, float, bool)+104>}, sa_mask = {__val = {118, 4087953544, 3291212429, 17055184, 0, 3291451392, 16327296, 4087801937, 16114384, 0, 393, 4117152113, 0, 2730431848, 4117144237, 15333456, 1, 3291451392, 15333472, 3290749477, 3290750313, 3291212429, 2730431868, 60, 1, 16114176, 0, 4117155145, 1, 0, 4, 2730431960}}, sa_flags = -177090013, sa_restorer = 0x1000}
    sigs = {__val = {32, 0 <repeats 31 times>}}
#4 0xf56e1fca in __libc_message (action=action@entry=do_abort, fmt=<optimized out>) at ../sysdeps/posix/libc_fatal.c:155
    ap = {__ap = 0xa2bf160c}
    fd = <optimized out>
    list = 0x0
    nlist = 2
    cp = <optimized out>
#5 0xf56e626a in malloc_printerr (str=<optimized out>) at malloc.c:5347
No locals.

```

```

#6 0xf56e6482 in munmap_chunk (p=<optimized out>) at malloc.c:2830
  pagesize = <optimized out>
  size = <optimized out>
  __PRETTY_FUNCTION__ = "munmap_chunk"
  mem = <optimized out>
  block = <optimized out>
  total_size = <optimized out>
#7 0xf473980a in magazine_cache_trim (allocator=0xf47c6c60 <allocator>, stamp=<optimized out>,
ix=14994432) at ../glib-2.62.4/glib/gslice.c:678
  chunk = <optimized out>
  chunk_size = 16
--Type <RET> for more, q to quit, c to continue without paging--
  current = 0xe4c555 <WebCore::ScrollView::hide()+40>
  trash = 0xe4cc00 <WebCore::ScrollView::setUseFixedLayout(bool)>
  current = <optimized out>
  trash = <optimized out>
  prev = <optimized out>
  next = <optimized out>
  chunk_size = <optimized out>
  chunk = <optimized out>
#8 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=47) at
../glib-2.62.4/glib/gslice.c:709
  current = <optimized out>
  next = <optimized out>
  prev = <optimized out>
#9 0xf47398ce in private_thread_memory_cleanup (data=0xefb07308) at ../glib-2.62.4/glib/gslice.c:776
  mag = 0xefb07318
  mags = {0xefb07318, 0xefb07710}
  j = 0
  tmem = 0xefb07308
  n_magazines = 127
  ix = 1
#10 0xf5667610 in __nptl_deallocate_tsd () at pthread_create.c:301
  data = <optimized out>
  inner = <optimized out>
  level2 = <optimized out>
  idx = <optimized out>
  round = 0
  cnt = <optimized out>
  self = 0xa2bf1ca0
#11 0xf566779c in start_thread (arg=0x359f2d57) at pthread_create.c:488
  pd = <optimized out>
  unwind_buf = {cancel_jmp_buf = {{jmp_buf = {1648774278, 899624279, -1564533496, -1564533600,
-608176, -1564535112, -608176, -226011440, -226011440, 7, 1065353216, 1056964608,
  0 <repeats 52 times>}, mask_was_saved = 0}}, priv = {pad = {0x0, 0x0, 0x0, 0x0}, data
= {prev = 0x0, cleanup = 0x0, canceltype = 0}}}}
  not_first_call = <optimized out>
  robust = <optimized out>
#12 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
No locals.
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
(gdb)
(gdb) thread apply all bt

```

```

Thread 53 (Thread 0xf16d6ca0 (LWP 62)):
#0 0xf571aaf8 in ioctl () at ../sysdeps/unix/syscall-template.S:120
#1 0xf4be6bc8 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

```

Thread 52 (Thread 0x9b2feca0 (LWP 146)):
#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf475403e in g_cond_wait_until (cond=cond@entry=0xe70d38
<WebCore::BitmapImage::internalStartAnimation()+668>, mutex=mutex@entry=0xe70d30
<WebCore::BitmapImage::internalStartAnimation()+660>, end_time=<optimized out>) at ../glib-

```

```

2.62.4/glib/gthread-posix.c:1470
#2 0xf470d478 in g_async_queue_pop_intern_unlocked (queue=queue@entry=0xe70d30
<WebCore::BitmapImage::internalStartAnimation()+660>, wait=wait@entry=1, end_time=<optimized out>) at
../glib-2.62.4/glib/gasyncqueue.c:422
#3 0xf470d91c in g_async_queue_timeout_pop (queue=0xe70d30
<WebCore::BitmapImage::internalStartAnimation()+660>, timeout=<optimized out>) at ../glib-
2.62.4/glib/gasyncqueue.c:545
#4 0xf4740b60 in g_thread_pool_wait_for_new_pool () at ../glib-2.62.4/glib/gthreadpool.c:168
#5 g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-2.62.4/glib/gthreadpool.c:365
#6 0xf474056a in g_thread_proxy (data=0xc54adf80) at ../glib-2.62.4/glib/gthread.c:805
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 51 (Thread 0xc37feca0 (LWP 81)):

```

#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf4753f50 in g_cond_wait (cond=cond@entry=0xf271554c, mutex=mutex@entry=0xf2715530) at ../glib-
2.62.4/glib/gthread-posix.c:1422
#2 0xf3e6805c in gst_data_queue_push (queue=0xf2715568, item=item@entry=0xc5320880) at ../gststreamer-
1.18.5/libs/gst/base/gstdataqueue.c:521
#3 0xbe6b4420 in gst_multi_queue_chain (pad=<optimized out>, parent=<optimized out>, buffer=
<optimized out>) at ../gststreamer-1.18.5/plugins/elements/gstmultiqueue.c:2460
#4 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x104ebc8
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+6528>, type=type@entry=4112,
data=data@entry=0xf2776000) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#5 0xf4663a0a in gst_pad_push_data (pad=0x103ec40 <WebCore::RenderVTTcue::layout()+172>,
type=type@entry=4112, data=data@entry=0xf2776000) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#6 0xf4668c3e in gst_pad_push (pad=<optimized out>, buffer=buffer@entry=0xf2776000) at ../gststreamer-
1.18.5/gst/gstpad.c:4787
#7 0xbe638bfe in gst_qtdemux_push_buffer (qtdemux=qtdemux@entry=0xc5352000,
stream=stream@entry=0xc5356808, buf=buf@entry=0xf2776000) at ../gst-plugins-good-
1.18.5/gst/isomp4/qtdemux.c:6427
#8 0xbe63de26 in gst_qtdemux_split_and_push_buffer (buf=0xf2776000, stream=0xc5356808,
qtdemux=0xc5352000) at ../gst-plugins-good-1.18.5/gst/isomp4/qtdemux.c:6555
#9 gst_qtdemux_decorate_and_push_buffer (qtdemux=qtdemux@entry=0xc5352000,
stream=stream@entry=0xc5356808, buf=0xf2776000, dts=dts@entry=6687321310277777, pts=6687321310277777,
duration=duration@entry=23222223, keyframe=keyframe@entry=1,
position=position@entry=6687321310277777, byte_position=<optimized out>) at ../gst-plugins-good-
1.18.5/gst/isomp4/qtdemux.c:6733
#10 0xbe65425e in gst_qtdemux_process_adapter (demux=0xc5352000, force=0) at ../gst-plugins-good-
1.18.5/gst/isomp4/qtdemux.c:8195
#11 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x103eae8
<bmalloc::IsoDirectory<bmalloc::IsoConfig<352u>, 480u>::scavenge(std::lock_guard<bmalloc::Mutex>
const&, bmalloc::Vector<bmalloc::DeferredDecommit>&)+160>, type=type@entry=4112,
data=data@entry=0xf270fbf0) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#12 0xf4663a0a in gst_pad_push_data (pad=0x103e430
<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<35
2u> > >::getSlowCase()+112>, type=4112, data=0xf270fbf0) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#13 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x103e2d8
<bmalloc::IsoTLS::deallocateSlow<bmalloc::IsoConfig<176u>, WebCore::RenderVideo>
(bmalloc::api::IsoHeap<WebCore::RenderVideo>&, void*)+52>, type=type@entry=4112,
data=data@entry=0xf270fbf0) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#14 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x1052078
<WebCore::BoxShape::getExcludedInterval(WebCore::LayoutUnit, WebCore::LayoutUnit) const+496>,
type=type@entry=4112, data=data@entry=0xf270fbf0) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#15 0xf4668c3e in gst_pad_push (pad=pad@entry=0x1052078
<WebCore::BoxShape::getExcludedInterval(WebCore::LayoutUnit, WebCore::LayoutUnit) const+496>,
buffer=buffer@entry=0xf270fbf0) at ../gststreamer-1.18.--Type <RET> for more, q to quit, c to continue
without paging--
5/gst/gstpad.c:4787
#16 0xf465501a in gst_proxy_pad_chain_default (pad=0x1051038 <WebCore::BasicShapeInset::operator==
(WebCore::BasicShape const&) const+536>, parent=<optimized out>, buffer=0xf270fbf0) at ../gststreamer-
1.18.5/gst/gstghostpad.c:127

```

```

#17 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x1051038
<WebCore::BasicShapeInset::operator==(WebCore::BasicShape const&) const+536>, type=type@entry=4112,
data=data@entry=0xf270fbf0) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#18 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x103e180
<bmalloc::IsoTLS::allocateSlow<bmalloc::IsoConfig<176u>, WebCore::RenderVideo>
(bmalloc::api::IsoHeap<WebCore::RenderVideo>&, bool)+96>, type=type@entry=4112, data=0xf270fbf0) at
../gststreamer-1.18.5/gst/gstpad.c:4668
#19 0xf4668c3e in gst_pad_push (pad=pad@entry=0x103e180
<bmalloc::IsoTLS::allocateSlow<bmalloc::IsoConfig<176u>, WebCore::RenderVideo>
(bmalloc::api::IsoHeap<WebCore::RenderVideo>&, bool)+96>, buffer=<optimized out>) at ../gststreamer-
1.18.5/gst/gstpad.c:4787
#20 0xf3e58aa2 in gst_base_src_loop (pad=0x103e180
<bmalloc::IsoTLS::allocateSlow<bmalloc::IsoConfig<176u>, WebCore::RenderVideo>
(bmalloc::api::IsoHeap<WebCore::RenderVideo>&, bool)+96>) at ../gststreamer-
1.18.5/libs/gst/base/gstbasesrc.c:3030
#21 0xf4689b74 in gst_task_func (task=0xfb6178
<WebCore::RenderLayer::createLocalTransformState(WebCore::RenderLayer*, WebCore::RenderLayer*,
WebCore::LayoutRect const&, WebCore::HitTestLocation const&, WebCore::HitTestingTransformState
const*, WebCore::LayoutSize const&) const+308>) at ../gststreamer-1.18.5/gst/gsttask.c:384
#22 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-
2.62.4/glib/gthreadpool.c:308
#23 0xf474056a in g_thread_proxy (data=0xea3520 <truncateString()+376>) at ../glib-
2.62.4/glib/gthread.c:805
#24 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#25 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 50 (Thread 0xc2c78ca0 (LWP 82)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI___poll (timeout=16, nfd=2, fds=0xedb0b250) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=0xedb0b250, nfd=2, timeout=16) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xedb0b250, timeout=16,
context=0xedb039f8) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xedb039f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4729f3c in g_main_loop_run (loop=0xedb04c50) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 49 (Thread 0xc06fdca0 (LWP 86)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4b73a20
<s_context+272>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4b739e0 <s_context+208>,
cond=0xf4b739f8 <s_context+232>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf4b739f8 <s_context+232>, mutex=0xf4b739e0 <s_context+208>) at
pthread_cond_wait.c:638
#4 0xf4aba414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135
#5 worker_thread_main (arg=0xf4b739d0 <s_context+192>) at libs/imgconv/imgconv_parallel.c:65
#6 0xf4b1f0d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-

```

```

ursr/--Type <RET> for more, q to quit, c to continue without paging--
1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

```

Thread 48 (Thread 0xbfefcca0 (LWP 87)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4b73adc
<s_context+460>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4b73a98 <s_context+392>,
cond=0xf4b73ab0 <s_context+416>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf4b73ab0 <s_context+416>, mutex=0xf4b73a98 <s_context+392>) at
pthread_cond_wait.c:638
#4 0xf4aba414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135
#5 worker_thread_main (arg=0xf4b73a88 <s_context+376>) at libs/imgconv/imgconv_parallel.c:65
#6 0xf4b1f0d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

```

Thread 47 (Thread 0xbe4feca0 (LWP 91)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xdb3b80
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3624>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xdb3b3c
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3556>, cond=0xdb3b58
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3584>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xdb3b58
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3584>, mutex=0xdb3b3c
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3556>) at pthread_cond_wait.c:638
#4 0xf2ddbda in WPEFramework::Core::Event::Lock (this=this@entry=0xdb3b38
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3552>) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.cpp:860
#5 0xf2ddbdea in WPEFramework::Core::Event::Lock (this=this@entry=0xdb3b38
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3552>, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:901
#6 0xf3c88404 in
WPEFramework::Core::StateTrigger<WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::Measur
ableJob>::enumQueueState>::WaitState (this=this@entry=0xdb3b18
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3520>, a_State=a_State@entry=14, a_Time=a_Time@entry=4294967295) at
/usr/include/WPEFramework/core/Sync.h:76
#7 0xf3c895f2 in
WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::MeasurableJob>::Extract
(a_WaitTime=4294967295, a_Result=..., this=0xdb3b08
<WebCore::ContextMenuController::contextMenuItemSelected(WebCore::ContextMenuAction, WTF::String
const&)+3504>) at /usr/include/WPEFramework/core/Sync.h:76
#8 WPEFramework::Core::ThreadPool::Minion::Process (this=this@entry=0xe4c278
<WebCore::ScrollView::styleDidChange()+60>) at /usr/include/WPEFramework/core/ThreadPool.h:426
#9 0xf3c897e2 in WPEFramework::Core::ThreadPool::Executor::Worker (this=0xe4c188
<WebCore::ScrollableArea::contentsResized()+28>) at /usr/include/WPEFramework/core/ThreadPool.h:539
#10 0xf2ddcdfc in WPEFramework::Core::Thread::StartThread (cClassPointer=0xe4c188

```

```
<WebCore::ScrollableArea::contentsResized()+28>) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Thread.cpp:181
```

```
#11 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
```

```
#12 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
```

```
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
--Type <RET> for more, q to quit, c to continue without paging--
```

```
Thread 46 (Thread 0xb92feca0 (LWP 96)):
```

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
```

```
#1 0xf57195c6 in __GI__poll (timeout=-1, nfd=1, fds=0xf2701a18) at
```

```
../sysdeps/unix/sysv/linux/poll.c:29
```

```
#2 __GI__poll (fds=0xf2701a18, nfd=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
```

```
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xf2701a18, timeout=-1, context=0xf2700920) at ../glib-2.62.4/glib/gmain.c:4257
```

```
#4 g_main_context_iterate (context=0xf2700920, block=block@entry=1, dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
```

```
#5 0xf4729f3c in g_main_loop_run (loop=0xf27013b0) at ../glib-2.62.4/glib/gmain.c:4152
```

```
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
```

```
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
```

```
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
```

```
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Threading.cpp:168
```

```
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
```

```
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
```

```
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
```

```
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
```

```
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 45 (Thread 0xab6feca0 (LWP 108)):
```

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
```

```
#1 0xf57195c6 in __GI__poll (timeout=-1, nfd=1, fds=0xf8bf18
```

```
<WebCore::RenderElement::paintFocusRing(WebCore::PaintInfo&, WebCore::RenderStyle const&, WTF::Vector<WebCore::LayoutRect, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> const&)+220>) at
```

```
../sysdeps/unix/sysv/linux/poll.c:29
```

```
#2 __GI__poll (fds=0xf8bf18 <WebCore::RenderElement::paintFocusRing(WebCore::PaintInfo&, WebCore::RenderStyle const&, WTF::Vector<WebCore::LayoutRect, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> const&)+220>, nfd=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
```

```
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xf8bf18 <WebCore::RenderElement::paintFocusRing(WebCore::PaintInfo&, WebCore::RenderStyle const&, WTF::Vector<WebCore::LayoutRect, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> const&)+220>,
```

```
timeout=-1, context=0xf8b3d8
```

```
<WTF::tryMakeStringFromAdapters<WTF::StringTypeAdapter<WTF::StringAppend<WTF::String, WTF::AtomString>, void>, WTF::StringTypeAdapter<WTF::String, void> >
```

```
(WTF::StringTypeAdapter<WTF::StringAppend<WTF::String, WTF::AtomString>, void>, WTF::StringTypeAdapter<WTF::String, void>)+628>) at ../glib-2.62.4/glib/gmain.c:4257
```

```
#4 g_main_context_iterate (context=0xf8b3d8
```

```
<WTF::tryMakeStringFromAdapters<WTF::StringTypeAdapter<WTF::StringAppend<WTF::String, WTF::AtomString>, void>, WTF::StringTypeAdapter<WTF::String, void> >
```

```
(WTF::StringTypeAdapter<WTF::StringAppend<WTF::String, WTF::AtomString>, void>, WTF::StringTypeAdapter<WTF::String, void>)+628>, block=block@entry=1, dispatch=dispatch@entry=1,
```

```
self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
```

```
#5 0xf4729f3c in g_main_loop_run (loop=0xf742f8
```

```
<WebCore::RenderBlock::computePreferredWidthsForExcludedChildren(WebCore::LayoutUnit&, WebCore::LayoutUnit&) const+148>) at ../glib-2.62.4/glib/gmain.c:4152
```

```
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
```

```
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
```

```
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
```

```
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Threading.cpp:168
```

```
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
```

```
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
```

```
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 44 (Thread 0xa0bedca0 (LWP 128)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:49
#1 0xf566ed88 in __lll_lock_wait (futex=futex@entry=0xedb94574, private=0) at lowlevellock.c:52
#2 0xf56691a8 in __GI___pthread_mutex_lock (mutex=0xedb94574) at pthread_mutex_lock.c:80
#3 0xc42a0cf0 in AAMPOCDMGSTSessionAdapter::decrypt (this=0xedb94550, keyIDBuffer=0xf276d5e8,
ivBuffer=0xf27813f0, buffer=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRect--Type <RET> for more, q to
quit, c to continue without paging--
tsContext const&, WebCore::ClipRects&) const+460>, subSampleCount=1, subSamplesBuffer=0xf2781498,
caps=0xc5481b40) at /usr/src/debug/lib32-aamp/1.99-r0/git/drm/AampOcdmGstSessionAdapter.cpp:289
#4 0xbd336f92 in gst_aampcdmdecryptor_transform_ip (trans=<optimized out>, buffer=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRectsContext const&,
WebCore::ClipRects&) const+460>) at /usr/src/debug/lib32-gst-plugins-rdk-aamp/1.99-
r0/git/drm/gst/gstaampcdmdecryptor.cpp:561
#5 0xf3e5cb82 in default_generate_output (trans=0xf271a0e0, outbuf=0xa0bed3cc) at ../gststreamer-
1.18.5/libs/gst/base/gstbasetransform.c:2183
#6 0xf3e5c564 in gst_base_transform_chain (pad=<optimized out>, parent=0xf271a0e0, buffer=<optimized
out>) at ../gststreamer-1.18.5/libs/gst/base/gstbasetransform.c:2341
#7 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0xc5354448, type=type@entry=4112,
data=data@entry=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRectsContext const&,
WebCore::ClipRects&) const+460>) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#8 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x104e7a8
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+5472>, type=type@entry=4112,
data=data@entry=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRectsContext const&,
WebCore::ClipRects&) const+460>) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#9 0xf4668c3e in gst_pad_push (pad=pad@entry=0x104e7a8
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+5472>,
buffer=buffer@entry=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRectsContext const&,
WebCore::ClipRects&) const+460>) at ../gststreamer-1.18.5/gst/gstpad.c:4787
#10 0xbe6b6458 in gst_single_queue_push_one (allow_drop=<synthetic pointer>, object=0xfb6738
<WebCore::RenderLayer::calculateClipRects(WebCore::RenderLayer::ClipRectsContext const&,
WebCore::ClipRects&) const+460>, sq=0xf2713130, mq=<optimized out>) at ../gststreamer-
1.18.5/plugins/elements/gstmultiqueue.c:1937
#11 gst_multi_queue_loop (pad=<optimized out>) at ../gststreamer-
1.18.5/plugins/elements/gstmultiqueue.c:2264
#12 0xf4689b74 in gst_task_func (task=0xef185f60) at ../gststreamer-1.18.5/gst/gsttask.c:384
#13 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-
2.62.4/glib/gthreadpool.c:308
#14 0xf474056a in g_thread_proxy (data=0xc530d520) at ../glib-2.62.4/glib/gthread.c:805
#15 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#16 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 43 (Thread 0xa7efdca0 (LWP 112)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xefa02c
<WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>::expandCapacity(unsigned int, WebCore::BlobDataItem*)+40>) at ../sysdeps/nptl/futex-
internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xef9fe8
<WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>::expandCapacity(unsigned int)+232>, cond=0xefa000
<WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>::expandCapacity(unsigned int)+256>) at pthread_cond_wait.c:508
```

```

#3  __pthread_cond_wait (cond=0xefa000 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+256>, mutex=0xef9fe8 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+232>) at pthread_cond_wait.c:638
#4  0xf49beffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xefa000 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+256>) at /usr/src/debug/lib32-gcc-runtime/9.3.0-r0/arm-rdkmllib32-linux-gnueabi/libstdc++-v3/include/arm-rdkmllib32-linux-gnueabi/bits/gthr-default.h:865
#5  std::condition_variable::wait (this=this@entry=0xefa000 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+256>, __lock=...) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/condition_variable.cc:53
#6  0xc428c7aa in AampMPDDDownloader::downloadNotifierThread (this=0xef9e10 <call()+240>) at /usr/src/debug/lib32-aamp/1.99-r0/git/AampMPDDDownloader.cpp:1054
#7  0xf49c1da8 in std::execute_native_thread_routine (__p=0xf18c8 <WebCore::RenderLayer::canRender3DTransforms() const>) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8  0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9  0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 42 (Thread 0xa68fdca0 (LWP 114)):

```

#0  __libc_do_syscall () at libc-do-syscall.S:48
--Type <RET> for more, q to quit, c to continue without paging--
#1  0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xedb94890) at ./sysdeps/nptl/futex-internal.h:183
#2  __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xedb9484c, cond=0xedb94868) at pthread_cond_wait.c:508
#3  __pthread_cond_wait (cond=0xedb94868, mutex=0xedb9484c) at pthread_cond_wait.c:638
#4  0xf2ddbdba in WPEFramework::Core::Event::Lock (this=this@entry=0xedb94848) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.cpp:860
#5  0xf2ddbdea in WPEFramework::Core::Event::Lock (this=this@entry=0xedb94848, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.cpp:901
#6  0xf3c88404 in WPEFramework::Core::StateTrigger<WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::MeasurableJob>::enumQueueState>::WaitState (this=this@entry=0xedb94828, a_State=a_State@entry=14, a_Time=a_Time@entry=4294967295) at /usr/include/WPEFramework/core/Sync.h:76
#7  0xf3c895f2 in WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::MeasurableJob>::Extract (a_WaitTime=4294967295, a_Result=..., this=0xedb94818) at /usr/include/WPEFramework/core/Sync.h:76
#8  WPEFramework::Core::ThreadPool::Minion::Process (this=this@entry=0xedb949f0) at /usr/include/WPEFramework/core/ThreadPool.h:426
#9  0xf3c897e2 in WPEFramework::Core::ThreadPool::Executor::Worker (this=0xedb94900) at /usr/include/WPEFramework/core/ThreadPool.h:539
#10 0xf2ddcdfc in WPEFramework::Core::Thread::StartThread (cClassPointer=0xedb94900) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Thread.cpp:181
#11 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#12 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 41 (Thread 0xf28756d0 (LWP 30)):

```

#0  0xf0bc6390 in ?? ()
#1  0xf0af5bfe in ?? ()
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 40 (Thread 0xa33f2ca0 (LWP 123)):

```

#0  syscall () at ./sysdeps/unix/sysv/linux/arm/syscall.S:37
#1  0xf47539f8 in g_mutex_lock_slowpath (mutex=mutex@entry=0xf47c6c9c <allocator+60>) at ../glib-2.62.4/glib/gthread-posix.c:1340
#2  0xf4753e78 in g_mutex_lock (mutex=mutex@entry=0xf47c6c9c <allocator+60>) at ../glib-2.62.4/glib/gthread-posix.c:1364

```



```
#3 0xf47398e4 in private_thread_memory_cleanup (data=0xef183010) at ../glib-2.62.4/glib/gslice.c:780
#4 0xf5667610 in __nptl_deallocate_tsd () at pthread_create.c:301
#5 0xf566779c in start_thread (arg=0x359f2d57) at pthread_create.c:488
#6 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 39 (Thread 0xa23f0ca0 (LWP 125)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xa23f0648,
clockid=<optimized out>, expected=0, futex_word=0xf5e2e8
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+176>) at ./sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xa23f0648, clockid=<optimized out>, mutex=0xf5e224
<WebCore::RenderBoxModelObject::continuationChainNode() const+112>, cond=0xf5e2c0
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+136>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf5e2c0
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+136>, mutex=0xf5e224 <WebCore::RenderBoxModelObject::continuationChainNode()
const+112>, abstime=0xa23f0648) at pthread_cond_wait.c:656
#4 0xc4226b70 in PrivateInstanceAAMP::InterruptableMsSleep (timeInMs=<optimized out>, this=0xf5e200
<WebCore::RenderBoxModelObject::continuationChainNode() const+76>) at /usr/src/debug/lib32-aamp/1.99-
r0/git/priv_aamp.cpp:6654
#5 PrivateInstanceAAMP::InterruptableMsSleep (this=0xf5e200
<WebCore::RenderBoxModelObject::continuationChainNode() const+76>, timeInMs=timeInMs@entry=5000) at
/usr/src/debug/lib32-aamp/1.99-r0/git/priv_aamp.cpp:6644
#6 0xc4221fec in MediaTrack::MonitorBufferHealth (this=0xfb1968
<WebCore::RenderLayer::flagsForUpdateLayerPositions(WebCore::RenderLayer&)+80>) at
/usr/src/debug/lib32-aamp/1.99-r0/git/streamabstraction--Type <RET> for more, q to quit, c to
continue without paging--
.cpp:166
#7 0xf49c1da8 in std::execute_native_thread_routine (__p=0xf18c400) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 38 (Thread 0xa03ecca0 (LWP 129)):

```
#0 syscall () at ./sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf4753f50 in g_cond_wait (cond=cond@entry=0xc531a990, mutex=mutex@entry=0xc531a988) at ../glib-
2.62.4/glib/gthread-posix.c:1422
#2 0xbca14296 in audio_buffer_pusher (data=0xc531a750) at
../../../../git/reference/audiodecode/src/gst_brcm_audio_decoder.c:934
#3 0xf474056a in g_thread_proxy (data=0xe85950 <WebCore::FontCache::purgeInactiveFontData(unsigned
int)+440>) at ../glib-2.62.4/glib/gthread.c:805
#4 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#5 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 37 (Thread 0xa1befca0 (LWP 126)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xa1bef648,
clockid=<optimized out>, expected=0, futex_word=0xf5e2e8
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+176>) at ./sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xa1bef648, clockid=<optimized out>, mutex=0xf5e224
<WebCore::RenderBoxModelObject::continuationChainNode() const+112>, cond=0xf5e2c0
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+136>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf5e2c0
<WebCore::RenderBoxModelObject::localCaretRectForEmptyElement(WebCore::LayoutUnit,
WebCore::LayoutUnit)+136>, mutex=0xf5e224 <WebCore::RenderBoxModelObject::continuationChainNode()
```

```
const+112>, abstime=0xa1bef648) at pthread_cond_wait.c:656
#4 0xc4226b70 in PrivateInstanceAAMP::InterruptableMsSleep (timeInMs=<optimized out>, this=0xf5e200
<WebCore::RenderBoxModelObject::continuationChainNode() const+76>) at /usr/src/debug/lib32-aamp/1.99-
r0/git/priv_aamp.cpp:6654
#5 PrivateInstanceAAMP::InterruptableMsSleep (this=0xf5e200
<WebCore::RenderBoxModelObject::continuationChainNode() const+76>, timeInMs=timeInMs@entry=5000) at
/usr/src/debug/lib32-aamp/1.99-r0/git/priv_aamp.cpp:6644
#6 0xc4221fec in MediaTrack::MonitorBufferHealth (this=0xfb1f10
<WebCore::RenderLayer::setAncestorChainHasVisibleDescendant()+20>) at /usr/src/debug/lib32-aamp/1.99-
r0/git/streamabstraction.cpp:166
#7 0xf49c1da8 in std::execute_native_thread_routine (__p=0xfeb06688) at
../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 36 (Thread 0xc52feca0 (LWP 79)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xc52fe538,
clockid=<optimized out>, expected=0, futex_word=0xf15d6048) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xc52fe538, clockid=<optimized out>, mutex=0xf15d6008,
cond=0xf15d6020) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf15d6020, mutex=0xf15d6008, abstime=0xc52fe538) at
pthread_cond_wait.c:656
#4 0xf71c1c92 in WTF::ThreadCondition::timedWait () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:544
#5 0xf718baf4 in WTF::ParkingLot::parkConditionallyImpl(void const*, WTF::ScopedLambda<bool ()>
const&, WTF::ScopedLambda<void ()> const&, WTF::TimeWithDynamicClockType const&) () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.cpp:597
#6 0xf71c0742 in WTF::ParkingLot::parkConditionally<WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#1, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#2>(void const*,
WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#1}
const&, WTF::Condition::waitUntil<W--Type <RET> for more, q to quit, c to continue without paging--
TF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#2} const&,
WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.h:82
#7 WTF::Condition::waitUntil<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:76
#8 WTF::Condition::waitUntil<WTF::Lock,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1>
(WTF::Lock&, WTF::TimeWithDynamicClockType const&,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1} const&)
() at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Condition.h:98
#9 WTF::Condition::waitFor<WTF::Lock,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1>
(WTF::Lock&, WTF::Seconds,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1} const&)
() at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Condition.h:110
#10 WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/linux/MemoryPressureHandlerLinux.cpp:235
#11 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/linux/MemoryPressureHandlerLinux.cpp:280
#12 call () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Function.h:52
#13 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#14 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#15 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#16 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
```

```
#17 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 35 (Thread 0x9aafdca0 (LWP 145)):
```

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf56fe34c in __GI__clock_nanosleep_time64 (clock_id=clock_id@entry=0, flags=flags@entry=0,
req=req@entry=0x9aafd3a8, rem=rem@entry=0x9aafd3b8) at
../sysdeps/unix/sysv/linux/clock_nanosleep.c:52
#2 0xf56fe418 in __GI__clock_nanosleep (clock_id=clock_id@entry=0, flags=flags@entry=0,
req=req@entry=0x9aafd3e0, rem=rem@entry=0x0) at ../sysdeps/unix/sysv/linux/clock_nanosleep.c:92
#3 0xf5701aa2 in __GI__nanosleep (requested_time=requested_time@entry=0x9aafd3e0,
remaining=remaining@entry=0x0) at nanosleep.c:27
#4 0xf571ba26 in usleep (useconds=useconds@entry=8000) at ../sysdeps/posix/usleep.c:32
#5 0xc4a23162 in captureThread (data=0x103c8b0 <canUseForText()+756>) at ../git/brcm/westeros-
sink/westeros-sink-soc.c:2490
#6 0xf474056a in g_thread_proxy (data=0xc54a3430) at ../glib-2.62.4/glib/gthread.c:805
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 34 (Thread 0xa3bf3ca0 (LWP 122)):
```

```
#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf4753f50 in g_cond_wait (cond=cond@entry=0xd3ce9c
<WebCore::InspectorWorkerAgent::disconnectFromWorkerInspectorProxy(WebCore::WorkerInspectorProxy*)+32
>, mutex=mutex@entry=0xd3ce80
<WebCore::InspectorWorkerAgent::disconnectFromWorkerInspectorProxy(WebCore::WorkerInspectorProxy*)+4>
) at ../glib-2.62.4/glib/gthread-posix.c:1422
#2 0xf3e6805c in gst_data_queue_push (queue=0xd3ceb8
<WebCore::InspectorWorkerAgent::disconnectFromWorkerInspectorProxy(WebCore::WorkerInspectorProxy*)+60
>, item=item@entry=0xf2786340) at ../gststreamer-1.18.5/libs/gst/base/gstdataqueue.c:521
#3 0xbe6b4420 in gst_multi_queue_chain (pad=<optimized out>, parent=<optimized out>, buffer=
<optimized out>) at ../gststreamer-1.18.5/plugins/elements/gstmultiqueue.c:2460
#4 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x104e648
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+5120>, type=type@entry=4112,
data=data@entry=0xf276a690) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#5 0xf4663a0a in gst_pad_push_data (pad=0xc53542f0, type=type@entry=4112,
data=data@entry=0xf276a690) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#6 0xf4668c3e in gst_pad_push (pad=<optimized out>, buffer=buffer@entry=0xf276a690) at ../gststreamer-
1.18.5/gst/gstpad.c:4787
#7 0xbe638bfe in gst_qtdemux_push_buffer (qtdemux=qtdemux@entry=0xc5352aa0,
stream=stream@entry=0xf2774c98, buf=buf@entry=0xf276a690) at ../gst-plugins-good-
1.18.5/gst/isomp4/qtdemux.c:6427
#8 0xbe63de26 in gst_qtdemux_split_and_push_buffer (buf=0xf276a690, stream=0xf2774c98,
qtdemux=0xc5352aa0) at ../gst-plugins-good-1.18.5/gst/isomp4/qtdemux.c:6555
#9 gst_qtdemux_decorate_and_push_buffer (qtdemux=qtdemux@entry=0xc5352aa0,
stream=stream@entry=0xf2774c98, buf=0xf276a690, dts=dts@entry=6687329947044444, pts=6687329947044444,
duration=duration@entry=1--Type <RET> for more, q to quit, c to continue without paging--
6688889, keyframe=keyframe@entry=0, position=position@entry=6687329947044444, byte_position=
<optimized out>) at ../gst-plugins-good-1.18.5/gst/isomp4/qtdemux.c:6733
#10 0xbe65425e in gst_qtdemux_process_adapter (demux=0xc5352aa0, force=0) at ../gst-plugins-good-
1.18.5/gst/isomp4/qtdemux.c:8195
#11 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0xc5354198, type=type@entry=4112,
data=data@entry=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#12 0xf4663a0a in gst_pad_push_data (pad=0x103e838 <bmalloc::IsoDeallocator<bmalloc::IsoConfig<352u>
>::deallocate<WebCore::RenderView>(bmalloc::api::IsoHeap<WebCore::RenderView>&, void*)+56>,
type=4112, data=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#13 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x103e6e0
<bmalloc::IsoTLS::allocateFast<bmalloc::IsoConfig<352u>, WebCore::RenderView>
(bmalloc::api::IsoHeap<WebCore::RenderView>&, unsigned int, bool)+44>, type=type@entry=4112,
data=data@entry=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#14 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x10521e0
<WebCore::OffsetPolygonEdge::clippedEdgeXRange(float, float) const+108>, type=type@entry=4112,
```

```

data=data@entry=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#15 0xf4668c3e in gst_pad_push (pad=pad@entry=0x10521e0
<WebCore::OffsetPolygonEdge::clippedEdgeXRRange(float, float) const+108>,
buffer=buffer@entry=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4787
#16 0xf465501a in gst_proxy_pad_chain_default (pad=0x10511a8
<WebCore::computeRoundedRectForBoxShape(WebCore::CSSBoxType, WebCore::RenderBox const&)+168>, parent=
<optimized out>, buffer=0xef185b48) at ../gststreamer-1.18.5/gst/gstghostpad.c:127
#17 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x10511a8
<WebCore::computeRoundedRectForBoxShape(WebCore::CSSBoxType, WebCore::RenderBox const&)+168>,
type=type@entry=4112, data=data@entry=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#18 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x103e588
<bmalloc::IsoHeapImpl<bmalloc::IsoConfig<352u> >::IsoHeapImpl()+168>, type=type@entry=4112,
data=0xef185b48) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#19 0xf4668c3e in gst_pad_push (pad=pad@entry=0x103e588
<bmalloc::IsoHeapImpl<bmalloc::IsoConfig<352u> >::IsoHeapImpl()+168>, buffer=<optimized out>) at
../gststreamer-1.18.5/gst/gstpad.c:4787
#20 0xf3e58aa2 in gst_base_src_loop (pad=0x103e588 <bmalloc::IsoHeapImpl<bmalloc::IsoConfig<352u>
>::IsoHeapImpl()+168>) at ../gststreamer-1.18.5/libs/gst/base/gstbasesrc.c:3030
#21 0xf4689b74 in gst_task_func (task=0xfb6220
<WebCore::RenderLayer::createLocalTransformState(WebCore::RenderLayer*, WebCore::RenderLayer*,
WebCore::LayoutRect const&, WebCore::HitTestLocation const&, WebCore::HitTestingTransformState
const*, WebCore::LayoutSize const&) const+476>) at ../gststreamer-1.18.5/gst/gsttask.c:384
#22 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-
2.62.4/glib/gthreadpool.c:308
#23 0xf474056a in g_thread_proxy (data=0xe890c0
<WebCore::FontCascade::adjustSelectionRectForSimpleText(WebCore::TextRun const&,
WebCore::LayoutRect&, unsigned int, unsigned int) const+344>) at ../glib-2.62.4/glib/gthread.c:805
#24 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#25 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 33 (Thread 0xa58fbca0 (LWP 142)):

```

#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf4753f50 in g_cond_wait (cond=cond@entry=0x1066328 <WebCore::StyleCachedImage::operator==(
WebCore::StyleImage const&) const+52>, mutex=mutex@entry=0x106631c
<WebCore::StyleCachedImage::operator==(WebCore::StyleImage const&) const+40>) at ../glib-
2.62.4/glib/gthread-posix.c:1422
#2 0xbe6c36e6 in gst_queue_loop (pad=<optimized out>) at ../gststreamer-
1.18.5/plugins/elements/gstqueue.c:1527
#3 0xf4689b74 in gst_task_func (task=0xf2777610) at ../gststreamer-1.18.5/gst/gsttask.c:384
#4 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-
2.62.4/glib/gthreadpool.c:308
#5 0xf474056a in g_thread_proxy (data=0x105bf20
<WebCore::RenderStyle::changeRequiresLayerRepaint(WebCore::RenderStyle const&,
WTF::OptionSet<WebCore::StyleDifferenceContextSensitiveProperty>&) const+220>) at ../glib-
2.62.4/glib/gthread.c:805
#6 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#7 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 32 (Thread 0x9befeca0 (LWP 143)):

```

#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf4753f50 in g_cond_wait (cond=cond@entry=0x1066c68
<WebCore::StyleCachedImage::setContainerContextForRenderer(WebCore::RenderElement const&,
WebCore::FloatSize const&, float)+96>, mutex=mutex@entry--Type <RET> for more, q to quit, c to
continue without paging--
=0x1066c5c <WebCore::StyleCachedImage::setContainerContextForRenderer(WebCore::RenderElement const&,
WebCore::FloatSize const&, float)+84>) at ../glib-2.62.4/glib/gthread-posix.c:1422
#2 0xbe6c36e6 in gst_queue_loop (pad=<optimized out>) at ../gststreamer-
1.18.5/plugins/elements/gstqueue.c:1527
#3 0xf4689b74 in gst_task_func (task=0x1069418
<WebCore::StyleRareNonInheritedData::StyleRareNonInheritedData()+92>) at ../gststreamer-
1.18.5/gst/gsttask.c:384

```

```
#4 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-2.62.4/glib/gthreadpool.c:308
#5 0xf474056a in g_thread_proxy (data=0xc548c660) at ../glib-2.62.4/glib/gthread.c:805
#6 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#7 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 31 (Thread 0x9a2fcc0 (LWP 162)):

```
#0 syscall () at ../sysdeps/unix/sysv/linux/arm/syscall.S:37
#1 0xf47539f8 in g_mutex_lock_slowpath (mutex=mutex@entry=0xf47c6c9c <allocator+60>) at ../glib-2.62.4/glib/gthread-posix.c:1340
#2 0xf4753e78 in g_mutex_lock (mutex=mutex@entry=0xf47c6c9c <allocator+60>) at ../glib-2.62.4/glib/gthread-posix.c:1364
#3 0xf47398e4 in private_thread_memory_cleanup (data=0xfefb0cb88) at ../glib-2.62.4/glib/gslice.c:780
#4 0xf5667610 in __nptl_deallocate_tsd () at pthread_create.c:301
#5 0xf566779c in start_thread (arg=0x359f2d57) at pthread_create.c:488
#6 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 30 (Thread 0xa70feca0 (LWP 113)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf59308 <WebCore::RenderBlock::layout()+84>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf592c4 <WebCore::RenderBlock::layout()+16>, cond=0xf592e0 <WebCore::RenderBlock::layout()+44>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf592e0 <WebCore::RenderBlock::layout()+44>, mutex=0xf592c4 <WebCore::RenderBlock::layout()+16>) at pthread_cond_wait.c:638
#4 0xf49beffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xf592e0 <WebCore::RenderBlock::layout()+44>) at /usr/src/debug/lib32-gcc-runtime/9.3.0-r0/arm-rdcmllib32-linux-gnueabi/libstdc++-v3/include/arm-rdcmllib32-linux-gnueabi/bits/gthr-default.h:865
#5 std::condition_variable::wait (this=@entry=0xf592e0 <WebCore::RenderBlock::layout()+44>, __lock=...) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/condition_variable.cc:53
#6 0xc426ff78 in AampLicensePreFetcher::PreFetchThread (this=0xf59298 <WebCore::OverflowEventDispatcher::OverflowEventDispatcher(WebCore::RenderBlock const*)+176>) at /usr/src/debug/lib32-aamp/1.99-r0/git/AampDRMLicPreFetcher.cpp:206
#7 0xf49c1da8 in std::execute_native_thread_routine (__p=0xf5b18f8 <WebCore::RenderLayer::paintsWithFilters() const+32>) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 29 (Thread 0xb3ffcca0 (LWP 99)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xb3ffc538, clockid=<optimized out>, expected=0, futex_word=0xb5b7e04c) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xb3ffc538, clockid=<optimized out>, mutex=0xb5b7e008, cond=0xb5b7e020) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xb5b7e020, mutex=0xb5b7e008, abstime=0xb3ffc538) at pthread_cond_wait.c:656
#4 0xf71c1c92 in WTF::ThreadCondition::timedWait () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:544
#5 0xf718baf4 in WTF::ParkingLot::parkConditionallyImpl(void const*, WTF::ScopedLambda<bool ()> const&, WTF::ScopedLambda<void ()> const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.cpp:597
#6 0xf717d054 in WTF::ParkingLot::parkConditionally<WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#1, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#2>(void const*, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#1)
```

```
const&, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::
{lambda()}#2} const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.h:82
#7 WTF::Condition::waitUntil<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:76
#8 WTF::Condition::waitFor<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:116
#9 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/AutomaticThread.cpp:208
#10 call () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Function.h:52
#11 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#12 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#13 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#14 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#15 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 28 (Thread 0xb4ffeca0 (LWP 97)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xb4ffe538,
clockid=<optimized out>, expected=0, futex_word=0xb5b7c04c) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xb4ffe538, clockid=<optimized out>, mutex=0xb5b7c008,
cond=0xb5b7c020) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xb5b7c020, mutex=0xb5b7c008, abstime=0xb4ffe538) at
pthread_cond_wait.c:656
#4 0xf71c1c92 in WTF::ThreadCondition::timedWait () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:544
#5 0xf718baf4 in WTF::ParkingLot::parkConditionallyImpl(void const*, WTF::ScopedLambda<bool ()>
const&, WTF::ScopedLambda<void ()> const&, WTF::TimeWithDynamicClockType const&) () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.cpp:597
#6 0xf717d054 in WTF::ParkingLot::parkConditionally<WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#1, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#2>(void const*,
WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#1}
const&, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::
{lambda()}#2} const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.h:82
#7 WTF::Condition::waitUntil<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:76
#8 WTF::Condition::waitFor<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:116
#9 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/AutomaticThread.cpp:208
#10 call () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Function.h:52
#11 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#12 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#13 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#14 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#15 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 27 (Thread 0xb47fdca0 (LWP 98)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xb47fd538,
clockid=<optimized out>, expected=0, futex_word=0xb5b8904c) at ../sysdeps/nptl/futex-internal.h:320
```

```
#2 __pthread_cond_wait_common (abstime=0xb47fd538, clockid=<optimized out>, mutex=0xb5b89008, cond=0xb5b89020) at pthread_cond_wait.c:520
--Type <RET> for more, q to quit, c to continue without paging--
#3 __pthread_cond_timedwait (cond=0xb5b89020, mutex=0xb5b89008, abstime=0xb47fd538) at pthread_cond_wait.c:656
#4 0xf71c1c92 in WTF::ThreadCondition::timedWait () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:544
#5 0xf718baf4 in WTF::ParkingLot::parkConditionallyImpl(void const*, WTF::ScopedLambda<bool ()> const&, WTF::ScopedLambda<void ()> const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.cpp:597
#6 0xf717d054 in WTF::ParkingLot::parkConditionally<WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::lambda()#1, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::lambda()#2>(void const*, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::lambda()#1) const&, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::lambda()#2) const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.h:82
#7 WTF::Condition::waitUntil<WTF::Lock> () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:76
#8 WTF::Condition::waitFor<WTF::Lock> () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:116
#9 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/AutomaticThread.cpp:208
#10 call () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:52
#11 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#12 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Threading.cpp:168
#13 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#14 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#15 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 26 (Thread 0xa13eeca0 (LWP 127)):

```
#0 0xf571aaf8 in ioctl () at ../sysdeps/unix/syscall-template.S:120
#1 0xf4be765c in NEXUS_Platform_P_CacheFlush () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#2 0xf4bf13a0 in NEXUS_P_FlushCache_isr_safe () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#3 0xf28d6336 in B_Secbuf_ImportData () from /home/nambi/breakpad/dbg/usr/lib/libb_secbuf.so
#4 0xbcad21be in gst_brcm_p_aac_pes_loas_header (filter=filter@entry=0xc53160c0, playpump_buffer=0xc98e93aa, codec_data=<optimized out>, codec_data_size=<optimized out>, buf_ptr=buf_ptr@entry=0xf270a678 "\217\021S\030\364T\324iF\224-|\236\373\235[\036\062\b\363\325o\030G\346\035\vnU\262\b\035\347\061{\301tk\016#u\220\364\254Ç½\273=\264\026\065>\370\b\215\061=\221\031B\331\002W\266'R\252Qc\324Z\217\271\226*n\327\030\177\213\065\360Ñ-\366|\r\376\262R}4\005\377\227\363$\262\006\353l\355\001\236\243\217C\222\006\260V\017\204\310\324\060\341[\261\317\334\021\036\177\203\227\277w\216m\324\062\331X\227\254\036\332\346+;9Z\221o\303\332\016\244\346\363,\215\027;\006M\214\020\250\376\201\263\351\324\325C-\271\265|\022\373\216\331\031T\210\3740^m±\325\370É-YL\321[\])\302\016\v4U\373\035"..., buf_size=buf_size@entry=304, pts=300929452692, secure_buffer=0xc990e000 <error: Cannot access memory at address 0xc990e000>) at ../../../../../../git/reference/audfilter/src/gst_brcm_p_aac_repack.c:561
#5 0xbcacf632 in gst_brcm_aud_filter_chain (pad=<optimized out>, parent=<optimized out>, buf=0xef185c98) at ../../../../../../git/reference/audfilter/src/gst_brcm_aud_filter.c:1576
#6 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0xc5354c58, type=type@entry=4112, data=data@entry=0xef185c98) at ../gststreamer-1.18.5/gst/gstpad.c:4404
#7 0xf4663a0a in gst_pad_push_data (pad=0xc5354040, type=type@entry=4112, data=0xef185c98) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#8 0xf4668c3e in gst_pad_push (pad=<optimized out>, buffer=<optimized out>) at ../gststreamer-1.18.5/gst/gstpad.c:4787
#9 0xf3e5c652 in gst_base_transform_chain (pad=<optimized out>, parent=0xf271aa80, buffer=<optimized out>) at ../gststreamer-1.18.5/libs/gst/base/gstbasetransform.c:2377
#10 0xf46623e0 in gst_pad_chain_data_unchecked (pad=pad@entry=0x103ed98 <WebCore::RenderView::layout()+336>, type=type@entry=4112, data=data@entry=0xef185c98) at ../gststreamer-1.18.5/gst/gstpad.c:4404
```

```

#11 0xf4663a0a in gst_pad_push_data (pad=pad@entry=0x104ed28
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+6880>, type=type@entry=4112,
data=data@entry=0xef185c98) at ../gststreamer-1.18.5/gst/gstpad.c:4668
#12 0xf4668c3e in gst_pad_push (pad=pad@entry=0x104ed28
<WebCore::BreakingContext::handleText(WTF::Vector<WebCore::WordMeasurement, 64u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&, bool&, unsigned int&)+6880>,
buffer=buffer@entry=0xef185c98) at ../gststreamer-1.18.5/gst/gstpad.c:4787
#13 0xbe6b6458 in gst_single_queue_push_one (allow_drop=<synthetic pointer>, object=0xef185c98,
sq=0xc53595b8, mq=<optimized out>) at ../gststreamer-1.18.5/plugins/elements/gstmultiqueue.c:1937
#14 gst_multi_queue_loop (pad=<optimized out>) at ../gststreamer-
1.18.5/plugins/elements/gstmultiqueue.c:2264
#15 0xf4689b74 in gst_task_func (task=0xc5358370) at ../gststreamer-1.18.5/gst/gsttask.c:384
#16 0xf4740a98 in g_thread_pool_thread_proxy (data=<optimized out>) at ../glib-
2.62.4/glib/gthreadpool.c:308
--Type <RET> for more, q to quit, c to continue without paging--
#17 0xf474056a in g_thread_proxy (data=0xf2705a30) at ../glib-2.62.4/glib/gthread.c:805
#18 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#19 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 25 (Thread 0xbbafe0 (LWP 95)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf2cd57a4
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+148>) at ../sysdeps/nptl/futex-
internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf2cd57a8
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+152>, cond=0xf2cd5778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf2cd5778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>, mutex=0xf2cd57a8
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+152>) at pthread_cond_wait.c:638
#4 0xf49beffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xf2cd5778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>) at /usr/src/debug/lib32-gcc-
runtime/9.3.0-r0/arm-rdksmlib32-linux-gnueabi/libstdc++-v3/include/arm-rdksmlib32-linux-
gnueabi/bits/gthr-default.h:865
#5 std::condition_variable::wait (this=this@entry=0xf2cd5778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>, __lock=...) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/condition_variable.cc:53
#6 0xf2ca6b70 in
std::condition_variable::wait<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThund
erClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>::<lambda()> > (__p=...,
__lock=..., this=0xf2cd5778 <TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>)
at /usr/include/c++/9.3.0/bits/stl_list.h:1056
#7 TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::<lambda(void*)>::operator()
(__closure=0xedb22358) at /usr/src/debug/lib32-tts/1.0-
r0/git/ttsclient/TextToSpeechServiceCOMRPC.cpp:37
#8 std::_invoke_impl<void,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextToSpeechServiceC
OMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> (__f=...) at
/usr/include/c++/9.3.0/bits/invoke.h:60
#9
std::_invoke<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextTo
SpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> (__fn=...) at
/usr/include/c++/9.3.0/bits/invoke.h:95
#10
std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSTh
underClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> >::_M_invoke<0, 1> (this=0xedb22354) at
/usr/include/c++/9.3.0/thread:244
#11

```



```

std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>, TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> >::operator() (this=0xedb22354) at /usr/include/c++/9.3.0/thread:251
#12
std::thread::_State_impl<std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>, TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> > >::_M_run(void) (this=0xedb22350) at /usr/include/c++/9.3.0/thread:195
#13 0xf49c1da8 in std::execute_native_thread_routine (__p=0xedb22350) at ../../../../../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#14 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#15 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 24 (Thread 0xbdcfdca0 (LWP 92)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI__poll (timeout=-1, nfds=3, fds=0xd45a08 <WebCore::CachedResourceRequest::CachedResourceRequest(WebCore::CachedResourceRequest&&)+380>) at ./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xd45a08 <WebCore::CachedResourceRequest::CachedResourceRequest(WebCore::CachedResourceRequest&&)+380>, nfds=nfds@entry=3, timeout=timeout@entry=-1) at ./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf2dcbdba in WPEFramework::Core::ResourceMonitorType<WPEFramework::Core::IResource, WPEFramework::Core::Void>::Worker (this=0xe74aa8 <WTF::tryMakeStringFromAdapters<WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<unsigned char, void>, WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<unsigned char, void>, WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<char*, void>, WTF::StringTypeAdapter<char, void> >(WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<unsigned char, void>, WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<unsigned char, void--Type <RET> for more, q to quit, c to continue without paging-- >, WTF::StringTypeAdapter<char const*, void>, WTF::StringTypeAdapter<char*, void>, WTF::StringTypeAdapter<char, void>)+536>) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.h:76
#4 0xf2ddcdfc in WPEFramework::Core::Thread::StartThread (cClassPointer=0xdceb38 <bmalloc::IsoTLS::allocateFast<bmalloc::IsoConfig<44u>, WebCore::Navigator> (bmalloc::api::IsoHeap<WebCore::Navigator>&, unsigned int, bool)+32>) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Thread.cpp:181
#5 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#6 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 23 (Thread 0xbeefaca0 (LWP 93)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf280d0 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelowForBlock(WebCore::LayoutUnit)+36>) at ./sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf28090 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelow(WebCore::LayoutUnit)+116>, cond=0xf280a8 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelow(WebCore::LayoutUnit)+140>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf280a8 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelow(WebCore::LayoutUnit)+140>, mutex=0xf28090 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelow(WebCore::LayoutUnit)+116>) at pthread_cond_wait.c:638
#4 0xf49beffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xf280a8 <WebCore::FloatingObjects::findNextFloatLogicalBottomBelow(WebCore::LayoutUnit)+140>) at /usr/src/debug/lib32-gcc-runtime/9.3.0-r0/arm-rdksmlib32-linux-gnueabi/libstdc++-v3/include/arm-rdksmlib32-linux-gnueabi/bits/gthr-default.h:865
#5 std::condition_variable::wait (this=this@entry=0xf280a8

```



```

Thread 20 (Thread 0xa60fcc0 (LWP 118)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf56685ee in __pthread_clockjoin_ex (threadid=2586823840, thread_return=0x0,
clockid=clockid@entry=0, abstime=abstime@entry=0x0, block=block@entry=true) at
pthread_join_common.c:145
#2 0xf56684be in __pthread_join (threadid=<optimized out>, thread_return=<optimized out>) at
pthread_join.c:24
#3 0xf49c1e92 in __gthread_join (__value_ptr=0x0, __threadid=<optimized out>) at
/usr/src/debug/lib32-gcc-runtime/9.3.0-r0/arm-rdcmllib32-linux-gnueabi/libstdc++-v3/include/arm-
rdcmllib32-linux-gnueabi/bits/gthr-default.h:669
#4 std::thread::join (this=this@entry=0xc54afde8) at ../../../../../../work-shared/gcc-
9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:110
#5 0xc420f516 in StreamAbstractionAAMP_MPD::FetcherLoop (this=0xf92138
<WebCore::RenderFragmentContainer::takeRenderBoxFragmentInfo(WebCore::RenderBox const*)+48>) at
/usr/src/debug/lib32-aamp/1.99-r0/git/fragmentcollector_mpd.cpp:8999
#6 0xf49c1da8 in std::execute_native_thread_routine (__p=0xf1910
<WebCore::RenderLayer::requiresFullLayerImageForFilters() const+20>) at
../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

```

Thread 19 (Thread 0xf16a3ca0 (LWP 65)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf16a3624,
clockid=<optimized out>, expected=0, futex_word=0xd29248
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+184>) at ./sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf16a3624, clockid=<optimized out>, mutex=0xd29208
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+120>, cond=0xd29220
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+144>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xd29220
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+144>, mutex=0xd29208
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+120>, abstime=0xf16a3624) at
pthread_cond_wait.c:656
--Type <RET> for more, q to quit, c to continue without paging--
#4 0xf4c8a780 in BKNI_WaitForEvent () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf4c2b544 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 18 (Thread 0xacffeca0 (LWP 105)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf5e1ac
<WebCore::RenderBoxModelObject::inlineContinuation() const+172>) at ./sysdeps/nptl/futex-
internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf5e168
<WebCore::RenderBoxModelObject::inlineContinuation() const+104>, cond=0xf5e180
<WebCore::RenderBoxModelObject::inlineContinuation() const+128>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf5e180 <WebCore::RenderBoxModelObject::inlineContinuation()
const+128>, mutex=0xf5e168 <WebCore::RenderBoxModelObject::inlineContinuation() const+104>) at
pthread_cond_wait.c:638
#4 0xf49beffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xf5e180
<WebCore::RenderBoxModelObject::inlineContinuation() const+128>) at /usr/src/debug/lib32-gcc-
runtime/9.3.0-r0/arm-rdkmllib32-linux-gnueabi/libstdc++-v3/include/arm-rdkmllib32-linux-
gnueabi/bits/gthr-default.h:865
#5 std::condition_variable::wait (this=this@entry=0xf5e180
<WebCore::RenderBoxModelObject::inlineContinuation() const+128>, __lock=...) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/condition_variable.cc:53
#6 0xc41d3dd2 in AampScheduler::ExecuteAsyncTask (this=0xf5e138
<WebCore::RenderBoxModelObject::inlineContinuation() const+56>) at /usr/src/debug/lib32-aamp/1.99-
r0/git/AampScheduler.cpp:110
#7 0xf49c1da8 in std::execute_native_thread_routine (__p=0xf53598
<WebCore::RenderBlockFlow::clearFloatsIfNeeded(WebCore::RenderBox&,
WebCore::RenderBlockFlow::MarginInfo&, WebCore::LayoutUnit, WebCore::LayoutUnit,
WebCore::LayoutUnit)+40>) at ../../../../../../work-shared/gcc-9.3.0-r0/gcc-
9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 17 (Thread 0xc60ffca0 (LWP 67)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI___poll (timeout=-1, nfds=2, fds=0xc60fe660) at
./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=fds@entry=0xc60fe660, nfdns=nfdns@entry=2, timeout=timeout@entry=-1) at
./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf39963ba in kernel_callbacks_handler (context=<optimized out>) at
libs/platform/stb/bcm_sched.cpp:530
#4 0xf49c1da8 in std::execute_native_thread_routine (__p=0xd22a10 <call()+176>) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#5 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#6 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 16 (Thread 0xa86feca0 (LWP 110)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xa86fe550,
clockid=<optimized out>, expected=0, futex_word=0xef9f98 <WTF::Vector<WebCore::BlobDataItem, 0u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+152>) at
./sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xa86fe550, clockid=<optimized out>, mutex=0xef9f58
<WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>::expandCapacity(unsigned int)+88>, cond=0xef9f70 <WTF::Vector<WebCore::BlobDataItem,
0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+112>) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xef9f70 <WTF::Vector<WebCore::BlobDataItem, 0u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+112>, mutex=0xef9f58
<WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>::expandCapacity(unsigned int)+88>, abstime=0xa86fe550) at pthread_cond_wait.c:656
#4 0xc4241598 in __gthread_cond_timedwait (__abs_timeout=0xa86fe550, __mutex=<optimized out>,
__cond=0xef9f70 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u,
```

```

WTF::FastMalloc>::expandCapacity(unsigned int)+112>) at /usr/include/c++/9.3.0/arm-rdcmllib32-linux-gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::_wait_until_impl<std::chrono::duration<long long, std::ratio<11l, 100000000011> > > (this=this@entry=0xef9f70 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 1--Type <RET> for more, q to quit, c to continue without paging--6u, WTF::FastMalloc>::expandCapacity(unsigned int)+112>, __lock=..., __atime=...) at /usr/include/c++/9.3.0/condition_variable:188
#6 0xc4241616 in std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long long, std::ratio<11l, 100000000011> > > (__atime=..., __lock=..., this=0xef9f70 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+112>) at /usr/include/c++/9.3.0/chrono:636
#7 std::condition_variable::wait_for<long long, std::ratio<11l, 100011> > (this=0xef9f70 <WTF::Vector<WebCore::BlobDataItem, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>::expandCapacity(unsigned int)+112>, __lock=..., __rtime=...) at /usr/include/c++/9.3.0/condition_variable:152
#8 0xc428d362 in AampMPDDDownloader::waitForRefreshInterval (this=this@entry=0xef9e10 <call()+240>) at /usr/include/c++/9.3.0/chrono:331
#9 0xc428ed4e in AampMPDDDownloader::downloadMPDThread1 (this=0xef9e10 <call()+240>) at /usr/src/debug/lib32-aamp/1.99-r0/git/AampMPDDDownloader.cpp:462
#10 0xf49c1da8 in std::execute_native_thread_routine (__p=0xe5d1d8 <WebCore::Biquad::setBandpassParams(double, double)+88>) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#11 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#12 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 15 (Thread 0xc2477ca0 (LWP 83)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xedb445e4) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xedb445a0, cond=0xedb445b8) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xedb445b8, mutex=0xedb445a0) at pthread_cond_wait.c:638
#4 0xf78fa892 in queue_dequeue (q=q@entry=0xedb445a0) at ../git/refsw22.0/vc5/common/list.h:66
#5 0xf78fae9a in dequeue_buffer (queue=0xedb445a0) at ../git/refsw22.0/vc5/common/swapchain.c:190
#6 SwapchainDequeueDisplayBuffer (swapchain=swapchain@entry=0xedb44540) at ../git/refsw22.0/vc5/common/swapchain.c:248
#7 0xf78f9fc4 in display_thread_func (p=0xedb444c8) at ../git/refsw22.0/vc5/common/display_framework.c:157
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from /home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 14 (Thread 0xef0feca0 (LWP 59)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI__poll (timeout=-1, nfds=2, fds=0xee703800) at ../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xee703800, nfds=2, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xee703800, timeout=-1, context=0xee7005f8) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xee7005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4729f3c in g_main_loop_run (loop=0xee7031a0) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf718e0dc in WTF::Function<void ()>::operator>()() const () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from

```

/home/nambi/breakpad/dbg/lib/libc.so.6

Backtrace stopped: previous frame identical to this frame (corrupt stack?)

Thread 13 (Thread 0xee4feca0 (LWP 61)):

#0 \_\_libc\_do\_syscall () at libc-do-syscall.S:48

--Type <RET> for more, q to quit, c to continue without paging--

#1 0xf57195c6 in \_\_GI\_\_\_poll (timeout=-1, nfd=2, fds=0xedb03800) at

../sysdeps/unix/sysv/linux/poll.c:29

#2 \_\_GI\_\_\_poll (fds=0xedb03800, nfd=2, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26

#3 0xf4729bc6 in g\_main\_context\_poll (priority=<optimized out>, n\_fds=2, fds=0xedb03800, timeout=-1, context=0xedb005f8) at ../glib-2.62.4/glib/gmain.c:4257

#4 g\_main\_context\_iterate (context=0xedb005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953

#5 0xf4729f3c in g\_main\_loop\_run (loop=0xedb031a0) at ../glib-2.62.4/glib/gmain.c:4152

#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-

webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96

#7 0xf718e0dc in WTF::Function<void (\*)>::operator()() const () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84

#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Threading.cpp:168

#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-

webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200

#10 0xf566778e in start\_thread (arg=0x359f2d57) at pthread\_create.c:477

#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from

/home/nambi/breakpad/dbg/lib/libc.so.6

Backtrace stopped: previous frame identical to this frame (corrupt stack?)

Thread 12 (Thread 0xf16c5ca0 (LWP 63)):

#0 \_\_libc\_do\_syscall () at libc-do-syscall.S:48

#1 0xf566c600 in futex\_abstimed\_wait\_cancelable (private=<optimized out>, abstime=0xf16c556c, clockid=<optimized out>, expected=0, futex\_word=0xd27f50 <WTF::HashTable<WebCore::HTMLMediaElement\*, WTF::KeyValuePair<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>, WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics> >, WTF::PtrHash<WebCore::HTMLMediaElement\*>, WTF::HashMap<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>, WTF::PtrHash<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairTraits, WTF::HashTraits<WebCore::HTMLMediaElement\*> >::lookupForWriting<WTF::IdentityHashTranslator<WTF::HashMap<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>, WTF::PtrHash<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairTraits, WTF::PtrHash<WebCore::HTMLMediaElement\*> >, WebCore::HTMLMediaElement\*(WebCore::HTMLMediaElement\* const&)+144>) at ../sysdeps/nptl/futex-internal.h:320

#2 \_\_pthread\_cond\_wait\_common (abstime=0xf16c556c, clockid=<optimized out>, mutex=0xd27f10

<WTF::HashTable<WebCore::HTMLMediaElement\*, WTF::KeyValuePair<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>,

WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WebCore::HTMLMediaElement\*,

WebCore::InspectorDOMAgent::MediaMetrics> >, WTF::PtrHash<WebCore::HTMLMediaElement\*>,

WTF::HashMap<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>,

WTF::PtrHash<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::HTMLMediaElement\*>,

WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairTraits,

WTF::HashTraits<WebCore::HTMLMediaElement\*>

>::lookupForWriting<WTF::IdentityHashTranslator<WTF::HashMap<WebCore::HTMLMediaElement\*,

WebCore::InspectorDOMAgent::MediaMetrics>, WTF::PtrHash<WebCore::HTMLMediaElement\*>,

WTF::HashTraits<WebCore::HTMLMediaElement\*>,

WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairTraits,

WTF::PtrHash<WebCore::HTMLMediaElement\*> >, WebCore::HTMLMediaElement\*(WebCore::HTMLMediaElement\*

const&)+80>, cond=0xd27f28 <WTF::HashTable<WebCore::HTMLMediaElement\*,

WTF::KeyValuePair<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>,

WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WebCore::HTMLMediaElement\*,

WebCore::InspectorDOMAgent::MediaMetrics> >, WTF::PtrHash<WebCore::HTMLMediaElement\*>,

WTF::HashMap<WebCore::HTMLMediaElement\*, WebCore::InspectorDOMAgent::MediaMetrics>,

WTF::PtrHash<WebCore::HTMLMediaElement\*>, WTF::HashTraits<WebCore::HTMLMediaElement\*>,

WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairTraits,

```

WTF::HashTraits<WebCore::HTMLMediaElement*>
>::lookupForWriting<WTF::IdentityHashTranslator<WTF::HashMap<WebCore::HTMLMediaElement*,
WebCore::InspectorDOMAgent::MediaMetrics, WTF::PtrHash<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairsTraits,
WTF::PtrHash<WebCore::HTMLMediaElement*> >, WebCore::HTMLMediaElement*(WebCore::HTMLMediaElement*
const&)+104> at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xd27f28 <WTF::HashTable<WebCore::HTMLMediaElement*,
WTF::KeyValuePairs<WebCore::HTMLMediaElement*, WebCore::InspectorDOMAgent::MediaMetrics>,
WTF::KeyValuePairsKeyExtractor<WTF::KeyValuePairs<WebCore::HTMLMediaElement*,
WebCore::InspectorDOMAgent::MediaMetrics> >, WTF::PtrHash<WebCore::HTMLMediaElement*>,
WTF::HashMap<WebCore::HTMLMediaElement*, WebCore::InspectorDOMAgent::MediaMetrics,
WTF::PtrHash<WebCore::HTMLMediaElement*>, WTF::HashTraits<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairsTraits,
WTF::HashTraits<WebCore::HTMLMediaElement*>
>::lookupForWriting<WTF::IdentityHashTranslator<WTF::HashMap<WebCore::HTMLMediaElement*,
WebCore::InspectorDOMAgent::MediaMetrics, WTF::PtrHash<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairsTraits,
WTF::PtrHash<WebCore::HTMLMediaElement*> >, WebCore::HTMLMediaElement*(WebCore::HTMLMediaElement*
const&)+104>, mutex=0xd27f10 <WTF::HashTable<WebCore::HTMLMediaElement*,
WTF::KeyValuePairs<WebCore::HTMLMediaElement*, WebCore::InspectorDOMAgent::MediaMetrics>,
WTF::KeyValuePairsKeyExtractor<WTF::KeyValuePairs<WebCore::HTMLMediaElement*,
WebCore::InspectorDOMAgent::MediaMetrics> >, WTF::PtrHash<WebCore::HTMLMediaElement*>,
WTF::HashMap<WebCore::HTMLMediaElement*, WebCore::InspectorDOMAgent::MediaMetrics,
WTF::PtrHash<WebCore::HTMLMediaElement*>, WTF::HashTraits<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairsTraits,
WTF::HashTraits<WebCore::HTMLMediaElement*>
>::lookupForWriting<WTF::IdentityHashTranslator<WTF::HashMap<WebCore::HTMLMediaElement*,
WebCore::InspectorDOMAgent::MediaMetrics, WTF::PtrHash<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::HTMLMediaElement*>,
WTF::HashTraits<WebCore::InspectorDOMAgent::MediaMetrics> >::KeyValuePairsTraits,
WTF::PtrHash<WebCore::HTMLMediaElement*> >, WebCore::HTMLMediaElement*(WebCore::HTMLMediaElement*
const&)+80>, abstime=0xf16c556c) at pthread_cond_wait.c:656
--Type <RET> for more, q to quit, c to continue without paging--
#4 0xf4c8b456 in BKNI_waitForGroup () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf4bee6fc in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

```

Thread 11 (Thread 0xf16b4ca0 (LWP 64)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf16b4624,
clockid=<optimized out>, expected=0, futex_word=0xd29248
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+184>) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf16b4624, clockid=<optimized out>, mutex=0xd29208
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+120>, cond=0xd29220
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+144>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xd29220
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,

```

```

WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+144>, mutex=0xd29208
<WTF::HashTable<Inspector::InspectorDebuggerAgent::Listener*,
Inspector::InspectorDebuggerAgent::Listener*, WTF::IdentityExtractor,
WTF::PtrHash<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>,
WTF::HashTraits<Inspector::InspectorDebuggerAgent::Listener*>
>::add(Inspector::InspectorDebuggerAgent::Listener*&&)+120>, abstime=0xf16b4624) at
pthread_cond_wait.c:656
#4 0xf4c8a780 in BKNI_WaitForEvent () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf4c2b544 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 10 (Thread 0xf1efdca0 (LWP 56)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf1efd690,
clockid=<optimized out>, expected=0, futex_word=0xf78f0b14) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf1efd690, clockid=<optimized out>, mutex=0xd04d24
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+1404>, cond=0xf78f0ae8) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf78f0ae8, mutex=0xd04d24
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+1404>, abstime=0xf1efd690) at pthread_cond_wait.c:656
#4 0xf71ca424 in __gthread_cond_timedwait () at /usr/include/c++/9.3.0/arm-rdcmllib32-linux-
gnullabi/bits/gthr-default.h:872
#5 std::condition_variable::_wait_until_impl<std::chrono::duration<long long, std::ratio<111,
1000000000ll> > > () at /usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::duration<long long, std::ratio<111,
1000000000ll> > > () at /usr/include/c++/9.3.0/condition_variable:108
#7 std::_V2::condition_variable_any::wait_until<std::unique_lock<bmalloc::Mutex>,
std::chrono::_V2::system_clock, std::chrono::duration<long long, std::ratio<111, 1000000000ll> > > ()
at /usr/include/c++/9.3.0/condition_variable:296
#8 wait_until<std::unique_lock<bmalloc::Mutex>, std::chrono::_V2::system_clock,
std::chrono::duration<long long int, std::ratio<1, 1000000000> >,
bmalloc::Scavenger::threadRunLoop():<lambda()> > () at /usr/include/c++/9.3.0/condition_variable:307
#9 wait_for<std::unique_lock<bmalloc::Mutex>, long long int, std::ratio<1, 1000>,
bmalloc::Scavenger::threadRunLoop():<lambda()> > () at /usr/include/c++/9.3.0/condition_variable:322
#10 bmalloc::Scavenger::threadRunLoop () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/bmalloc/bmalloc/Scavenger.cpp:411
#11 0xf71ca556 in bmalloc::Scavenger::threadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/bmalloc/bmalloc/Scavenger.cpp:385
#12 0xf49c1da8 in std::execute_native_thread_routine (__p=0xf566d4e9 <__GI__pthread_key_create>) at
../../../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#13 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#14 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
--Type <RET> for more, q to quit, c to continue without paging--
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 9 (Thread 0xc6900ca0 (LWP 66)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xc6900680,
clockid=<optimized out>, expected=0, futex_word=0xd23098 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,

```



```
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >*)+328>) at
../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xc6900680, clockid=<optimized out>, mutex=0xd23058
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >*)+264>,
cond=0xd23070 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc> >, WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc> > >, WTF::StringHash, WTF::HashMap<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc>, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >::KeyValuePairTraits, WTF::HashTraits<WTF::String>
>::rehash(unsigned int, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >*)+288>) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xd23070 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >*)+288>,
mutex=0xd23058 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc> >, WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc> > >, WTF::StringHash, WTF::HashMap<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc>, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >::KeyValuePairTraits, WTF::HashTraits<WTF::String>
>::rehash(unsigned int, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >*)+264>,
abstime=0xc6900680) at pthread_cond_wait.c:656
#4 0xf39956aa in __pthread_cond_timedwait (__abs_timeout=0xc6900680, __mutex=<optimized out>,
__cond=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-
sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/arm-rdkmlib32-linux-gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::__wait_until_impl<std::chrono::duration<long long, std::ratio<11l,
1000000000ll> > > (__atime=<synthetic pointer>..., __lock=<synthetic pointer>..., this=0xd23070
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc> >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
```

```
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >*)+288>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long, std::ratio<1ll, 1000000000ll> > > (__atime=..., __lock=<synthetic pointer>..., this=0xd23070
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >,
WTF::KeyValuePairKeyE--Type <RET> for more, q to quit, c to continue without paging--
xtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >*)+288>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:121
#7 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long int, std::ratio<1, 1000000000> >, free_block_cache::timer_thread():<lambda()> > (__p=...,
__atime=..., __lock=<synthetic pointer>..., this=0xd23070 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >*)+288>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:138
#8 std::condition_variable::wait_for<long long int, std::ratio<1, 1000>,
free_block_cache::timer_thread():<lambda()> > (__rtime=..., __p=..., __lock=<synthetic pointer>...,
this=0xd23070 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc >, WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc > >, WTF::StringHash, WTF::HashMap<WTF::String,
WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow,
16u, WTF::FastMalloc>, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node, WTF::DumbPtrTraits<WebCore::Node> >, 0u,
WTF::CrashOnOverflow, 16u, WTF::FastMalloc > >::KeyValuePairTraits, WTF::HashTraits<WTF::String>
>::rehash(unsigned int, WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >*)+288>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:166
#9 free_block_cache::timer_thread (this=0xd22ff8 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>,
WTF::StringHash, WTF::HashTraits<WTF::String>, WTF::HashTraits<WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >
>::KeyValuePairTraits, WTF::HashTraits<WTF::String> >::rehash(unsigned int,
```

```
WTF::KeyValuePair<WTF::String, WTF::Vector<WTF::RefPtr<WebCore::Node,
WTF::DumbPtrTraits<WebCore::Node> >, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc >*>+168>) at
libs/platform/gmem_free_block_cache.cpp:82
#10 0xf49c1da8 in std::execute_native_thread_routine (__p=0xd1ab88
<WebCore::InspectorDOMAgent::getSupportedEventNames(WTF::String&,
WTF::RefPtr<WTF::JSONImpl::ArrayOf<WTF::String>,
WTF::DumbPtrTraits<WTF::JSONImpl::ArrayOf<WTF::String> > >&)+2220>) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#11 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#12 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 8 (Thread 0xf04fcca0 (LWP 57)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI__poll (timeout=-1, nfds=1, fds=0xefb04270) at
./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xefb04270, nfds=1, timeout=-1) at ./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xefb04270, timeout=-1,
context=0xefb005f8) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xefb005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4729f3c in g_main_loop_run (loop=0xefb031a0) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
--Type <RET> for more, q to quit, c to continue without paging--
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 7 (Thread 0xc414cca0 (LWP 80)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI__poll (timeout=4000, nfds=2, fds=0xc54007b0) at
./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xc54007b0, nfds=2, timeout=4000) at ./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xc54007b0,
timeout=4000, context=0xeb5080 <WebCore::Path::currentPoint() const+52>) at ../glib-
2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=context@entry=0xeb5080 <WebCore::Path::currentPoint() const+52>,
block=block@entry=1, dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-
2.62.4/glib/gmain.c:3953
#5 0xf4729c8a in g_main_context_iteration (context=0xeb5080 <WebCore::Path::currentPoint()
const+52>, may_block=may_block@entry=1) at ../glib-2.62.4/glib/gmain.c:4019
#6 0xf4729caa in glib_worker_main (data=<optimized out>) at ../glib-2.62.4/glib/gmain.c:5899
#7 0xf474056a in g_thread_proxy (data=0xf47c6974 <unix_signal_pending>) at ../glib-
2.62.4/glib/gthread.c:805
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 6 (Thread 0xefafeca0 (LWP 58)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI__poll (timeout=-1, nfds=1, fds=0xef103400) at
./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xef103400, nfds=1, timeout=-1) at ./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xef103400, timeout=-1,
context=0xef1005f8) at ../glib-2.62.4/glib/gmain.c:4257
```

```
#4 g_main_context_iterate (context=0xef1005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4729f3c in g_main_loop_run (loop=0xef102970) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 5 (Thread 0xc1c76ca0 (LWP 84)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf57195c6 in __GI___poll (timeout=-1, nfds=1, fds=0xee7065e8) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=0xee7065e8, nfd=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4729bc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xee7065e8, timeout=-1,
context=0xee703a08) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xee703a08, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4729f3c in g_main_loop_run (loop=0xee7054e0) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf71bf83c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf718e0dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
--Type <RET> for more, q to quit, c to continue without paging--
#9 0xf71c173a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#11 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 4 (Thread 0xf2871ca0 (LWP 54)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xd04b78
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+976>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xd04b34
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+908>, cond=0xd04b50
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+936>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xd04b50
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+936>, mutex=0xd04b34
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+908>) at pthread_cond_wait.c:638
#4 0xf2d8dbda in WPEFramework::Core::Event::Lock (this=this@entry=0xd04b30
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+904>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:860
#5 0xf2d8dbdea in WPEFramework::Core::Event::Lock (this=this@entry=0xd04b30
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+904>, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-
wpeframework/4.2-r0/git/Source/core/Sync.cpp:901
#6 0xf2ddcfb6 in
WPEFramework::Core::StateTrigger<WPEFramework::Core::Thread::thread_state>::WaitState
```

```
(this=this@entry=0xd04b10 <WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&,
WebCore::Node&, WebCore::FloatRect const&)+872>, a_State=a_State@entry=118,
a_Time=a_Time@entry=4294967295) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.h:76
#7 0xf2ddcda6 in WPEFramework::Core::Thread::StartThread (cClassPointer=0xd04b08
<WebCore::InspectorOverlay::drawElementTitle(WebCore::GraphicsContext&, WebCore::Node&,
WebCore::FloatRect const&)+864>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Thread.cpp:159
#8 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#9 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 3 (Thread 0xc0efeca0 (LWP 85)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4b73968 <s_context+88>)
at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4b73928 <s_context+24>,
cond=0xf4b73940 <s_context+48>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf4b73940 <s_context+48>, mutex=0xf4b73928 <s_context+24>) at
pthread_cond_wait.c:638
#4 0xf4aba414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135
#5 worker_thread_main (arg=0xf4b73918 <s_context+8>) at libs/imgconv/imgconv_parallel.c:65
#6 0xf4b1f0d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35
#7 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#8 0xf571f09c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 2 (Thread 0xf26feca0 (LWP 55)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf566c600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf26fe678,
clockid=<optimized out>, expected=0, futex_word=0xd0ebf0 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSh-
Type <RET> for more, q to quit, c to continue without paging--
eet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >, WTF::StringHash,
WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+164>) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf26fe678, clockid=<optimized out>, mutex=0xd0ebac
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >*)+96>,
cond=0xd0ebc8 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
```

```
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xd0ebc8 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124>, mutex=0xd0ebac <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+96>,
abstime=0xf26fe678) at pthread_cond_wait.c:656
#4 0xf2c4f392 in __gthread_cond_timedwait (__abs_timeout=0xf26fe678, __mutex=<optimized out>,
__cond=0xd0ebc8 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124>) at /usr/include/c++/9.3.0/arm-rdcmllib32-linux-gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::__wait_until_impl<std::chrono::duration<long long, std::ratio<11l,
1000000000ll> > > (__atime=<synthetic pointer>..., __lock=..., this=0xd0ebc8
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124>) at /usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long, std::ratio<11l, 1000000000ll> > > (__atime=..., __lock=..., this=0xd0ebc8
<WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124>) at /usr/include/c++/9.3.0/condition_variable:121
```

```

#7 std::condition_variable::wait_for<long long, std::ratio<1ll, 1000ll> > (__rtime=<synthetic
pointer>..., __lock=..., this=0xd0ebc8 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >>::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+124) at /usr/include/c++/9.3.0/condition_variable:152
--Type <RET> for more, q to quit, c to continue without paging--
#8 TimerCallback::Wait (time_in_seconds=10, this=0xd0eb98 <WTF::HashTable<WTF::String,
WTF::KeyValuePair<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >>::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+76)
at rdk_perf.cpp:93
#9 TimerCallback::Task (this=0xd0eb98 <WTF::HashTable<WTF::String, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >,
WTF::KeyValuePairKeyExtractor<WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > > >,
WTF::StringHash, WTF::HashMap<WTF::String, WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >, WTF::StringHash, WTF::HashTraits<WTF::String>,
WTF::HashTraits<WTF::RefPtr<WebCore::InspectorStyleSheet,
WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> > >>::KeyValuePairTraits,
WTF::HashTraits<WTF::String> >::rehash(unsigned int, WTF::KeyValuePair<WTF::String,
WTF::RefPtr<WebCore::InspectorStyleSheet, WTF::DumbPtrTraits<WebCore::InspectorStyleSheet> >
>*)+76)
at rdk_perf.cpp:153
#10 0xf49c1da8 in std::execute_native_thread_routine (__p=0xd10ab8 <WTF::HashMap<int, unsigned int,
WTF::IntHash<unsigned int>, WTF::HashTraits<int>, WTF::HashTraits<unsigned int> >::remove(int
const&)+124) at ../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/thread.cc:80
#11 0xf566778e in start_thread (arg=0x359f2d57) at pthread_create.c:477
#12 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 1 (Thread 0xa2bf1ca0 (LWP 124)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:49
#1 0xf56c1d14 in __libc_signal_restore_set (set=0xa2bf1378) at ./sysdeps/unix/sysv/linux/internal-
signals.h:86
#2 __GI_raise (sig=sig@entry=6) at ./sysdeps/unix/sysv/linux/raise.c:48
#3 0xf56b56dc in __GI_abort () at abort.c:79
#4 0xf56e1fca in __libc_message (action=action@entry=do_abort, fmt=<optimized out>) at
./sysdeps/posix/libc_fatal.c:155
#5 0xf56e626a in malloc_printerr (str=<optimized out>) at malloc.c:5347
#6 0xf56e6482 in munmap_chunk (p=<optimized out>) at malloc.c:2830
#7 0xf473980a in magazine_cache_trim (allocator=0xf47c6c60 <allocator>, stamp=<optimized out>,
ix=14994432) at ../glib-2.62.4/glib/gslice.c:678
#8 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=47) at
../glib-2.62.4/glib/gslice.c:709
#9 0xf47398ce in private_thread_memory_cleanup (data=0xefb07308) at ../glib-2.62.4/glib/gslice.c:776
#10 0xf5667610 in __nptl_deallocate_tsd () at pthread_create.c:301
#11 0xf566779c in start_thread (arg=0x359f2d57) at pthread_create.c:488
#12 0xf571f09c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6

```

Backtrace stopped: previous frame identical to this frame (corrupt stack?)  
(gdb)