

```
(gdb) core-file core-WPEWebProcess.29
```

```
warning: core file may not match specified executable file.
```

```
[New LWP 29]
```

```
[New LWP 89]
```

```
[New LWP 35]
```

```
[New LWP 79]
```

```
[New LWP 81]
```

```
[New LWP 55]
```

```
[New LWP 74]
```

```
[New LWP 32]
```

```
[New LWP 31]
```

```
[New LWP 51]
```

```
[New LWP 71]
```

```
[New LWP 87]
```

```
[New LWP 73]
```

```
[New LWP 72]
```

```
[New LWP 34]
```

```
[New LWP 33]
```

```
[New LWP 54]
```

```
[New LWP 49]
```

```
[New LWP 36]
```

```
[New LWP 53]
```

```
[New LWP 52]
```

```
[New LWP 67]
```

```
[New LWP 68]
```

```
[New LWP 70]
```

```
[New LWP 75]
```

```
[New LWP 80]
```

```
[New LWP 92]
```

```
[New LWP 50]
```

```
warning: Could not load shared library symbols for 4 libraries, e.g.
```

```
/tmp/webkit.view.extensions.QwMPdb/libSkyLogExtension.so.
```

```
Use the "info sharedlibrary" command to see the complete listing.
```

```
Do you need "set solib-search-path" or "set sysroot"?
```

```
[Thread debugging using libthread_db enabled]
```

```
Using host libthread_db library "/lib/x86_64-linux-gnu/libthread_db.so.1".
```

```
Core was generated by `/usr/libexec/wpe-webkit-1.0/WPEWebProcess 9 40'.
```

```
Program terminated with signal SIGSEGV, Segmentation fault.
```

```
#0 magazine_chain_pop_head (magazine_chunks=magazine_chunks@entry=0xff8d5ec4) at ../glib-2.62.4/glib/gslice.c:538
```

```
538 ../glib-2.62.4/glib/gslice.c: No such file or directory.
```

```
[Current thread is 1 (Thread 0xf2c886d0 (LWP 29))]
```

```
(gdb) bt
```

```
#0 magazine_chain_pop_head (magazine_chunks=magazine_chunks@entry=0xff8d5ec4) at ../glib-2.62.4/glib/gslice.c:538
```

```
#1 0xf4b4c802 in magazine_cache_trim (allocator=0xf4bd9c60 <allocator>, stamp=<optimized out>, ix=15774784) at ../glib-2.62.4/glib/gslice.c:677
```

```
#2 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=51) at ../glib-2.62.4/glib/gslice.c:709
```

```
#3 0xf4b4c85a in thread_memory_magazine2_unload (ix=ix@entry=1, tmem=<optimized out>) at ../glib-2.62.4/glib/gslice.c:808
```

```
#4 0xf4b4d182 in g_slice_free1 (mem_size=<optimized out>, mem_block=0xe31360 <WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>) at ../glib-2.62.4/glib/gslice.c:1117
```

```
#5 0xf3e84d8e in g_type_free_instance (instance=0xe31360 <WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>) at ../glib-2.62.4/gobject/gtype.c:1946
```

```
#6 0xf4c9609e in atk_object_finalize (object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>) at ../atk-2.34.1/atk/atkobject.c:1436
```

```
#7 0xf3e76ae8 in g_object_unref (_object=<optimized out>) at ../glib-2.62.4/gobject/gobject.c:3382
```

```
#8 g_object_unref (_object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>) at ../glib-2.62.4/gobject/gobject.c:3274
```

```
#9 0xf656be74 in WTF::derefGPtr<WebKitAccessible> () at DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:261
```

```
#10 WTF::GRefPtr<_WebKitAccessible>::operator= () at
DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:156
#11 WebCore::AXCoreObject::detachWrapper () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1159
#12 WebCore::AXCoreObject::detach () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1150
#13 WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:853
#14 0xf656e8aa in WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:863
#15 0xf6c270c2 in WebCore::RenderObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1467
#16 0xf6bc4d34 in WebCore::RenderElement::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderElement.cpp:950
#17 0xf6c13ff4 in WebCore::RenderLayerModelObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderLayerModelObject.cpp:81
#18 0xf6ba5920 in WebCore::RenderBox::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderBox.cpp:169
#19 0xf6c22456 in WebCore::RenderObject::destroy () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1507
#20 0xf6cc490a in std::unique_ptr<WebCore::RenderObject, WebCore::RenderObjectDeleter>::~unique_ptr
() at /usr/include/c++/9.3.0/bits/unique_ptr.h:292
#21 WebCore::RenderTreeBuilder::destroy () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:164
#22 0xf6cc49c8 in WebCore::RenderTreeBuilder::destroyAndCleanUpAnonymousWrappers ()
at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:802
#23 0xf6cc8d20 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:592
#24 0xf6cc8b8c in WebCore::RenderTreeUpdater::tearDownRenderers () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:605
#25 0xf6cc9822 in WebCore::RenderTreeUpdater::updateElementRenderer () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:326
#26 0xf6cca0f4 in WebCore::RenderTreeUpdater::updateRenderTree () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:197
#27 0xf6cca674 in WebCore::RenderTreeUpdater::commit () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:129
#28 0xf671ad04 in WebCore::Document::resolveStyle () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:1995
#29 0xf671b07c in WebCore::Document::updateStyleIfNeeded () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:2087
#30 0xf69fda42 in WebCore::FrameView::updateLayoutAndStyleIfNeededRecursive () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/page/FrameView.cpp:4319
#31 0xf60f6530 in WebKit::LayerTreeHost::layerFlushTimerFired ()
at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebKit/WebProcess/WebPage/CoordinatedGraphics/LayerTreeHost.cpp:141
#32 0xf75d2494 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:177
#33 _FUN () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:183
#34 0xf4b3ca98 in g_main_dispatch (context=0xdc4dd8
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>) at ../glib-
2.62.4/glib/gmain.c:3216
#35 g_main_context_dispatch (context=context@entry=0xdc4dd8
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>) at ../glib-
2.62.4/glib/gmain.c:3885
#36 0xf4b3cc02 in g_main_context_iterate (context=0xdc4dd8
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>,
```

```

block=block@entry=1, dispatch=dispatch@entry=1,
  self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3958
#37 0xf4b3cf3c in g_main_loop_run (loop=0xdc56e0
<WebCore::FocusNavigationScope::scopeOf(WebCore::Node&)+32>) at ../glib-2.62.4/glib/gmain.c:4152
#38 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
--Type <RET> for more, q to quit, c to continue without paging--
#39 0xf60fd386 in WebKit::AuxiliaryProcessMain<WebKit::WebProcess, WebKit::WebProcessMainWPE> ()
  at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebKit/Shared/AuxiliaryProcessMain.h:68
#40 0xf5ac898e in __libc_start_main (main=0x89b565 <call()+128>, argc=3, argv=0xff8d8eb4, init=
<optimized out>, fini=0x89b6f9 <operator()+84>, rtdl_fini=0xf7d450a1 <_dl_fini>,
stack_end=0xff8d8eb4)
  at libc-start.c:308
#41 0x0089b5dc in WTF::derefIfNotNull<WTF::StringImpl> () at
DerivedSources/ForwardingHeaders/wtf/RefPtr.h:43
#42 WTF::RefPtr<WTF::StringImpl, WTF::DumbPtrTraits<WTF::StringImpl> >::~~RefPtr () at
DerivedSources/ForwardingHeaders/wtf/RefPtr.h:70
#43 WTF::String::~~String () at DerivedSources/ForwardingHeaders/wtf/text/WTFString.h:137
#44 WebCore::Exception::~~Exception () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Exception.h:34
#45 std::experimental::fundamentals_v3::__expected_detail::destroy<WebCore::Exception, (void*)0> ()
  at DerivedSources/ForwardingHeaders/wtf/Expected.h:239
#46 std::experimental::fundamentals_v3::__expected_detail::base<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~base ()
  at DerivedSources/ForwardingHeaders/wtf/Expected.h:358
#47 std::experimental::fundamentals_v3::expected<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~expected ()
  at DerivedSources/ForwardingHeaders/wtf/Expected.h:451
#48 WebCore::ExceptionOr<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> > >::~~ExceptionOr ()
  at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/dom/ExceptionOr.h:35
#49 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/Modules/entriesapi/DOMFileSystem.cpp:292
#50 call () at DerivedSources/ForwardingHeaders/wtf/Function.h:52
#51 0xff8d9930 in ?? ()
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
(gdb) bt full
#0  magazine_chain_pop_head (magazine_chunks=magazine_chunks@entry=0xff8d5ec4) at ../glib-
2.62.4/glib/gslice.c:538
  chunk = 0x10000000
#1  0xf4b4c802 in magazine_cache_trim (allocator=0xf4bd9c60 <allocator>, stamp=<optimized out>,
ix=15774784) at ../glib-2.62.4/glib/gslice.c:677
  chunk = <optimized out>
  chunk_size = 16
  current = 0xf0ad29 <WebCore::ParsedContentRange::headerValue() const+336>
  trash = 0xf0b440 <WTF::HashMap<WTF::AtomString, void (*) (WebCore::NetworkingContext*,
WebCore::ResourceRequest const&, WebCore::StoredCredentialsPolicy, WebCore::ResourceError&,
WebCore::ResourceResponse&, WTF::Vector<char, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&),
WTF::AtomStringHash, WTF::HashTraits<WTF::AtomString>, WTF::HashTraits<void (*)
(WebCore::NetworkingContext*, WebCore::ResourceRequest const&, WebCore::StoredCredentialsPolicy,
WebCore::ResourceError&, WebCore::ResourceResponse&, WTF::Vector<char, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>&)> >::add<void (*) (WebCore::NetworkingContext*, WebCore::ResourceRequest const&,
WebCore::StoredCredentialsPolicy, WebCore::ResourceError&, WebCore::ResourceResponse&,
WTF::Vector<char, 0u, WTF::CrashOnOverflow, 16u, WTF::FastMalloc>&)>(WTF::AtomString const&, void
(*) (WebCore::NetworkingContext*, WebCore::ResourceRequest const&, WebCore::StoredCredentialsPolicy,
WebCore::ResourceError&, WebCore::ResourceResponse&, WTF::Vector<char, 0u, WTF::CrashOnOverflow, 16u,
WTF::FastMalloc>&))+268>
  current = <optimized out>
  trash = <optimized out>
  prev = <optimized out>
  next = <optimized out>
  chunk_size = <optimized out>
  chunk = <optimized out>

```

```

#2 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=51) at
../glib-2.62.4/glib/gslice.c:709
    current = <optimized out>
    next = <optimized out>
    prev = <optimized out>
#3 0xf4b4c85a in thread_memory_magazine2_unload (ix=ix@entry=1, tmem=<optimized out>) at ../glib-
2.62.4/glib/gslice.c:808
    mag = 0xdbb7a8 <WebCore::DOMWindow::collectMatchingElementsInFlatTree(WebCore::Node&,
WTF::String const&)+636>
#4 0xf4b4d182 in g_slice_free1 (mem_size=<optimized out>, mem_block=0xe31360
<WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>)
at ../glib-2.62.4/glib/gslice.c:1117
    tmem = 0xdbb3a0 <WebCore::DOMSelection::modify(WTF::String const&, WTF::String const&,
WTF::String const&)+48>
    ix = 1
    chunk_size = 16
    acat = <optimized out>
#5 0xf3e84d8e in g_type_free_instance (instance=0xe31360
<WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>)
at ../glib-2.62.4/gobject/gtype.c:1946
    node = <optimized out>
    class = 0xf4ff38 <WebCore::RenderBlockFlow::inlineBlockBaseline(WebCore::LineDirectionMode)
const+500>
    allocated = 0xe31360
<WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>
""
    private_size = <optimized out>
    ivar_size = <optimized out>
    __FUNCTION__ = "g_type_free_instance"
#6 0xf4c9609e in atk_object_finalize (object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator
new(unsigned int)+76>) at ../atk-2.34.1/atk/atkobject.c:1436
    accessible = 0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>
    private = 0x11ddaf0 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+68>
    __func__ = "atk_object_finalize"
#7 0xf3e76ae8 in g_object_unref (_object=<optimized out>) at ../glib-2.62.4/gobject/gobject.c:3382
    weak_locations = <optimized out>
--Type <RET> for more, q to quit, c to continue without paging--
    object = <optimized out>
    old_ref = <optimized out>
    object = <optimized out>
    old_ref = <optimized out>
    __FUNCTION__ = "g_object_unref"
    _g_boolean_var_ = <optimized out>
    has_toggle_ref = <optimized out>
    weak_locations = <optimized out>
    weak_ref_location = <optimized out>
    has_toggle_ref = <optimized out>
    _g_boolean_var_ = <optimized out>
    _g_boolean_var_ = <optimized out>
#8 g_object_unref (_object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>)
at ../glib-2.62.4/gobject/gobject.c:3274
    object = 0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>
    old_ref = <optimized out>
    __FUNCTION__ = "g_object_unref"
    has_toggle_ref = <optimized out>
    weak_locations = <optimized out>
    weak_ref_location = <optimized out>
    has_toggle_ref = <optimized out>
    _g_boolean_var_ = <optimized out>
    _g_boolean_var_ = <optimized out>
#9 0xf656be74 in WTF::derefGPtr<WebKitAccessible> () at
DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:261
No locals.
#10 WTF::GRefPtr<WebKitAccessible>::operator= () at
DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:156

```

No locals.

#11 WebCore::AXCoreObject::detachWrapper () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1159

No locals.

#12 WebCore::AXCoreObject::detach () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1150

No locals.

#13 WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:853

No locals.

#14 0xf656e8aa in WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:863

No locals.

#15 0xf6c270c2 in WebCore::RenderObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1467

No locals.

#16 0xf6bc4d34 in WebCore::RenderElement::willBeDestroyed () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderElement.cpp:950

No locals.

#17 0xf6c13ff4 in WebCore::RenderLayerModelObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderLayerModelObject.cpp:81

No locals.

#18 0xf6ba5920 in WebCore::RenderBox::willBeDestroyed () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderBox.cpp:169

No locals.

#19 0xf6c22456 in WebCore::RenderObject::destroy () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1507

--Type <RET> for more, q to quit, c to continue without paging--

No locals.

#20 0xf6cc490a in std::unique_ptr<WebCore::RenderObject, WebCore::RenderObjectDeleter>::~~unique_ptr () at /usr/include/c++/9.3.0/bits/unique_ptr.h:292

No locals.

#21 WebCore::RenderTreeBuilder::destroy () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:164

No locals.

#22 0xf6cc49c8 in WebCore::RenderTreeBuilder::destroyAndCleanUpAnonymousWrappers () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:802

No locals.

#23 0xf6cc8d20 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:592

No locals.

#24 0xf6cc8b8c in WebCore::RenderTreeUpdater::tearDownRenderers () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:605

No locals.

#25 0xf6cc9822 in WebCore::RenderTreeUpdater::updateElementRenderer () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:326

No locals.

#26 0xf6cca0f4 in WebCore::RenderTreeUpdater::updateRenderTree () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:197

No locals.

#27 0xf6cca674 in WebCore::RenderTreeUpdater::commit () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:129

No locals.

#28 0xf671ad04 in WebCore::Document::resolveStyle () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:1995

No locals.

#29 0xf671b07c in WebCore::Document::updateStyleIfNeeded () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:2087

No locals.

#30 0xf69fda42 in WebCore::FrameView::updateLayoutAndStyleIfNeededRecursive () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/page/FrameView.cpp:4319

No locals.

#31 0xf60f6530 in WebKit::LayerTreeHost::layerFlushTimerFired () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebKit/WebProcess/WebPage/CoordinatedGraphics/LayerTreeHost.cpp:141

No locals.

#32 0xf75d2494 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:177

No locals.

#33 _FUN () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:183

No locals.

#34 0xf4b3ca98 in g_main_dispatch (context=0xdc4dd8 <WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>) at ../glib-2.62.4/glib/gmain.c:3216

dispatch = 0xf75d20ed <_FUN()>

prev_source = 0x0

was_in_call = <optimized out>

user_data = 0xf19841e8

callback = 0xf75d2489 <_FUN()>

cb_funcs = 0xf4bd95d8 <g_source_callback_funcs>

cb_data = 0xf581d8 <WebCore::RenderBox::addVisualEffectOverflow()+304>

need_destroy = <optimized out>

source = 0xf18ca0 <WebCore::findNextWordFromIndex(WTF::StringView, int, bool)+92>

current = 0xdcded0 <WebCore::FrameView::setWasScrolledByUser(bool)+108>

i = 1

--Type <RET> for more, q to quit, c to continue without paging--

current = <optimized out>

i = <optimized out>

__FUNCTION__ = "g_main_dispatch"

source = <optimized out>

_g_boolean_var_ = <optimized out>

was_in_call = <optimized out>

user_data = <optimized out>

callback = <optimized out>

cb_funcs = <optimized out>

cb_data = <optimized out>

need_destroy = <optimized out>

dispatch = <optimized out>

prev_source = <optimized out>

_g_boolean_var_ = <optimized out>

#35 g_main_context_dispatch (context=context@entry=0xdc4dd8

<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>) at ../glib-2.62.4/glib/gmain.c:3885

No locals.

#36 0xf4b3cc02 in g_main_context_iterate (context=0xdc4dd8

<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>,

block=block@entry=1, dispatch=dispatch@entry=1,

self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3958

max_priority = 0

timeout = 0

some_ready = 1

nfds = <optimized out>

allocated_nfds = <optimized out>

fds = 0x10cc820

<WebCore::SVGAnimationEnumerationFunction<WebCore::ComponentTransferType>::setFromAndToValues(WebCore::SVGElement*, WTF::String const&, WTF::String const&)+112>

#37 0xf4b3cf3c in g_main_loop_run (loop=0xdc56e0

<WebCore::FocusNavigationScope::scopeOf(WebCore::Node&)+32>) at ../glib-2.62.4/glib/gmain.c:4152

self = <optimized out>

__FUNCTION__ = "g_main_loop_run"

#38 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-

```

webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
No locals.
#39 0xf60fd386 in WebKit::AuxiliaryProcessMain<WebKit::WebProcess, WebKit::WebProcessMainWPE> ()
    at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebKit/Shared/AuxiliaryProcessMain.h:68
No locals.
#40 0xf5ac898e in __libc_start_main (main=0x89b565 <call()+128>, argc=3, argv=0xff8d8eb4, init=
<optimized out>, fini=0x89b6f9 <operator>()+84>, rtdl_fini=0xf7d450a1 <_dl_fini>,
stack_end=0xff8d8eb4)
    at libc-start.c:308
    self = <optimized out>
    result = <optimized out>
    unwind_buf = {cancel_jmp_buf = {{jmp_buf = {395990486, 498815445, 9025209, 0, 9024937, 0, 0,
0, 9093120, 0 <repeats 18 times>, -219592224, 5, 0, 1, -136959648, -137223824, 0, -7500276, 1,
-136959200, -137332372, -137223280, -1, 0, -173286220, -136979688, -136962140, 0,
-137082491, -219592000, 1, 5, 9024172, 9093152, -221738096, 0, 1, -221739312, 9093120, 0, -137082491,
-219592224, 1, 5, 0, -137224564, -173286220}, mask_was_saved = 0}}, priv = {pad =
{0x0, 0x0, 0x0, 0x0}, data = {prev = 0x0, cleanup = 0x0, canceltype = 0}}}
    not_first_call = <optimized out>
#41 0x0089b5dc in WTF::derefIfNotNull<WTF::StringImpl> () at
DerivedSources/ForwardingHeaders/wtf/RefPtr.h:43
No locals.
#42 WTF::RefPtr<WTF::StringImpl, WTF::DumbPtrTraits<WTF::StringImpl> >::~~RefPtr () at
DerivedSources/ForwardingHeaders/wtf/RefPtr.h:70
--Type <RET> for more, q to quit, c to continue without paging--
No locals.
#43 WTF::String::~~String () at DerivedSources/ForwardingHeaders/wtf/text/WTFString.h:137
No locals.
#44 WebCore::Exception::~~Exception () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Exception.h:34
No locals.
#45 std::experimental::fundamentals_v3::__expected_detail::destroy<WebCore::Exception, (void*)0> ()
at DerivedSources/ForwardingHeaders/wtf/Expected.h:239
No locals.
#46 std::experimental::fundamentals_v3::__expected_detail::base<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~base ()
    at DerivedSources/ForwardingHeaders/wtf/Expected.h:358
No locals.
#47 std::experimental::fundamentals_v3::expected<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~expected ()
    at DerivedSources/ForwardingHeaders/wtf/Expected.h:451
No locals.
#48 WebCore::ExceptionOr<WTF::Ref<WebCore::FileSystemEntry,
WTF::DumbPtrTraits<WebCore::FileSystemEntry> > >::~~ExceptionOr ()
    at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/dom/ExceptionOr.h:35
No locals.
#49 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/Modules/entriesapi/DOMFileSystem.cpp:292
No locals.
#50 call () at DerivedSources/ForwardingHeaders/wtf/Function.h:52
No locals.
#51 0xff8d9930 in ?? ()
No symbol table info available.
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
(gdb)
(gdb) thread apply all bt

Thread 28 (Thread 0xf1aeaca0 (LWP 50)):
#0 0xf5b2daf8 in ioctl () at ../sysdeps/unix/syscall-template.S:120
#1 0xf4ff9bc8 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

Thread 27 (Thread 0xb58feca0 (LWP 92)):
#0 __libc_do_syscall () at libc-do-syscall.S:48

```

```

#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf30e87a4
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+148>) at ../sysdeps/nptl/futex-
internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf30e87a8
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+152>, cond=0xf30e8778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf30e8778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>, mutex=0xf30e87a8
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+152>) at pthread_cond_wait.c:638
#4 0xf4dd1ffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xf30e8778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>) at /usr/src/debug/lib32-gcc-
runtime/9.3.0-r0/arm-rdksmlib32-linux-gnueabi/libstdc++-v3/include/arm-rdksmlib32-linux-
gnueabi/bits/gthr-default.h:865
#5 std::condition_variable::wait (this=this@entry=0xf30e8778
<TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>, __lock=...) at
../../../../../../../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/condition_variable.cc:53
#6 0xf30b9b70 in
std::condition_variable::wait<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThund
erClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>::<lambda()> > (__p=...,
__lock=..., this=0xf30e8778 <TTSThunderClient::TextToSpeechServiceCOMRPC::Instance()::instance+104>)
at /usr/include/c++/9.3.0/bits/stl_list.h:1056
#7 TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::<lambda(void*)>::operator()
(__closure=0xc5705d88) at /usr/src/debug/lib32-tts/1.0-
r0/git/ttsclient/TextToSpeechServiceCOMRPC.cpp:37
#8 std::__invoke_impl<void,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextToSpeechServiceC
OMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> (__f=...) at
/usr/include/c++/9.3.0/bits/invoke.h:60
#9
std::__invoke<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSThunderClient::TextTo
SpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> (__fn=...) at
/usr/include/c++/9.3.0/bits/invoke.h:95
#10
std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSTh
underClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> >::_M_invoke<0, 1> (this=0xc5705d84) at
/usr/include/c++/9.3.0/thread:244
#11
std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::post(TTSTh
underClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> >::operator() (this=0xc5705d84) at
/usr/include/c++/9.3.0/thread:251
#12
std::thread::_State_impl<std::thread::_Invoker<std::tuple<TTSThunderClient::TextToSpeechServiceCOMRPC
::AsyncWorker::post(TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker::Task)::<lambda(void*)>,
TTSThunderClient::TextToSpeechServiceCOMRPC::AsyncWorker*> >::_M_run(void) (this=0xc5705d80) at
/usr/include/c++/9.3.0/thread:195
#13 0xf4dd4da8 in std::execute_native_thread_routine (__p=0xc5705d80) at
../../../../../../../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#14 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#15 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 26 (Thread 0xbe8fdca0 (LWP 80)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI___poll (timeout=-1, nfds=3, fds=0xdf7818
<WebCore::Quirks::shouldMakeEventListenerPassive(WebCore::EventTarget const&, WTF::AtomString const&,
WebCore::EventListener const&)+16>) at ../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=0xdf7818 <WebCore::Quirks::shouldMakeEventListenerPassive(WebCore::EventTarget
const&, WTF::AtomString const&, WebCore::EventListener const&)+16>, nfds=nfds@entry=3,
timeout=timeout@entry=-1) at ../sysdeps/unix/sysv/linux/poll.c:26

```



```
#3 0xf31dedba in WPEFramework::Core::ResourceMonitorType<WPEFramework::Core::IResource,
WPEFramework::Core::Void>::Worker (this=0xf18908 <WebCore::SegmentedString::operator=
(WebCore::SegmentedString&&)+144>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.h:76
--Type <RET> for more, q to quit, c to continue without paging--
#4 0xf31efdfc in WPEFramework::Core::Thread::StartThread (cClassPointer=0xe59300
<WebCore::TimerBase::heapPopMin()+180>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Thread.cpp:181
#5 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#6 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 25 (Thread 0xc02fcca0 (LWP 75)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4f86ad8
<s_context+456>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4f86a98 <s_context+392>,
cond=0xf4f86ab0 <s_context+416>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xf4f86ab0 <s_context+416>, mutex=0xf4f86a98 <s_context+392>) at
pthread_cond_wait.c:638
#4 0xf4ecd414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135
#5 worker_thread_main (arg=0xf4f86a88 <s_context+376>) at libs/imgconv/imgconv_parallel.c:65
#6 0xf4f320d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35
#7 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#8 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 24 (Thread 0xc3078ca0 (LWP 70)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI___poll (timeout=16, nfds=2, fds=0xedf0b250) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=0xedf0b250, nfds=2, timeout=16) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xedf0b250, timeout=16,
context=0xedf03a08) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xedf03a08, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cf3c in g_main_loop_run (loop=0xedf04c50) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 23 (Thread 0xc454cca0 (LWP 68)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI___poll (timeout=3996, nfds=2, fds=0xc58007b0) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=0xc58007b0, nfds=2, timeout=3996) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xc58007b0,
timeout=3996, context=0xf65900 <WebCore::ShapeOutsideInfo::ensureInfo(WebCore::RenderBox
const&)+256>) at ../glib-2.62.4/glib/gmain.c:4257
```

```
#4 g_main_context_iterate (context=context@entry=0xf65900
<WebCore::ShapeOutsideInfo::ensureInfo(WebCore::RenderBox const&)+256>, block=block@entry=1,
dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cc8a in g_main_context_iteration (context=0xf65900
<WebCore::ShapeOutsideInfo::ensureInfo(WebCore::RenderBox const&)+256>, may_block=may_block@entry=1)
at ../glib-2.62.4/glib/gmain.c:4019
--Type <RET> for more, q to quit, c to continue without paging--
#6 0xf4b3ccaa in glib_worker_main (data=<optimized out>) at ../glib-2.62.4/glib/gmain.c:5899
#7 0xf4b5356a in g_thread_proxy (data=0xf4bd9974 <unix_signal_pending>) at ../glib-
2.62.4/glib/gthread.c:805
#8 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#9 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 22 (Thread 0xc56feca0 (LWP 67)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xc56fe538,
clockid=<optimized out>, expected=0, futex_word=0xf19d6048) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xc56fe538, clockid=<optimized out>, mutex=0xf19d6008,
cond=0xf19d6020) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf19d6020, mutex=0xf19d6008, abstime=0xc56fe538) at
pthread_cond_wait.c:656
#4 0xf75d4c92 in WTF::ThreadCondition::timedWait () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:544
#5 0xf759eaf4 in WTF::ParkingLot::parkConditionallyImpl(void const*, WTF::ScopedLambda<bool ()>
const&, WTF::ScopedLambda<void ()> const&, WTF::TimeWithDynamicClockType const&) () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.cpp:597
#6 0xf75d3742 in WTF::ParkingLot::parkConditionally<WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#1>, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&,
WTF::TimeWithDynamicClockType const&)::{lambda()}#2>(void const*,
WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::{lambda()}#1>
const&, WTF::Condition::waitUntil<WTF::Lock>(WTF::Lock&, WTF::TimeWithDynamicClockType const&)::
{lambda()}#2> const&, WTF::TimeWithDynamicClockType const&) () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/ParkingLot.h:82
#7 WTF::Condition::waitUntil<WTF::Lock> () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Condition.h:76
#8 WTF::Condition::waitUntil<WTF::Lock,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1>
(WTF::Lock&, WTF::TimeWithDynamicClockType const&,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1) const&
() at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Condition.h:98
#9 WTF::Condition::waitFor<WTF::Lock,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1>
(WTF::Lock&, WTF::Seconds,
WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep(WTF::Seconds)::{lambda()}#1) const&
() at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Condition.h:110
#10 WTF::MemoryPressureHandler::MemoryUsagePollerThreadContext::sleep () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/linux/MemoryPressureHandlerLinux.cpp:235
#11 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/linux/MemoryPressureHandlerLinux.cpp:280
#12 call () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Function.h:52
#13 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#14 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#15 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#16 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
```

```
#17 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 21 (Thread 0xf1ac8ca0 (LWP 52)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf1ac8624,
clockid=<optimized out>, expected=0, futex_word=0xdda398 <WebCore::Frame::setPrinting(bool,
WebCore::FloatSize const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+268>) at
../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf1ac8624, clockid=<optimized out>, mutex=0xdda358
<WebCore::Frame::setPrinting(bool, WebCore::FloatSize const&, WebCore::FloatSize const&, float,
WebCore::AdjustViewSizeOrNot)+204>, cond=0xdda370 <WebCore::Frame::setPrinting(bool,
WebCore::FloatSize const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+228>) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xdda370 <WebCore::Frame::setPrinting(bool, WebCore::FloatSize
const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+228>, mutex=0xdda358
<WebCore::Frame::setPrinting(bool, WebCore::FloatSize const&, WebCore::FloatSize const&, float,
WebCore::AdjustViewSizeOrNot)+204>, abstime=0xf1ac8624) at pthread_cond_wait.c:656
#4 0xf509d780 in BKNI_WaitForEvent () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf503e544 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
--Type <RET> for more, q to quit, c to continue without paging--
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 20 (Thread 0xf1ab7ca0 (LWP 53)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf1ab7624,
clockid=<optimized out>, expected=0, futex_word=0xdda398 <WebCore::Frame::setPrinting(bool,
WebCore::FloatSize const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+268>) at
../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf1ab7624, clockid=<optimized out>, mutex=0xdda358
<WebCore::Frame::setPrinting(bool, WebCore::FloatSize const&, WebCore::FloatSize const&, float,
WebCore::AdjustViewSizeOrNot)+204>, cond=0xdda370 <WebCore::Frame::setPrinting(bool,
WebCore::FloatSize const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+228>) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xdda370 <WebCore::Frame::setPrinting(bool, WebCore::FloatSize
const&, WebCore::FloatSize const&, float, WebCore::AdjustViewSizeOrNot)+228>, mutex=0xdda358
<WebCore::Frame::setPrinting(bool, WebCore::FloatSize const&, WebCore::FloatSize const&, float,
WebCore::AdjustViewSizeOrNot)+204>, abstime=0xf1ab7624) at pthread_cond_wait.c:656
#4 0xf509d780 in BKNI_WaitForEvent () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf503e544 in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 19 (Thread 0xef4feca0 (LWP 36)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI__poll (timeout=-1, nfds=2, fds=0xeeb03a10) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xeeb03a10, nfd=2, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xeeb03a10, timeout=-1,
context=0xeeb005f8) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xeeb005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cf3c in g_main_loop_run (loop=0xeeb031a0) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
```

```

webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 18 (Thread 0xee8feca0 (LWP 49)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI__poll (timeout=-1, nfds=2, fds=0xedf03810) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xedf03810, nfd=2, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=2, fds=0xedf03810, timeout=-1,
context=0xedf005f8) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xedf005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cf3c in g_main_loop_run (loop=0xedf031a0) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGlib.cpp:96
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
--Type <RET> for more, q to quit, c to continue without paging--

```

Thread 17 (Thread 0xc6d00ca0 (LWP 54)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xc6d00680,
clockid=<optimized out>, expected=0, futex_word=0xdd4180
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+372>) at
../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xc6d00680, clockid=<optimized out>, mutex=0xdd4140
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+308>, cond=0xdd4158
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xdd4158
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>, mutex=0xdd4140
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+308>,
abstime=0xc6d00680) at pthread_cond_wait.c:656
#4 0xf3da86aa in __gthread_cond_timedwait (__abs_timeout=0xc6d00680, __mutex=<optimized out>,
__cond=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-
sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/arm-rdkmlib32-linux-gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::wait_until<std::chrono::duration<long long, std::ratio<111,
100000000011> > > (&__atime=<synthetic pointer>..., __lock=<synthetic pointer>..., this=0xdd4158
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long, std::ratio<111, 100000000011> > > (&__atime=..., __lock=<synthetic pointer>..., this=0xdd4158
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:121
#7 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long int, std::ratio<1, 1000000000> >, free_block_cache::timer_thread():<lambda()> > (&p=...,
__atime=..., __lock=<synthetic pointer>..., this=0xdd4158
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>) at
/mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-

```

```
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:138
#8 std::condition_variable::wait_for<long long int, std::ratio<1, 1000>,
free_block_cache::timer_thread():<lambda()> > (__rttime=..., __p=..., __lock=<synthetic pointer>...,
this=0xdd4158 <WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+332>)
at /mnt/jenkins/workspace/SERCOMMIONE-Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-
rdkmlib32-linux-gnueabi/lib32-broadcom-ursr/1.0-r4.2/lib32-recipe-
sysroot/usr/include/c++/9.3.0/condition_variable:166
#9 free_block_cache::timer_thread (this=0xdd40e0
<WebCore::EventHandler::sendContextMenuEvent(WebCore::PlatformMouseEvent const&)+212>) at
libs/platform/gmem_free_block_cache.cpp:82
#10 0xf4dd4da8 in std::execute_native_thread_routine (__p=0xddb090
<WebCore::FrameView::scrollPositionChanged(WebCore::IntPoint const&, WebCore::IntPoint const&)+420>)
at ../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/thread.cc:80
#11 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#12 0xf5b3209c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 16 (Thread 0xf22fdca0 (LWP 33)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf22fd690,
clockid=<optimized out>, expected=0, futex_word=0xf7d03b14) at ./sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf22fd690, clockid=<optimized out>, mutex=0xdb6d1c
<WebCore::DOMWindow::prompt(WTF::String const&, WTF::String const&)+100>, cond=0xf7d03ae8) at
pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xf7d03ae8, mutex=0xdb6d1c <WebCore::DOMWindow::prompt(WTF::String
const&, WTF::String const&)+100>, abstime=0xf22fd690) at pthread_cond_wait.c:656
#4 0xf75dd424 in __gthread_cond_timedwait () at /usr/include/c++/9.3.0/arm-rdkmlib32-linux-
gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::__wait_until_impl<std::chrono::duration<long long, std::ratio<1ll,
1000000000ll> > > () at /usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::duration<long long, std::ratio<1ll,
1000000000ll> > > () at /usr/include/c++/9.3.0/condition_variable:108
#7 std::_V2::condition_variable_any::wait_until<std::unique_lock<bmalloc::Mutex>,
std::chrono::_V2::system_clock, std::chrono::duration<long long, std::ratio<1ll, 1000000000ll> > > ()
at /usr/include/c++/9.3.0/condition_variable:296
#8 wait_until<std::unique_lock<bmalloc::Mutex>, std::chrono::_V2::system_clock,
std::chrono::duration<long long int, std::ratio<1, 1000000000> >,
bmalloc::Scavenger::threadRunLoop():<lambda()> > () at /usr/include/c++/9.3.0/condition_variable:307
--Type <RET> for more, q to quit, c to continue without paging--
#9 wait_for<std::unique_lock<bmalloc::Mutex>, long long int, std::ratio<1, 1000>,
bmalloc::Scavenger::threadRunLoop():<lambda()> > () at /usr/include/c++/9.3.0/condition_variable:322
#10 bmalloc::Scavenger::threadRunLoop () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/bmalloc/bmalloc/Scavenger.cpp:411
#11 0xf75dd556 in bmalloc::Scavenger::threadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/bmalloc/bmalloc/Scavenger.cpp:385
#12 0xf4dd4da8 in std::execute_native_thread_routine (__p=0xf5a804e9 <__GI__pthread_key_create>) at
../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#13 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#14 0xf5b3209c in ?? () at ./sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

```
Thread 15 (Thread 0xf08fcca0 (LWP 34)):
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI__poll (timeout=-1, nfds=1, fds=0xefff04270) at
./sysdeps/unix/sysv/linux/poll.c:29
#2 __GI__poll (fds=0xefff04270, nfds=1, timeout=-1) at ./sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xefff04270, timeout=-1,
context=0xefff005f8) at ./glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xefff005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ./glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cf3c in g_main_loop_run (loop=0xefff031a0) at ./glib-2.62.4/glib/gmain.c:4152
```

```
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96  
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84  
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-  
r9/git/Source/WTF/wtf/Threading.cpp:168  
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200  
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477  
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from  
/home/nambi/breakpad/dbg/lib/libc.so.6  
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 14 (Thread 0xc2076ca0 (LWP 72)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48  
#1 0xf5b2c5c6 in __GI__poll (timeout=-1, nfds=1, fds=0xeeb04770) at  
../sysdeps/unix/sysv/linux/poll.c:29  
#2 __GI__poll (fds=0xeeb04770, nfds=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26  
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xeeb04770, timeout=-1,  
context=0xeeb03c08) at ../glib-2.62.4/glib/gmain.c:4257  
#4 g_main_context_iterate (context=0xeeb03c08, block=block@entry=1, dispatch=dispatch@entry=1, self=  
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953  
#5 0xf4b3cf3c in g_main_loop_run (loop=0xeeb046e8) at ../glib-2.62.4/glib/gmain.c:4152  
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96  
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84  
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-  
r9/git/Source/WTF/wtf/Threading.cpp:168  
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-  
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200  
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477  
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from  
/home/nambi/breakpad/dbg/lib/libc.so.6  
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 13 (Thread 0xc12feca0 (LWP 73)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48  
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4f8696c <s_context+92>)  
at ../sysdeps/nptl/futex-internal.h:183  
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4f86928 <s_context+24>,  
cond=0xf4f86940 <s_context+48>) at pthread_cond_wait.c:508  
#3 __pthread_cond_wait (cond=0xf4f86940 <s_context+48>, mutex=0xf4f86928 <s_context+24>) at  
pthread_cond_wait.c:638  
--Type <RET> for more, q to quit, c to continue without paging--  
#4 0xf4ecd414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-  
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkml1ib32-linux-gnueabi/lib32-broadcom-  
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135  
#5 worker_thread_main (arg=0xf4f86918 <s_context+8>) at libs/imgconv/imgconv_parallel.c:65  
#6 0xf4f320d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-  
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkml1ib32-linux-gnueabi/lib32-broadcom-  
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35  
#7 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477  
#8 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from  
/home/nambi/breakpad/dbg/lib/libc.so.6  
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 12 (Thread 0xb97fcca0 (LWP 87)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48  
#1 0xf5b2c5c6 in __GI__poll (timeout=-1, nfds=1, fds=0xeff04f00) at  
../sysdeps/unix/sysv/linux/poll.c:29
```

```
#2 __GI__poll (fds=0xefff04f00, nfds=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xefff04f00, timeout=-1,
context=0xefff04590) at ../glib-2.62.4/glib/gmain.c:4257
#4 g_main_context_iterate (context=0xefff04590, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5 0xf4b3cf3c in g_main_loop_run (loop=0xefff04e58) at ../glib-2.62.4/glib/gmain.c:4152
#6 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7 0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8 WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9 0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 11 (Thread 0xc2877ca0 (LWP 71)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xedf445e0) at
../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xedf445a0, cond=0xedf445b8) at
pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xedf445b8, mutex=0xedf445a0) at pthread_cond_wait.c:638
#4 0xf7d0d892 in queue_dequeue (q=q@entry=0xedf445a0) at ../git/refsw22.0/vc5/common/list.h:66
#5 0xf7d0de9a in dequeue_buffer (queue=0xedf445a0) at ../git/refsw22.0/vc5/common/swapchain.c:190
#6 SwapchainDequeueDisplayBuffer (swapchain=swapchain@entry=0xedf44540) at
../git/refsw22.0/vc5/common/swapchain.c:248
#7 0xf7d0cfc4 in display_thread_func (p=0xedf444c8) at
../git/refsw22.0/vc5/common/display_framework.c:157
#8 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#9 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 10 (Thread 0xf1ad9ca0 (LWP 51)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf1ad956c,
clockid=<optimized out>, expected=0, futex_word=0xdd90a0
<bmalloc::IsoDeallocator<bmalloc::IsoConfig<824u> >::deallocate<WebCore::FrameView>
(bmalloc::api::IsoHeap<WebCore::FrameView>&, void*)+36>) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf1ad956c, clockid=<optimized out>, mutex=0xdd9060
<WebCore::FrameView::operator new(unsigned int)+72>, cond=0xdd9078 <WebCore::FrameView::operator
new(unsigned int)+96>) at pthread_cond_wait.c:520
--Type <RET> for more, q to quit, c to continue without paging--
#3 __pthread_cond_timedwait (cond=0xdd9078 <WebCore::FrameView::operator new(unsigned int)+96>,
mutex=0xdd9060 <WebCore::FrameView::operator new(unsigned int)+72>, abstime=0xf1ad956c) at
pthread_cond_wait.c:656
#4 0xf509e456 in BKNI_WaitForGroup () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
#5 0xf50016fc in ?? () from /home/nambi/breakpad/dbg/usr/lib/libnexus.so
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 9 (Thread 0xf2c84ca0 (LWP 31)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xdb6b70
<WebCore::DOMWindow::alert(WTF::String const&)+12>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xdb6b2c
<WebCore::DOMWindow::dispatchLoadEvent()+404>, cond=0xdb6b48
<WebCore::DOMWindow::printErrorMessage(WTF::String const&) const+16>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xdb6b48 <WebCore::DOMWindow::printErrorMessage(WTF::String const&)
```

```

const+16>, mutex=0xdb6b2c <WebCore::DOMWindow::dispatchLoadEvent()+404>) at pthread_cond_wait.c:638
#4 0xf31eedba in WPEFramework::Core::Event::Lock (this=this@entry=0xdb6b28
<WebCore::DOMWindow::dispatchLoadEvent()+400>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:860
#5 0xf31eedea in WPEFramework::Core::Event::Lock (this=this@entry=0xdb6b28
<WebCore::DOMWindow::dispatchLoadEvent()+400>, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-
wpeframework/4.2-r0/git/Source/core/Sync.cpp:901
#6 0xf31effb6 in
WPEFramework::Core::StateTrigger<WPEFramework::Core::Thread::thread_state>::WaitState
(this=this@entry=0xdb6b08 <WebCore::DOMWindow::dispatchLoadEvent()+368>, a_State=a_State@entry=118,
a_Time=a_Time@entry=4294967295) at /usr/src/debug/lib32-wpeframework/4.2-r0/git/Source/core/Sync.h:76
#7 0xf31efda6 in WPEFramework::Core::Thread::StartThread (cClassPointer=0xdb6b00
<WebCore::DOMWindow::dispatchLoadEvent()+360>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Thread.cpp:159
#8 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#9 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 8 (Thread 0xf2afeca0 (LWP 32)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f600 in futex_abstimed_wait_cancelable (private=<optimized out>, abstime=0xf2afe678,
clockid=<optimized out>, expected=0, futex_word=0xdc0bf0
<WebCore::DiagnosticLoggingKeys::scriptKey()+12>) at ../sysdeps/nptl/futex-internal.h:320
#2 __pthread_cond_wait_common (abstime=0xf2afe678, clockid=<optimized out>, mutex=0xdc0bac
<WebCore::DiagnosticLoggingKeys::reloadFromOriginKey()+4>, cond=0xdc0bc8
<WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>) at pthread_cond_wait.c:520
#3 __pthread_cond_timedwait (cond=0xdc0bc8
<WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>, mutex=0xdc0bac
<WebCore::DiagnosticLoggingKeys::reloadFromOriginKey()+4>, abstime=0xf2afe678) at
pthread_cond_wait.c:656
#4 0xf3062392 in __gthread_cond_timedwait (__abs_timeout=0xf2afe678, __mutex=<optimized out>,
__cond=0xdc0bc8 <WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>) at
/usr/include/c++/9.3.0/arm-rdkslib32-linux-gnueabi/bits/gthr-default.h:872
#5 std::condition_variable::__wait_until_impl<std::chrono::duration<long long, std::ratio<11l,
1000000000ll> > > (__atime=<synthetic pointer>..., __lock=..., this=0xdc0bc8
<WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>) at
/usr/include/c++/9.3.0/condition_variable:188
#6 std::condition_variable::wait_until<std::chrono::_V2::steady_clock, std::chrono::duration<long
long, std::ratio<11l, 1000000000ll> > > (__atime=..., __lock=..., this=0xdc0bc8
<WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>) at
/usr/include/c++/9.3.0/condition_variable:121
#7 std::condition_variable::wait_for<long long, std::ratio<11l, 1000ll> > (__rtime=<synthetic
pointer>..., __lock=..., this=0xdc0bc8
<WebCore::DiagnosticLoggingKeys::reloadRevalidatingExpiredKey()+12>) at
/usr/include/c++/9.3.0/condition_variable:152
#8 TimerCallback::Wait (time_in_seconds=10, this=0xdc0b98
<WebCore::DiagnosticLoggingKeys::revalidatingKey()+4>) at rdk_perf.cpp:93
#9 TimerCallback::Task (this=0xdc0b98 <WebCore::DiagnosticLoggingKeys::revalidatingKey()+4>) at
rdk_perf.cpp:153
#10 0xf44dd4da8 in std::execute_native_thread_routine (__p=0xdc2ab8
<WebCore::RenderStyle::setMaxWidth(WebCore::Length&&)+280>) at ../../../../../../../../../../work-
shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
--Type <RET> for more, q to quit, c to continue without paging--
#11 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#12 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 7 (Thread 0xc0afdca0 (LWP 74)):

```

#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xf4f86a20
<s_context+272>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xf4f869e0 <s_context+208>,
cond=0xf4f869f8 <s_context+232>) at pthread_cond_wait.c:508

```



```
#3 __pthread_cond_wait (cond=0xf4f869f8 <s_context+232>, mutex=0xf4f869e0 <s_context+208>) at
pthread_cond_wait.c:638
#4 0xf4ecd414 in vcos_event_wait (event=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_platform_posix.h:135
#5 worker_thread_main (arg=0xf4f869d0 <s_context+192>) at libs/imgconv/imgconv_parallel.c:65
#6 0xf4f320d2 in thread_entry (void_args=<optimized out>) at /mnt/jenkins/workspace/SERCOMMIONE-
Yocto-Nightly/build-xione-sercomm/tmp/work/armv7vet2hf-neon-rdkmlib32-linux-gnueabi/lib32-broadcom-
ursr/1.0-r4.2/git/BSEAV/lib/gpu/libs/util/vcos/posix/vcos_thread_posix.c:35
#7 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#8 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 6 (Thread 0xc64ffca0 (LWP 55)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5b2c5c6 in __GI___poll (timeout=-1, nfds=2, fds=0xc64fe660) at
../sysdeps/unix/sysv/linux/poll.c:29
#2 __GI___poll (fds=fds@entry=0xc64fe660, nfds=nfds@entry=2, timeout=timeout@entry=-1) at
../sysdeps/unix/sysv/linux/poll.c:26
#3 0xf3da93ba in kernel_callbacks_handler (context=<optimized out>) at
libs/platform/stb/bcm_sched.cpp:530
#4 0xf4dd4da8 in std::execute_native_thread_routine (__p=0xd8b180
<WebCore::FrameView::setFixedVisibleContentRect(WebCore::IntRect const&)+200>) at
../../../../../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#5 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#6 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 5 (Thread 0xbfafbca0 (LWP 81)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xfda590
<WebCore::RenderListItem::positionListMarker()+452>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xfda550
<WebCore::RenderListItem::positionListMarker()+388>, cond=0xfda568
<WebCore::RenderListItem::positionListMarker()+412>) at pthread_cond_wait.c:508
#3 __pthread_cond_wait (cond=0xfda568 <WebCore::RenderListItem::positionListMarker()+412>,
mutex=0xfda550 <WebCore::RenderListItem::positionListMarker()+388>) at pthread_cond_wait.c:638
#4 0xf4dd1ffe in __gthread_cond_wait (__mutex=<optimized out>, __cond=__cond@entry=0xfda568
<WebCore::RenderListItem::positionListMarker()+412>) at /usr/src/debug/lib32-gcc-runtime/9.3.0-
r0/arm-rdkmlib32-linux-gnueabi/libstdc++-v3/include/arm-rdkmlib32-linux-gnueabi/bits/gthr-
default.h:865
#5 std::condition_variable::wait (this=this@entry=0xfda568
<WebCore::RenderListItem::positionListMarker()+412>, __lock=...) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-
v3/src/c++11/condition_variable.cc:53
#6 0xc45d3dd2 in AampScheduler::ExecuteAsyncTask (this=0xfda520
<WebCore::RenderListItem::positionListMarker()+340>) at /usr/src/debug/lib32-aamp/1.99-
r0/git/AampScheduler.cpp:110
#7 0xf4dd4da8 in std::execute_native_thread_routine (__p=0xf01d80
<WebCore::CredentialStorage::remove(WTF::String const&, WebCore::ProtectionSpace const&)+496>) at
../../../../../../../../work-shared/gcc-9.3.0-r0/gcc-9.3.0/libstdc++-v3/src/c++11/thread.cc:80
#8 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
--Type <RET> for more, q to quit, c to continue without paging--
#9 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)
```

Thread 4 (Thread 0xbf0feca0 (LWP 79)):

```
#0 __libc_do_syscall () at libc-do-syscall.S:48
#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0xec17a4
<WebCore::SourceGraphic::create(WebCore::Filter&)+36>) at ../sysdeps/nptl/futex-internal.h:183
#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0xec175c
<WebCore::SourceAlpha::effectName()+44>, cond=0xec1778 <WebCore::SourceAlpha::effectName()+72>) at
```

```

pthread_cond_wait.c:508
#3  __pthread_cond_wait (cond=0xec1778 <WebCore::SourceAlpha::effectName()+72>, mutex=0xec175c
<WebCore::SourceAlpha::effectName()+44>) at pthread_cond_wait.c:638
#4  0xf31eedba in WPEFramework::Core::Event::Lock (this=this@entry=0xec1758
<WebCore::SourceAlpha::effectName()+40>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:860
#5  0xf31eedea in WPEFramework::Core::Event::Lock (this=this@entry=0xec1758
<WebCore::SourceAlpha::effectName()+40>, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-
wpeframework/4.2-r0/git/Source/core/Sync.cpp:901
#6  0xf409b404 in
WPEFramework::Core::StateTrigger<WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::Measur
ableJob>::enumQueueState>::WaitState (this=this@entry=0xec1738
<WebCore::SourceAlpha::effectName()+8>, a_State=a_State@entry=14, a_Time=a_Time@entry=4294967295) at
/usr/include/WPEFramework/core/Sync.h:76
#7  0xf409c5f2 in
WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::MeasurableJob>::Extract
(a_WaitTime=4294967295, a_Result=..., this=0xec1728 <WebCore::operator<<(WTF::TextStream&,
WebCore::FilterOperations const&)+84>) at /usr/include/WPEFramework/core/Sync.h:76
#8  WPEFramework::Core::ThreadPool::Minion::Process (this=this@entry=0xf0ac78
<WebCore::ParsedContentRange::headerValue() const+160>) at
/usr/include/WPEFramework/core/ThreadPool.h:426
#9  0xf409c7e2 in WPEFramework::Core::ThreadPool::Executor::Worker (this=0xf0ab88
<WTF::tryMakeStringFromAdapters<WTF::StringTypeAdapter<char const*, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void> >(WTF::StringTypeAdapter<char const*, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void>)+492>) at /usr/include/WPEFramework/core/ThreadPool.h:539
#10 0xf31efdfe in WPEFramework::Core::Thread::StartThread (cClassPointer=0xf0ab88
<WTF::tryMakeStringFromAdapters<WTF::StringTypeAdapter<char const*, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void> >(WTF::StringTypeAdapter<char const*, void>,
WTF::StringTypeAdapter<long long, void>, WTF::StringTypeAdapter<char, void>,
WTF::StringTypeAdapter<long long, void>)+492>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Thread.cpp:181
#11 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#12 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

Thread 3 (Thread 0xefefeca0 (LWP 35)):

```

#0  __libc_do_syscall () at libc-do-syscall.S:48
#1  0xf5b2c5c6 in __GI___poll (timeout=-1, nfds=1, fds=0xef503400) at
../sysdeps/unix/sysv/linux/poll.c:29
#2  __GI___poll (fds=0xef503400, nfds=1, timeout=-1) at ../sysdeps/unix/sysv/linux/poll.c:26
#3  0xf4b3cbc6 in g_main_context_poll (priority=<optimized out>, n_fds=1, fds=0xef503400, timeout=-1,
context=0xef5005f8) at ../glib-2.62.4/glib/gmain.c:4257
#4  g_main_context_iterate (context=0xef5005f8, block=block@entry=1, dispatch=dispatch@entry=1, self=
<optimized out>) at ../glib-2.62.4/glib/gmain.c:3953
#5  0xf4b3cf3c in g_main_loop_run (loop=0xef502970) at ../glib-2.62.4/glib/gmain.c:4152
#6  0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#7  0xf75a10dc in WTF::Function<void ()>::operator()() const () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/Function.h:84
#8  WTF::Thread::entryPoint () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/Threading.cpp:168
#9  0xf75d473a in wtfThreadEntryPoint () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/posix/ThreadingPOSIX.cpp:200
#10 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477
#11 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6
Backtrace stopped: previous frame identical to this frame (corrupt stack?)

```

--Type <RET> for more, q to quit, c to continue without paging--

Thread 2 (Thread 0xb7bfeca0 (LWP 89)):

#0 __libc_do_syscall () at libc-do-syscall.S:48

#1 0xf5a7f37a in futex_wait_cancelable (private=0, expected=0, futex_word=0x1070498
<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+104>) at ../sysdeps/nptl/futex-internal.h:183

#2 __pthread_cond_wait_common (abstime=0x0, clockid=0, mutex=0x1070454
<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+36>, cond=0x1070470

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+64>) at pthread_cond_wait.c:508

#3 __pthread_cond_wait (cond=0x1070470

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+64>, mutex=0x1070454

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+36>) at pthread_cond_wait.c:638

#4 0xf31eedba in WPEFramework::Core::Event::Lock (this=this@entry=0x1070450

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+32>) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:860

#5 0xf31eedea in WPEFramework::Core::Event::Lock (this=this@entry=0x1070450

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()+32>, nTime=nTime@entry=4294967295) at /usr/src/debug/lib32-wpeframework/4.2-
r0/git/Source/core/Sync.cpp:901

#6 0xf409b404 in

WPEFramework::Core::StateTrigger<WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::Measur
ableJob>::enumQueueState>::WaitState (this=this@entry=0x1070430

<bmalloc::PerProcess<bmalloc::IsoTLSEntryHolder<bmalloc::IsoTLSDeallocatorEntry<bmalloc::IsoConfig<28
0u> > >::getSlowCase()), a_State=a_State@entry=14, a_Time=a_Time@entry=4294967295) at
/usr/include/WPEFramework/core/Sync.h:76

#7 0xf409c5f2 in

WPEFramework::Core::QueueType<WPEFramework::Core::ThreadPool::MeasurableJob>::Extract

(a_WaitTime=4294967295, a_Result=..., this=0x1070420 <WebCore::RenderSVGPath::~RenderSVGPath()+4>) at
/usr/include/WPEFramework/core/Sync.h:76

#8 WPEFramework::Core::ThreadPool::Minion::Process (this=this@entry=0xf2ac58

<WebCore::FloatingObjects::remove(WebCore::FloatingObject*)+348>) at
/usr/include/WPEFramework/core/ThreadPool.h:426

#9 0xf409c7e2 in WPEFramework::Core::ThreadPool::Executor::Worker (this=0xf2ab68

<WebCore::FloatingObjects::remove(WebCore::FloatingObject*)+108>) at
/usr/include/WPEFramework/core/ThreadPool.h:539

#10 0xf31efdfc in WPEFramework::Core::Thread::StartThread (cClassPointer=0xf2ab68

<WebCore::FloatingObjects::remove(WebCore::FloatingObject*)+108>) at /usr/src/debug/lib32-
wpeframework/4.2-r0/git/Source/core/Thread.cpp:181

#11 0xf5a7a78e in start_thread (arg=0x1db07fdf) at pthread_create.c:477

#12 0xf5b3209c in ?? () at ../sysdeps/unix/sysv/linux/arm/clone.S:73 from
/home/nambi/breakpad/dbg/lib/libc.so.6

Backtrace stopped: previous frame identical to this frame (corrupt stack?)

Thread 1 (Thread 0xf2c886d0 (LWP 29)):

#0 magazine_chain_pop_head (magazine_chunks=magazine_chunks@entry=0xff8d5ec4) at ../glib-
2.62.4/glib/gslice.c:538

#1 0xf4b4c802 in magazine_cache_trim (allocator=0xf4bd9c60 <allocator>, stamp=<optimized out>,
ix=15774784) at ../glib-2.62.4/glib/gslice.c:677

#2 magazine_cache_push_magazine (ix=ix@entry=1, magazine_chunks=<optimized out>, count=51) at
../glib-2.62.4/glib/gslice.c:709

#3 0xf4b4c85a in thread_memory_magazine2_unload (ix=ix@entry=1, tmem=<optimized out>) at ../glib-
2.62.4/glib/gslice.c:808

#4 0xf4b4d182 in g_slice_free1 (mem_size=<optimized out>, mem_block=0xe31360

<WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>
at ../glib-2.62.4/glib/gslice.c:1117

#5 0xf3e84d8e in g_type_free_instance (instance=0xe31360

<WebCore::ScrollingStateFrameScrollingNode::dumpProperties(WTF::TextStream&, unsigned int) const+76>
at ../glib-2.62.4/gobject/gtype.c:1946

#6 0xf4c9609e in atk_object_finalize (object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator

```
new(unsigned int)+76>) at ../atk-2.34.1/atk/atkobject.c:1436
#7 0xf3e76ae8 in g_object_unref (_object=<optimized out>) at ../glib-2.62.4/gobject/gobject.c:3382
#8 g_object_unref (_object=0x11ddaf8 <WebCore::XMLHttpRequestUpload::operator new(unsigned int)+76>)
at ../glib-2.62.4/gobject/gobject.c:3274
#9 0xf656be74 in WTF::derefGPtr<_WebKitAccessible> () at
DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:261
#10 WTF::GRefPtr<_WebKitAccessible>::operator= () at
DerivedSources/ForwardingHeaders/wtf/glib/GRefPtr.h:156
#11 WebCore::AXCoreObject::detachWrapper () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1159
#12 WebCore::AXCoreObject::detach () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/accessibility/AccessibilityObjectInterface.h:1150
#13 WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:853
#14 0xf656e8aa in WebCore::AXObjectCache::remove () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/accessibility/AXObjectCache.cpp:863
#15 0xf6c270c2 in WebCore::RenderObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1467
--Type <RET> for more, q to quit, c to continue without paging--
#16 0xf6bc4d34 in WebCore::RenderElement::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderElement.cpp:950
#17 0xf6c13ff4 in WebCore::RenderLayerModelObject::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderLayerModelObject.cpp:81
#18 0xf6ba5920 in WebCore::RenderBox::willBeDestroyed () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderBox.cpp:169
#19 0xf6c22456 in WebCore::RenderObject::destroy () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/rendering/RenderObject.cpp:1507
#20 0xf6cc490a in std::unique_ptr<WebCore::RenderObject, WebCore::RenderObjectDeleter>::~~unique_ptr
() at /usr/include/c++/9.3.0/bits/unique_ptr.h:292
#21 WebCore::RenderTreeBuilder::destroy () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:164
#22 0xf6cc49c8 in WebCore::RenderTreeBuilder::destroyAndCleanUpAnonymousWrappers () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeBuilder.cpp:802
#23 0xf6cc8d20 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:592
#24 0xf6cc8b8c in WebCore::RenderTreeUpdater::tearDownRenderers () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:605
#25 0xf6cc9822 in WebCore::RenderTreeUpdater::updateElementRenderer () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:326
#26 0xf6cca0f4 in WebCore::RenderTreeUpdater::updateRenderTree () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:197
#27 0xf6cca674 in WebCore::RenderTreeUpdater::commit () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/rendering/updating/RenderTreeUpdater.cpp:129
#28 0xf671ad04 in WebCore::Document::resolveStyle () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:1995
#29 0xf671b07c in WebCore::Document::updateStyleIfNeeded () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Document.cpp:2087
#30 0xf69fda42 in WebCore::FrameView::updateLayoutAndStyleIfNeededRecursive () at
/usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebCore/page/FrameView.cpp:4319
#31 0xf60f6530 in WebKit::LayerTreeHost::layerFlushTimerFired () at /usr/src/debug/lib32-wpe-
webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WebKit/WebProcess/WebPage/CoordinatedGraphics/LayerTreeHost.cpp:141
#32 0xf75d2494 in operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:177
#33 _FUN () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-
r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:183
#34 0xf4b3ca98 in g_main_dispatch (context=0xdc4dd8
```

```
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16> at ../glib-2.62.4/glib/gmain.c:3216
#35 g_main_context_dispatch (context=context@entry=0xdc4dd8
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16> at ../glib-2.62.4/glib/gmain.c:3885
#36 0xf4b3cc02 in g_main_context_iterate (context=0xdc4dd8
<WebCore::EventHandler::defaultBackspaceEventHandler(WebCore::KeyboardEvent&)+16>,
block=block@entry=1, dispatch=dispatch@entry=1, self=<optimized out>) at ../glib-2.62.4/glib/gmain.c:3958
#37 0xf4b3cf3c in g_main_loop_run (loop=0xdc56e0
<WebCore::FocusNavigationScope::scopeOf(WebCore::Node&)+32>) at ../glib-2.62.4/glib/gmain.c:4152
#38 0xf75d283c in WTF::RunLoop::run () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WTF/wtf/glib/RunLoopGLib.cpp:96
#39 0xf60fd386 in WebKit::AuxiliaryProcessMain<WebKit::WebProcess, WebKit::WebProcessMainWPE> () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebKit/Shared/AuxiliaryProcessMain.h:68
#40 0xf5ac898e in __libc_start_main (main=0x89b565 <call()+128>, argc=3, argv=0xff8d8eb4, init=<optimized out>, fini=0x89b6f9 <operator()()+84>, rtd_fini=0xf7d450a1 <_dl_fini>, stack_end=0xff8d8eb4) at libc-start.c:308
#41 0x0089b5dc in WTF::derefIfNotNull<WTF::StringImpl> () at DerivedSources/ForwardingHeaders/wtf/RefPtr.h:43
#42 WTF::RefPtr<WTF::StringImpl, WTF::DumbPtrTraits<WTF::StringImpl> >::~~RefPtr () at DerivedSources/ForwardingHeaders/wtf/RefPtr.h:70
#43 WTF::String::~~String () at DerivedSources/ForwardingHeaders/wtf/text/WTFString.h:137
#44 WebCore::Exception::~~Exception () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/Exception.h:34
#45 std::experimental::fundamentals_v3::__expected_detail::destroy<WebCore::Exception, (void*)0> () at DerivedSources/ForwardingHeaders/wtf/Expected.h:239
#46 std::experimental::fundamentals_v3::__expected_detail::base<WTF::Ref<WebCore::FileSystemEntry, WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~base () at DerivedSources/ForwardingHeaders/wtf/Expected.h:358
#47 std::experimental::fundamentals_v3::expected<WTF::Ref<WebCore::FileSystemEntry, WTF::DumbPtrTraits<WebCore::FileSystemEntry> >, WebCore::Exception>::~~expected () at DerivedSources/ForwardingHeaders/wtf/Expected.h:451
#48 WebCore::ExceptionOr<WTF::Ref<WebCore::FileSystemEntry, WTF::DumbPtrTraits<WebCore::FileSystemEntry> > >::~~ExceptionOr () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/dom/ExceptionOr.h:35
#49 operator() () at /usr/src/debug/lib32-wpe-webkit/2.28.7+gitAUTOINC+583d02964d-r9/git/Source/WebCore/Modules/entriesapi/DOMFileSystem.cpp:292
#50 call () at DerivedSources/ForwardingHeaders/wtf/Function.h:52
--Type <RET> for more, q to quit, c to continue without paging--
#51 0xff8d9930 in ?? ()
```