

Firebolt 9 App Actions Specification

Document status	APPROVED
Author	Timothy Dibben

- [App Action JSON format](#)
 - [Format of Action](#)
- [App Action Types](#)
 - [Launch App \(org.rdk.app.launch\)](#)
 - [Send App Metrics \(org.rdk.app.metrics.send\)](#)
 - [Send App WatchHistory \(org.rdk.app.watchhistory.send\)](#)
 - [Send DAB Request \(org.rdk.dab.request\)](#)
 - [Set App API Token \(org.rdk.app.apitoken.set\)](#)
 - [Set App Identifier \(org.rdk.app.identifier.set\)](#)

App Action JSON format

All App Actions follow the following format

Format of Action

Part	Type	Mandatory	Description	Allowed values
actionType	string	Yes	A string specifying the implicit action type being requested to be performed	org.rdk.app.launch org.rdk.app.metrics.send org.rdk.app.watchhistory.send org.rdk.dab.request org.rdk.app.apitoken.set org.rdk.app.identifier.set
actionData	object	No	An optional object that contains data to be used by the Home App to fulfil the action	See below
actionContext	string	No	An optional opaque string providing some context for use with reporting	Any - max length 1000 chars

App Action Types

Launch App (org.rdk.app.launch)

This Action Type requests the Home App to launch an App

Format of actionData

Part	Type	Mandatory	Description	Allowed values
appId	string	yes	The AppId of the app to launch	Any
intent	object	yes	The intent to send to the App without the "context" object	A valid intent object without the "context" object

Example

```
{
  "actionType": "org.rdk.app.launch",
  "actionData": {
    "appId": "BBCSounds",
    "intent": {
      "action": "entity",
      "data": {
        "entityId": "ABC123"
      }
    }
  },
  "actionContext": "{\"schema\":\"campaign/1.0\",\"payload\":{\"campaign_id\":\"123456\",\"placement_id\":\"12390113146247302414\",\"asset_id\":\"12049621954250482415\"}}"
```

Send App Metrics (org.rdk.app.metrics.send)

This Action Type requests the Home App to send an metrics to the back office for a particular app

Format of actionData

Part	Type	Mandatory	Description	Allowed values																																																																								
appld	string	yes	The App Id of the App associated with the Metrics	Any																																																																								
fireboltMethod	string	yes	The Firebolt Metrics method	Any Firebolt Metrics method name																																																																								
environment	string	no	The type of environment the metrics originated from	"prod" "test" "dev"																																																																								
timestamp	integer	yes	The UTC time stamp in milliseconds since Unix epoch (January 1, 1970 midnight) when the event is generated.	> 0																																																																								
payload	object	yes	A payload object containing the Firebolt Metrics payload	<table><tr><th>Part</th><th>Type</th><th>Mandatory</th><th>Description</th></tr><tr><td>category</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>type</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>parameters</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>code</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>description</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>visible</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>entityId</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>progress</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>rate</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>bitrate</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>width</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>height</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>profile</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>position</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>pageId</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>target</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr><tr><td>entitlements</td><td>Defined by Firebolt</td><td>no</td><td>Defined by Firebolt</td></tr></table>	Part	Type	Mandatory	Description	category	Defined by Firebolt	no	Defined by Firebolt	type	Defined by Firebolt	no	Defined by Firebolt	parameters	Defined by Firebolt	no	Defined by Firebolt	code	Defined by Firebolt	no	Defined by Firebolt	description	Defined by Firebolt	no	Defined by Firebolt	visible	Defined by Firebolt	no	Defined by Firebolt	entityId	Defined by Firebolt	no	Defined by Firebolt	progress	Defined by Firebolt	no	Defined by Firebolt	rate	Defined by Firebolt	no	Defined by Firebolt	bitrate	Defined by Firebolt	no	Defined by Firebolt	width	Defined by Firebolt	no	Defined by Firebolt	height	Defined by Firebolt	no	Defined by Firebolt	profile	Defined by Firebolt	no	Defined by Firebolt	position	Defined by Firebolt	no	Defined by Firebolt	pageId	Defined by Firebolt	no	Defined by Firebolt	target	Defined by Firebolt	no	Defined by Firebolt	entitlements	Defined by Firebolt	no	Defined by Firebolt
				Part	Type	Mandatory	Description																																																																					
				category	Defined by Firebolt	no	Defined by Firebolt																																																																					
				type	Defined by Firebolt	no	Defined by Firebolt																																																																					
				parameters	Defined by Firebolt	no	Defined by Firebolt																																																																					
				code	Defined by Firebolt	no	Defined by Firebolt																																																																					
				description	Defined by Firebolt	no	Defined by Firebolt																																																																					
				visible	Defined by Firebolt	no	Defined by Firebolt																																																																					
				entityId	Defined by Firebolt	no	Defined by Firebolt																																																																					
				progress	Defined by Firebolt	no	Defined by Firebolt																																																																					
				rate	Defined by Firebolt	no	Defined by Firebolt																																																																					
				bitrate	Defined by Firebolt	no	Defined by Firebolt																																																																					
				width	Defined by Firebolt	no	Defined by Firebolt																																																																					
				height	Defined by Firebolt	no	Defined by Firebolt																																																																					
				profile	Defined by Firebolt	no	Defined by Firebolt																																																																					
				position	Defined by Firebolt	no	Defined by Firebolt																																																																					
				pageId	Defined by Firebolt	no	Defined by Firebolt																																																																					
				target	Defined by Firebolt	no	Defined by Firebolt																																																																					
entitlements	Defined by Firebolt	no	Defined by Firebolt																																																																									

Example

```

{
  "actionType": "org.rdk.app.metrics.send",
  "actionData": {
    "appId": "hayu",
    "fireboltMethod": "Metrics.error",
    "environment": "prod",
    "timestamp": 1785308400011,
    "payload": {
      "type": "media",
      "code": "17904",
      "description": "Media not found",
      "visible": true,
      "agePolicy": "app:child"
    }
  }
}

```

Send App WatchHistory (org.rdk.app.watchhistory.send)

This Action Type requests the Home App to send a watch history from an App to the back office

Format of actionData

Part	Type	Mandatory	Description	Allowed values
appId	string	yes	The App Id of the App associated with the watched history	Any
entityId	string	yes	The entity Id of the watched content.	Any
progress	number	no	How much of the content has been watched (percentage as (0-0.999) for VOD, number of seconds for live) minumum: 0	Any
completed	boolean	no	Whether or not this viewing is considered "complete," per the app's definition thereof	Any
watchedOn	string	no	Whether or not this viewing is considered "complete," per the app's definition thereof	Any
agePolicy	string	no	An age policy of the user watching the content	app:child app:teen app:adult

Example

```

{
  "actionType": "org.rdk.app.watchhistory.send",
  "actionData": {
    "appId": "iPlayer",
    "entityId": "abc1234xzy",
    "progress": 0.95,
    "completed": true,
    "watchedOn": "2026-06-23T18:25:43.511Z",
    "agePolicy": "app:child"
  }
}

```

Send DAB Request (org.rdk.dab.request)

This Action Type requests the Home App to process a DAB Request Operation

Format of actionData

Part	Type	Mandatory	Description	Allowed values
topic	string	yes	The DAB topic of the request	Any
correlationData	string	yes	The DAB correlation data from the DAB Request	Any
payload	object	yes	The DAB Request payload	Any

Example

```
{
  "actionType": "org.rdk.dab.request",
  "actionData": {
    "topic": "applications/install",
    "correlationData": "abc123",
    "payload": {
      "appId": "YouTube",
      "url": "http://192.168.2.108/app/youtube",
      "format": "wgt"
    }
  }
}
```

```
{
  "actionType": "org.rdk.dab.request",
  "actionData": {
    "topic": "power-mode/set",
    "correlationData": "abc987",
    "payload": {
      "powerMode": "Standby"
    }
  }
}
```

Set App API Token (org.rdk.app.apitoken.set)

This Action Type requests the Home App to store the token provided by the initiator app for future API usage

Format of actionData

Part	Type	Mandatory	Description	Allowed values
token	string	yes	The token required for API calls	Any

Example

```
{
  "actionType": "org.rdk.app.apitoken.set",
  "actionData": {
    "token": "<token>"
  }
}
```

Set App Identifier (org.rdk.app.identifier.set)

This Action Type requests the Home App to store the apps own device identifier and internal version provided by the initiator app for undefined usage by the Home App (eg Store the Netflix ESN to display in the setting screen)

Format of actionData

Part	Type	Mandatory	Description	Allowed values
deviceId	string	no	The device identifier as defined by the App	Any
version	string	no	The internal version of the App	Any

Example

```
{
  "actionType": "org.rdk.app.identifier.set",
  "actionData": {
    "deviceId": "<id>",
    "version": "<version>"
  }
}
```