

opment of primers and sequences used in this study as well as the supported hylid research. Faivovich acknowledges the timely support of a Theodore Roosevelt Memorial grant. During the course of this study Faivovich was supported by an AMNH Graduate Student Fellowship and NASA grant NAG5-13028. Faivovich and Blotto thank Santiago Nenda, Guido Corallo, Andres Sehinkman, and Diego Baldo for field assistance.

Bain acknowledges NSF grant DEB-9870232 to the Center for Biodiversity and Conservation (CBC/AMNH) for financial support as well as the generous support of The John D. and Catherine T. MacArthur Foundation. Collecting and export permits for Vietnam amphibians were granted by the Forestry Protection Department, Ministry of Agriculture and Rural Development, Vietnam (export permit numbers 31–98, 102–98, 340–99, 341–99, and 174–00). Thanks are also due to Le Xuan Canh, Nguyen Quang Truong, Ho Thu Cuc, and Khuat Dang Long of the Institute of Ecology and Biological Resources, Hanoi, and Melina Laverty, CBC/AMNH, for cooperation and assistance in all aspects of Vietnam fieldwork. Tissues of Bolivian amphibians were collected on expeditions supported by the CBC/AMNH and the Center for Environmental Research and Conservation at Columbia University, New York, in collaboration with the Museo de Historia Natural Noel-Kempff Mercado, Santa Cruz, Bolivia, and Colección Boliviana de la Fauna, La Paz. Collection permits for Bolivian material were granted by el Ministerio de Desarrollo Sostenible y Planificación de Bolivia.

Haddad gratefully acknowledges BiotafAPESP (01/13341-3) and CNPq for financial support. Exportation permits of Brazilian samples were issued by CITES Lic. 081968 BR; Autorizações de Acesso e de Remessa de Amostras de Componentes do Patrimônio Genético numbers 02001002851/2004; 02001.002669/2004; permits for collection were issued by IBAMA/RAN, licenças 057/03 and 054/05. Haddad thanks the following for field support in the acquisition of relevant tissues: Antonio P. Almeida, João L. Gaporini, José P. Pombal, Jr., Luis O.M. Giasson, Marília T.A. Hartmann, and Paulo C.A. Garcia.

Haas acknowledges support by the Deutsche Forschungsgemeinschaft Grant Ha 2323/2-1.

De Sá acknowledges NSF grants DEB-0342918 and 9815787 which provided support for field work and *Leptodactylus* research that concomitantly furthered the development of this study.

Campbell gratefully acknowledges the support of NSF grants DEB-0102383 and 9705277, which allowed the acquisition of many of the Middle American and tissue samples used in this paper, as well as field and collection assistance by Dwight Lawson, Brice Noonan, Eric Smith, and Paul Ustach.

Channing acknowledges the Tanzania Commission for Science and Technology Research Permit 2002-319-ER-99-40, which provided field support for the collection of genetic samples in Tanzania.

Donnellan thanks Michael Mahony (University of Newcastle), Steve Richards (South Australian Museum), Allen Allison (Bernice P. Bishop Museum), Dale Roberts (University of Western Australia), Michael Tyler (University of Adelaide), and Ken Aplin (Western Australian Museum) for access to critical tissues, field support, and courtesies extended to him that furthered this study.

Raxworthy acknowledges NSF grant DEB-9984496, National Geographic Society grant 5396-94, and grants from Earthwatch which provided field support for acquisition of important genetic samples from Madagascar.

Nussbaum and Raxworthy gratefully acknowledge support from NSF grants DEB-9024505, 9322600, and 9625873, which provided funds for field research and acquisition of tissues.

Nussbaum acknowledges NSF grants DEB-0070485, 9625873, and 9917453, which provided funds for the acquisition of genetic samples from Madagascar and the Seychelles. Nussbaum also thanks Greg Schneider for efforts in developing and maintaining the tissue collections at UMMZ; and Ronn Altig, Michael J. Pfreder, and Edmund D. Brodie II, Jr. for help with field work in China, Madagascar, São Tomé, and Seychelles.

Moler thanks Barry Mansell for field assistance.

Drewes thanks the NSF for grant DBI-9876766, that helped support the CAS frozen tissue collection, which proved to be an invaluable resource for this study.

Green thanks for funding the National Sciences and Engineering Research Council (NSERC) of Canada.

For access to critical tissues and other courtesies with respect to this study and closely related ones we thank Stevan J. Arnold (Oregon State University, Corvallis), J.W. Arntzen (National Museum of Natural History, Leiden), Christopher Austin, Robb T. Brumfield, Donna Dittman, and Frederick Sheldon (Louisiana State University Museum of Zoology, Baton Rouge), Boris Blotto (Museo Argentino de Ciencias Naturales "Bernardino Rivadavia", Buenos Aires, Argentina), Rafe Brown, William E. Duellman, and John Simmons (University of Kansas Museum of Natural History and Biodiversity Center, Lawrence), Marius Burger (University of the Western Cape, Bellville, South Africa), Janalee Caldwell (Sam Noble Oklahoma Museum of Natural History, Norman), Paul Chippindale, Paul Franklin, Eric Smith, and Paul Ustach (University of Texas at Arlington), Bruce L. Chrisman (Albuquerque), Maureen Donnelly (Florida International University, Miami), Robert N. Fisher and Brian Yang (U.S. Fish & Wildlife Service, San Diego), Ron Gagliardo (Atlanta Botanical Garden), Frank Glaw (Zoologische Staatssammlung München), Martin Henzl (Wien, Austria), Caren Goldberg (University of Idaho, Moscow), Andrew Holycross (Arizona State University, Tempe), Robert Inger, Alan Resetar, and Harold Voris (Field Museum, Chicago), Cornelya Klütsch (Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn, Germany), Dwight Lawson (Zoo Atlanta), Karen Lips (Southern Illinois University, Carbondale), Steve Gotte, W. Ronald Heyer, Roy W. McDiarmid, Robert Reynolds, and Addison Wynn (National Museum of Natural History, Washington, D.C.), Robert W. Murphy (Royal Ontario Museum, Toronto, Canada), Brice Noonan (Brigham Young University, Provo), Paulo Nuín (Museu de Zoologia, Universidade de

São Paulo, Brazil), José Núñez N. (Instituto de Zoología, Universidad Austral de Chile, Valdivia, Chile), Wade Ryberg (Washington University, St. Louis), Elizabeth Scott (Transvaal Museum, Pretoria, South Africa), Tom A. Titus (University of Oregon, Eugene), Jens V. Vindum (California Academy of Sciences, San Francisco), David B. Wake (Museum of Vertebrate Zoology, University of California, Berkeley), and Jorge Williams (Museo de la Plata, Buenos Aires, Argentina).

## REFERENCES

- Abel, O. 1919. Die Stämme der Wirbeltiere. Klasse Amphibia. Berlin and Leipzig: Walter de Gruyter.
- Abourachid, A., and D.M. Green. 1999. Origins of the frog kick? Alternate-leg swimming in primitive frogs, families Leiopelmatidae and Ascaphidae. *Journal of Herpetology* 33: 657–663.
- Adler, K.A. 1989. Herpetologists of the past. In K.A. Adler (editor), *Contributions to the history of herpetology*. Contributions to Herpetology, no. 5. Ithaca, NY: Society for the Study of Amphibians and Reptiles: 5–143.
- Ahl, E. 1930. Neuere Erkenntnisse über die systematische Einteilung der Amphibien. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin* 1930: 78–85.
- Alcala, A.C., and W.C. Brown. 1982. Reproductive biology of some species of *Philautus* (Rhacophoridae) and other Philippine anurans. *Philippine Journal of Biology* 11: 203–226.
- Alford, R.A., and S.J. Richards. 1999. Global amphibian declines: a problem in applied ecology. *Annual Review of Ecology and Systematics* 30: 133–165.
- Allard, M.W., M.M. Miyamoto, L. Jarecki, F. Kraus, and M.R. Tennant. 1992. DNA systematics and evolution of the artiodactyl family Bovidae. *Proceedings of the National Academy of Sciences of the United States of America* 89: 3972–3976.
- Altig, R.I., and G.F. Johnston. 1989. Guilds of anuran larvae: relationships among developmental modes, morphologies, and habitats. *Herpetological Monographs* 3: 81–109.
- Altig, R.I., and R.W. McDiarmid. 1999. Diversity: familial and generic characterizations. In R.W. McDiarmid and R. Altig (editors), *Tadpoles: the biology of anuran larvae*: 295–337. Chicago: University of Chicago Press.
- Amiet, J.-L. 1970. Morphologie et développement de la larve de *Leptodactylodon ventrimarmoratus*.

- atus* (Boulenger) (amphibien, anoure). Annales de la Faculte des Sciences du Cameroun. Yaoundé 4: 53–71.
- Amiet, J.-L. 1971 “1970”. Les batraciens orophiles du Cameroun. Annales de la Faculte des Sciences du Cameroun. Yaoundé 5: 83–102.
- Amiet, J.-L. 1973 “1972”. Compte rendu d’une mission batrachologique dans le Nord-Cameroun. Annales de la Faculte des Sciences du Cameroun. Yaoundé 12: 63–78.
- Amiet, J.-L. 1973. Caracteres diagnostiques de *Petropedetes perreti*, nov. sp. et notes sur les autres espèces camerounaises du genre (amphibiens anoures). Bulletin de l’Institut Fondamental d’Afrique Noire, Série A, Sciences Naturelles 35: 462–474.
- Amiet, J.-L. 1981. Ecologie, ethologie et developpement de *Phrynodon sandersoni* Parker, 1939 (Amphibia, Anura, Ranidae). Amphibia-Reptilia 2: 1–13.
- Amiet, J.-L. 1983. Une espèce meconnue de *Petropedetes* du Cameroun: *Petropedetes parkeri* n. sp. (Amphibia, Anura, Ranidae, Phrynobatrachinae). Revue Suisse de Zoologie 90: 457–468.
- Amiet, J.-L. 1989. Quelques aspects de la biologie des amphibiens anoures du Cameroun. Année Biologique. Paris 28: 73–116.
- Amiet, J.-L., and J.-L. Perret. 1969. Contributions à la faune de la région de Yaoundé (Cameroun II. Amphibiens anoures. Annales de la Faculte des Sciences du Cameroun. Yaoundé 1969: 117–137.
- Anders, C.C. 2002. Class Amphibia (amphibians). In H.H. Schleich and W. Kästle (editors), Amphibians and reptiles of Nepal: biology, systematics, field guide: 133–340. Ruggell: A.R.G. Gantner.
- Anderson, J. 1871. A list of the reptilian accession to the Indian Museum, Calcutta from 1865 to 1870, with a description of some new species. Journal of the Asiatic Society of Bengal 40: 12–39.
- Anderson, J.S. 2001. The phylogenetic trunk: maximal inclusion of taxa with missing data in an analysis of the Lepospondyli (Vertebrata, Tetrapoda). Systematic Biology 50: 170–193.
- Andreone, F., M. Vences, D.R. Vieites, F. Glaw, and A. Meyer. 2004 “2005”. Recurrent ecological adaptations revealed through a molecular analysis of the secretive cophyline frogs of Madagascar. Molecular Phylogenetics and Evolution 34: 315–322.
- Annandale, N. 1918. Some undescribed tadpoles from the hills of southern India. Records of the Indian Museum 15: 17–23.
- Annandale, N., and C.R.N. Rao. 1918. The tadpoles of the families Ranidae and Bufonidae found in the plains of India. Records of the Indian Museum 15: 24–40.
- Anonymous. 1956. Opinion 417. Rejection for nomenclatorial purposes of volume 3 (Zoologie) of the work by Lorenz Oken entitled “Oken’s Lehrbuch der Naturgeschichte” published in 1815–1816. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 14: 1–42.
- Anonymous. 1977. Opinion 1071. Emendation under the plenary powers of Liopelmatina to Leiopelmatidae (Amphibia, Salientia). Bulletin of Zoological Nomenclature 33: 167–169.
- Anonymous. 1990. Opinion 1604. Ichthyophiidae Taylor, 1968 (Amphibia, Gymnophiona): conserved. Bulletin of Zoological Nomenclature 47: 166–167.
- Anonymous. 1996. Opinion 1830. Caeciliidae Kolbe, 1880 (Insecta, Psocoptera): spelling emended to Caeciliusidae, so removing the homonymy with Caeciliidae Rafinesque, 1814 (Amphibia, Gymnophiona). Bulletin of Zoological Nomenclature 53: 68–69.
- Aplin, K.P., and M. Archer. 1987. Recent advances in marsupial systematics with a new synthetic classification. In M. Archer (editor), vol. 1. Possums and opossums: studies in evolution: xv–lxxii. Chipping Norton, Australia: Surrey Beatty.
- Archev, G. 1922. The habitat and life history of *Liopelma hochstetteri*. Records of the Canterbury Museum 2: 59–71.
- Archibald, J.D. 1994. Metataxon concepts and assessing possible ancestry using phylogenetic systematics. Systematic Biology 43: 27–40.
- Ardila-Robayo, M.C. 1979. Status sistematico del genero *Geobatrachus* Ruthven, 1915 (Amphibia: Anura). Caldasia 12: 383–495.
- Austin, J.D., S.C. Loughheed, K. Tanner, A.A. Chek, J.P. Bogart, and P.T. Boag. 2002. A molecular perspective on the evolutionary affinities of an enigmatic Neotropical frog, *Allophryne ruthveni*. Zoological Journal of the Linnean Society. London 134: 335–346.
- Báez, A.M., and N.G. Basso. 1996. The earliest known frogs of the Jurassic of South America: review and cladistic appraisal of their relationships. Münchner Geowissenschaftliche Abhandlungen. Reihe A. Geologie und Paläontologie 30: 131–158.
- Báez, A.M., and L.A. Pugener. 2003. Ontogeny of a new Paleogene pipid frog from southern South America and xenopodinomorph evolution. Zoological Journal of the Linnean Society. London 139: 439–476.
- Báez, A.M., and L. Trueb. 1997. Redescription of the Paleogene *Shelania pascuali* from Patagonia and its bearing on the relationships of fossil

- and Recent pipoid frogs. Scientific Papers. Natural History Museum, University of Kansas 4: 1–41.
- Bain, R.H., A. Lathrop, R.W. Murphy, N.L. Orlov, and T.C. Ho. 2003. Cryptic species of a cascade frog from Southeast Asia: taxonomic revisions and descriptions of six new species. *American Museum Novitates* 3417: 1–60.
- Bain, R.H., and Q.T. Nguyen. 2004. Herpetofauna diversity of Ha Giang Province in northeastern Vietnam, with descriptions of two new species. *American Museum Novitates* 3453: 1–42.
- Baldauf, R.J. 1959. Morphological criteria and their use in showing bufonid phylogeny. *Journal of Morphology* 104: 527–560.
- Baldissera, F.A., Jr., R.F. Batistic, and C.F.B. Haddad. 1999. Cytotaxonomic considerations with the description of two new NOR locations for South American toads, genus *Bufo* (Anura: Bufonidae). *Amphibia-Reptilia* 20: 413–420.
- Barbour, T., and A. Loveridge. 1928. A comparative study of the herpetological faunas of the Uluguru and Usambara Mountains, Tanganyika Territory, with descriptions of new species. *Memoires of the Museum of Comparative Zoology* 50: 85–265.
- Barrio, A. 1954. Sistemática, morfología y reproducción de *Physalaemus henselii* (Peters) y *Pseudopaludicola falcipes* (Hensel). *Physis*. Buenos Aires 20: 379–389.
- Barrio, A. 1963. Consideraciones sobre comportamiento y “grito agresivo” propio de algunas especies de Ceratophrynidae (Anura). *Physis*. Buenos Aires 24: 143–148.
- Barrio, A. 1968. Revision del genero *Lepidobatrachus* Budgett (Anura, Ceratophrynidae). *Physis*. Buenos Aires 27: 445–454.
- Barrio, A. 1977. Aportes para la elucidación del “status” taxonomico de *Pleurodema bibroni* Tschudi y *Pleurodema kriegi* (Muller) (Amphibia, Anura, Leptodactylidae). *Physis*. Buenos Aires 37: 311–331.
- Barrio, A., and P. Rinaldi de Chieri. 1971. Contribución al esclarecimiento de la posición taxofilética de algunos batracios argentinos mediante el análisis cariotípico. *Physis*. Buenos Aires 30: 673–685.
- Barrio-Amorós, C.L. 2004. Amphibians of Venezuela. Systematic list, distribution and references. *Revista de Ecología Latino-Americana* 9: 1–48.
- Bauer, L. 1986. A new genus and a new specific name in the dart poison frog family (Dendrobatidae, Anura, Amphibia). *Ripa*. Netherlands 1986(November): 1–12.
- Beddard, F.E. 1908 “1907”. Contributions to the knowledge of the anatomy of the batrachian family Pelobatidae. *Proceedings of the Zoological Society of London* 1907: 871–911.
- Beddard, F.E. 1911. Contributions to the anatomy of the Anura. *Proceedings of the Zoological Society of London* 1911: 393–412.
- Bell, B.D., and R.J. Wassersug. 2003. Anatomical features of *Leiopelma* embryos and larvae: implication for anuran evolution. *Journal of Morphology* 256: 160–170.
- Benton, M.J. 2000. Stems, nodes, crown clades, and rank-free lists: is Linnaeus dead? *Biological Reviews of the Cambridge Philosophical Society* 75: 633–648.
- Berthold, A.A. 1827. Latreille’s natürliche Familien der Thierreichs aus dem Französischen mit Anmerkungen und Zusätzen von Dr. Arnold Adolph Berthold. Weimar: Landes-Industrie Comptoir.
- Biju, S.D., and F. Bossuyt. 2003. New frog family from India reveals an ancient biogeographical link with the Seychelles. *Nature*. London 425: 711–714.
- Bishop, S.C. 1943. Handbook of salamanders. Ithaca: Comstock Publishing Company.
- Blair, W.F. (editor), 1972a. Evolution in the genus *Bufo*. Austin: University of Texas Press.
- Blair, W.F. 1972b. *Bufo* of North and Central America. In W.F. Blair (editor), Evolution in the genus *Bufo*: 93–101. Austin: University of Texas Press.
- Blair, W.F. 1972c. Evidence from hybridization. In W.F. Blair (editor), Evolution in the genus *Bufo*: 196–243. Austin: University of Texas Press.
- Blair, W.F. 1972d. Characteristics of the testes. In W.F. Blair (editor), Evolution in the genus *Bufo*: 324–328. Austin: University of Texas Press.
- Blaustein, A.R., and J.M. Kiesecker. 2002. Complexity in conservation: lessons from the global decline of amphibian populations. *Ecology Letters* 5: 597–608.
- Blommers-Schlösser, R.M.A. 1975. Observations on the larval development of some Malagasy frogs, with notes on their ecology and biology (Anura: Dyscophinae, Scaphiophryninae and Cophylinae). *Beaufortia* 24: 7–26.
- Blommers-Schlösser, R.M.A. 1976. Chromosomal analysis of twelve species of Microhylidae (Anura) from Madagascar. *Genetica* 46: 199–210.
- Blommers-Schlösser, R.M.A. 1993. Systematic relationships of the Mantellinae Laurent 1946 (Anura Ranoidea). *Ethology Ecology & Evolution* 5: 199–218.
- Blommers-Schlösser, R.M.A., and C.P. Blanc. 1991. Amphibiens (premiere partie). Faune de Madagascar 75: 1–379.
- Blommers-Schlösser, R.M.A., and C.P. Blanc. 1993. Amphibiens (deuxieme partie). Faune de Madagascar 75: 385–530.



- Bogart, J.P. 1968. Chromosome number difference in the amphibian genus *Bufo*: the *Bufo regularis* group. *Evolution* 22: 42–45.
- Bogart, J.P. 2003. Genetics and systematics of hybrid species. In D.M. Sever (editor), *Reproductive biology and phylogeny of Urodela (Amphibia)*: 109–134. Enfield, New Hampshire: Science Publishers, Inc.
- Bogart, J.P., and M. Tandy. 1981. Chromosome lineages in African ranoid frogs. *Monitore Zoologico Italiano. Nuova Serie, Supplemento* 15: 55–91.
- Boie, H. 1828. Bemerkungen über die Abtheilungen im natürlichen Systeme und deren Charakteristit. *Isis von Oken* 21: 351–363.
- Bokermann, W.C.A. 1965. Notas sobre as espécies de *Thoropa* Fitzinger (Amphibia, Leptodactylidae). *Anais da Academia Brasileira de Ciências*. Rio de Janeiro 37: 525–537.
- Bolívar-G., W., T. Grant, and L.A. Osorio. 1999. Combat behavior in *Centrolene buckleyi* and other centrolenid frogs. *Alytes* 16: 77–83.
- Bolkay, S.J. 1919. Osnove uporedne osteologije anurskih batrahija [Elements of the comparative osteology of the tailless batrachians]. *Glasnik Zemaljskog Muzeja u Bosni i Hercegovini*. Sarajevo 31: 275–357.
- Bonacum, J., J. Stark, and E. Bonwich. 2001. PCR methods and approaches. In R. DeSalle, G. Giribet, and W.C. Wheeler (editors), *Techniques in molecular systematics and evolution*: 302–328. Boston: Birkhäuser.
- Bonaparte, C.L.J.L. 1839. *Iconographia della fauna italica per le quattro classi degli animali vertebrati*. Tomo II. Amphibi. Fascicolo 26. Roma: Salviucci.
- Bonaparte, C.L.J.L. 1840. *Prodromus systematis herpetologiae*. *Nuovi Annali delle Scienze Naturali*. Bologna 4: 90–101.
- Bonaparte, C.L.J.L. 1845. *Specchio generale dei sistemi erpetologico, anfibologico ed ittologico*. Milano: Coi Tipi di Luigi di Giacomo Pirola.
- Bonaparte, C.L.J.L. 1850. *Conspectus systematum. Herpetologiae et amphibiologiae*. Editio altera reformata. Leiden: Brill.
- Bonett, R.M., and P.T. Chippindale. 2004. Speciation, phylogeography and evolution of life history and morphology in plethodontid salamanders of the *Eurycea multiplicata* complex. *Molecular Ecology* 13: 1189–1203.
- Bossuyt, F., and M.C. Milinkovitch. 2000. Convergent adaptive radiations in Madagascan and Asian ranid frogs reveal covariation between larval and adult traits. *Proceedings of the National Academy of Sciences of the United States of America* 97: 6585–6590.
- Bossuyt, F., and M.C. Milinkovitch. 2001. Amphibians as indicators of early Tertiary “out-of-India” dispersal of vertebrates. *Science* 292: 93–95.
- Boulenger, G.A. 1882. *Catalogue of the Batrachia Salientia s. Ecaudata in the collection of the British Museum*, 2nd ed. London: Taylor and Francis.
- Boulenger, G.A. 1884. Diagnoses of new reptiles and batrachians from the Solomon Islands, collected and presented to the British Museum by H.B. Guppy, Esq., M.B., H.M.S. “Lark”. *Proceedings of the Zoological Society of London* 1884: 210–213.
- Boulenger, G.A. 1890. Second report on additions to the batrachian collection in the Natural-History Museum. *Proceedings of the Zoological Society of London* 1890: 323–328.
- Boulenger, G.A. 1892 “1891”. A synopsis of the tadpoles of the European batrachians. *Proceedings of the Zoological Society of London* 1891: 593–627.
- Boulenger, G.A. 1906 “1905”. Report on the batrachians collected by the late L. Fea in West Africa. *Annali del Museo Civico di Storia Naturale di Genova*. Serie 3, 2: 157–172.
- Boulenger, G.A. 1918. Remarks on the batrachian genera *Cornufer*, Tschudi, *Platymantis*, Gthr., *Simomantis*, g.n., and *Staurois*, Cope. *Annals and Magazine of Natural History*, Series 9, 1: 372–375.
- Boulenger, G.A. 1920. A monograph of the South Asian, Papuan, Melanesian and Australian frogs of the genus *Rana*. *Records of the Indian Museum* 20: 1–226.
- Boycott, R.C. 1982. On the taxonomic status of *Heleophryne regis* Hewitt, 1909 (Anura: Leptodactylidae). *Annals of the Cape Provincial Museums. Natural History* 14: 89–108.
- Bremer, K. 1994. Branch support and tree stability. *Cladistics* 10: 295–304.
- Brongniart, A.T. 1800a. Essai d’une classification naturelle des reptiles. Iere Partie. *Bulletin des Sciences*, par La Société Philomathique 2: 81–82.
- Brongniart, A.T. 1800b. Essai d’une classification naturelle des reptiles. II Partie. *Bulletin des Sciences*, par La Société Philomathique 2: 89–91.
- Brown, W.C. 1952. The amphibians of the Solomon Islands. *Bulletin of the Museum of Comparative Zoology* 107: 3–64.
- Brummitt, R.K. 2002. How to chop up a tree. *Taxon* 51: 31–41.
- Burton, T.C. 1986. A reassessment of the Papuan subfamily Asterophryninae (Anura: Microhylidae). *Records of the South Australian Museum* 19: 405–450.
- Burton, T.C. 1998a. Pointing the way: the distribution and evolution of some characters of the

- finger muscles of frogs. *American Museum Novitates* 3229: 1–13.
- Burton, T.C. 1998b. Variation in the hand and superficial throat musculature of Neotropical leptodactylid frogs. *Herpetologica* 54: 53–72.
- Burton, T.C. 2004. Muscles and pes of hylid frogs. *Journal of Morphology* 260: 209–233.
- Caccone, A., M.C. Milinkovitch, V. Sbordoni, and J.R. Powell. 1994. Molecular biogeography: using the Corsica-Sardinia microplate disjunction to calibrate mitochondrial rDNA evolutionary rates in mountain newts (*Euproctus*). *Journal of Evolutionary Biology* 7: 227–245.
- Caldwell, J.P., and C.W. Myers. 1990. A new poison frog from Amazonian Brazil, with further revision of the *quinquevittatus* group of *Dendrobates*. *American Museum Novitates* 2988: 1–21.
- Cannatella, D.C. 1985. A phylogeny of primitive frogs (Archeobatrachia). Ph.D. dissertation. Department of Systematics and Ecology, University of Kansas, Lawrence.
- Cannatella, D.C. 1989. On the monophyly of discoglossoid frogs. *Fortschritte der Zoologie/Progress in Zoology* 35: 230–231.
- Cannatella, D.C., and D.M. Hillis. 1993. Amphibian relationships: phylogenetic analysis of morphology and molecules. *Herpetological Monographs* 7: 1–7.
- Cannatella, D.C., and D.M. Hillis. 2004. Amphibians: leading a life of slime. In J. Cracraft and M.J. Donoghue (editors), *Assembling the tree of life*: 430–450. Oxford, U.K.: Oxford University Press.
- Cannatella, D.C., D.M. Hillis, P.T. Chippindale, L.A. Weigt, A.S. Rand, and M.J. Ryan. 1998. Phylogeny of frogs of the *Physalaemus pustulosus* species group, with an examination of data incongruence. *Systematic Biology* 47: 311–335.
- Cannatella, D.C., and L. Trueb. 1988. Evolution of pipoid frogs: intergeneric relationships of the aquatic frog family Pipidae (Anura). *Zoological Journal of the Linnean Society*. London 94: 1–38.
- Cantino, P.D., H.N. Bryant, K. de Queiroz, M.J. Donoghue, T. Eriksson, D.M. Hillis, and M.S.Y. Lee. 1999. Species names in phylogenetic nomenclature. *Systematic Biology* 48: 790–807.
- Cantino, P.D., R.G. Olmstead, and S.J. Wagstaff. 1997. A comparison of phylogenetic nomenclature with the current system: a botanical case study. *Systematic Biology* 46: 313–331.
- Caramaschi, U., and J.P. Pombal, Jr. 2001. *Barycholos savagei*: a junior synonym of *Paludicola ternetzi*, with notes on development. *Journal of Herpetology* 35: 357–360.
- Carpenter, J.M. 2003. Critique of pure folly. *Botanical Review* 69: 79–92.
- Carroll, R.L. 2000a. The lissamphibian enigma. In H. Heatwole and R.L. Carroll (editors), *Amphibian biology*, vol. 4. Paleontology, the evolutionary history of amphibians: 1270–1273. Chipping Norton, Australia: Surrey Beatty.
- Carroll, R.L. 2000b. *Eocaecilia* and the origin of caecilians. In H. Heatwole and R.L. Carroll (editors), *Amphibian biology*, vol. 4. Paleontology, the evolutionary history of amphibians: 1402–1411. Chipping Norton, Australia: Surrey Beatty & Sons.
- Carroll, R.L., and P.J. Currie. 1975. Microsaurs as possible apodan ancestors. *Zoological Journal of the Linnean Society*. London 57: 229–247.
- Carroll, R.L., A. Kunst, and K. Albright. 1999. Vertebral development and amphibian evolution. *Evolution and Development* 1: 36–48.
- Case, S.M. 1978. Biochemical systematics of members of the genus *Rana* native to western North America. *Systematic Zoology* 27: 299–311.
- Cei, J.M. 1970. La posición filética de Telmatobiinae, su discusión reciente y significado crítico de algunos inmunotests. *Acta Zoologica Lilloana* 27: 181–192.
- Cei, J.M. 1972. *Bufo* of South America. In W.F. Blair (editor), *Evolution in the genus Bufo*: 82–92. Austin: University of Texas Press.
- Cei, J.M. 1980. Amphibians of Argentina. *Monitore Zoologico Italiano. Nuova Serie, Monografia* 2: 1–609.
- Channing, A. 1989. A re-evaluation of the phylogeny of Old World treefrogs. *South African Journal of Zoology* 24: 116–131.
- Channing, A. 1995. The relationship between *Breviceps* (Anura: Microhylidae) and *Hemisus* (Hemisotidae) remains equivocal. *Journal of the Herpetological Association of Africa* 44: 55–57.
- Channing, A. 2001. Amphibians of central and southern Africa. Ithaca, NY: Cornell University Press.
- Channing, A. 2003. Ghost frogs (Heleophrynidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 131–134. Detroit: Gale Group.
- Channing, A., D. Moyer, and M. Burger. 2002. Cryptic species of sharp-nosed reed frogs in the *Hyperolius nasutus* complex: advertisement call differences. *African Zoology* 36: 91–99.
- Channing, A., D.C. Moyer, and K.M. Howell. 2002. Description of a new torrent frog in the genus *Arthroleptides* from Tanzania (Amphibia, Anura, Ranidae). *Alytes* 20: 13–27.
- Chari, V.K. 1962. A description of the hitherto undescribed tadpole of, and some field notes on

- the fungoid frog *Rana malabarica* (Bibr.). Journal of the Bombay Natural History Society 59: 71–76.
- Chen, L.Q., R.W. Murphy, A. Lathrop, A. Ngo, N.L. Orlov, T.C. Ho, and I.L.M. Somorjai. 2005. Taxonomic chaos in Asian ranid frogs: an initial phylogenetic resolution. Herpetological Journal 15: 231–243. [Not seen prior to December, 2005.]
- Chen, N., J.X. Ma, D.W. Corson, E.S. Hazard, and R.K. Crouch. 1996. Molecular cloning of a rhodopsin gene from salamander rods. Investigations in Ophthalmology and Vision Science 37: 1907–1913.
- Chippindale, P.T., R.M. Bonett, A.S. Baldwin, and J.J. Wiens. 2004. Phylogenetic evidence for a major reversal of life-history evolution in plethodontid salamanders. Evolution 58: 2809–2822.
- Chou, W.-H. 1999. A new frog of the genus *Rana* (Anura: Ranidae) from China. Herpetologica 55: 389–400.
- Clarke, B.T. 1981. Comparative osteology and evolutionary relationships in the African Raninae (Anura: Ranidae). Monitore Zoologico Italiano. Nuova Serie, Supplemento 15: 285–331.
- Clough, M.E., and K. Summers. 2000. Phylogenetic systematics and biogeography of the poison frogs: evidence from mitochondrial DNA sequences. Biological Journal of the Linnean Society 70: 515–540.
- Cogger, H.G., E.E. Cameron, and H.M. Cogger. 1983. Zoological catalogue of Australia, vol. 1. Amphibia and Reptilia. Canberra: Australian Government Publishing Service.
- Colgan, D.J., A. McLauchlan, G.D.F. Wilson, S.P. Livingston, G.D. Edgecombe, J. Macaranas, and G. Cassis. 1999. Histone H3 and U2 snRNA DNA sequences and arthropod molecular evolution. Australian Journal of Zoology 46: 419–437.
- Collins, J.P., and A. Storfer. 2003. Global amphibian declines: sorting the hypotheses. Diversity and Distributions 9: 89–98.
- Coloma, L.A. 1995. Ecuadorian frogs of the genus *Colostethus* (Anura: Dendrobatidae). University of Kansas Museum of Natural History, Miscellaneous Publications 87: 1–72.
- Cope, E.D. 1859. On the primary divisions of the Salamandridae, with descriptions of two new species. Proceedings of the Academy of Natural Sciences of Philadelphia 11: 122–128.
- Cope, E.D. 1861 “1860”. Descriptions of reptiles from tropical America and Asia. Proceedings of the Academy of Natural Sciences of Philadelphia 12: 368–374.
- Cope, E.D. 1862. Catalogues of the reptiles obtained during the explorations of the Parana, Paraguay, Vermejo and Uruguay [sic] Rivers, by Capt. Thos. J. Page, U.S.N.; and of those procured by Lieut. N. Michler, U.S. Top. Eng., Commander of the expedition conducting the survey of the Atrato River. Proceedings of the Academy of Natural Sciences of Philadelphia 14: 346–359.
- Cope, E.D. 1863. On *Trachycephalus*, *Scaphiopus* and other Batrachia. Proceedings of the Academy of Natural Sciences of Philadelphia 15: 43–54.
- Cope, E.D. 1865. Sketch of primary groups of Batrachia s. Salientia. Natural History Review. New Series 5: 97–120.
- Cope, E.D. 1866. On the structure and distribution of the genera of the arciferous Anura. Journal of the Academy of Natural Sciences of Philadelphia. Series 2, 6: 67–112.
- Cope, E.D. 1867. On the families of the raniform Anura. Journal of the Academy of Natural Sciences of Philadelphia. Series 3, 6: 189–206.
- Cope, E.D. 1869. A review of the species of Plethodontidae and Desmognathidae. Proceedings of the Academy of Natural Sciences of Philadelphia 21: 93–118.
- Cope, E.D. 1875. Check-list of North American Batrachia and Reptilia; with a systematic list of the higher groups, and an essay on geographical distribution based on specimens contained in the U.S. National Museum. Bulletin of the United States National Museum 1: 1–104.
- Cope, E.D. 1880. Geology and paleontology. American Naturalist 14: 609–610.
- Cope, E.D. 1887. The hyoid structure in the amblystomid salamanders. American Naturalist 21: 88.
- Cope, E.D. 1889. Batrachia of North America. Bulletin of the United States National Museum 34: 5–525.
- Couper, P. 1992. Hope for our missing frogs. Wildlife Australia. Brisbane 1992: 10–11.
- Crawford, A.J. 2003. Huge populations and old species of Costa Rican and Panamanian dirt frogs inferred from mitochondrial and nuclear gene sequences. Molecular Ecology 12: 2525–2540.
- Crawford, A.J., and E.N. Smith. 2005. Cenozoic biogeography and evolution in direct-developing frogs of Central America (Leptodactylidae: *Eleutherodactylus*) as inferred from a phylogenetic analysis of nuclear and mitochondrial genes. Molecular Phylogenetics and Evolution 35: 536–555.
- Cunningham, M., and M.I. Cherry. 2000. Mitochondrial DNA divergence in southern African bufonids: are species equivalent entities? African Journal of Herpetology 49: 9–22.
- Cunningham, M., and M.I. Cherry. 2004. Molec-

- ular systematics of African 20-chromosome toads (Anura: Bufonidae). *Molecular Phylogenetics and Evolution* 32: 671–685.
- Cuvier, G.L.C.F.D. 1829. Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Nouvelle ed., revue et augmentée par P.A. Latreille, vol. 2. Paris: Deterville.
- Daltry, J.C., and G.N. Martin. 1997. Rediscovery of the black narrow mouthed frog, *Melanobatrachus indicus* Beddome, 1878. *Hamadryad* 22: 57–58.
- Darst, C.R., and D.C. Cannatella. 2004. Novel relationships among hyloid frogs inferred from 12S and 16S mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution* 31: 462–475.
- da Silva, H.R. 1998. Phylogenetic relationships of the family Hyllidae with emphasis on the relationships within the subfamily Hyllinae (Amphibia: Anura). Ph.D. dissertation. Department of Systematics and Ecology, University of Kansas, Lawrence.
- da Silva, H.R., and J.R. Mendelson, III. 1999. A new organ and sternal morphology in toads (Anura: Bufonidae): descriptions, taxonomic distribution, and evolution. *Herpetologica* 55: 114–126.
- Davies, M.M. 2003a. Australian ground frogs (Limnodynastidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 139–146. Detroit: Gale Group.
- Davies, M.M. 2003b. Australian toadlets and water frogs (Myobatrachidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 147–154. Detroit: Gale Group.
- Dawood, A., A. Channing, and J.P. Bogart. 2002. A molecular phylogeny of the frog genus *Tomopterna* in southern Africa: examining species boundaries with mitochondrial 12S rRNA sequence data. *Molecular Phylogenetics and Evolution* 22: 407–413.
- De Bavay, J.M. 1993. The developmental stages of the sphagnum frog, *Kyarranus sphagnicolous* Moore (Anura, Myobatrachidae). *Australian Journal of Zoology* 41: 151–201.
- de Blainville, H.M.D. 1816. Prodrome d'une nouvelle distribution systematique du regne animal. *Bulletin de la Société Philomathique de Paris*. Series 3, 3: 113–124.
- de Blainville, H.M.D. 1835. Description de quelques espèces de reptiles de la Californie, précédée de l'analyse d'un système général d'erpétologie et d'amphibiologie. *Nouvelles Annales du Muséum d'Histoire Naturelle*. Paris 4: 233–296, 4 pl.
- de Carvalho, M.R., F.A. Bockman, D.S. Amorim, M. de Vivo, M. de Toledo-Piza, N.A. Menezes, J.L. De Figueiredo, R.M.C. Castro, A.C. Gill, J.D. McEachran, L.J.V. Compagno, R.C. Schelly, R. Britz, J.C. Lundberg, R.P. Vari, and G. Nelson. 2005. Revisiting the taxonomic impediment. *Science* 307: 353.
- De la Riva, I., and J.D. Lynch. 1997. New species of *Eleutherodactylus* from Bolivia (Amphibia: Leptodactylidae). *Copeia* 1997: 151–157.
- Delorme, M., and A. Dubois. 2001. Une nouvelle espèce de *Scutiger* du Bhutan, et quelques remarques sur la classification subgénérique du genre *Scutiger* (Megophryidae, Leptobrachiinae). *Alytes* 19: 141–153.
- Delorme, M., A. Dubois, S. Grosjean, and A. Ohler. 2005. Une nouvelle classification generique et subgenerique de la tribu des Philautini (Amphibia, Anura, Ranidae, Rhacophorinae). *Bulletin Mensuel de la Société Linnéenne de Lyon* 74: 165–171.
- Delorme, M., A. Dubois, J. Kosuch, and M. Vences. 2004. Molecular phylogenetic relationships of *Lankanectes corrugatus* from Sri Lanka: endemism of South Asian frogs and the concept of monophyly in phylogenetic studies. *Alytes* 22: 53–64.
- del Pino, E.M., and B. Escobar. 1981. Embryonic stages of *Gastrotheca riobambae* (Fowler) during maternal incubation and comparison with development with other marsupial frogs. *Journal of Morphology* 167: 277–295.
- de Queiroz, K. 1988. Systematics and the Darwinian Revolution. *Philosophy of Science* 55: 238–259.
- de Queiroz, K., and J.A. Gauthier. 1992. Phylogenetic taxonomy. *Annual Review of Ecology and Systematics* 23: 449–480.
- de Queiroz, K., and J.A. Gauthier. 1994. Toward a phylogenetic system of biological nomenclature. *Trends in Ecology and Evolution* 9: 27–31.
- de Sá, R.O., W.R. Heyer, and A. Camargo. 2005. A phylogenetic analysis of *Vanzolinius* (Amphibia, Anura, Leptodactylidae): taxonomic and life history implications. *Arquivos do Museu Nacional do Rio de Janeiro*, In press.
- de Sá, R.O., and D.M. Hillis. 1990. Phylogenetic relationships of the pipid frogs *Xenopus* and *Silurana*: an integration of ribosomal DNA and morphology. *Molecular Biology and Evolution* 7: 365–376.
- de Sá, R.O., and C.C. Swart. 1999. Development of the suprarostal plate of pipid frogs. *Journal of Morphology* 240: 143–153.
- De Villiers, C.G.S. 1929. The development of a



- species of *Arthroleptella* from Jonkershoek, Stellenbosch. South African Journal of Science 26: 481–510.
- De Villiers, C.G.S. 1931. Über den Schädelbau des *Breviceps fuscus*. Anatomischer Anzeiger 72: 164–178.
- D'Haese, C.A. 2003. Morphological appraisal of Collembola phylogeny with special emphasis on Poduromorpha and a test of the aquatic origin hypothesis. Zoologica Scripta 32: 563–586.
- Diaz, N.F., J. Valencia, and M. Sallaberry. 1983. Life history and phylogenetic relationships of *Insuetophrynus acarpicus* (Anura: Leptodactylidae). Copeia 1983: 30–37.
- Donnelly, M.A., and M.L. Crump. 1998. Potential effects of climate change on two Neotropical amphibian assemblages. Climatic Change 39: 541–561.
- Donnelly, M.A., R.O. de Sá, and C. Guyer. 1990. Description of the tadpoles of *Gastrophryne pictiventris* and *Nelsonophryne aterrima* (Anura: Microhylidae), with a review of morphological variation in free-swimming microhylid larvae. American Museum Novitates 2796: 1–19.
- Donoghue, M.J. 1985. A critique of the biological species concept and recommendations for a phylogenetic alternative. Bryologist 88: 172–181.
- Drewery, G.E., and K.L. Jones. 1976. A new ovoviviparous frog, *Eleutherodactylus jasperi* (Amphibia, Anura, Leptodactylidae) from Puerto Rico. Journal of Herpetology 10: 161–165.
- Drewes, R.C. 1984. A phylogenetic analysis of the Hyperoliidae (Anura): treefrogs of Africa, Madagascar, and the Seychelles Islands. Occasional Papers of the California Academy of Sciences 139: 1–70.
- Drewes, R.C., R.I. Altig, and K.M. Howell. 1989. Tadpoles of three frog species endemic to the forest of the Eastern Arc Mountains, Tanzania. Amphibia-Reptilia 10: 435–443.
- Drewes, R.C., and J.A. Wilkinson. 2004. The California Academy of Sciences Gulf of Guinea Expedition (2001) I. The taxonomic status of the genus *Nesionixalus* Perret, 1976 (Anura: Hyperoliidae), treefrogs of São Tomé and Príncipe, with comments on the genus *Hyperolius*. Proceedings of the California Academy of Sciences 55: 395–407.
- Dubois, A. 1980. Notes sur la systematique et la repartition des amphibiens anoures de Chine et des regions avoisinantes IV. Classification generique et subgenerique des Pelobatidae Megophryinae. Bulletin Mensuel de la Société Linnéenne de Lyon 49: 469–482.
- Dubois, A. 1981. Liste des genres et sous-genres nominaux de Ranoidea (amphibiens anoures) du monde, avec identification de leurs espèces types; consequences nomenclaturales. Monitore Zoologico Italiano. Nuova Serie, Supplemento 15: 225–284.
- Dubois, A. 1982. Les notions de genre, sous-genre et groupe d'espèces en zoologie à la lumière de la systématique évolutive. Monitore Zoologico Italiano. Nuova Serie, Supplemento 16: 9–65.
- Dubois, A. 1983. Classification et nomenclature supragenerique des amphibiens anoures. Bulletin Mensuel de la Société Linnéenne de Lyon 52: 270–276.
- Dubois, A. 1984a. Miscellanea nomenclatorica batrachologica (V). Alytes 3: 111–116.
- Dubois, A. 1984b. La nomenclature supragénérique des amphibiens anoures. Mémoires du Muséum National d'Histoire Naturelle. Paris. Série A, Zoologie 131: 1–64.
- Dubois, A. 1985. Miscellanea nomenclatorica batrachologica (VII). Alytes 4: 61–78.
- Dubois, A. 1986 “1985”. Diagnose préliminaire d'un nouveau genre de Ranoidea (amphibiens, anoures) du sud de l'Inde. Alytes 4: 113–118.
- Dubois, A. 1987 “1985”. Miscellanea taxinomica batrachologica (I). Alytes 5: 7–95.
- Dubois, A. 1987 “1986”. Living amphibians of the world: a first step towards a comprehensive checklist. Alytes 5: 99–149.
- Dubois, A. 1987. Discoglossidae Günther, 1858 (Amphibia, Anura): proposed conservation. Alytes 6: 56–68.
- Dubois, A. 1988a. Miscellanea nomenclatorica batrachologica (XVII). Alytes 7: 1–5.
- Dubois, A. 1988b. The genus in zoology: a contribution to the theory of evolutionary systematics. Mémoires du Muséum National d'Histoire Naturelle. Paris. Série A, Zoologie 140: 1–122.
- Dubois, A. 1992. Notes sur la classification des Ranidae (amphibiens anoures). Bulletin Mensuel de la Société Linnéenne de Lyon 61: 305–352.
- Dubois, A. 1995. Keratodont formulae in anuran tadpoles: proposals for a standardization. Journal of Zoological Systematics and Evolutionary Research 33: 1–15.
- Dubois, A. 1999a. Miscellanea nomenclatorica batrachologica. 19. Notes on the nomenclature of Ranidae and related groups. Alytes 17: 81–100.
- Dubois, A. 1999b. South Asian Amphibia: a new frontier for taxonomists. Journal of South Asian Natural History 4: 1–11.
- Dubois, A. 2000. The influence of man on the distribution of amphibians in the Himalayas of

- Nepal: an example of critical evaluation of biogeographical data. In G. Miede and Y. Zhang (editors), *Environmental changes in High Asia*. Proceedings of an international symposium at the University of Marburg, Faculty of Geography, 29 May to 1 June 1997, under the auspices of the Unesco. Marburger Geographische Schriften 135: 326–345.
- Dubois, A. 2003. True frogs (Ranidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 245–264. Detroit: Gale Group.
- Dubois, A. 2004a. Amphibians of Nepal: a few words of caution. *Alytes* 21: 174–180.
- Dubois, A. 2004b. The higher nomenclature of recent amphibians. *Alytes* 22: 1–14.
- Dubois, A. 2005. Amphibia Mundi. 1.1. An ergotaxonomy of Recent amphibians. *Alytes* 23: 1–24.
- Dubois, A., and R. Günther. 1982. Klepton and synklepton: two new evolutionary systematics categories in zoology. *Zoologische Jahrbücher. Abteilung für Systematik, Ökologie und Geographie*. Jena 109: 290–305.
- Dubois, A., and A. Ohler. 1998. A new species of *Leptobranchium* (*Vibrissaphora*) from northern Vietnam, with a review of the taxonomy of the genus *Leptobranchium* (Pelobatidae, Megophryinae). *Dumerilia* 4: 1–32.
- Dubois, A., and A. Ohler. 1999. Asian and Oriental toads of the *Bufo melanostictus*, *Bufo scaber* and *Bufo stejnegeri* groups (Amphibia, Anura): a list of available and valid names and redescription of some name-bearing types. *Journal of South Asian Natural History* 4: 133–180.
- Dubois, A., and A. Ohler. 2000. Systematics of *Fejervarya limnocharis* (Gravenhorst, 1829) (Amphibia, Anura, Ranidae) and related species. 1. Nomenclatural status and type-specimens of the nominal species *Rana limnocharis* Gravenhorst, 1829. *Alytes* 18: 15–50.
- Dubois, A., and A. Ohler. 2001. A new genus for an aquatic ranid (Amphibia, Anura) from Sri Lanka. *Alytes* 19: 81–106.
- Dubois, A., A. Ohler, and S.D. Biju. 2001. A new genus and species of Ranidae (Amphibia, Anura) from south-western India. *Alytes* 19: 53–79.
- Duellman, W.E. 1975. On the classification of frogs. *Occasional Papers of the Museum of Natural History, University of Kansas* 42: 1–14.
- Duellman, W.E. 2001. *Hylid frogs of Middle America*, 2nd ed. 2 vol. Contributions to Herpetology, no. 18. Ithaca, NY: Society for the Study of Amphibians and Reptiles.
- Duellman, W.E. 2003. Leptodactylid frogs (Leptodactylidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 155–171. Detroit: Gale Group.
- Duellman, W.E., and P. Gray. 1983. Developmental biology and systematics of the egg-brooding hylid frogs, genera *Flectonotus* and *Fritziana*. *Herpetologica* 39: 333–359.
- Duellman, W.E., and M.S. Hoogmoed. 1984. The taxonomy and phylogenetic relationships of the hylid frog genus *Stefania*. University of Kansas Museum of Natural History, Miscellaneous Publications 75: 1–39.
- Duellman, W.E., and R. Schulte. 1992. Description of a new species of *Bufo* from northern Peru with comments on phenetic groups of South American toads (Anura: Bufonidae). *Copeia* 1992: 162–172.
- Duellman, W.E., and L. Trueb. 1986. *Biology of amphibians*. New York: McGraw-Hill.
- Duellman, W.E., and A. Veloso M. 1977. Phylogeny of *Pleurodema* (Anura: Leptodactylidae): a biogeographic model. *Occasional Papers of the Museum of Natural History, University of Kansas* 64: 1–46.
- Duméril, A.H.A. 1863. Catalogue méthodique de la collection des batraciens du Muséum d'Histoire Naturelle de Paris. *Mémoires de la Société Impériale des Sciences Naturelles de Cherbourg* 9: 295–321.
- Duméril, A.M.C. 1806. *Zoologie analytique, ou méthode naturelle de classification des animaux, rendue plus facile à l'aide de tableaux synoptiques*. Paris: Allais.
- Dunn, E.R. 1920. Notes on two Pacific coast Ambystomidae. *Proceedings of the New England Zoological Club* 7: 55–59.
- Dunn, E.R. 1922. The sound-transmitting apparatus of salamanders and the phylogeny of the Caudata. *American Naturalist* 56: 418–487.
- Dunn, E.R. 1939. *Bathysiredon*, a new genus of salamanders, from Mexico. *Notulae Naturae of the Academy of Natural Sciences of Philadelphia* 36: 1.
- Dutta, S.K., K. Vasudevan, M.S. Chaitra, K. Shanker, and R.-K. Aggarwal. 2004. Jurassic frogs and the evolution of amphibian endemism in the western Ghats. *Current Science*. Bangalore 86: 211–216.
- Echeverría, D.D. 1998. Aspectos de la reproducción in-vitro del desarrollo larval de *Melanophryniscus stelzneri* (Weyenbergh, 1875) (Anura, Bufonidae), con comentarios acerca del órgano de Bidder. *Alytes* 15: 158–170.
- Edwards, J.L. 1976. Spinal nerves and their bearing on salamander phylogeny. *Journal of Morphology* 148: 305–328.
- Elias, P., and D.B. Wake. 1983. *Nyctanolis pernix*, a new genus and species of plethodontid sala-

- mander from northwestern Guatemala and Chiapas, Mexico. In A. Rhodin and K. Miyata (editors), *Advances in herpetology and evolutionary biology. Essays in honor of Ernest E. Williams*: 1–12. Cambridge, MA: Museum of Comparative Zoology, Harvard University.
- Emerson, S.B., and D. Berrigan. 1993. Systematics of Southeast Asian ranids: multiple origins of voicelessness in the subgenus *Limnonectes* (Fitzinger). *Herpetologica* 49: 22–31.
- Emerson, S.B., R.F. Inger, and D.T. Iskandar. 2000a. Molecular systematics and biogeography of the fanged frogs of Southeast Asia. *Molecular Phylogenetics and Evolution* 16: 131–142.
- Emerson, S.B., C.M. Richards, R.C. Drewes, and K.M. Kjer. 2000b. On the relationships among ranoid frogs: a review of the evidence. *Herpetologica* 56: 209–230.
- Estes, R. 1965. Fossil salamanders and salamander origins. *American Zoologist* 5: 319–334.
- Estes, R. 1970. New fossil pelobatid frogs and a review of the genus *Eopelobates*. *Bulletin of the Museum of Comparative Zoology* 139: 239–340.
- Estes, R. 1981. *Handbuch der Paläoherpetologie/Encyclopedia of paleoherpetology. Part 2. Gymnophiona, Caudata*. Stuttgart: Gustav Fischer.
- Estes, R., K. de Queiroz, and J.A. Gauthier. 1988. Phylogenetic relationships within Squamata. In R. Estes and G.K. Pregill (editors), *Phylogenetic relationships of the lizard families, essays commemorating Charles L. Camp*: 119–281. Stanford, CA: Stanford University Press.
- Estes, R., and O.A. Reig. 1973. The early fossil record of frogs: a review of the evidence. In J. Vial (editor), *Evolutionary biology of the anurans: contemporary research on major problems*: 11–63. Columbia: University of Missouri Press.
- Evans, B.J., R.M. Brown, J.A. McGuire, J. Supriatna, N. Andayani, A.C. Diesmos, D.T. Iskandar, D.J. Melnick, and D.C. Cannatella. 2004. Phylogenetics of fanged frogs: testing biogeographical hypotheses at the interface of the Asian and Australian fauna zones. *Systematic Biology* 52: 794–819.
- Evans, B.J., D.J. Melnick, D.C. Cannatella, J. Supriatna, N. Andayani, and M.I. Setiadi. 2003. Monkeys and toads define areas of endemism on Sulawesi. *Evolution* 57: 1436–1443.
- Evans, S.E., and D. Sigogneau-Russell. 2001. A stem-group caecilian (Lissamphibia: Gymnophiona) from the Lower Cretaceous of North Africa. *Palaeontology* 44: 259–274.
- Fabrezi, M., and J.A. Langone. 2000. Los caracteres morfológicos del controvertido *Neobatrachia arborícola* *Allophryne ruthveni* Gaige, 1926. *Cuadernos de Herpetología* 14: 47–59.
- Faivovich, J. 2002. A cladistic analysis of *Scinax* (Anura: Hylidae). *Cladistics* 18: 367–393.
- Faivovich, J., C.F.B. Haddad, P.C.A. Garcia, D.R. Frost, J.A. Campbell, and W.C. Wheeler. 2005. Systematic review of the frog family Hylidae, with special reference to Hylinae: a phylogenetic analysis and taxonomic revision. *Bulletin of the American Museum of Natural History* 294: 1–240.
- Farris, J.S. 1973. On comparing the shapes of taxonomic trees. *Systematic Zoology* 22: 50–54.
- Farris, J.S., A.G. Kluge, and M.F. Mickevich. 1979. Paraphyly of the *Rana boylii* species group. *Systematic Zoology* 28: 627–634.
- Farris, J.S., A.G. Kluge, and M.F. Mickevich. 1982a. Phylogenetic analysis, the monothetic group method, and myobatrachid frogs. *Systematic Zoology* 31: 317–327.
- Farris, J.S., A.G. Kluge, and M.F. Mickevich. 1982b. Immunological distance and the phylogenetic relationships of the *Rana boylii* species group. *Systematic Zoology* 31: 479–491.
- Fatio, V. 1872. *Faune des vertébrés de la Suisse, vol. III. Histoire naturelle des reptiles et des batraciens*. Paris: J.-P. Baillière.
- Fei, L. 1999. [Atlas of amphibians of China.] Zhengzhou: Henan Press of Science and Technology. [In Chinese.]
- Fei, L., and C. Ye. 2000. A new hynobiid subfamily with a new genus and new species of Hynobiidae from West China. *Cultum Herpetologica Sinica* 8: 64–70. [In Chinese with English abstract.]
- Fei, L., and C. Ye. 2001. [The color handbook of the amphibians of Sichuan.] Chengdu, China: Sichuan Forestry Department, Sichuan Association of Wildlife Conservation, and Chengdu Institute of Biology. [In Chinese.]
- Fei, L., C. Ye, and Y. Huang. 1991. “1990”. [Key to Chinese amphibians.] Chongqing, China: Publishing House for Scientific and Technological Literature. [In Chinese.]
- Fei, L., C. Ye, and Y. Huang. 1997. Taxonomic studies of the genus *Liurana* of China including descriptions of a new species (Amphibia: Ranidae). *Cultum Herpetologica Sinica* 6–7: 75–80.
- Fei, L., C. Ye, and J. Jiang. 2000. A new genus of the subfamily Amolopinae—*Pseudoamolops*, and its relationship to related genera. *Acta Zoologica Sinica* 46: 19–26.
- Fei, L., C. Ye, J. Jiang, X. Feng, and Y. Huang. 2005. [An illustrated key to Chinese amphibians.] Chongqing: Sichuan Publishing House of Science and Technology. [In Chinese.]
- Fei, L., C. Ye, and C. Li. 2001. Descriptions of

- two new species of the genus *Odorrana* in China. *Acta Zootaxonomica Sinica* 26: 108–114.
- Fejérváry, G.J. 1917. Anoures fossiles des couches préglaciaires de Püspökfürdő en Hongrie. *Földtani Közlöny* 47: 141–172.
- Fejérváry, G.J. 1920. Remarques sur la position systematique des genres *Bufo* et *Rana*. *Annales Historico-Naturales Musei Nationalis Hungarici* 18: 28–30.
- Fejérváry, G.J. 1921. Kritische Bemerkungen zur Osteologie, Phylogenie und Systematik der Anuren. *Archiv für Naturgeschichte. Abteilung A* 87: 1–30.
- Fejérváry, G.J. 1923. Ascaphidae, a new family of the tailless batrachians. *Annales Historico-Naturales Musei Nationalis Hungarici* 20: 178–181.
- Feller, A.E., and S.B. Hedges. 1998. Molecular evidence for the early history of living amphibians. *Molecular Phylogenetics and Evolution* 9: 509–516.
- Fink, W.L. 1990. Review of: The genus in zoology: a contribution to the theory of evolutionary systematics, by Alain Dubois. *Mem. du Museum national d'Histoire Naturelle, Serie A, Zoology, Tome 140*. 1988. *Quarterly Review of Biology* 65: 79–80.
- Fischer von Waldheim, G. 1813. *Zoognosia tabulis synopticis illustrata, in usum praelectionum Academiae Imperialis Medico-Chirurgicae Mosquensis edita*. 3rd ed. Vol. 1. Moscow: Nicolai Sergeidis Vsevolozsky.
- Fitzinger, L.J.F.J. 1826. Neue Classification der Reptilien nach ihren natürlichen Verwandtschaften nebst einer Verwandtschafts-Tafel und einem Verzeichnisse der Reptilien-Sammlung des k.k. zoologisch Museum's zu Wien. Wien: J.G. Heubner.
- Fitzinger, L.J.F.J. 1835. Entwurf einer systematischen Anordnung der Schildkröten nach den Grundsätzen der natürlichen Methode. *Annalen des Naturhistorischen Museums in Wien* 1: 105–128.
- Fitzinger, L.J.F.J. 1843. *Systema reptilium. Fasciculus primus*. Wien: Braumüller et Seidel.
- Ford, L.S. 1990. The phylogenetic position of poison-dart frogs (Dendrobatidae): reassessment of the neobatrachian phylogeny with commentary on complex character systems. Ph.D. dissertation. Department of Systematics and Ecology, University of Kansas, Lawrence.
- Ford, L.S. 1993. The phylogenetic position of the dart-poison frogs (Dendrobatidae) among anurans: an examination of the competing hypotheses and their characters. *Ethology Ecology & Evolution* 5: 219–231.
- Ford, L.S., and D.C. Cannatella. 1993. The major clades of frogs. *Herpetological Monographs* 7: 94–117.
- Formas, J.R., and N.D. Espinoza. 1975. Karyological relationships of frogs of the genus *Telmatobufo* (Anura: Leptodactylidae). *Herpetologica* 31: 429–432.
- Formas, J.R., E. Pugin, and B. Jorquera. 1975. La identidad del batracio chileno *Heminectes rufus* Philippi, 1902. *Physis. Buenos Aires* 34: 147–157.
- Frost, D.R. (editor), 1985. *Amphibian species of the world. A taxonomic and geographical reference*. Lawrence, KS: Association of Systematics Collections and Allen Press.
- Frost, D.R. 2004. *Amphibian species of the world: an online reference*. Version 3.0. New York: American Museum of Natural History. [Electronic database available at <http://research.amnh.org/herpetology/amphibia/index.html>.]
- Frost, D.R., and A.G. Kluge. 1994. A consideration of epistemology in systematic biology, with special reference to species. *Cladistics* 10: 259–294.
- Frost, D.R., M.T. Rodrigues, T. Grant, and T.A. Titus. 2001. Phylogenetics of the lizard genus *Tropidurus* (Squamata: Tropiduridae: Tropidurinae): direct optimization, descriptive efficiency, and sensitivity analysis of congruence between molecular data and morphology. *Molecular Phylogenetics and Evolution* 21: 352–371.
- Gadow, H. 1901. *The Cambridge natural history*, vol. 8. *Amphibia and reptiles*. London: Macmillan and Co.
- Gallardo, J.M. 1965. A proposito de los Leptodactylidae (Amphibia, Anura). *Papéis Avulsos de Zoologia. São Paulo* 17: 77–87.
- Gao, K., and N.H. Shubin. 2001. Late Jurassic salamanders from northern China. *Nature. London* 410: 574–577.
- Gao, K., and N.H. Shubin. 2003. Earliest known crown group salamanders. *Nature. London* 422: 424–429.
- Gao, K., and Y. Wang. 2001. Mesozoic anurans from Liaoning Province, China, and phylogenetic relationships of archaeobatrachian anuran clades. *Journal of Vertebrate Paleontology* 21: 460–476.
- García-París, M., D.R. Buchholz, and G. Parra-Olea. 2003. Phylogenetic relationships of Pelobatoidea re-examined using mtDNA. *Molecular Phylogenetics and Evolution* 28: 12–23.
- García-París, M., A. Monton, and M.A. Alonso-Zarazaga. 2004a. Apéndice 1. Nomenclatura: lista de sinónimos y combinaciones. In M. García-París, A. Montori, and P. Herrero (editors), *Fauna Iberica*, vol. 24. *Amphibia*. *Lissamphibia*: 589–602. Madrid: Museo Nacional



- de Ciencias Naturales and Consejo Superior de Investigaciones Científica.
- García-París, M., A. Montori, and P. Herrero. 2004b. Fauna Iberica, vol. 24. Amphibia. Lissamphibia. Madrid: Museo Nacional de Ciencias Naturales and Consejo Superior de Investigaciones Científica.
- García-París, M., and D.B. Wake. 2000. Molecular phylogenetic analysis of relationships of the tropical salamander genera *Oedipina* and *Nototriton*, with descriptions of a new genus and three new species. *Copeia* 2000: 42–70.
- Gardiner, B.G. 1982. Tetrapod classification. *Zoological Journal of the Linnean Society*. London 74: 207–232.
- Gardner, J.D. 2001. Monophyly and affinities of albanerpetontid amphibians (Temnospondyli; Lissamphibia). *Zoological Journal of the Linnean Society*. London 131: 309–352.
- Gardner, J.D. 2002. Monophyly and intra-generic relationships of *Albanerpeton* (Lissamphibia; Albanerpetontidae). *Journal of Vertebrate Paleontology* 22: 12–22.
- Gauthier, J.A., D.C. Cannatella, K. de Queiroz, A.G. Kluge, and T. Rowe. 1989. Tetrapod phylogeny. In B. Fernholm, K. Bremer, and H. Jornvall (editors), *The hierarchy of life*: 337–353. New York: Elsevier.
- Gauthier, J.A., A.G. Kluge, and T. Rowe. 1988a. Amniote phylogeny and the importance of fossils. *Cladistics* 4: 105–209.
- Gauthier, J.A., A.G. Kluge, and T. Rowe. 1988b. The early evolution of the Amniota. In M.J. Benton (editor), *The phylogeny and classification of the tetrapods*, vol. 1. Amphibians, reptiles, birds: 103–155. Systematics Association Special vol. 23. New York: Academic Press.
- Ghiselin, M.T. 1966. On psychologism in the logic of taxonomic controversies. *Systematic Zoology* 15: 207–215.
- Giarretta, A.A., and R.J. Sawaya. 1998. Second species of *Psyllophryne* (Anura: Brachycephalidae). *Copeia* 1998: 985–987.
- Glaw, F., and M. Vences. 1994. A fieldguide to the amphibians and reptiles of Madagascar, 2nd ed., including mammals and freshwater fish. Köln: Moos Druck.
- Glaw, F., and M. Vences. 2002. A new sibling species of the anuran subgenus *Blommersia* from Madagascar (Amphibia: Mantellidae: *Mantidactylus*) and its molecular phylogenetic relationships. *Herpetological Journal*. London 12: 11–20.
- Goebel, A.M., J.M. Donnelly, and M.E. Atz. 1999. PCR primers and amplification methods for 12S ribosomal DNA, the control region, cytochrome oxidase I, and cytochrome *b* in bufonids and other frogs, and an overview of PCR primers which have amplified DNA in amphibians successfully. *Molecular Phylogenetics and Evolution* 11: 163–199.
- Goin, C.J., O.B. Goin, and G.R. Zug. 1978. Introduction to herpetology, 3rd ed. San Francisco: W.H. Freeman and Co.
- Goldfuss, G.A. 1820. *Handbuch der Zoologie*. Zweite Abtheilung. Nürnberg: Johann Leonhard Schrag.
- Goloboff, P.A. 1993–1999. NONA. Version 2.9. Tucumán, Argentina: Computer software distributed by the author.
- Goloboff, P.A. 1999. Analyzing large data sets in reasonable times: solutions for composite optima. *Cladistics* 15: 415–428.
- Goloboff, P.A., and J.S. Farris. 2001. Methods of quick consensus estimation. *Cladistics* 17: S26–S34.
- Goloboff, P.A., J.S. Farris, and K.C. Nixon. 2003. T.N.T.: Tree analysis using new technology, version 1.0. Program and documentation available from the authors and at [www.zmuc.dk/public/phylogeny](http://www.zmuc.dk/public/phylogeny).
- Good, D.A., and D.B. Wake. 1992. Geographic variation and speciation in the torrent salamanders of the genus *Rhyacotriton* (Caudata: Rhyacotritonidae). *University of California Publications in Zoology* 126: 1–91.
- Gower, D.J., A. Kupfer, O.V. Oommen, W. Himstedt, R.A. Nussbaum, S.P. Loader, B. Preswell, H. Müller, S.B. Krishna, R. Boistel, and M. Wilkinson. 2002. A molecular phylogeny of ichthyophiid caecilians (Amphibia: Gymnophiona: Ichthyophiidae): out of India or out of South East Asia? *Proceedings of the Royal Society of London. Series B, Biological Sciences* 269: 1563–1569.
- Gower, D.J., and M. Wilkinson. 2002. Phallus morphology in caecilians (Amphibia, Gymnophiona) and its systematic utility. *Bulletin of the Natural History Museum. London. Zoology Series* 68: 143–154.
- Grandison, A.G.C. 1981. Morphology and phylogenetic position of the West African *Didynamipus sjoestedti* Andersson, 1903 (Anura, Bufonidae). *Monitore Zoologico Italiano. Nuova Serie, Supplemento* 15: 187–215.
- Grant, T. 1998. Una nueva especie de *Colostethus* del grupo *edwardsi* de Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Fisicas y Naturales* 22: 423–428.
- Grant, T. 2002. Testing methods: the evaluation of discovery operations in evolutionary biology. *Cladistics* 18: 94–111.
- Grant, T. 2004. On the identities of *Colostethus inguinalis* (Cope, 1868) and *C. panamensis* (Dunn, 1933), with comments on *C. latinasus*

- (Cope, 1863) (Anura: Dendrobatidae). American Museum Novitates 3444: 1–24.
- Grant, T., and F. Castro-Herrera. 1998. The cloud forest *Colostethus* (Anura, Dendrobatidae) of a region of the Cordillera Occidental of Colombia. *Journal of Herpetology* 32: 378–392.
- Grant, T., E.C. Humphrey, and C.W. Myers. 1997. The median lingual process of frogs: a bizarre character of Old World ranoids discovered in South American dendrobatids. *American Museum Novitates* 3212: 1–40.
- Grant, T., and A.G. Kluge. 2004. Transformation series as an ideographic character concept. *Cladistics* 20: 23–31.
- Grant, T., and L.O. Rodriguez. 2001. Two new species of frogs of the genus *Colostethus* (Dendrobatidae) from Peru and a redescription of *C. trilineatus* (Boulenger, 1883). *American Museum Novitates* 3355: 1–24.
- Gray, J.E. 1825. A synopsis of the genera of reptiles and Amphibia, with a description of some new species. *Annals of Philosophy. Series 2*, 10 193–217.
- Gray, J.E. 1850a. Catalogue of the specimens of Amphibia in the collection of the British Museum. Part. II. Batrachia Gradientia, etc. London: Spottiswoodes and Shaw.
- Gray, J.E. 1850b. Description of a new genus of batrachians from Swan River. By Dr. H. Schlegel, Curator of the Royal Zoological Museum, Leyden. (Extracted from a letter to J.E. Gray, Esq.). *Proceedings of the Zoological Society of London* 1850: 9–10.
- Graybeal, A. 1995. Phylogenetic relationships and evolution of bufonid frogs based on molecular and morphological characters. Ph.D. dissertation. Department of Integrative Biology, University of California, Berkeley.
- Graybeal, A. 1997. Phylogenetic relationships of bufonid frogs and tests of alternate macroevolutionary hypotheses characterizing their radiation. *Zoological Journal of the Linnean Society*. London 119: 297–338.
- Graybeal, A., and D.C. Cannatella. 1995. A new taxon of Bufonidae from Peru, with descriptions of two new species and a review of the phylogenetic status of supraspecific bufonid taxa. *Herpetologica* 51: 105–131.
- Green, D.M. 2005. The ecology of extinction: population fluctuation and decline in amphibians. *Biological Conservation* 111: 331–343.
- Green, D.M., and D.C. Cannatella. 1993. Phylogenetic significance of the amphicoelous frogs, Ascaphidae and Leiopelmatidae. *Ethology Ecology & Evolution* 5: 233–245.
- Green, D.M., R.A. Nussbaum, and D. Yang. 1988. Genetic divergence and heterozygosity among frogs of the family Sooglossidae. *Herpetologica* 44: 113–119.
- Green, D.M., T.F. Sharbel, R.A. Hitchmough, and C.H. Daugherty. 1989. Genetic variation in the genus *Leiopelma* and relationships to other primitive frogs. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 27: 65–79.
- Griffiths, I. 1954. On the “otic element” in Amphibia Salientia. *Proceedings of the Zoological Society of London* 124: 3–50.
- Griffiths, I. 1959a. The phylogenetic status of the Sooglossinae. *Annals and Magazine of Natural History, Series 13*, 2: 626–640.
- Griffiths, I. 1959b. The phylogeny of *Sminthillus limbatus* and the status of the Brachycephalidae (Amphibia Salientia). *Proceedings of the Zoological Society of London* 132: 457–487.
- Griffiths, I. 1963. The phylogeny of the Salientia. *Biological Reviews of the Cambridge Philosophical Society* 38: 241–292.
- Grosjean, S., M. Perez, and A. Ohler. 2003. Morphology and buccopharyngeal anatomy of the tadpole of *Rana (Nasirana) alticola* (Anura: Ranidae). *Raffles Bulletin of Zoology* 51: 101–107.
- Grosjean, S., M. Vences, and A. Dubois. 2004. Evolutionary significance of oral morphology in the carnivorous tadpoles of tiger frogs, genus *Hoplobatrachus* (Ranidae). *Biological Journal of the Linnean Society* 81: 171–181.
- Günther, A. 1858a. Neue Batrachier in der Sammlung des britischen Museums. *Archiv für Naturgeschichte* 24: 319–328.
- Günther, A. 1858b. On the systematic arrangement of the tailless batrachians and the structure of *Rhinophrynus dorsalis*. *Proceedings of the Zoological Society of London* 1858: 339–352.
- Günther, A. 1859 “1858”. Catalogue of the Batrachia Salientia in the collection of the British Museum. London: Taylor and Francis.
- Günther, A. 1870. Reptilia (1869). *Zoological Record* 6: 105–122.
- Haas, A. 1995. Cranial features of dendrobatid larvae (Amphibia: Anura: Dendrobatidae). *Journal of Morphology* 224: 241–264.
- Haas, A. 2003. Phylogeny of frogs as inferred from primarily larval characters (Amphibia: Anura). *Cladistics* 19: 23–90.
- Haas, A., and S.J. Richards. 1998. Correlations of cranial morphology, ecology, and evolution in Australian suctorial tadpoles of the genera *Litoria* and *Nyctimystes* (Amphibia: Anura: Hyliidae: Pelodyadinae). *Journal of Morphology* 238: 109–141.
- Haddad, C.F.B., and C.P.A. Prado. 2005. Reproductive modes in frogs and their unexpected di-

- iversity in the Atlantic Forest of Brazil. *BioScience* 55: 207–217.
- Haeckel, E.H.P.A. 1866. *Generelle Morphologie der Organismen*, vol. 2. Berlin: Georg Reimer.
- Hall, J.A., and J.H. Larsen, Jr. 1998. Postembryonic ontogeny of the spadefoot toad, *Scaphiopus intermontanus* (Anura: Pelobatidae): skeletal morphology. *Journal of Morphology* 238: 179–244.
- Halliday, T. 2005. Diverse factors influencing amphibian population declines. In M.J. Lannoo (editor), *Amphibian declines: the conservation status of United States species*: 3–9. Berkeley: University of California Press.
- Hallowell, E. 1856. Description of several species of Urodela, with remarks on the geographical distribution of the Caducibranchiata division of these animals and their classification. *Proceedings of the Academy of Natural Sciences of Philadelphia* 8: 6–11.
- Hanken, J., and D.B. Wake. 1982. Genetic differentiation among plethodontid salamanders (genus *Bolitoglossa*) in Central and South America: implications for the South American invasion. *Herpetologica* 38: 272–287.
- Harris, D.J. 2001. Reevaluation of 16S ribosomal RNA variation in *Bufo* (Anura: Amphibia). *Molecular Phylogenetics and Evolution* 19: 326–329.
- Hass, C.A., J.F. Dunski, L.R. Maxson, and M.S. Hoogmoed. 1995. Divergent lineages within the *Bufo margaritifera* complex (Amphibia: Anura; Bufonidae) revealed by albumin immunology. *Biotropica* 27: 238–249.
- Hay, J.M., I. Ruvinsky, S.B. Hedges, and L.R. Maxson. 1995. Phylogenetic relationships of amphibian families inferred from DNA sequences of mitochondrial 12S and 16S ribosomal RNA genes. *Molecular Biology and Evolution* 12: 928–937.
- Hayes, M.P., and P.H. Starrett. 1981 “1980”. Notes on a collection of centrolenid frogs from the Colombia Choco. *Bulletin of the Southern California Academy of Science* 79: 89–96.
- Hedges, S.B. 1989. Evolution and biogeography of West Indian frogs of the genus *Eleutherodactylus*: slow-evolving loci and the major groups. In C.A. Woods (editor), *Biogeography of the West Indies: past, present, and future*: 305–370. Gainesville, FL: Sandhill Crane Press.
- Hedges, S.B. 1994. Molecular evidence for the origin of birds. *Proceedings of the National Academy of Science of the United States of America* 91: 2621–2624.
- Hedges, S.B., and L.R. Maxson. 1993. A molecular perspective on lissamphibian phylogeny. *Herpetological Monographs* 7: 27–42.
- Hedges, S.B., R.A. Nussbaum, and L.R. Maxson. 1993. Caecilian phylogeny and biogeography inferred from mitochondrial DNA sequences of the 12S rRNA and 16S rRNA genes (Amphibia: Gymnophiona). *Herpetological Monographs* 7: 64–76.
- Hedges, S.B., and L.L. Poling. 1999. A molecular phylogeny of reptiles. *Science* 283: 998–1001.
- Hennig, W. 1966. *Phylogenetic systematics*. Chicago: University of Illinois Press.
- Henrici, A.C. 1991. *Chelomophrynus bayi* (Amphibia, Anura, Rhinophrynidae), a new genus and species from the Middle Eocene of Wyoming: ontogeny and relationships. *Annals of the Carnegie Museum* 60: 97–144.
- Hertwig, S., R.O. de Sá, and A. Haas. 2004. Phylogenetic signal and the utility of 12S and 16S mtDNA in frog phylogeny. *Journal of Zoological Systematics and Evolutionary Research* 42: 2–18.
- Hewitt, J. 1919. *Anhydrophryne rattrayi*, a remarkable new frog from Cape Colony. *Record of the Albany Museum. Grahamstown* 3: 182–189.
- Heyer, W.R. 1970. Studies on the frogs of the genus *Leptodactylus* (Amphibia: Leptodactylidae). VI. Biosystematics of the *melanonotus* group. *Natural History Museum of Los Angeles County Contributions in Science* 191: 1–48.
- Heyer, W.R. 1975. A preliminary analysis of the intergeneric relationships of the frog family Leptodactylidae. *Smithsonian Contributions in Zoology* 199: 1–55.
- Heyer, W.R. 1998. The relationships of *Leptodactylus diedrus* (Anura, Leptodactylidae). *Alytes* 16: 1–24.
- Heyer, W.R. 1999. A new genus and species of frog from Bahia, Brazil (Amphibia: Anura: Leptodactylidae) with comments on the zoogeography of the Brazilian campos rupestres. *Proceedings of the Biological Society of Washington* 112: 19–30.
- Heyer, W.R. 2003. Viewpoint: ultraviolet-B and Amphibia. *BioScience* 53: 540–541.
- Heyer, W.R., and R.I. Crombie. 1979. Natural history notes on *Craspedoglossa stejnegeri* and *Thoropa petropolitana* (Amphibia: Salientia, Leptodactylidae). *Journal of the Washington Academy of Sciences* 69: 17–20.
- Heyer, W.R., and D.S.S. Liem. 1976. Analysis of the intergeneric relationships of the Australian frog family Myobatrachidae. *Smithsonian Contributions in Zoology* 233: 1–29.
- Highton, R. 1997. Geographic protein variation and speciation in the *Plethodon dorsalis* complex. *Herpetologica* 53: 345–356.
- Highton, R. 1998. Is *Ensatina eschscholtzii* a ring species? *Herpetologica* 54: 254–278.

- Highton, R. 1999. Geographic protein variation and speciation in the salamanders of the *Plethodon cinereus* group with the description of two new species. *Herpetologica* 55: 43–90.
- Highton, R., and R.B. Peabody. 2000. Geographic protein variation and speciation in salamanders of the *Plethodon jordani* and *Plethodon glutinosus* complexes in the southern Appalachian Mountains with the description of four new species. In R.C. Bruce, R.G. Jaeger, and L.D. Houck (editors), *The biology of plethodontid salamanders*: 31–93. New York: Kluwer Academic/Plenum Publishers.
- Hillis, D.M., and S.K. Davis. 1986. Evolution of ribosomal DNA: fifty million years of recorded history in the frog genus *Rana*. *Evolution* 40: 1275–1288.
- Hillis, D.M., and M.T. Dixon. 1991. Ribosomal DNA: molecular evolution and phylogenetic inference. *Quarterly Review of Biology* 66: 411–453.
- Hillis, D.M., and T.P. Wilcox. 2005. Phylogeny of the New World true frogs (*Rana*). *Molecular Phylogenetics and Evolution* 34: 299–314.
- Hiragond, N.C., B.A. Shanbhag, and S.K. Saidapur. 2001. Description of the tadpole of a stream breeding frog, *Rana curtipes*. *Journal of Herpetology* 35: 166–168.
- Hoffman, A.C. 1932. Researches relating to the validity of the South African Polypedatidae (Rhacophoridae) as an autonomous family of the Anura. *South African Journal of Science* 29: 562–583.
- Hoffman, A.C. 1935. Die sistematiese posiesie van *Heleophryne*. *Soölogiese Navorsing van die Nasionale Museum*. Bloemfontein 1: 1–2.
- Hoffmann, C.K. 1878. Die Klassen und Ordnungen des Thier-Reichs wissenschaftlich dargestellt in Wort und Bild, vol. 6 (part 2). Klassen und Ordnungen der Amphibien wissenschaftlich dargestellt in Wort und Bild. Leipzig and Heidelberg: C.F. Winter.
- Hogg, J. 1838. On the classification of the Amphibia. *Annals of Natural History* 1: 152.
- Hogg, J. 1839a. On the classification of the Amphibia. *Magazine of Natural History, New Series* 3: 265–274.
- Hogg, J. 1839b. On the classification of the Amphibia (continued from page 274). *Magazine of Natural History, New Series* 3: 367–378.
- Hoogmoed, M.S. 1989a. South American bufonids (Amphibia: Anura: Bufonidae), an enigma for taxonomists. *Treballs d'Ictiologia i Herpetologia* 2: 167–180.
- Hoogmoed, M.S. 1989b. On the identity of some toads of the genus *Bufo* from Ecuador, with additional remarks on *Andinophryne colomai* Hoogmoed, 1985 (Amphibia: Anura: Bufonidae). *Zoologische Verhandelingen. Leiden* 250: 1–32.
- Hoogmoed, M.S., and J. Lescure. 1984. A new genus and two new species of minute leptodactylid frogs from northern South America, with comments upon *Phyzelaphryne* (Amphibia: Anura: Leptodactylidae). *Zoologische Mededelingen. Leiden* 58: 85–115.
- Houlahan, J.E., C.S. Findlay, B.R. Schmidt, A.H. Meyer, and S.L. Kuzmin. 2000. Quantitative evidence for global amphibian population declines. *Nature*. London 404: 752–755.
- Hu, S., E. Zhao, and C.-C. Liu. 1966. A herpetological survey of the Tsinling and Ta-Pa Shan region. *Acta Zoologica Sinica* 18: 57–89. [In Chinese with English abstract.]
- Hu, S., E. Zhao, and C.-C. Liu. 1973. A survey of amphibians and reptiles in Kweichow province, including a herpetofaunal analysis. *Acta Zoologica Sinica* 19: 149–181.
- Hull, D.L. 1988. *Science as a process: an evolutionary account of the social and conceptual development of science*. Chicago: University of Chicago Press.
- Hutchinson, M.N., and L.R. Maxson. 1987. Phylogenetic relationships among Australian tree frogs (Anura: Hylidae: Pelodyadinae): an immunological approach. *Australian Journal of Zoology* 35: 61–74.
- Huxley, T.H. 1863. Description of *Anthracosaurus russelli*, a new labyrinthodont from the Lanarkshire coal field. *Quarterly Journal of the Geological Society of London* 19: 56–68.
- Inger, R.F. 1954. Systematics and zoogeography of Philippine Amphibia. *Fieldiana. Zoology* 33: 183–531.
- Inger, R.F. 1966. The systematics and zoogeography of the Amphibia of Borneo. *Fieldiana. Zoology* 52: 1–402.
- Inger, R.F. 1967. The development of a phylogeny of frogs. *Evolution* 21: 369–384.
- Inger, R.F. 1972. *Bufo* of Eurasia. In W.F. Blair (editor), *Evolution in the genus Bufo*: 102–118. Austin: University of Texas Press.
- Inger, R.F. 1996. Commentary on a proposed classification of the family Ranidae. *Herpetologica* 52: 241–246.
- Inger, R.F., H.B. Shaffer, M. Koshy, and R. Bakde. 1984. A report on a collection of amphibians and reptiles from the Ponnudi, Kerala, South India. *Journal of the Bombay Natural History Society* 81: 406–427.
- International Commission of Zoological Nomenclature. 1999. *International code of zoological nomenclature*, 4th ed. London: International Trust for Zoological Nomenclature.
- Iordansky, N.N. 1996. Evolution of the musculature of the jaw apparatus in the Amphibia. *Ad-*



- vances in Amphibian Research in the Former Soviet Union 1: 3–26.
- Iwabe, N., Y. Hara, Y. Kumazawa, K. Shibamoto, Y. Saito, T. Miyata, and K. Kazutaka. 2005. Sister-group relationship of turtles to the bird-crocodilian clade revealed by nuclear DNA-coded proteins. *Molecular Biology and Evolution* 22: 810–813.
- Izecksohn, E. 1971. Novo gênero e nova espécie de Brachycephalidae do Estado do Rio de Janeiro, Brasil (Amphibia, Anura). *Boletim do Museu Nacional, Rio de Janeiro. Nova Série, Zoologia* 280: 1–12.
- Izecksohn, E. 1988. Algumas considerações sobre o gênero *Euparkerella*, com a descrição de três novas espécies (Amphibia, Anura, Leptodactylidae). *Revista Brasileira de Biologia* 48: 59–74.
- Izecksohn, E., J.J. Jim, S.T. de Albuquerque, and W.F. de Mendonça. 1971. Observações sobre o desenvolvimento e os hábitos de *Myersiella subnigra* (Miranda-Ribeiro). *Arquivos do Museu Nacional. Rio de Janeiro* 43: 69–73.
- Jackman, T.R., G. Applebaum, and D.B. Wake. 1997. Phylogenetic relationships of bolitoglossine salamanders: a demonstration of the effects of combining morphological and molecular data sets. *Molecular Biology and Evolution* 14: 883–891.
- Janies, D., and W.C. Wheeler. 2001. Efficiency of parallel direct optimization. *Cladistics* 17: S71–S82.
- Janke, A., D. Erpenbeck, M. Nilsson, and U. Arnason. 2001. The mitochondrial genomes of the iguana (*Iguana iguana*) and the caiman (*Caiman crocodylus*): implications for amniote phylogeny. *Proceedings of the Royal Society of London. Series B, Biological Sciences* 268: 623–631.
- Jenkins, F.A., and D.M. Walsh. 1993. An early Jurassic caecilian with limbs. *Nature. London* 365: 246–250.
- Jiang, J., A. Dubois, A. Ohler, A. Tillier, X. Chen, F. Xie, and M. Stöck. 2005. Phylogenetic relationships of the tribe Paini (Amphibia, Anura, Ranidae) based on partial sequences of mitochondrial 12S and 16S rRNA genes. *Zoological Science. Tokyo* 22: 353–362.
- Jiang, J., L. Fei, C. Ye, X. Zeng, M. Zhen, F. Xie, and Y. Chen. 1997. Studies on the taxonomics of species of *Pseudorana* and discussions of the phylogenetical relationships with its relative genera. *Cultum Herpetologica Sinica* 6–7: 67–74.
- Jiang, J., and K. Zhou. 2001. Evolutionary relationships among Chinese ranid frogs inferred from mitochondrial DNA sequences of 12S rRNA gene. *Acta Zoologica Sinica* 47: 38–44.
- Jiang, J., and K. Zhou. 2005. Phylogenetic relationships among Chinese ranids inferred from sequence data set of 12S and 16S rDNA. *Herpetological Journal. London* 15: 1–8.
- Jiménez de la Espada, M. 1871 “1870”. Fauna neotropica species quaedam nondum cognitae. *Jornal de Ciências, Matemáticas, Físicas e Naturaes. Lisboa* 3: 57–65.
- Jockusch, E.L., and D.B. Wake. 2002. Falling apart and merging: diversification of slender salamanders (Plethodontidae: *Batrachoseps*) in the American West. *Biological Journal of the Linnean Society* 76: 361–391.
- Jockusch, E.L., K.P. Yaney, and D.B. Wake. 2001. Molecular phylogenetic analysis of slender salamanders, genus *Batrachoseps* (Amphibia: Plethodontidae), from central coastal California with descriptions of four new species. *Herpetological Monographs* 15: 54–99.
- Jungfer, K.-H., H. Birkhahn, V. Külpmann, and K. Wassmann. 1996. Haltung und Fortpflanzung von *Dendrobates fulguritus* Silverstone, 1975, mit Anmerkungen zur Gattung *Minyobates* Myers, 1987. *Herpetofauna. Weinstadt* 15: 19–27.
- Jungfer, K.-H., S. Lötters, and D. Jörgens. 2000. Der kleinste Pfeilgiftfrosche—eine neue *Dendrobates*-Art aus West-Panama. *Herpetofauna. Weinstadt* 22: 11–18.
- Jurgens, J.D. 1971. The morphology of the nasal region of the Amphibia and its bearing on the phylogeny of the group. *Annals of the University of Stellenbosch* 46: 1–146.
- Kaiser, H., L.A. Coloma, and H.M. Gray. 1994. A new species of *Colostethus* (Anura: Dendrobatidae) from Martinique, French Antilles. *Herpetologica* 50: 23–32.
- Kaplan, M. 1994. Analysis of some long-standing controversies concerning the pectoral girdle of *Atelopus* (Bufonidae) using ontogenetic studies. *Journal of Herpetology* 28: 128–131.
- Kaplan, M. 1995. On the presence of overlap during the development of the pectoral girdle of *Colostethus subpunctatus* (Amphibia: Anura) and its relevance in the classification of Dendrobatidae. *Journal of Herpetology* 29: 300–304.
- Kaplan, M. 1997. A new species of *Colostethus* from the Sierra Nevada de Santa Marta (Colombia) with comments on intergeneric relationships within the Dendrobatidae. *Journal of Herpetology* 31: 369–375.
- Kaplan, M. 2000. The pectoral girdles of *Rana rugulosa* (Ranidae) and *Nesomantis thomasseti* (Sooglossidae). *Herpetologica* 56: 188–195.
- Kaplan, M. 2001. On the relevance of the character “absence of epicoracoid horns” in the systematics of anurans. *Alytes* 19: 196–204.
- Kaplan, M. 2002. Histology of the anteroventral part of the breast-shoulder apparatus of *Bra-*

- chycephalus ephippium* (Brachycephalidae) with comments on the validity of the genus *Psyllophryne* (Brachycephalidae). *Amphibia-Reptilia* 23: 225–227.
- Kaplan, M. 2004. Evaluation and redefinition of the states of anuran pectoral girdle architecture. *Herpetologica* 60: 84–97.
- Keller, R.A., R.N. Boyd, and Q.D. Wheeler. 2003. The illogical basis of Phylogenetic Nomenclature. *Botanical Review* 69: 93–110.
- King, M., M.J. Tyler, M.M. Davies, and D. King. 1979. Karyotypic studies on *Cyclorana* and associated genera of Australian frogs. *Australian Journal of Zoology* 27: 699–708.
- Kirsch, J.A., A.W. Dickerman, O.A. Reig, and M.S. Springer. 1991. DNA hybridization evidence for the Australasian affinity of the American marsupial *Dromiciops australis*. *Proceedings of the National Academy of Sciences of the United States of America* 88: 10465–10469.
- Kirtisinghe, P. 1958. Some hitherto undescribed anuran tadpoles. *Ceylon Journal of Science* 1: 171–176.
- Kiyasetuo and M.K. Khare. 1986. A new genus of frog (Anura: Ranidae) from Nagaland at the northeastern hills of India. *Asian Journal of Exploration and Science* 1: 12.
- Kjer, K.M. 1995. Use of rRNA secondary structure in phylogenetic studies to identify homologous positions: an example of alignment and data presentation from frogs. *Molecular Phylogenetics and Evolution* 4: 314–330.
- Klein, S.L., R.L. Strausberg, L. Wagner, J. Pontius, S.W. Clifton, and P. Richardson. 2002. Genetic and genomic tools for *Xenopus* research: the NIH *Xenopus* initiative. *Developmental Dynamics* 225: 384–391.
- Klemens, M.W. 1998. The male nuptial characteristics of *Arthroleptides martiensseni* Nieden, an endemic torrent frog from Tanzania's Eastern Arc Mountains. *Herpetological Journal*. London 8: 35–40.
- Kluge, A.G. 1966. A new pelobatine frog from the lower Miocene of South Dakota with a discussion of the evolution of the *Scaphiopus-Spea* complex. *Natural History Museum of Los Angeles County Contributions in Science* 113: 1–26.
- Kluge, A.G. 2005. Taxonomy in theory and practice, with arguments for a new phylogenetic system of taxonomy. In M.A. Donnelly, B.I. Crother, C. Guyer, M.H. Wake, and M.E. White (editors), *Ecology and evolution in the tropics: a herpetological perspective*: 7–47. Chicago: University of Chicago Press.
- Kluge, A.G., and J.S. Farris. 1969. Quantitative phyletics and the evolution of anurans. *Systematic Zoology* 18: 1–32.
- Knauer, F.K. 1883. *Naturgeschichte der Lurche*. (Amphibiologie.) Eine umfassendere Darlegung unserer Kenntnisse von dem anatomischen Bau, der Entwicklung und systematischen Eintheilung der Amphibien, & c. Zweite Ausgabe. Wien and Leipzig: A. Pilchler's Witwe & Sohn.
- Köhler, J. 2000. New species of *Eleutherodactylus* (Anura: Leptodactylidae) from cloud forest of Bolivia. *Copeia* 2000: 516–520.
- Kojima, J.-I. 2003. Apomorphy-based definition also pinpoints a node, and PhyloCode names prevent effective communication. *Botanical Review* 69: 44–58.
- Kokubum, M.N., de Carvalho, and A.A. Giarretta. 2005. Reproductive ecology and behaviour of a species of *Adenomera* (Anura, Leptodactylinae) with endotrophic tadpoles: systematic implications. *Journal of Natural History*. London 39: 1745–1758.
- Kosuch, J., M. Vences, A. Dubois, A. Ohler, and W. Böhme. 2001. Out of Asia: mitochondrial DNA evidence for an oriental origin of tiger frogs, genus *Hoplobatrachus*. *Molecular Phylogenetics and Evolution* 21: 398–407.
- Kress, W.J., and P. DePriest. 2001. What's in a Phylocode name? *Science* 292: 6.
- Kuramoto, M. 1985. A new frog (genus *Rana*) from the Yaeyama Group of the Ryukyu Islands. *Herpetologica* 41: 150–158.
- Kuramoto, M. 1990. A list of chromosome numbers of anuran amphibians. *Bulletin of Fukuoka University of Education* 39: 83–127.
- Kuramoto, M., and C.-S. Wang. 1987. A new rhacophorid treefrog from Taiwan, with comparisons to *Chirixalus eiffingeri* (Anura, Rhacophoridae). *Copeia* 1987: 931–942.
- Kuramoto, M., C.-S. Wang, and H.-T. Yu. 1984. Breeding, larval morphology and experimental hybridization of Taiwanese brown frogs, *Rana longicrus* and *R. sauteri*. *Journal of Herpetology* 18: 387–395.
- Kwon, A.S., and Y.H. Lee. 1995. Comparative spermatology of anurans with special references to phylogeny. In B.G.M. Jamieson, J. Ausio, and J.-L. Justine (editors), *Advances in spermatozoal phylogeny and taxonomy*. Mémoires du Muséum National d'Histoire Naturelle. Paris. Série A, Zoologie 166: 321–332.
- La Marca, E., M. Vences, and S. Lötters. 2002. Rediscovery and mitochondrial relationships of the dendrobatid frog *Colostethus humilis* suggest parallel colonization of the Venezuelan Andes by poison frogs. *Studies on Neotropical Fauna and Environment* 37: 233–240.
- Lamotte, M. 1961. Contribution à l'étude des batraciens de l'ouest africain XII. Les formes larvaires de *Cardioglossa leucomystax* Blgr. *Bul-*

- letin de l'Institut Fondamental d'Afrique Noire 23: 211–216.
- Lamotte, M., and J. Lescure. 1989. Les têtards rhéophiles et hygropétriques de l'Ancien et du Nouveau Monde. *Annales des Sciences Naturelles. Zoologie*. Paris. Série 13, 10: 111–122.
- Lamotte, M., J.-L. Perret, and S. Dzieduszycka. 1959. Contribution à l'étude des batraciens de l'ouest africain. IX. Les formes larvaires de *Petropedetes palmipes*, *Conraua goliath* et *Acanthixalus spinosus*. *Bulletin de l'Institut Française d'Afrique Noire. Série A, Sciences Naturelles* 21: 762–776.
- Lamotte, M., and F. Xavier. 1972. Les amphibiens anoures a developpement direct d'Afrique. Observations sur la biologie de *Nectophrynoides tornieri* (Roux). *Bulletin de la Société Zoologique de France* 97: 413–428.
- Lamotte, M., and M. Zuber-Vogeli. 1954. Contribution à l'étude des batraciens de l'ouest africain. III. Les formes larvaires de *Astylosternus diadematus* et *Petropedetes natator*. *Bulletin de l'Institut Française d'Afrique Noire. Série A, Sciences Naturelles* 16: 1222–1233.
- Langone, J.A. 1994. Ranas y sapos del Uruguay (reconocimientos y aspectos biológicos). *Museo Damaso Antonio Larrañaga, Serie de Divulgación* 5: 1–123.
- Largen, M.J. 1991. A new genus and species of petropedetine frog (Amphibia, Anura, Ranidae) from high altitude in the mountains of Ethiopia. *Tropical Zoology. Firenze* 4: 139–152.
- Largen, M.J., and R.C. Drewes. 1989. A new genus and species of brevipitine frog (Amphibia, Anura, Microhylidae) from high altitude in the mountains of Ethiopia. *Tropical Zoology. Firenze* 2: 13–30.
- Larson, A. 1991. A molecular perspective on the evolutionary relationship of the salamander families. In M.K. Hecht, B. Wallace, and R.J. MacIntyre (editors), *Evolutionary biology*, vol. 25: 211–277. New York: Plenum Publishing Corporation.
- Larson, A., and W. Dimmick. 1993. Phylogenetic relationships of the salamander families: an analysis of congruence among morphological and molecular characters. *Herpetological Monographs* 7: 77–93.
- Larson, A., D.B. Wake, L.R. Maxson, and R. Highton. 1981. A molecular phylogenetic perspective on the origins of morphological novelties in the salamanders of the tribe Plethodontini (Amphibia, Plethodontidae). *Evolution* 35: 405–422.
- Larson, A., D.W. Weisrock, and K.H. Kozak. 2003. Phylogenetic systematics of salamanders (Amphibia: Urodela), a review. In D.M. Sever (editor), *Reproductive biology and phylogeny of Urodela (Amphibia)*: 31–108. Enfield, NH: Science Publishers.
- Lataste, F. 1879. Étude sur le *Discoglossus pictus* Otth. *Actes de la Société Linnéenne de Bordeaux, Série 4*, 3: 275–342.
- Lathrop, A. 1997. Taxonomic review of the megophryid frogs (Anura: Pelobatoidea). *Asiatic Herpetological Research* 7: 68–79.
- Lathrop, A. 2003. Asian toadfrogs (Megophryidae). In W.E. Duellman (editor), *Grzimek's animal life encyclopedia*, 2nd ed. Vol. 6. Amphibians: 109–117. Detroit: Gale Group.
- Latreille, P.A. 1800. *Histoire naturelle des salamandres de France, précédée d'un tableau méthodique des autres reptiles indigènes*. Paris: Imprimerie de Crapelet.
- Latreille, P.A. 1825. *Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres*. Paris: J.B. Baillière.
- Laurent, R.F. 1941 “1940”. Contribution à l'ostéologie et à la systématique des ranides africains. Première note. *Revue de Zoologie et de Botanique Africaines* 34: 74–96.
- Laurent, R.F. 1941. Contribution à l'ostéologie et à la systématique des ranides africains. Deuxième note. *Revue de Zoologie et de Botanique Africaines* 34: 192–234.
- Laurent, R.F. 1942. Note sur les procoeliens firmisternes (Batrachia Anura). *Bulletin du Musée Royal d'Histoire Naturelle de Belgique* 18: 1–20.
- Laurent, R.F. 1943. Contribution à l'ostéologie et à la systématique des rhacophorides non africaines. *Bulletin du Musée Royal d'Histoire Naturelle de Belgique* 19: 1–16.
- Laurent, R.F. 1946. Mises au point dans la taxonomie des ranides. *Revue de Zoologie et de Botanique Africaines* 39: 336–338.
- Laurent, R.F. 1951. Sur la nécessité de supprimer la famille des Rhacophoridae mais de créer celle des Hyperoliidae. *Revue de Zoologie et de Botanique Africaines* 45: 116–122.
- Laurent, R.F. 1954. Remarques sur le genre *Schoutedenella*. *Annales du Musée Royal du Congo Belge. Nouvelle Série in Quarto. Sciences Zoologiques. Tervuren* 1: 34–40.
- Laurent, R.F. 1961. Notes on some South African amphibians. *Publications de l'Université de l'État à Elisabethville. Lubumbashi* 1: 197–209.
- Laurent, R.F. 1972. The morphology, systematics, and evolution of the Old World treefrogs (Rhacophoridae and Hyperoliidae) [Review]. *Copeia* 1972: 198–201.
- Laurent, R.F. 1973. The natural classification of the Arthroleptinae (Amphibia, Hyperoliidae). *Revue de Zoologie et de Botanique Africaines* 87: 666–678.

- Laurent, R.F. 1975. Biogéographie et liaisons intercontinentales au cours du Mésozoïque. Mémoires du Muséum National d'Histoire Naturelle. Paris. Série A, Zoologie 88: 176–191.
- Laurent, R.F. 1978. L'appareil hyoïdien des Astylosterninae et des Arthroleptinae (Amphibia). *Revue Zoologique Africaine* 92: 233–240.
- Laurent, R.F. 1980 “1979”. Esquisse d'une phylogénèse des anoures. *Bulletin de la Société Zoologique de France* 104: 397–422.
- Laurent, R.F. 1983. Heterogeneidad del género *Batrachophrynus* Peters (Leptodactylidae). *Acta Zoologica Lilloana* 37: 107–113.
- Laurent, R.F. 1984a. Heterogeneidad de la familia Caeciliidae (Amphibia-Apoda). *Acta Zoologica Lilloana* 37: 199–200.
- Laurent, R.F. 1984b. La phylogenese des Ranoidea et le cladisme. *Alytes* 3: 97–111.
- Laurent, R.F. 1986. Sous classe des lissamphibiens (Lissamphibia). In P. Grassé and M. Delsol (editors), *Traité de zoologie. Anatomie, systématique, biologie*, vol. 14. *Batrachiens*, fasc. 1-B: 594–797. Paris: Masson.
- Laurent, R.F. 1986 “1985”. Sur la classification et la nomenclature des amphibiens. *Alytes* 4: 119–120.
- Laurent, R.F., and M. Fabrezi. 1986 “1985”. Le carpe des Arthroleptinae. *Alytes* 4: 85–93.
- Laurenti, J.N. 1768. *Specimen medicum, exhibens synopsis reptilium emendatum cum experimentis circa venena et antidota Reptilium Austriacorum*. Wien.
- Laurin, M. 1998a. The importance of global parsimony and historical bias in understanding tetrapod evolution. Part I. Systematics, middle ear evolution and jaw suspension. *Annales des Sciences Naturelles. Zoologie et Biologie Animale*. Paris. Série 13, 1998: 1–42.
- Laurin, M. 1998b. The importance of global parsimony and historical bias in understanding tetrapod evolution. Part II. Vertebral centrum, costal ventilation, and pedomorphosis. *Annales des Sciences Naturelles. Zoologie et Biologie Animale*. Paris. Série 13, 1998: 99–114.
- Laurin, M. 1998c. A reevaluation of the origin of pentadactyly. *Evolution* 52: 1476–1482.
- Laurin, M. 2002. Tetrapod phylogeny, amphibian origins, and the definition of the name Tetrapoda. *Systematic Biology* 51: 364–369.
- Laurin, M., and R.R. Reisz. 1997. A new perspective on tetrapod phylogeny. In S.S. Sumida and K.L.M. Martin (editors), *Amniote origins: completing the transition to land*: 9–59. San Diego: Academic Press.
- Laurin, M., R.R. Reisz, and M. Girondot. 2000. Caecilian viviparity and amniote origins: a reply to Wilkinson and Nussbaum. *Journal of Natural History*. London 34: 311–315.
- Lavilla, E.O., and J.M. Cei. 2001. *Amphibians of Argentina. A second update, 1987–2000*. Museo Regionale di Scienze Naturali Monografia. Torino 28: 1–177.
- Lawson, D.P. 1993. The reptiles and amphibians of Korup National Park Project, Cameroon. *Herpetological Natural History* 1: 27–90.
- Lebedkina, N.S. 2004. Evolution of the amphibian skull. *Advances in Amphibian Research in the Former Soviet Union* 9: 1–265.
- Lescure, J., V. Marty, C. Marty, F. Starace, M.A. Thomay, and F. Letellier. 1995. Contribution à l'étude des amphibiens de Guyane française. X. Les *Phyllomedusa* (Anura, Hylidae). *Revue Française d'Aquariologie, Herpétologie* 22 35–50.
- Lescure, J., S. Renous, and J.-P. Gasc. 1986. Proposition d'une nouvelle classification des amphibiens gymnophiones. *Mémoires de la Société Zoologique de France* 43: 145–177.
- Leuckart, F.S. 1821. Einiges über die fischartigen Amphibien. *Isis von Oken* 9: 257–265.
- Li, W.-H., and Z.-Y. Wang. 1985. Karyotype of *Rana livida*. *Acta Herpetologica Sinica* 4: 56. [In Chinese with English abstract.]
- Licht, L.E. 2003. Shedding light on ultraviolet radiation and amphibian embryos. *BioScience* 53: 551–561.
- Liem, D.S.S. 1970. The morphology, systematics, and evolution of the Old World treefrogs (Rhacophoridae and Hyperoliidae). *Fieldiana. Zoology* 57: i–vii, 1–145.
- Linnaeus, C. 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*, 10th ed. Stockholm.
- Lips, K.R., P.A. Burrowes, J.R. Mendelson III, and G. Parra-Olea. 2005. Amphibian declines in Latin America: a synthesis. *Biotropica* 37: 222–228.
- Littlejohn, M.J. 1963. The breeding biology of the Baw Baw frog *Philoria frosti* Spencer. *Proceedings of the Linnaean Society of New South Wales* 88: 273–276.
- Liu, C.-C. 1950. Amphibians of western China. *Fieldiana. Zoology Memoires* 2: 1–397 + 10 pl.
- Liu, C.-C., and S. Hu. 1961. [Tailless amphibians of China.] Shanghai: Science Press. [In Chinese.]
- Liu, C.-C., and S. Hu. 1962. A herpetological report of Kwangsi. *Acta Zoologica Sinica* 14: 73–104. [In Chinese with English abstract and translations of descriptions.]
- Liu, W., A. Lathrop, J. Fu, D. Yang, and R.W. Murphy. 2000. Phylogeny of East Asian bufonids inferred from mitochondrial DNA sequenc-



- es (Anura: Amphibia). *Molecular Phylogenetics and Evolution* 14: 423–435.
- Loader, S.P., D.J. Gower, K.M. Howell, N. Doggart, M.-O. Rödel, R.O. de Sá, B.L. Cohen, and M. Wilkinson. 2004. Phylogenetic relationships of African microhylid frogs inferred from DNA sequences of mitochondrial 12S and 16S rRNA genes. *Organisms, Diversity & Evolution* 4: 227–235.
- Lombard, R.E., and S.S. Sumida. 1992. Recent progress in understanding early tetrapods. *American Zoologist* 32: 609–622.
- Lombard, R.E., and D.B. Wake. 1986. Tongue evolution in the lungless salamanders, family Plethodontidae IV. Phylogeny of plethodontid salamanders and the evolution of feeding dynamics. *Systematic Biology* 35: 532–551.
- Loveridge, A. 1957. Check list of the reptiles and amphibians of East Africa (Uganda; Kenya; Tanganyika; Zanzibar). *Bulletin of the Museum of Comparative Zoology* 117: 153–362.
- Löytynoja, A., and M.C. Milinkovitch. 2000. SOAP, cleaning multiple alignments from unstable blocks, version 1.0. *Bioinformatics* 17: 573–574.
- Löytynoja, A., and M.C. Milinkovitch. 2003. A hidden Markov model for progressive multiple alignments. *Bioinformatics* 19: 1505–1513.
- Lutz, B. 1954. Anfíbios anuros do Distrito Federal/The frogs of the Federal District of Brazil. *Memórias do Instituto Oswaldo Cruz. Rio de Janeiro* 52: 155–197 (Portuguese), 219–238 (English).
- Lutz, B. 1968. Taxonomy of the Neotropical Hyliidae. *Pearce-Sellards Series. Texas Memorial Museum* 11: 3–26.
- Lutz, B. 1969. Adaptações, especializações e linhagens nos anuros neotropicais. *Acta Zoologica Lilloana* 24: 267–292.
- Lynch, J.D. 1969. Program. Final Ph.D. examination. Department of Zoology, University of Kansas, Lawrence.
- Lynch, J.D. 1971. Evolutionary relationships, osteology, and zoogeography of leptodactylid frogs. *University of Kansas Museum of Natural History, Miscellaneous Publications* 53: 1–238.
- Lynch, J.D. 1972a. Generic partitioning of the South American leptodactylid frog genus *Eupsophus* Fitzinger, 1843 (*sensu lato*). *Bulletin of the Southern California Academy of Science* 71: 2–11.
- Lynch, J.D. 1972b. Two new species of frogs (*Eleutherodactylus*: Leptodactylidae) from the páramos of northern Ecuador. *Herpetologica* 28: 141–147.
- Lynch, J.D. 1973. The transition from archaic to advanced frogs. In J.L. Vial (editor), *Evolutionary biology of the anurans: contemporary research on major problems*: 133–182. Columbia: University of Missouri Press.
- Lynch, J.D. 1975. A review of the Andean leptodactylid frog genus *Phrynopus*. *Occasional Papers of the Museum of Natural History, University of Kansas* 35: 1–51.
- Lynch, J.D. 1976. The species groups of the South American frogs of the genus *Eleutherodactylus* (Leptodactylidae). *Occasional Papers of the Museum of Natural History, University of Kansas* 61: 1–24.
- Lynch, J.D. 1978a. A new eleutherodactylid frog from the Andes of northern Colombia. *Copeia* 1978: 17–21.
- Lynch, J.D. 1978b. A re-assessment of the telmatobiine leptodactylid frogs of Patagônia. *Occasional Papers of the Museum of Natural History, University of Kansas* 72: 1–57.
- Lynch, J.D. 1980. A new species of *Barycholos* from Estado Goiás, Brasil (Amphibia, Anura, Leptodactylidae) with remarks on related genera. *Bulletin du Museum National d'Histoire Naturelle. Paris. Section A, Zoologie, Biologie et Ecologie Animales* 2: 289–302.
- Lynch, J.D. 1982a. Two new species of poison-dart frogs (*Colostethus*) from Colombia. *Herpetologica* 38: 366–374.
- Lynch, J.D. 1982b. Relationships of the frogs of the genus *Ceratophrys* (Leptodactylidae) and their bearing on hypotheses of Pleistocene forest refugia in South America and punctuated equilibrium. *Systematic Zoology* 31: 166–179.
- Lynch, J.D. 1986. The definition of the Middle American clade of *Eleutherodactylus* based on jaw musculature (Amphibia: Leptodactylidae). *Herpetologica* 42: 248–258.
- Lynch, J.D. 1989. Intrageneric relationships of mainland *Eleutherodactylus* (Leptodactylidae). I. A review of the frogs assigned to the *Eleutherodactylus discoidalis* species group. *Milwaukee Public Museum Contributions in Biology and Geology* 79: 1–25.
- Lynch, J.D. 1994. A new species of high-altitude frog (*Eleutherodactylus*: Leptodactylidae) from the Cordillera Oriental of Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 19: 195–203.
- Lynch, J.D. 1996. The relationships of the Hispaniolan frogs of the subgenus *Pelorius* (*Eleutherodactylus*: Leptodactylidae). In R. Powell and R.W. Henderson (editors), *Contributions to West Indian herpetology: a tribute to Albert Schwartz*: 141–155. Contribution to Herpetology, no. 12. Ithaca, NY: Society for the Study of Amphibians and Reptiles.
- Lynch, J.D. 2000. The relationships of an ensemble of Guatemalan and Mexican frogs (*Eleutherodactylus*: Leptodactylidae: Amphibia). Re-

- vista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales 24: 129–156.
- Lynch, J.D., and W.E. Duellman. 1997. Frogs of the genus *Eleutherodactylus* in western Ecuador. Systematics, ecology, and biogeography. University of Kansas Natural History Museum, Special Publication 23: 1–236.
- Lynch, J.D., and H.L. Freeman. 1966. Systematic status of a South American frog, *Allophryne ruthveni* Gaige. University of Kansas Publications, Museum of Natural History 17: 493–502.
- Lynch, J.D., and R.W. McDiarmid. 1987. Two new species of *Eleutherodactylus* (Amphibia: Anura: Leptodactylidae) from Bolivia. Proceedings of the Biological Society of Washington 100: 337–346.
- Lynch, J.D., and P.M. Ruiz-Carranza. 1982. A new genus and species of poison-dart frog (Amphibia: Dendrobatidae) from the Andes of northern Colombia. Proceedings of the Biological Society of Washington 95: 557–562.
- Lynch, J.D., and P.M. Ruiz-Carranza. 1997. “1996”. A remarkable new centrolenid frog from Colombia with a review of nuptial excrescences in the family. Herpetologica 52: 525–535.
- Lynch, J.F., and D.B. Wake. 1978. A new species of *Chiropoterotriton* (Amphibia: Caudata) from Baja Verapaz, Guatemala, with comments on relationships among Central American members of the genus. Natural History Museum of Los Angeles County Contributions in Science 294: 1–22.
- Lynch, J.F., D.B. Wake, and S.-Y. Yang. 1983. Genic and morphological differentiation in Mexican *Pseudoeurycea* (Caudata: Plethodontidae). Copeia 1983: 884–894.
- Macey, J.R., J.L. Strasburg, J.A. Brisson, V.T. Vredenburg, M. Jennings, and A. Larson. 2001. Molecular phylogenetics of western North American frogs of the *Rana boylei* species group. Molecular Phylogenetics and Evolution 19: 131–143.
- Macey, J.R. 2005. Plethodontid salamander mitochondrial genomics: a parsimony evaluation of character conflict and implications for historical biogeography. Cladistics 21: 194–202.
- Maglia, A.M. 1998. Phylogenetic relationships of extant pelobatoid frogs (Anura: Pelobatoidea): evidence from adult morphology. Scientific Papers. Natural History Museum, University of Kansas 10: 1–19.
- Maglia, A.M., L.A. Pugener, and L. Trueb. 2001. Comparative development of anurans: using phylogeny to understand ontogeny. American Zoologist 41: 538–551.
- Mahoney, M.J. 2001. Molecular systematics of *Plethodon* and *Aneides* (Caudata: Plethodontidae: Plethodontini): phylogenetic analysis of an old and rapid radiation. Molecular Phylogenetics and Evolution 18: 174–188.
- Maienschein, J. 1994. Cutting edges cut both ways. Biology and Philosophy 9: 1–24.
- Mannen, H., and S.S.-L. Li. 1999. Molecular evidence for a clade of turtles. Molecular Phylogenetics and Evolution 13: 144–148.
- Manzano, A.S., and E.O. Lavilla. 1995. Myological peculiarities in *Rhinoderma darwini* (Anura: Rhinodermatidae). Journal of Morphology 224: 125–129.
- Manzano, A.S., S.A. Moro, and V. Abdala. 2003. The depressor mandibulae muscle in Anura. Alytes 20: 93–131.
- Marmayou, J., A. Dubois, A. Ohler, E. Pasquet, and A. Tillier. 2000. Phylogenetic relationships in the Ranidae (Amphibia, Anura). Independent origin of direct development in the genera *Phyllautus* and *Taylorana*. Comptes Rendus de l'Académie des Sciences. Series 3, Life Sciences Paris 323: 287–297.
- Martin, A.A. 1967. Australian anuran life histories: some evolutionary and ecological aspects. In A.H. Weatherly (editor), Australian inland waters and their fauna: eleven studies: 175–191. Canberra: Australian National University Press.
- Martin, R.F. 1972. Evidence from osteology. In W.F. Blair (editor), Evolution in the genus *Bufo*: 37–70. Austin: University of Texas Press.
- Martin, W.F. 1972. Evolution of vocalization in the genus *Bufo*. In W.F. Blair (editor), Evolution in the genus *Bufo*: 279–309. Austin: University of Texas Press.
- Matsui, M. 1994. A taxonomic study of the *Rana narina* complex, with description of three new species (Amphibia: Ranidae). Zoological Journal of the Linnean Society. London 111: 385–415.
- Matsui, M., and N.L. Orlov. 2004. A new species of *Chirixalus* from Vietnam (Anura: Rhacophoridae). Zoological Science. Tokyo 21: 671–676.
- Matsui, M., H. Ota, M.W.-N. Lau, and A. Boga-dek. 1995. Cytotaxonomic studies of three ranid species (Amphibia: Anura) from Hong Kong. Japanese Journal of Herpetology/ Hachu-Ryoseirugaku Zasshi 16: 12–17.
- Matsui, M., T. Shimada, H. Ota, and T. Tanaka-Ueno. 2005. Multiple invasions of the Ryukyu Archipelago by Oriental frogs of the subgenus *Odorrana* with phylogenetic reassessment of the related subgenera of the genus *Rana*. Molecular Phylogenetics and Evolution 37: 733–742. [Seen as an electronic/pdf preprint available from the publisher.]
- Maxson, L.R., R. Highton, and D.B. Wake. 1979.

- Albumin evolution and its phylogenetic implications in the plethodontid salamander genera *Plethodon* and *Ensatina*. *Copeia* 1979: 502–508.
- Maxson, L.R., D.P. Ondrula, and M.J. Tyler. 1985. An immunological perspective on evolutionary relationships in Australian frogs of the hylid genus *Cyclorana*. *Australian Journal of Zoology* 33: 17–22.
- Maxson, L.R., and D.B. Wake. 1981. Albumin evolution and its phylogenetic implications in the plethodontid salamander genera *Pseudoeurycea* and *Chiropterotriton*. *Herpetologica* 37: 109–117.
- Mayer, A.F.J.K. 1849. System des Thier-Reiches oder Eintheilung der Thiere nach einem Princip, entworfen. Verhandlungen des Naturhistorischen Vereines der Preussischen Rheinlande 6: 177–210.
- McDiarmid, R.W., and R.I. Altig. 1999. Research materials and techniques. In R.W. McDiarmid and R. Altig (editors), *Tadpoles: the biology of anuran larvae*: 7–23. Chicago: University of Chicago Press.
- McDiarmid, R.W., and S.J. Gorzula. 1989. Aspects of the reproductive ecology and behavior of the tepui toads, genus *Oreophrynella* (Anura, Bufonidae). *Copeia* 1989: 445–451.
- McGowan, G.J., and S.E. Evans. 1995. Albanerpetontid amphibians from the Cretaceous of Spain. *Nature*. London 373: 143–145.
- Meegaskumbura, M., F. Bossuyt, R. Pethiyagoda, K. Manamendra-Arachchi, M. Bahir, M.C. Milinkovitch, and C.J. Schneider. 2002. Sri Lanka: an amphibian hot spot. *Science* 298: 379.
- Meinhardt, D.J., and J.R. Parmalee. 1996. A new species of *Colostethus* (Anura: Dendrobatidae) from Venezuela. *Herpetologica* 52: 70–77.
- Mendelson, J.R., III, H.R. da Silva, and A.M. Maglia. 2000. Phylogenetic relationships among marsupial frog genera (Anura: Hylidae: Hemiphractinae) based on evidence from morphology and natural history. *Zoological Journal of the Linnean Society*. London 128: 125–148.
- Merrem, B. 1820. Versuch eines Systems der Amphibien/ Tentamen systematis amphibiorum. Marburg: Johann Christian Krieger.
- Milner, A.R. 1988. The relationships and origin of the living amphibians. In M.J. Benton (editor), *The phylogeny and classification of the tetrapods*, vol. 1. Amphibians, reptiles, birds: 59–102. Systematics Association Special Volume 23. New York: Academic Press.
- Milner, A.R. 1993. The Paleozoic relatives of lissamphibians. *Herpetological Monographs* 7: 8–27.
- Milner, A.R. 1994. Late Triassic and Jurassic amphibians: fossil record and phylogeny. In N.C. Fraser and H.-D. Sues (editors), *In the shadow of the dinosaurs*: 5–23. New York: Cambridge University Press.
- Milner, A.R. 2000. Mesozoic and Tertiary Caudata and Albanerpetontidae. In H. Heatwole and R.L. Carroll (editors), *Amphibian biology*, vol. 4. Paleontology, the evolutionary history of amphibians: 1412–1444. Chipping Norton, Australia: Surrey Beatty.
- Min, M.-S., S.-Y. Yang, R.M. Bonett, D.R. Vieites, R.A. Brandon, and D.B. Wake. 2005. Discovery of the first Asian plethodontid salamander. *Nature*. London 435: 87–90.
- Miranda-Ribeiro, A., de. 1923. Os hylodideos do Museu Paulista. *Revista do Museu Paulista*. São Paulo 13: 825–846 (reprint pages 3–24).
- Miranda-Ribeiro, A., de. 1926. Notas para servir ao estudo dos Gymnobatrachios (Anura) brasileiros. *Arquivos do Museu Nacional do Rio de Janeiro* 27: 1–227.
- Mivart, S.G. 1869. On the classification of the anurous batrachians. *Proceedings of the Zoological Society of London* 1869: 280–295.
- Mookerjee, H.K. 1931. On the development of the vertebral column of Anura. *Philosophical Transactions of the Royal Society of London* 219: 165–196.
- Morrison, D.A., and J.T. Ellis. 1997. Effects of nucleotide sequence alignment on phylogeny estimation: a case study of 18S rDNAs of Apicomplexa. *Molecular Biology and Evolution* 14: 428–441.
- Mueller, R.L., J.R. Macey, M. Jaekel, D.B. Wake, and J.L. Boore. 2004. Morphological homoplasy, life history evolution, and historical biogeography of plethodontid salamanders inferred from complete mitochondrial genomes. *Proceedings of the National Academy of Sciences of the United States of America* 101: 13820–13825.
- Müller, H., G.J. Measey, and P.K. Malonza. 2005. Tadpole of *Bufo taitanus* (Anura: Bufonidae) with notes on its systematic significance and life history. *Journal of Herpetology* 39: 138–141.
- Müller, J. 1831. An einer jungen *Coecilia hypocyanea* im Museum der Naturgeschichte. *Isis von Oken* 1831: 710–711.
- Müller, J. 1832. Beiträge zur Anatomie und Naturgeschichte der Amphibien. I. Ueber die natürliche Eintheilung der Amphibien. *Zeitschrift für Physiologie* 4: 190–275, pl. 18–22.
- Müller, K. 2004. PRAP—computation of Bremer support for large data sets. *Molecular Phylogenetics and Evolution* 31: 780–782.
- Myers, C.W. 1982. Spotted poison frogs: descriptions of three new *Dendrobates* from western Amazonia, and resurrection of a lost species

- from "Chiriqui". American Museum Novitates 2721: 1–23.
- Myers, C.W. 1987. New generic names for some Neotropical poison frogs (Dendrobatidae). Papéis Avulsos de Zoologia. São Paulo 36: 301–306.
- Myers, C.W., and P.A. Burrowes. 1987. A new poison frog (*Dendrobates*) from Andean Colombia, with notes on a lowland relative. American Museum Novitates 2899: 1–17.
- Myers, C.W., J.W. Daly, and B. Malkin. 1978. A dangerously toxic new frog (*Phyllobates*) used by Emberá indians of western Colombia, with discussion of blowgun fabrication and dart poisoning. Bulletin of the American Museum of Natural History 161: 307–366.
- Myers, C.W., and L.S. Ford. 1986. On *Atopophrynus*, a recently described frog wrongly assigned to the Dendrobatidae. American Museum Novitates 2843: 1–15.
- Myers, C.W., A. Paolillo O., and J.W. Daly. 1991. Discovery of a defensively malodorous and nocturnal frog in the family Dendrobatidae: phylogenetic significance of a new genus and species from the Venezuelan Andes. American Museum Novitates 3002: 1–33.
- Nascimento, L.B., U. Caramaschi, and C.A.G. Cruz. 2005. Taxonomic review of the species group of the genus *Physalameus* Fitzinger, 1826 with revalidation of the genera *Engystomops* Jimenez de la Espada, 1872 and *Eupemphix* Steindachner, 1836 (Amphibia, Anura, Leptodactylidae). Arquivos do Museu Nacional do Rio de Janeiro 63: 297–320.
- Nicholls, G.E. 1916. The structure of the vertebral column in the Anura Phaneroglossa and its importance as a basis of classification. Proceedings of the Linnaean Society of London 128: 80–92.
- Niklas, K.J. 2001. Taxing debate for taxonomists. Science 292: 2249–2250.
- Nixon, K.C. 1999. The parsimony ratchet, a new method for rapid parsimony analysis. Cladistics 15: 407–414.
- Nixon, K.C. 1999–2002. WinClada. Version 1.0. Ithaca, New York: Computer software distributed by the author.
- Nixon, K.C., and J.M. Carpenter. 2000. On the other "phylogenetic systematics". Cladistics 16: 298–318.
- Nixon, K.C., J.M. Carpenter, and D.W. Stevenson. 2003. The PhyloCode is fatally flawed and the "Linnaean" system can be easily fixed. Botanical Review 69: 111–120.
- Noble, G.K. 1924. A new spadefoot toad from the Oligocene of Mongolia with a summary of the evolution of the Pelobatidae. American Museum Novitates 132: 1–15.
- Noble, G.K. 1926. The pectoral girdle of the brachycephalid frogs. American Museum Novitates 230: 1–14.
- Noble, G.K. 1927. The value of life history data in the study of the evolution of the Amphibia. Annals of the New York Academy of Sciences 30: 31–128.
- Noble, G.K. 1929. The adaptive modifications of the arboreal tadpoles of *Hoplophryne* and the torrent tadpoles of *Staurois*. Bulletin of the American Museum of Natural History 58: 291–334.
- Noble, G.K. 1931. The biology of the Amphibia. New York: McGraw-Hill.
- Noble, G.K., and P.G. Putnam. 1931. Observations on the life history of *Ascapheus truei* Stejneger. Copeia 1931: 97–101.
- Nussbaum, R.A. 1976. Geographic variation and systematics of salamanders of the genus *Dicamptodon* Strauch (Ambystomatidae). Miscellaneous Publications. Museum of Zoology, University of Michigan 149: 1–94.
- Nussbaum, R.A. 1977. Rhinatrematidae: a new family of caecilians (Amphibia: Gymnophiona). Occasional Papers of the Museum of Zoology, University of Michigan 682: 1–30.
- Nussbaum, R.A. 1979. The taxonomic status of the caecilian genus *Uraeotyphlus* Peters. Occasional Papers of the Museum of Zoology, University of Michigan 687: 1–20.
- Nussbaum, R.A. 1980. Phylogenetic implications of amplexic behavior in sooglossid frogs. Herpetologica 36: 1–5.
- Nussbaum, R.A. 1982. Heterotopic bones in the hindlimbs of frogs of the families Pipidae, Ranidae and Sooglossidae. Herpetologica 38: 312–320.
- Nussbaum, R.A., A.P. Jaslow, and J. Watson. 1982. Vocalization in frogs of the family Sooglossidae. Journal of Herpetology 16: 198–203.
- Nussbaum, R.A., and M. Wilkinson. 1989. On the classification and phylogeny of caecilians (Amphibia: Gymnophiona), a critical review. Herpetological Monographs 3: 1–42.
- Nussbaum, R.A., and M. Wilkinson. 1995. A new genus of lungless tetrapod: a radically divergent caecilian (Amphibia: Gymnophiona). Proceedings of the Royal Society of London. Series B, Biological Sciences 261: 331–335.
- Ohler, A., S.R. Swan, and J.C. Daltry. 2002. A recent survey of the amphibian fauna of the Cardamom Mountains, Southwest Cambodia with descriptions of three new species. Raffles Bulletin of Zoology. Singapore 50: 465–481.
- Okada, Y. 1966. Fauna Japonica. Anura (Amphibia). Tokyo: Biogeographical Society of Japan.
- Olsson, L., and J. Hanken. 1996. Cranial neural-crest migration and chondrogenic fate in the



- oriental fire-bellied toad *Bombina orientalis*: defining the ancestral pattern of head development in anuran amphibians. *Journal of Morphology* 299: 105–120.
- Oppel, M. 1810. Second memoire sur las classification des reptiles. *Annales du Muséum d'Histoire Naturelle* 16: 394–418.
- Orlov, N.L., L.N. Ngat, and T.C. Ho. 2003. A new species of cascade frog from North Vietnam (Ranidae, Anura). *Russian Journal of Herpetology* 10: 123–134.
- Orton, G.L. 1949. Larval development of *Nectophrynoides tornieri* (Roux), with comments on direct development in frogs. *Annals of the Carnegie Museum* 31: 257–274.
- Orton, G.L. 1953. The systematics of vertebrate larvae. *Systematic Zoology* 2: 63–75.
- Orton, G.L. 1957. The bearing of larval evolution on some problems in frog classification. *Systematic Zoology* 6: 79–86.
- Page, L.M., H.L. Bart, Jr., R. Beaman, L. Bohs, L.T. Deck, V.A. Funk, D. Lipscomb, M.A. Mares, L.A. Prather, J. Stevenson, Q.D. Wheeler, J.B. Wooley, and D.W. Stevenson. 2005. LINNE: legacy infrastructure network for natural environments. Champaign, IL: Illinois Natural History Survey.
- Palma, R.E., and A.E. Spotorno. 1999. Molecular systematics of marsupials based on the rRNA 12S mitochondrial gene: the phylogeny of didelphimorphia and the living fossil microbiotheriid *Dromiciops gliroides* Thomas. *Molecular Phylogenetics and Evolution* 13: 525–535.
- Palumbi, S.R., A. Martin, S. Romano, W.O. McMillan, L. Stice, and G. Grabawski. 1991. The simple fool's guide to PCR, version 2.0. University of Hawaii, Honolulu: Privately published, compiled by S. Palumbi.
- Papavero, N., J. Llorente-Bousquets, and J.M. Abe. 2001. Proposal of a new system of nomenclature for phylogenetic systematics. *Arquivos de Zoologia. São Paulo* 36: 1–145.
- Parker, H.W. 1934. A monograph of the frogs of the family Microhylidae. London: Trustees of the British Museum.
- Parker, H.W. 1940. The Australasian frogs of the family Leptodactylidae. *Novitates Zoologicae. Tring* 42: 1–106.
- Parra-Olea, G. 2002. Molecular phylogenetic relationships of Neotropical salamanders of the genus *Pseudoeurycea*. *Molecular Phylogenetics and Evolution* 22: 234–246.
- Parra-Olea, G., M. García-París, and D.B. Wake. 2002. Phylogenetic relationships among the salamanders of the *Bolitoglossa macrinii* species group (Amphibia: Plethodontidae), with descriptions of two new species from Oaxaca (Mexico). *Journal of Herpetology* 36: 356–366.
- Parra-Olea, G., M. García-París, and D.B. Wake. 2004. Molecular diversification of salamanders of the tropical American genus *Bolitoglossa* (Caudata: Plethodontidae) and its evolutionary and biogeographical implications. *Biological Journal of the Linnean Society* 81: 325–346.
- Parra-Olea, G., and D.B. Wake. 2001. Extreme morphological and ecological homoplasy in tropical salamanders. *Proceedings of the National Academy of Sciences of the United States of America* 98: 7888–7891.
- Parsons, T.S., and E.E. Williams. 1963. The relationships of the modern Amphibia: a re-examination. *Quarterly Review of Biology* 38: 26–53.
- Passmore, N.I., and V.C. Carruthers. 1979. South African frogs. Johannesburg: Witwatersrand University Press.
- Patterson, C., and D.E. Rosen. 1977. Review of the ichthyodectiform and other Mesozoic teleost fishes and the theory and practice of classifying fossils. *Bulletin of the American Museum of Natural History* 158: 85–172.
- Pauly, G.B., D.M. Hillis, and D.C. Cannatella. 2004. The history of Nearctic colonization: molecular phylogenetics and biogeography of the Nearctic toads (*Bufo*). *Evolution* 58: 2517–2535.
- Peixoto, O.L. 1995. Associação de anuros a bromeliáceas na mata Atlântica. *Revista de Universidade Federal Rural do Rio de Janeiro. Série Ciências da Vida* 17: 75–83.
- Pennisi, E. 2001. Linnaeus's last stand? *Science* 291: 2304–2307.
- Perret, J.-L. 1966. Les amphibiens du Cameroun. *Zoologische Jahrbücher. Abteilung für Systematik, Ökologie und Geographie. Jena* 93: 289–464.
- Perret, J.-L. 1977. Les *Hylarana* (amphibiens, ranidés) du Cameroun. *Revue Suisse de Zoologie* 84: 841–868.
- Perret, J.-L. 1984. Identification des syntypes de *Petropedetes obscurus* Ahl, 1924 (Amphibia, Phrynobatrachinae), conservés au muséum de Berlin. *Bulletin de la Société Neuchâteloise des Sciences Naturelles* 107: 167–170.
- Peters, W.C.H. 1862. Über die Batrachier-Gattung *Hemiphractus*. *Monatsberichte der Königlichen Preussische Akademie des Wissenschaften zu Berlin* 1862: 144–152.
- Philippe, H. 1993. MUST: management utilities for sequences and trees. *Nucleic Acids Research* 21: 5264–5272.
- Phillips, A., D. Janies, and W.C. Wheeler. 2000. Multiple sequence alignment in phylogenetic analysis. *Molecular Phylogenetics and Evolution* 16: 317–330.
- Pickett, K.M. 2005. The new and improved

- PhyloCode, now with types, ranks, and even polyphyly: a conference report from the First International Phylogenetic Nomenclature Meeting. *Cladistics* 21: 79–82.
- Platnick, N.I. 1977. Cladograms, phylogenetic trees, and hypothesis testing. *Systematic Zoology* 26: 438–443.
- Pombal, J.P., Jr. 1999. Oviposição e desenvolvimento de *Brachycephalus ephippium* (Spix) (Anura, Brachycephalidae). *Revista Brasileira de Zoologia* 16: 967–976.
- Pombal, J.P., Jr., and C.F.B. Haddad. 1999. Frogs of the genus *Paratelmatobius* (Anura: Leptodactylidae) with descriptions of two new species. *Copeia* 1999: 1014–1026.
- Pope, C.H. 1931. Notes on amphibians from Fukien, Hainan and other parts of China. *Bulletin of the American Museum of Natural History* 61: 397–611.
- Posada, D., and K.A. Crandall. 1998. Modeltest: testing the model of DNA substitution. *Bioinformatics* 14: 817–818.
- Post, T.J., and T. Uzzell. 1981. The relationships of *Rana sylvatica* and the monophyly of the *Rana boylii* group. *Systematic Zoology* 30: 170–180.
- Poynton, J.C. 1964a. Amphibia of southern Africa: a faunal study. *Annals of the Natal Museum* 17: 1–334.
- Poynton, J.C. 1964b. Amphibia of the Nyasa-Luangwa region of Africa. *Senckenbergiana Biologica* 45: 193–225.
- Poynton, J.C. 1976. Classification and the Arthroleptinae. *Revue Zoologique Africaine* 90: 215–220.
- Poynton, J.C. 2003. *Arthroleptis troglodytes* and the content of *Schoutedenella* (Amphibia: Anura: Arthroleptidae). *African Journal of Herpetology* 52: 49–51.
- Poynton, J.C., and D.G. Broadley. 1967. A new species of *Probreviceps* (Amphibia) from Rhodesia. *Arnoldia. Zimbabwe* 3: 1–3.
- Poynton, J.C., and D.G. Broadley. 1985. Amphibia Zambesiaca 2. Ranidae. *Annals of the Natal Museum* 27: 115–181.
- Poynton, J.C., and D.G. Broadley. 1988. Amphibia Zambesiaca, 4. Bufonidae. *Annals of the Natal Museum* 29: 447–490.
- Pramuk, J.B. 2000. Prenasal bones and snout morphology in West Indian bufonids and the *Bufo granulatus* species group. *Journal of Herpetology* 34: 334–340.
- Pramuk, J.B. 2002. Combined evidence and cladistic relationships of West Indian toads (Anura: Bufonidae). *Herpetological Monographs* 16: 121–151.
- Pramuk, J.B., C.A. Hass, and S.B. Hedges. 2001. Molecular phylogeny and biogeography of West Indian toads (Anura: Bufonidae). *Molecular Phylogenetics and Evolution* 20: 294–301.
- Pramuk, J.B., and J.R. Mendelson, III. 2003. *Anaxyrus melanochochicus* Tschudi: synonym of the Mexican taxon *Bufo compactilis* Wiegmann (Anura: Bufonidae). *Southwestern Naturalist* 48: 676–680.
- Pregill, G.K. 1981. Cranial morphology and the evolution of West Indian toads: resurrection of the genus *Peltophryne* (Fitzinger). *Copeia* 1981: 273–285.
- Procter, J.B. 1925. Notes on the nests of some African frogs. *Proceedings of the Zoological Society of London* 1925: 909–910.
- Pugener, L.A., A.M. Maglia, and L. Trueb. 2003. Revisiting the contribution of larval characters to an analysis of phylogenetic relationships of basal anurans. *Zoological Journal of the Linnean Society. London* 139: 129–155.
- Pusey, H.K. 1943. On the head of the liopelmid frog, *Ascaphus truei* I. The chondrocranium, jaws, arches, and muscles of a partly grown larva. *Quarterly Journal of Microscopical Science* 84: 106–185.
- Pyburn, W.F. 1970. Breeding behavior of the leaf-frogs *Phyllomedusa callidryas* and *Phyllomedusa dacnicolor* in Mexico. *Copeia* 1970: 209–218.
- Pytel, B.A. 1986. Biochemical systematics of the eastern North American frogs of the genus *Rana*. *Herpetologica* 42: 273–282.
- Rabb, G.B. 1960. On the unique sound production of the Surinam toad, *Pipa pipa*. *Copeia* 1960: 368–369.
- Rafinesque, C.S. 1814. Fine del prodomo d'erpetologia siciliana. *Specchio delle Scienze, o, Giornale Enciclopedico di Sicilia* 2: 102–104.
- Rafinesque, C.S. 1815. Analyse de nature, ou tableau de l'univers et des corps organisés. Palermo: Jean Barravecchia.
- Rambaut, A. 1995. Se-Al. Sequence alignment editor, version 1.d1. University of Oxford, U.K.: Computer software distributed by the author.
- Rao, C.R.N. 1920. Some South Indian batrachians. *Journal of the Bombay Natural History Society* 27: 119–127.
- Read, K., J.S. Keogh, I.A. Scott, J.D. Roberts, and P. Doughty. 2001. Molecular phylogeny of the Australian frog genera *Crinia*, *Geocrinia*, and allied taxa (Anura: Myobatrachidae). *Molecular Phylogenetics and Evolution* 21: 294–308.
- Regal, P.J. 1966. Feeding specializations and the classification of terrestrial salamanders. *Evolution* 20: 392–407.
- Reig, O.A. 1958. Proposiciones para una nueva

- macrosistemática de los anuros (nota preliminar). *Physis*. Buenos Aires 21: 109–118.
- Reig, O.A. 1960. Las relaciones genéricas del anuro chileno *Calyptocephalella gayi* (Dum. & Bibr.). In *Actas y trabajos del Primer Congreso Sudamericano de Zoología* (La Plata, 12–24 Octubre 1959), vol. 4: 113–147. La Plata: Comisión de Investigación Científica de la Provincia de Buenos Aires y Consejo Nacional de Investigaciones Científicas y Técnicas.
- Reig, O.A. 1972. *Macrogenioglottus* and the South American bufonid toads. In W.F. Blair (editor), *Evolution in the genus Bufo*: 14–36. Austin: University of Texas Press.
- Richards, C.M., and W.S. Moore. 1996. A phylogeny for the African treefrog family Hyperoliidae based on mitochondrial rDNA. *Molecular Phylogenetics and Evolution* 5: 522–532.
- Richards, C.M., and W.S. Moore. 1998. A molecular phylogenetic study of the Old World treefrog family Rhacophoridae. *Herpetological Journal*. London 8: 41–46.
- Richards, C.M., R.A. Nussbaum, and C.J. Raxworthy. 2000. Phylogenetic relationships within the Madagascan boophids and mantellids as elucidated by mitochondrial ribosomal genes. *African Journal of Herpetology* 49: 23–32.
- Rieppel, O., and M. de Braga. 1996. Turtles as diapsid reptiles. *Nature*. London 384: 453–455.
- Risch, J.-P. 1985. The Himalayan salamander and its relatives: a short review of the Pleurodelinae (Amphibia, Caudata, Salamandridae). *Journal of the Bengal Natural History Society*. New Series 4: 139–143.
- Ritgen, F.A. 1828. Versuch einer natürlichen Eintheilung der Amphibien. *Nova Acta Physico-medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum*. Halle 14: 277, 278.
- Ritland, R.M. 1955. Studies on the post-cranial morphology of *Ascaphus truei*. II. *Journal of Morphology* 97: 215–282.
- Roček, Z. 1981 “1980”. Cranial anatomy of frogs of the family Pelobatidae Stannius, 1856, with outlines of their phylogeny and systematics. *Acta Universitatis Carolinae. Biologica*. Prague 1980: 1–160.
- Roček, Z. 1989. Developmental pattern of the ethmoidal region of the anuran skull. In H. Splechna (editor), *Trends in vertebrate morphology*: 412–515. Stuttgart: G. Fischer.
- Roček, Z. 1990. Ethmoidal endocranial structures in primitive tetrapods: their bearing on the search for anuran ancestry. *Zoological Journal of the Linnean Society*. London 99: 389–407.
- Roček, Z., and M. Vesely. 1989. Development of the ethmoidal structures of the endocranium in the anuran *Pipa pipa*. *Journal of Morphology* 200: 300–319.
- Rödel, M.-O., J. Kosuch, M. Veith, and R. Ernst. 2003. First record of the genus *Acanthixalus* Laurent, 1944 from the upper Guinean rain forest, West Africa, with the description of a new species. *Journal of Herpetology* 37: 43–52.
- Rodman, J.E., and J.H. Cody. 2003. The taxonomic impediment overcome: NSF's Partnerships for Enhancing Expertise in Taxonomy (PEET) as a model. *Systematic Biology* 52: 428–435.
- Roelants, K., and F. Bossuyt. 2005. Archaeobatrachian paraphyly and Pangaean diversification of crown-group frogs. *Systematic Biology* 54: 111–126.
- Roelants, K., J. Jiang, and F. Bossuyt. 2004. Endemic ranid (Amphibia: Anura) genera in southern mountain ranges of the Indian subcontinent represent ancient frog lineages: evidence from the molecular data. *Molecular Phylogenetics and Evolution* 31: 730–740.
- Romer, A.S. 1933. *Vertebrate paleontology*. Chicago: University of Chicago Press.
- Romer, A.S. 1945. *Vertebrate paleontology*, 2nd ed. Chicago: University of Chicago Press.
- Ruiz-Carranza, P.M., and J.D. Lynch. 1991a. Ranas Centrolenidae de Colombia I. Propuesta de una nueva clasificación generica. *Lozania* 57: 1–30.
- Ruiz-Carranza, P.M., and J.D. Lynch. 1991b. Ranas Centrolenidae de Colombia II. Nuevas especies de *Centrolene* de la Cordillera Oriental y Sierra Nevada de Santa Marta. *Lozania* 58: 1–26.
- Ruiz-Carranza, P.M., and J.D. Lynch. 1998. Ranas Centrolenidae de Colombia XI. Nuevas especies de ranas cristal del género *Hyalinobatrachium*. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 22: 571–586.
- Ruta, M., M.I. Coates, and D.L.J. Quicke. 2003. Early tetrapod relationships revisited. *Biological Reviews of the Cambridge Philosophical Society* 78: 251–345.
- Ruvinsky, I., and L.R. Maxson. 1996. Phylogenetic relationships among bufonoid frogs (Anura: Neobatrachia) inferred from mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution* 5: 533–547.
- Saint-Aubain, M.L., de. 1981. Amphibian limb ontogeny and its bearing on the phylogeny of the group. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 19: 175–194.
- Salthe, S.N. 1967. The courtship patterns and the phylogeny of the urodeles. *Copeia* 1967: 100–117.
- Sanchíz, F.B. 1984. Análisis filogenético de la tribu Alytini (Anura, Discoglossidae) mediante el

- estudio de su morfoestructura ósea. In H. Hemmer and J.A. Alcover (editors), *Història bioògica del ferreret* (Life history of the Mallorcan midwife toad): 61–108. Mallorca, Spain: Editorial Moll.
- Sanchíz, F.B. 1998. Encyclopedia of paleoherpetology, vol. 4. Salientia. München: Dr. Friedrich Pfeil.
- Sanchíz, F.B., and I. de la Riva. 1993. Remarks on the tarsus of centrolenid frogs (Amphibia, Anura). *Graellsia* 49: 115–117.
- Sankoff, D. 1975. Minimal mutation trees of sequences. *SIAM Journal on Applied Mathematics* 28: 35–42.
- Sankoff, D., R.J. Cedergren, and G. Lapalme. 1976. Frequency of insertion-deletion, transversion, and transition in evolution of 5S ribosomal RNA. *Journal of Molecular Evolution* 7: 133–149.
- San Mauro, D., D.J. Gower, O.V. Oommen, M. Wilkinson, and R. Zardoya. 2004. Phylogeny of caecilian amphibians (Gymnophiona) based on complete mitochondrial genomes and nuclear RAG1. *Molecular Phylogenetics and Evolution* 33: 413–427.
- San Mauro, D., M. Vences, M. Alcobendas, R. Zardoya, and A. Meyer. 2005. Initial diversification of living amphibians predated the breakup of Pangaea. *American Naturalist* 165: 590–599.
- Santos, J.C., L.A. Coloma, and D.C. Cannatella. 2003. Multiple, recurring origins of aposematism and diet specialization in poison frogs. *Proceedings of the National Academy of Sciences of the United States of America* 100: 12792–12797.
- Sarasin, P., and F. Sarasin. 1890. Zur Entwicklungsgeschichte und Anatomie der ceylonischen Blindwuehle, *Ichthyophis glutinosus* (*Epicrion glutinosum* Aut.). *Ergebnisse naturwissenschaftlicher Forschungen auf Ceylon in den Jahren 1884–86*. Vol. II. Heft 4. Wiesbaden: C.W. Kreidel.
- Savage, J.M. 1973. The geographic distribution of frogs: patterns and predictions. In J.L. Vial (editor), *Evolutionary biology of the anurans: contemporary research on major problems*: 351–445. Columbia: University of Missouri Press.
- Savage, J.M. 1987. Systematics and distribution of the Mexican and Central American rainfrogs of the *Eleutherodactylus gollmeri* group (Amphibia: Leptodactylidae). *Fieldiana. Zoology. New Series* 33: 1–57.
- Savage, J.M., and C.W. Myers. 2002. Frogs of the *Eleutherodactylus biporcatus* group (Leptodactylidae) of Central America and northern South America, including rediscovered, resurrected, and new taxa. *American Museum Novitates* 3357: 1–48.
- Schäuble, C.S., C. Moritz, and R.W. Slade. 2000. A molecular phylogeny for the frog genus *Limnodynastes* (Anura: Myobatrachidae). *Molecular Phylogenetics and Evolution* 16: 379–391.
- Scheel, J.J. 1970. Notes on the biology of the African tree-toad, *Nectophryne afra* Buchholz & Peters, 1875 (Bufonidae, Anura) from Fernando Poo. *Revue de Zoologie et de Botanique Africaines* 81: 225–236.
- Scheltinga, D.M., B.G.M. Jamieson, D.P. Bickford, A.A. Garda, S.N. Bao, and K.R. McDonald. 2002. Morphology of the spermatozoa of the Microhylidae (Anura, Amphibia). *Acta Zoologica. Stockholm* 83: 263–275.
- Schmidt, K.P., and R.F. Inger. 1959. Amphibians exclusive of the genera *Afraxalus* and *Hyperolius*. *Exploration du Parc National de l'Upemba*. Mission G.F. de Witte, en Collaboration avec W. Adam, A. Janssens, L. van Meel et R. Verheyen (1946–1949) 56: 1–264.
- Schoch, R.R., and A.R. Milner. 2004. Structure and implications of theories on the origins of lissamphibians. In G. Arratia, M.V. Wilson, and R. Cloutier (editors), *Recent advances in the origin and early radiation of vertebrates*: 345–377. München: Pfeil.
- Scholz, K.P. 1995. Zur Stammesgeschichte der Salamandridae Gray, 1825. eine kladistische Analyse anhand von Merkmalen aus Morphologie und Balzverhalten. *Acta Biologica Benrodis* 7: 25–75.
- Schuh, R.T. 2003. The Linnaean system and its 250-year persistence. *Botanical Review* 69: 59–79.
- Schulte, R. 1989. Nueva especie de rana venenosa del genero *Epipedobates* registrada en la Cordillera Oriental, Departamento de San Martin. *Boletín de Lima* 11: 41–46.
- Schwenk, K., and D.B. Wake. 1993. Prey processing in *Leurognathus marmoratus* and the evolution of form and function in desmognathine salamanders (Plethodontidae). *Biological Journal of the Linnean Society* 49: 141–162.
- Scopoli, G.A. 1777. *Introductio ad historiam naturalem, sistens genera lapidium, planatarum, et animalium hactenus detecta, caracteribus essentialibus donata, in tribus divisa, subinde ad leges naturae*. Prague: Gerle.
- Scott, E. 2002. Phylogenetic relationships of the subfamily Petropedetinae Noble, 1931 (Anura: Ranidae): a simultaneous analysis of morphological and molecular data. Ph.D. dissertation. Department of Zoology, University of the Western Cape, Bellville, South Africa.
- Sever, D.M. 1990. Cloacal anatomy of female salamanders of the plethodontid subfamily Des-



- mognathinae (Amphibia: Urodela). Transactions of the American Microscopical Society 109: 193–204.
- Sever, D.M. 1991a. Comparative anatomy and phylogeny of the cloacae of salamanders (Amphibia: Caudata). 1. Evolution at the family level. *Herpetologica* 47: 165–193.
- Sever, D.M. 1991b. Comparative anatomy and phylogeny of the cloacae of salamanders (Amphibia: Caudata). 2. Cryptobranchidae, Hynobiidae, and Sirenidae. *Journal of Morphology* 207: 283–301.
- Sever, D.M. 1992. Comparative anatomy and phylogeny of the cloacae of salamanders (Amphibia: Caudata). VI. Ambystomatidae and Dicampotodontidae. *Journal of Morphology* 212: 305–322.
- Sever, D.M. 1994. Comparative anatomy and phylogeny of the cloacae of salamanders (Amphibia: Caudata). VII. Plethodontidae. *Herpetological Monographs* 7: 276–337.
- Sever, D.M., E.A. Heinz, P.A. Lempart, and M.S. Taghon. 1990. Phylogenetic significance of the cloacal anatomy of female bolitoglossine salamanders (Plethodontidae: tribe Bolitoglossini). *Herpetologica* 46: 431–446.
- Shaffer, H.B., J.M. Clark, and F. Kraus. 1991. When molecules and morphology clash: a phylogenetic analysis of the North American ambystomatid salamanders (Caudata: Ambystomatidae). *Systematic Zoology* 40: 284–303.
- Sharrock, G., and J. Felsenstein. 1975. Finding all monothetic subsets of a taxonomic group. *Systematic Zoology* 24: 373–377. [Cited as “1969. manuscript in preparation” by Liem, 1970.]
- Sheil, C.A., J.R. Mendelson, III, and H.R. da Silva. 2001. Phylogenetic relationships of the species of Neotropical horned frogs, genus *Hemiphractus* (Anura: Hylidae: Hemiphractinae), based on evidence from morphology. *Herpetologica* 57: 203–214.
- Shubin, N.H., and F.A. Jenkins. 1995. An early Jurassic jumping frog. *Nature*. London 377: 49–52.
- Silva, A.P.Z., C.F.B. Haddad, and S. Kasahara. 2003. Chromosome banding in *Macrogenioglottus alipioi* Carvalho, 1946 (Amphibia, Anura, Leptodactylidae), with comments on its taxonomic position. *Boletim do Museu Nacional, Rio de Janeiro. Nova Série, Zoologia*. 499: 1–9.
- Silverstone, P.A. 1975. A revision of the poison-arrow frogs of the genus *Dendrobates* Wagler. *Natural History Museum of Los Angeles County Science Bulletin* 21: 1–55.
- Simmons, M.P. 2004. Independence of alignment and tree search. *Molecular Phylogenetics and Evolution* 31: 874–879.
- Simmons, M.P., and H. Ochoterena. 2000. Gaps as characters in sequence-based phylogenetic analyses. *Systematic Biology* 49: 369–381.
- Sinsch, U., and N. Juraske. 1995. Reassessment of central Peruvian Telmatobiinae (genera *Batrachophrynus* and *Telmatobius*) II. Allozymes and phylogenetic relationships. *Alytes* 13: 52–66.
- Sinsch, U., A.W. Salas, and V. Canales. 1995. Reassessment of central Peruvian Telmatobiinae (genera *Batrachophrynus* and *Telmatobius*) I. Morphometry and classification. *Alytes* 13: 14–44.
- Sites, J.W., Jr., M. Morando, R. Highton, F. Huber, and R.E. Jung. 2004. Phylogenetic relationships of the endangered Shenandoah Salamander (*Plethodon shenandoah*) and other salamanders of the *Plethodon cinereus* group (Caudata: Plethodontidae). *Journal of Herpetology* 38: 96–105.
- Slabbert, G.K., and W.A. Maree. 1945. The cranial morphology of the Discoglossidae and its bearing upon the phylogeny of the primitive Anura. *Annals of the University of Stellenbosch* 23A: 91–97.
- Slowinski, J.B. 1998. The number of multiple alignments. *Molecular Phylogenetics and Evolution* 10: 264–266.
- Smith, M.A. 1930. The Reptilia and Amphibia of the Malay Peninsula. A supplement to G.A. Boulenger's Reptilia and Batrachia, 1912. *Bulletin of the Raffles Museum* 3: i–xviii, 1–149.
- Sokol, O. 1975. The phylogeny of anuran larvae: a new look. *Copeia* 1975: 1–23.
- Sokol, O. 1977. A subordinal classification of frogs (Amphibia: Anura). *Journal of Zoology*. London 182: 505–508.
- Sokol, O. 1981. The larval chondrocranium of *Pedodytes punctatus*, with a review of tadpole chondrocrania. *Journal of Morphology* 169: 161–183.
- Starrett, P.H. 1973. Evolutionary patterns in larval morphology. In J.L. Vial (editor), *Evolutionary biology of the anurans: contemporary research on major problems*: 251–271. Columbia: University of Missouri Press.
- Steindachner, F. 1867. Amphibien. In *Reise der österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen des Commodore B. von Wüllerstorff-Urbair*, Zoologischer Theil. 1: 1–98. Wien: Kaiserlich-Königliche Hof- und Staatsdruckerei; in Commission bei K. Gerold's Sohn.
- Steinfartz, S., U.W. Hwang, D. Tautz, M. Öz, and M. Veith. 2002. Molecular phylogeny of the salamandrid genus *Neurergus*: evidence for an

- intrageneric switch of reproductive biology. *Amphibia-Reptilia* 23: 419–431.
- Stejneger, L. 1907. Herpetology of Japan and adjacent territory. *Bulletin of the United States National Museum* 58: i–xx, 1–577.
- Stejneger, L., and T. Barbour. 1917. A check list of North American amphibians and reptiles. Cambridge, MA: Harvard University Press.
- Stephenson, E.M., E.S. Robinson, and N.G. Stephenson. 1974. Inter-specific relationships of *Leiopelma* (Amphibia: Anura): further karyological evidence. *Experientia* 30: 1248–1250.
- Stephenson, N.G. 1951. Observations on the development of the amphicoelous frogs, *Leiopelma* and *Ascaphus*. *Journal of the Linnean Society of London. Zoology* 42: 18–28.
- Stoll, N. 1961. Introduction. In *International Commission of Zoological Nomenclature* (editors), *International code of zoological nomenclature adopted by the XV International Congress of Zoology*: vii–xvii. London: International Trust for Zoological Nomenclature.
- Stuart, B.L., and T. Chan-ard. 2005. Two new *Huia* (Amphibia: Ranidae) from Laos and Thailand. *Copeia* 2005: 279–289.
- Stuart, S.N., J.S. Chanson, N.A. Cox, B.E. Young, A.S.L. Rodrigues, D.L. Fischman, and R.W. Waller. 2004. Status and trends of amphibian declines and extinctions worldwide. *Science* 306: 1783–1786.
- Sumida, M., A. Allison, and M. Nishioka. 2000a. Evolutionary relationships among 12 species belonging to three genera of the family Microhylidae in Papua New Guinea revealed by allozyme analysis. *Biochemical Systematics and Ecology* 28: 721–736.
- Sumida, M., Y. Kondo, Y. Kanamori, and M. Nishioka. 2002. Inter- and intraspecific evolutionary relationships of the rice frog *Rana limnocharis* and the allied species *R. cancrivora* inferred from crossing experiments and mitochondrial DNA sequences of the 12S and 16S rRNA genes. *Molecular Phylogenetics and Evolution* 25: 293–305.
- Sumida, M., M. Ogata, and M. Nishioka. 2000b. Molecular phylogenetic relationships of pond frogs distributed in the Palearctic Region inferred from DNA sequences of mitochondrial 12S ribosomal RNA and cytochrome b genes. *Molecular Phylogenetics and Evolution* 16: 278–285.
- Swofford, D.L. 2002. PAUP\*. Phylogenetic analysis using parsimony (\*and other methods), version 4.0 beta. Sunderland, MA: Sinauer Associates.
- Swofford, D.L., G.J. Olsen, P.J. Waddell, and D.M. Hillis. 1996. Phylogenetic inference. In D.M. Hillis, C. Moritz, and B.K. Mable (editors), *Molecular systematics*: 407–514. Sunderland, MA: Sinauer Associates.
- Tamarunov, L.P. 1964a. Salientia. In Y.A. Orlov (editor), *Osnovy paleontologii: spravochnik dlia paleontologov i geologov SSSR*, vol. 12. Amphibia–Aves: 125–133. Moscow: Nauka.
- Tamarunov, L.P. 1964b. Lepospondyli. In Y.A. Orlov (editor), *Osnovy paleontologii: spravochnik dlia paleontologov i geologov SSSR*, vol. 12. Amphibia–Aves: 144–164. Moscow: Nauka.
- Tanaka-Ueno, T., M. Matsui, S.-L. Chen, O. Takenaka, and H. Ota. 1998a. Phylogenetic relationships of brown frogs from Taiwan and Japan assessed by mitochondrial cytochrome b gene sequences (Rana: Ranidae). *Zoological Science*. Tokyo 15: 283–288.
- Tanaka-Ueno, T., M. Matsui, T. Sato, S. Takenaka, and O. Takenaka. 1998b. Phylogenetic relationships of brown frogs with 24 chromosomes from Far East Russia and Hokkaido assessed by mitochondrial cytochrome b gene sequences (Rana: Ranidae). *Zoological Science*. Tokyo 15: 289–294.
- Tandy, M., and R. Keith. 1972. *Bufo* of Africa. In W.F. Blair (editor), *Evolution in the genus Bufo*: 119–170. Austin: University of Texas Press.
- Taylor, E.H. 1951. Two new genera and a new family of tropical American frogs. *Proceedings of the Biological Society of Washington* 64: 33–40.
- Taylor, E.H. 1968. The caecilians of the world: a taxonomic review. Lawrence: University of Kansas Press.
- Taylor, E.H. 1969a. A new family of African Gymnophiona. *University of Kansas Science Bulletin* 48: 297–305.
- Taylor, E.H. 1969b. Skulls of Gymnophiona and their significance in the taxonomy of the group. *University of Kansas Science Bulletin* 48: 585–687.
- Thibaudeau, G., and R.I. Altig. 1999. Endotrophic anurans. Development and evolution. In R.W. McDiarmid and R. Altig (editors), *Tadpoles: the biology of anuran larvae*: 170–188. Chicago: University of Chicago Press.
- Thompson, J.D., T.J. Gibson, F.J. Plewniak, F., and D.G. Higgins. 1997. The ClustalX windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research* 24: 4876–4882.
- Thompson, J.D., D.G. Higgins, and T.J. Gibson. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignments through sequence weighting, position specific

- gap penalties and weight matrix choice. *Nucleic Acids Research* 22: 4673–4680.
- Tian, W., and Q. Hu. 1985. Taxonomical studies on the primitive anurans of the Hengduan Mountains, with descriptions of a new subfamily and subdivision of *Bombina*. *Acta Herpetologica Sinica*, New Series 4: 219–224.
- Tihen, J.A. 1958. Comments on the osteology and phylogeny of ambystomatid salamanders. *Bulletin of the Florida Museum of Natural History. Biological Sciences* 3: 1–50.
- Tihen, J.A. 1960. Two new genera of African bufonids, with remarks on the phylogeny of related genera. *Copeia* 1960: 225–233.
- Tihen, J.A. 1965. Evolutionary trends in frogs. *American Zoologist* 5: 309–318.
- Tilley, S.G., and J. Bernardo. 1993. Life history evolution in plethodontid salamanders. *Herpetologica* 49: 154–163.
- Ting, H.-P., and M.-C. T'sai. 1979. A new species of frog (*Rana minimus*) from Fujian Province. *Acta Zootaxonomica Sinica* 4: 297–300. [In Chinese with English abstract.]
- Titus, T.A., and A. Larson. 1995. A molecular phylogenetic perspective on the evolutionary radiation of the salamander family Salamandridae. *Systematic Biology* 44: 125–151.
- Titus, T.A., and A. Larson. 1996. Molecular phylogenetics of desmognathine salamanders (Caudata: Plethodontidae): a reevaluation of evolution in ecology, life history, and morphology. *Systematic Biology* 45: 451–472.
- Trewevas, E. 1933. The hyoid and larynx of the Anura. *Philosophical Transactions of the Royal Society of London, B, Biological Sciences* 222: 401–527.
- Trontelj, P., and S. Goricki. 2003. Monophyly of the family Proteidae (Amphibia: Caudata) tested by phylogenetic analysis of mitochondrial 12S rDNA sequences. *Natura Croatica. Zagreb* 12: 113–120.
- Trueb, L. 1993. Patterns of cranial diversity among the Lissamphibia (Amphibia, Temnospondyli). In J. Hanken and B.K. Hall (editors), *The skull*: 255–343. Chicago: University of Chicago Press.
- Trueb, L., and D.C. Cannatella. 1986. Systematics, morphology, and phylogeny of genus *Pipa* (Anura: Pipidae). *Herpetologica* 42: 412–449.
- Trueb, L., and R. Cloutier. 1991. A phylogenetic investigation of the inter- and intrarelationships of the Lissamphibia (Amphibia: Temnospondyli). In H.P. Schultze and L. Trueb (editors), *Origins of the higher groups of tetrapods: controversy and consensus*: 223–313. Ithaca, NY: Cornell University Press.
- Tschudi, J.J., von. 1838. Classification der Batrachier mit Berücksichtigung der fossilen Thiere dieser Abtheilung der Reptilien. Neuchâtel: Petitpierre.
- Tschudi, J.J., von. 1845. *Reptilium conspectus quae in Republica Peruana reperiuntur et pleraquae observata vel collecta sunt in itinere a Dr. J.J. de Tschudi*. *Archiv für Naturgeschichte* 11: 150–170.
- Tyler, M.J. 1971a. The occurrence of the musculus cutaneous pectoris in the Anura. *Herpetologica* 27: 150–152.
- Tyler, M.J. 1971b. Observations on anuran myointegumental attachments associated with the vocal sac apparatus. *Journal of Natural History* 5: 225–231.
- Tyler, M.J. 1971c. The phylogenetic significance of vocal sac structure in hylid frogs. University of Kansas Publications. Museum of Natural History 19: 319–360.
- Tyler, M.J. 1972. Superficial mandibular musculature, vocal sacs and the phylogeny of Australo-Papuan leptodactylid frogs. *Records of the South Australian Museum* 16: 1–20.
- Tyler, M.J. 1979. Herpetofauna relationships of South America with Australia. In W.E. Duellman (editor), *The South American herpetofauna: its origin, evolution, and dispersal*. University of Kansas Museum of Natural History, Monograph 7: 73–106.
- Tyler, M.J. 1982. *Frogs*, 2nd ed. Sydney: Collins.
- Tyler, M.J. 1985. Reproductive modes in Australian Amphibia. In G. Grigg, R. Shine, and H. Ehman (editors), *Biology of Australasian frogs and reptiles*: 265–267. Sydney: Royal Zoological Society of New South Wales.
- Tyler, M.J. 1989. *Australian frogs*. Ringwood, Victoria, Australia: Viking O'Neil.
- Tyler, M.J., and M.M. Davies. 1978. Species-groups within the Australopapuan hylid frog genus *Litoria* Tschudi. *Australian Journal of Zoology, Supplementary Series* 63: 1–47.
- Tyler, M.J., and W.E. Duellman. 1995. Superficial mandibular musculature and vocal sac structure in hemiphractine hylid frogs. *Journal of Morphology* 224: 65–71.
- Uzzell, T., and T.J. Post. 1986. *Rana temporaria* is not a member of the *Rana boylei* group. *Systematic Zoology* 35: 414–421.
- Vallan, D., M. Vences, and F. Glaw. 2003. Two new species of the *Boophis mandraka* complex (Anura, Mantellidae) from the Andasibe region in eastern Madagascar. *Amphibia-Reptilia* 24: 305–319.
- Van der Hoeven, J. 1833. *Handboek der dierkunde, grondbeginsels der natuurlijke geschiedenis*

- van het dierenrijk, tweeden deels, tweede stuk. Amsterdam: C.G. Sulpe.
- Van der Meijden, A., M. Vences, S. Hoegg, and A. Meyer. 2005. A previously unrecognized radiation of ranid frogs in southern Africa revealed by nuclear and mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution* 37: 674–685. [Seen as an electronic/pdf preprint available from the publisher.]
- Van der Meijden, A., M. Vences, and A. Meyer. 2004. Novel phylogenetic relationships of the enigmatic brevicipitine and scaphiophrynine toads as revealed by sequences from the nuclear *Rag-1* gene. *Proceedings of the Royal Society of London. B (Supplement—Biology Letters)* 271: S378–S381.
- Van Dijk, D.E. 2001. Osteology of the ranoid burrowing African anurans *Breviceps* and *Hemisus*. *African Zoology*. Pretoria 36: 137–141.
- Van Gelder, R.G. 1977. Mammalian hybrids and generic limits. *American Museum Novitates* 2635: 1–25.
- Veith, M., and S. Steinfartz. 2004. When non-monophyly results in taxonomic consequences—the case of *Mertensiella* within the Salamandridae (Amphibia: Urodela). *Salamandra* 40: 67–80.
- Vences, M., F. Andreone, F. Glaw, and J.E. Randrianirina. 2003a. Molecular and bioacoustic divergence in *Mantidactylus granulatus* and *M. zavona* n. sp. (Anura: Mantellidae): bearings for the biogeography of northern Madagascar. *African Zoology*. Pretoria 38: 67–78.
- Vences, M., and F. Glaw. 2001. When molecules claim for taxonomic changes: new proposals on the classification of Old World treefrogs (Amphibia, Anura, Ranoidea). *Spixiana*. München 24: 85–92.
- Vences, M., and F. Glaw. 2004. Revision of the subgenus *Chonomantis* (Anura: Mantellidae: *Mantidactylus*) from Madagascar, with description of two new species. *Journal of Natural History*. London 38: 77–118.
- Vences, M., F. Glaw, F. Andreone, R. Jesu, and G. Schimmenti. 2002. Systematic revision of the enigmatic Malagasy broad-headed frogs (*Laurentomantis* Dubois, 1980) and their phylogenetic position within the endemic mantellid radiation of Madagascar. *Bijdragen tot de Dierkunde* 70: 191–212.
- Vences, M., F. Glaw, J. Kosuch, I. Das, and M. Veith. 2000a. Polyphyly of *Tomopterna* (Amphibia: Ranidae) based on sequences of the mitochondrial 16S and 12S rRNA genes, and ecological biogeography of Malagasy relict amphibian groups. In W.R. Lourenço and S.M. Goodman (editors), *Diversité et endémisme à Madagascar/Diversity and endemism in Madagascar*: 229–242. *Mémoires de la Société de Biogéographie*. Paris.
- Vences, M., J. Kosuch, R. Boistel, C.F.B. Haddad, E. La Marca, and S. Lötters. 2003b. Convergent evolution of aposematic coloration in Neotropical poison frogs: a molecular phylogenetic perspective. *Organisms, Diversity & Evolution* 3: 215–226.
- Vences, M., J. Kosuch, F. Glaw, W. Böhme, and M. Veith. 2003c. Molecular phylogeny of hyperoliid treefrogs: biogeographic origin of Malagasy and Seychellean taxa and re-analysis of familial paraphyly. *Journal of Zoological Systematics and Evolutionary Research* 41: 205–213.
- Vences, M., J. Kosuch, S. Lötters, A. Widmer, K.H. Jungfer, J. Köhler, and M. Veith. 2000b. Phylogeny and classification of poison frogs (Amphibia: Dendrobatidae), based on mitochondrial 16S and 12S ribosomal RNA gene sequences. *Molecular Phylogenetics and Evolution* 15: 34–40.
- Vences, M., D.R. Vieites, F. Glaw, H. Brinkmann, J. Kosuch, M. Veith, and A. Meyer. 2003d. Multiple overseas dispersal in amphibians. *Proceedings of the Royal Society of London. Series B, Biological Sciences* 270: 2435–2442.
- Vences, M., S. Wanke, G. Odierna, J. Kosuch, and M. Veith. 2000c. Molecular and karyological data on the south Asian ranid genera *Indirana*, *Nyctibatrachus* and *Nannophrys* (Anura: Ranidae). *Hamadryad* 25: 75–82.
- Wagler, J.G. 1828. Vorläufige Uebersicht des Gerüftes, sowie Untergung feines Systema amphibiorum. *Isis von Oken* 21: 859–861.
- Wagler, J.G. 1830. *Natürliches System der Amphibien, mit vorangehender Classification der Säugthiere und Vogel. Ein Beitrag zur vergleichenden Zoologie*. München, Stuttgart and Tübingen: J.G. Cotta.
- Wake, D.B. 1966. Comparative osteology and evolution of the lungless salamanders, family Plethodontidae. *Memoires of the Southern California Academy of Sciences* 4: 1–111.
- Wake, D.B. 1993. Phylogenetic and taxonomic issues relating to salamanders of the family Plethodontidae. *Herpetologica* 49: 229–237.
- Wake, D.B., and P. Elias. 1983. New genera and new species of Central American salamanders, with a review of the tropical genera (Amphibia, Caudata, Plethodontidae). *Natural History Museum of Los Angeles County Contributions in Science*. 345: 1–19.
- Wake, D.B., and J.F. Lynch. 1976. The distribution, ecology and evolutionary history of pleth-



- odontid salamanders in tropical America. *Natural History Museum of Los Angeles County Science Bulletin* 175: 1–65.
- Wake, D.B., L.R. Maxson, and G.Z. Wurst. 1978. Genetic differentiation, albumin evolution, and their biogeographic implications in plethodontid salamanders of California and southern Europe. *Evolution* 32: 529–539.
- Wake, M.H. 1977. Fetal maintenance and its evolutionary significance in the Amphibia: Gymnophiona. *Journal of Herpetology* 11: 379–386.
- Wake, M.H. 1980. The reproductive biology of *Nectophrynoides malcolmi* (Amphibia: Bufonidae), with comments on the evolution of reproductive modes in the genus *Nectophrynoides*. *Copeia* 1980: 193–209.
- Wake, M.H. 1993. Non-traditional characters in the assessment of caecilian phylogenetic relationships. *Herpetological Monographs* 7: 42–55.
- Wake, M.H., G. Parra-Olea, and J.P.-Y. Shee. 2005. Biogeography and molecular phylogeny of certain New World caecilians. In M.A. Donnelly, B.I. Crother, C. Guyer, M.H. Wake, and M.E. White (editors), *Ecology and evolution in the tropics: a herpetological perspective*: 48–64. Chicago: University of Chicago Press.
- Walls, J.G. 1994. *Jewels of the rainforest—poison frogs of the family Dendrobatidae*. Neptune City, New Jersey: T.F.H. Publications.
- Wang, L., and T. Jiang. 1994. On the complexity of multiple sequence alignment. *Journal of Computational Biology* 1: 337–348.
- Wassersug, R.J. 1984. The *Pseudohemismus* tadpole: a morphological link between microhylid (Orton Type 2) and ranoid (Orton Type 4) larvae. *Herpetologica* 40: 138–148.
- Wassersug, R.J., and W.R. Heyer. 1983. Morphological correlates of subaerial existence in leptodactylid tadpoles associated with flowing water. *Canadian Journal of Zoology* 61: 761–769.
- Wassersug, R.J., and W.F. Pyburn. 1987. The biology of the Pe-ret toad, *Otophryne robusta* (Microhylidae), with special consideration of its fossorial larva and systematic relationships. *Zoological Journal of the Linnean Society*. London 91: 137–169.
- Wei, G., N. Xu, D. Li, G. Wu, and X. Song. 1993. Karyotype C-band and Ag-NORs study of three stink frogs. *Asiatic Herpetological Research* 5: 45–50.
- Werner, F. 1896. Beiträge zur Kenntniss der Reptilien und Batrachier von Centralamerika und Chile, sowie einiger seltenerer Schlangenarten. *Verhandlungen des Zoologisch-Botanischen Vereins in Wien* 46: 344–365.
- Wheeler, Q.D., P.H. Raven, and E.O. Wilson. 2004. Taxonomy: impediment or expedient? *Science* 303: 285.
- Wheeler, W.C. 1992. Extinction, sampling, and molecular phylogenetics. In M.J. Novacek and Q.D. Wheeler (editors), *Extinction and phylogeny*: 205–215. New York: Columbia University Press.
- Wheeler, W.C. 1994. Sources of ambiguity in nucleic acid sequence alignment. In B. Schierwater, B. Streit, G.P. Wagner, and R. DeSalle (editors), *Molecular ecology and evolution: approaches and applications*: 323–352. Basel, Switzerland: Birkhäuser.
- Wheeler, W.C. 1995. Sequence alignment, parameter sensitivity, and the phylogenetic analysis of molecular data. *Systematic Biology* 44: 321–331.
- Wheeler, W.C. 1996. Optimization alignment: the end of multiple sequence alignment in phylogenetics? *Cladistics* 12: 1–9.
- Wheeler, W.C. 1998. Alignment characters, dynamic programming and heuristic solutions. In R. DeSalle and B. Schierwater (editors), *Molecular approaches to ecology and evolution*, 2nd ed.: 243–251. Basel, Switzerland: Birkhäuser.
- Wheeler, W.C. 1999. Fixed character states and the optimization of molecular sequence data. *Cladistics* 15: 379–385.
- Wheeler, W.C. 2000. Heuristic reconstruction of hypothetical-ancestral DNA sequences: sequence alignment vs optimization. In R.W. Scotland and R.T. Pennington (editors), *Homology and systematics*: 106–113. New York: Taylor and Francis.
- Wheeler, W.C. 2001. Homology and the optimization of DNA sequence data. *Cladistics* 17: S3–S11.
- Wheeler, W.C. 2002. Optimization alignment: down, up, error, and improvements. In R. DeSalle, G. Giribet, and W.C. Wheeler (editors), *Techniques in molecular systematics and evolution*: 55–69. Basel, Switzerland: Birkhäuser.
- Wheeler, W.C. 2003a. Iterative pass optimization of sequence data. *Cladistics* 19: 254–260.
- Wheeler, W.C. 2003b. Implied alignment: a synapomorphy-based multiple sequence alignment method. *Cladistics* 19: 261–268.
- Wheeler, W.C. 2003c. Search-based optimization. *Cladistics* 19: 348–355.
- Wheeler, W.C., and D.S. Gladstein. 1992. *Malign*, version 1.2. New York: Computer software distributed by the authors.
- Wheeler, W.C., D.S. Gladstein, and J. De Laet. 1996–2003. *POY: Phylogeny reconstruction via optimization of DNA data*. New York: Com-

- puter software distributed by the authors and from the American Museum of Natural History: <ftp://ftp.amnh.org/pub/molecular/poy>.
- Widmer, A., S. Lötters, and K.-H. Jungfer. 2000. A molecular phylogenetic analysis of the Neotropical dart-poison frog genus *Phyllobates* (Amphibia: Dendrobatidae). *Naturwissenschaften*. Berlin 87: 559–562.
- Wieczorek, A.M., A. Channing, and R.C. Drewes. 1998. A review of the taxonomy of the *Hyperolius viridiflavus* complex. *Herpetological Journal*. London 8: 29–34.
- Wieczorek, A.M., R.C. Drewes, and A. Channing. 2000. Biogeography and evolutionary history of *Hyperolius* species: application of molecular phylogeny. *Journal of Biogeography*. Oxford 27: 1231–1243.
- Wieczorek, A.M., R.C. Drewes, and A. Channing. 2001. Phylogenetic relationships within the *Hyperolius viridiflavus* complex (Anura: Hyperoliidae), and comments on taxonomic status. *Amphibia-Reptilia* 22: 155–166.
- Wied-Neuwied, M.A.P., Prinz zu. 1825. Beiträge zur Naturgeschichte von Brasilien, vol. 1 (Verzeichniss der Amphibien). Weimar, Germany: Gr. H.S. priv. Landes-Industrie-Comptoir.
- Wiedersheim, R. 1877. Das Kopfskelet der Urodelen (Fortsetzung). *Morphologisches Jahrbuch*. Leipzig 3: 459–548.
- Wiens, J.J. 1989. Ontogeny of the skeleton of *Spea bombifrons* (Anura: Pelobatidae). *Journal of Morphology* 202: 29–51.
- Wiens, J.J., R.M. Bonett, and P.T. Chippindale. 2005. Ontogeny discombobulates phylogeny: paedomorphosis and higher-level salamander relationships. *Systematic Biology* 54: 91–110.
- Wild, E.R. 1995. New genus and species of Amazonian microhylid frog with a phylogenetic analysis of New World genera. *Copeia* 1995: 837–849.
- Wild, E.R. 1997. Description of the adult skeleton and developmental osteology of the hyperossified horned frog, *Ceratophrys cornuta* (Anura: Leptodactylidae). *Journal of Morphology* 232: 169–206.
- Wild, E.R. 1999. Description of the chondrocranium and osteogenesis of the chacoan burrowing frog, *Chacophrys pierotti* (Anura: Leptodactylidae). *Journal of Morphology* 242: 229–249.
- Wiley, E.O. 1981. *Phylogenetics. The theory and practice of phylogenetic systematics*. New York: Wiley Interscience.
- Wilkinson, J.A., and R.C. Drewes. 2000. Character assessment, genus level boundaries, and phylogenetic analysis of the family Rhacophoridae: a review and present day status. *Contemporary Herpetology* 2000: 1–14. [Electronic journal available at [http://www.nhm.ac.uk/hosted\\_sites/ch/ch/index.htm](http://www.nhm.ac.uk/hosted_sites/ch/ch/index.htm).]
- Wilkinson, J.A., R.C. Drewes, and O.L. Tatum. 2002. A molecular phylogenetic analysis of the family Rhacophoridae with an emphasis on the Asian and African genera. *Molecular Phylogenetics and Evolution* 24: 265–273.
- Wilkinson, J.A., M. Matsui, and T. Terachi. 1996. Geographic variation in a Japanese tree frog (*Rhacophorus arboreus*) revealed by PCR-aided restriction site analysis of mtDNA. *Journal of Herpetology* 30: 418–423.
- Wilkinson, M. 1991. Adult tooth crown morphology in the Typhlonectidae (Amphibia: Gymnophiona): a reinterpretation of variation and its significance. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 29: 304–311.
- Wilkinson, M. 1997. Characters, congruence and quality: a study of neuroanatomical and traditional data in caecilian phylogeny. *Biological Reviews of the Cambridge Philosophical Society* 72: 423–470.
- Wilkinson, M., S.P. Loader, D.J. Gower, J.A. Sheps, and B.L. Cohen. 2003. Phylogenetic relationships of African caecilians (Amphibia: Gymnophiona): insights from mitochondrial rRNA gene sequences. *African Journal of Herpetology* 52: 83–92.
- Wilkinson, M., and R.A. Nussbaum. 1996. On the phylogenetic position of the Uraeotyphlidae (Amphibia: Gymnophiona). *Copeia* 1996: 550–562.
- Wilkinson, M., and R.A. Nussbaum. 1999. Evolutionary relationships of the lungless caecilian *Atretochoana eiselti* (Amphibia: Gymnophiona: Typhlonectidae). *Zoological Journal of the Linnean Society*. London 126: 191–223.
- Wilkinson, M., J.A. Sheps, O.V. Oommen, and B.L. Cohen. 2002. Phylogenetic relationships of Indian caecilians (Amphibia: Gymnophiona) inferred from mitochondrial rRNA gene sequences. *Molecular Phylogenetics and Evolution* 23: 401–407.
- Wilkinson, M., J. Thorley, and M.J. Benton. 1997. Uncertain turtle relationships. *Nature*. London 387: 466.
- Withgott, J. 2000. Is it “So long, Linnaeus”? *BioScience* 50: 646–651.
- Wogel, H., P.A. Abrunhosa, and J.P. Pombal, Jr. 2004. Vocalizations and aggressive behavior of *Phyllomedusa rohdei* (Anura: Hylidae). *Herpetological Review* 35: 239–243.
- Wu, L., R. Xu, Q. Dong, D. Li, and J. Liu. 1983. A new species of *Rana* and records of amphibians from Guizhou Province. *Acta Zoologica*

- Sinica 29: 66–70. [In Chinese, with English summary.]
- Wu, S.-H. 1994. Phylogenetic relationships, higher classification and historical biogeography of the microhylid frogs (Lissampibia: Anura: Brevicipitidae and Microhylidae). Ph.D. dissertation. Department of Zoology, University of Michigan, Ann Arbor.
- Xie, F., and Z. Wang. 2000. [Review of the systematics of pelobatids.] *Cultum Herpetologica Sinica* 8: 356–370. [In Chinese.]
- Yang, D. (editor), 1991a. [The Amphibia-fauna of Yunnan.] Beijing, China: China Forestry Publishing House. [In Chinese.]
- Yang, D. 1991b. Phylogenetic systematics of the *Amolops* group of ranid frogs of southeastern Asia and the Greater Sunda Islands. *Fieldiana. Zoology. New Series* 63: 1–42.
- Yang, D., and S. Li. 1980. A new species of the genus *Rana* from Yunnan. *Zoological Research. Kunming* 1: 261–264.
- Yokoyama, S., H. Zhang, F.B. Radlwimmer, and N.S. Blow. 1999. Adaptive evolution of color vision of the Comoran coelacanth (*Latimeria chalumnae*). *Proceedings of the National Academy of Sciences of the United States of America* 96: 6279–6284.
- Young, B.E., K.R. Lips, J.K. Reaser, R. Ibáñez D., A.W. Salas, J.R. Cedeño, L.A. Coloma, S.R. Ron, E. La Marca, J.R. Meyer, A. Muñoz, F. Bolaños, G. Chaves, and D. Romo. 2001. Population declines and priorities for amphibian conservation in Latin America. *Conservation Biology* 15: 1213–1223.
- Zacj, I., and J.W. Arntzen. 1999. Phylogenetic relationships of the European newts (genus *Triturus*) tested with mitochondrial DNA sequence data. *Contributions to Zoology. Amsterdam* 68: 78–81.
- Zaldívar-Riverón, A., V. León-Regagnon, and A. Nieto-Montes de Oca. 2004. Phylogeny of the Mexican coastal leopard frogs of the *Rana berlandieri* group based on mtDNA sequences. *Molecular Phylogenetics and Evolution* 30: 38–49.
- Zardoya, R., and A. Meyer. 1996. Evolutionary relationships of the coelacanth, lungfishes, and tetrapods based on the 28S ribosomal RNA gene. *Proceedings of the National Academy of Sciences United States of America* 93: 5449–5454.
- Zardoya, R., and A. Meyer. 1998. Complete mitochondrial genome suggests diapsid affinities of turtles. *Proceedings of the National Academy of Sciences of the United States of America* 95: 14226–14231.
- Zardoya, R., and A. Meyer. 2000. Mitochondrial evidence on the phylogenetic position of caecilians (Amphibia: Gymnophiona). *Genetics* 155: 765–775.
- Zardoya, R., and A. Meyer. 2001. On the origin of and phylogenetic relationships among living amphibians. *Proceedings of the National Academy of Sciences of the United States of America* 98: 7380–7383.
- Zhang, P., Y.Q. Chen, Y.F. Liu, H.-Y. Zhou, and L.H. Qu. 2003a. The complete mitochondrial genome of the Chinese giant salamander, *Andrias davidianus* (Amphibia: Caudata). *Gene* 311: 93–98.
- Zhang, P., Y.Q. Chen, H.-Y. Zhou, X.L. Wang, and L.H. Qu. 2003b. The complete mitochondrial genome of a relic salamander, *Ranodon sibiricus* (Amphibia: Caudata) and implications for amphibian phylogeny. *Molecular Phylogenetics and Evolution* 28: 620–626.
- Zhao, E. 1994. A study on vomerine teeth pattern of the genus *Liua*, with revised diagnoses of *Liua* and *Ranodon* (Caudata: Hynobiidae). *Sichuan Journal of Zoology* 13: 162–166.
- Zhao, E., and S.-Q. Li. 1984. A new species of the genus *Platymantis* (Amphibia: Ranidae) from Xizang. *Acta Herpetologica Sinica, New Series* 3: 55–57. [In Chinese with English summary.]
- Ziegler, M., and M. Vences. 2002. The tadpole of *Rhacophorus verrucosus* Boulenger, 1893, from Vietnam (Amphibia: Anura: Rhacophoridae). *Faunistische Abhandlungen. Staatliches Museum für Tierkunde in Dresden* 22: 319–327.
- Zug, G.R., L.J. Vitt, and J.P. Caldwell. 2001. *Herpetology: an introductory biology of amphibians and reptiles*. New York: Academic Press.
- Zweifel, R.G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylei* group. *University of California Publications in Zoology* 54: 207–292.
- Zweifel, R.G. 1956. Two pelobatid frogs from the Tertiary of North America and their relationships to fossil and recent forms. *American Museum Novitates* 1762: 1–45.
- Zweifel, R.G. 1971. Results of the Archbold Expeditions. No. 96. Relationships and distribution of *Genyophryne thomsoni*, a microhylid frog of New Guinea. *American Museum Novitates* 2469: 1–13.
- Zweifel, R.G. 1972. Results of the Archbold Expeditions. No. 97. A revision of the frogs of the subfamily Asterophryinae, family Microhylidae. *Bulletin of the American Museum of Natural History* 148: 411–546.
- Zweifel, R.G. 1986. A new genus and species of microhylid frog from the Cerro de la Neblina region of Venezuela and a discussion of rela-

- tionships among New World microhylid genera. American Museum Novitates 2863: 1–24.
- Zweifel, R.G. 2000. Partition of the Australopapuan microhylid frog genus *Sphenophryne* with descriptions of new species. Bulletin of the American Museum of Natural History 253: 1–130.
- Zwickl, D.J., and D.M. Hillis. 2002. Increased taxon sampling greatly reduces phylogenetic error. Systematic Biology 51: 588–598.