

Acta Crystallographica Section E

#### **Structure Reports**

#### **Online**

ISSN 1600-5368

# Ethyl 3-(4-fluorophenyl)-6-methyl-4-oxo-2-(1-cyclohexylamino)-3,4-dihydro-furo[2,3-d]pyrimidine-5-carboxylate

#### Yong Sun, a\* Guo-Ping Zengb and Yang-Gen Huc,d

<sup>a</sup>Yunyang Teachers College, Danjiangkou 442700, People's Republic of China, <sup>b</sup>Department of Chemistry and Life Science, Hubei University of Education, Wuhan 430205, People's Republic of China, <sup>c</sup>Key Laboratory of Pesticides and Chemical Biology, Ministry of Education, Central China Normal University, Wuhan 430079, People's Republic of China, and <sup>d</sup> Department of Medicinal Chemistry, Yunyang Medical College, Shiyan 442000, People's Republic of China Correspondence e-mail: suny6135@126.com

Received 4 December 2007; accepted 13 December 2007

Key indicators: single-crystal X-ray study; T = 291 K; mean  $\sigma(C-C) = 0.004$  Å; R factor = 0.065; wR factor = 0.182; data-to-parameter ratio = 16.3.

In the crystal structure of the title compound,  $C_{22}H_{24}FN_3O_4$ , the two fused rings of furo[2,3-d]pyrimidine form a dihedral angle of 0.88 (13)°. The attached benzene ring is twisted with respect to the heterocyclic pyrimidinone ring, making a dihedral angle of 75.07 (12)°. The cyclohexyl ring shows a distorted chair conformation. The molecular structure is stabilized by intramolecular  $C-H\cdots O$  and  $C-H\cdots N$  hydrogen-bonding interactions. The crystal packing is mainly stabilized by  $C-H\cdots \pi$  hydrogen-bond interactions. Further stability is provided by  $C-F\cdots \pi$  and  $C-O\cdots \pi$  stacking interactions.

#### **Related literature**

The preparation and biological activity are described by Miyazaki *et al.* (2007), Gangjee *et al.* (2006) and Lagu *et al.* (2000). For related literature, see: Ding *et al.* (2004). For the crystal structure of another fused pyrimidinone derivative, see: Hu *et al.* (2007).

#### **Experimental**

Crystal data

 $\begin{array}{lllll} C_{22}H_{24}FN_3O_4 & \gamma = 101.550 \ (2)^\circ \\ M_r = 413.44 & V = 1051.85 \ (16) \ \mathring{A}^3 \\ Triclinic, P\overline{1} & Z = 2 \\ a = 9.2051 \ (8) \ \mathring{A} & Mo \ K\alpha \ radiation \\ b = 10.7957 \ (9) \ \mathring{A} & \mu = 0.10 \ mm^{-1} \\ c = 11.6601 \ (10) \ \mathring{A} & T = 291 \ (2) \ K \\ \alpha = 106.681 \ (1)^\circ & 0.30 \times 0.30 \times 0.20 \ mm \\ \beta = 100.417 \ (2)^\circ \end{array}$ 

#### Data collection

Bruker SMART 4K CCD 10785 measured reflections area-detector diffractometer Absorption correction: multi-scan (SADABS; Sheldrick, 2003)  $T_{\min} = 0.972, \ T_{\max} = 0.981$  10785 measured reflections 4505 independent reflections 2941 reflections with  $I > 2\sigma(I)$ 

#### Refinement

 $\begin{array}{ll} R[F^2>2\sigma(F^2)]=0.066 & \text{H atoms treated by a mixture of} \\ wR(F^2)=0.182 & \text{independent and constrained} \\ S=1.09 & \text{refinement} \\ 4505 \text{ reflections} & \Delta\rho_{\max}=0.27 \text{ e Å}^{-3} \\ 276 \text{ parameters} & \Delta\rho_{\min}=-0.21 \text{ e Å}^{-3} \end{array}$ 

### **Table 1** Hydrogen-bond and $C-F\cdots\pi$ and $C-O\cdots\pi$ interactions (Å, °).

 $\it Cg2$  and  $\it Cg3$  are the centroids of the N1/C9/C7/C8/N2/C10 and C11–C16 rings, respectively.

$D - H \cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathbf{H}\cdot\cdot\cdot A$
C17—H17···N2	0.98	2.41	2.813 (3)	104
$C6-H6A\cdots O2$	0.96	2.45	3.039 (3)	120
$C20-H20B\cdots Cg3^{i}$	0.97	2.97	3.820 (4)	147
$C14-F1\cdots Cg3^{ii}$	1.36(1)	3.36(1)	3.732 (3)	95
$C3-O2\cdots Cg2^{iii}$	1.21 (1)	3.31 (1)	3.409 (3)	84

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT-Plus* (Bruker, 2001); data reduction: *SAINT-Plus*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 1997); program(s) used to refine structure: *SHELXL97* (Sheldrick, 1997); molecular graphics: *PLATON* (Spek, 2003); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2001).

The authors gratefully acknowledge financial support of this work by the National Natural Science Foundation of China (project No. 20102001) and the Key Science Research Project of Hubei Provincial Department of Education (grant No. D200724001).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: AT2523).

#### References

Bruker (2001). SMART (Version 5.628) and SAINT-Plus (Version 6.45). Bruker AXS Inc., Madison, Wisconsin, USA.

Ding, M. W., Xu, S. Z. & Zhao, J. F. (2004). J. Org. Chem. 69, 8366–8371.
Gangjee, A., Yang, J., McGuire, J. & Kisliuk, R. L. (2006). Bioorg. Med. Chem.
14, 8590–8598.

Hu, Y.-G., Li, G.-H. & Zhou, M.-H. (2007). Acta Cryst. E63, o1836–o1838.
Lagu, B., Tian, D., Chiu, G., Nagarathnam, D., Fang, J., Shen, Q., Forray, C.,
Ransom, R. W., Chang, R., Vyas, K., Zhang, K. & Gluchowski, C. (2000).
Bioorg. Med. Chem. Lett. 10, 175–178.

### organic compounds

- Miyazaki, Y., Tang, J., Maeda, Y., Nakano, M., Wang, L., Nolte, R. T., Sato, H., Sugai, M., Okamoto, Y., Truesdale, A. T., Daniel, F., Hassler, D. F., Nartey, E. N., Patrick, D. R., Hoc, M. L. & Ozawa, K. (2007). *Bioorg. Med. Chem. Lett.* 17, 1773–1778.
- Sheldrick, G. M. (1997). SHELXS97 and SHELXL97. University of Göttingen, Germany.
- Sheldrick, G. M. (2001). SHELXTL. Version 5.0. Bruker AXS Inc., Madison, Wisconsin, USA.
- Sheldrick, G. M. (2003). SADABS. Version 2.10. Bruker AXS Inc., Madison, Wisconsin, USA.
- Spek, A. L. (2003). J. Appl. Cryst. 36, 7-13.

Acta Cryst. (2008). E64, o311-o312 [https://doi.org/10.1107/S1600536807066780]

Ethyl 3-(4-fluorophenyl)-6-methyl-4-oxo-2-(1-cyclohexylamino)-3,4-dihydro-furo[2,3-d]pyrimidine-5-carboxylate

### Yong Sun, Guo-Ping Zeng and Yang-Gen Hu

#### S1. Comment

Fused pyrimidine compounds are valued not only for their rich and varied chemistry, but also for many important biological properties. Among them, the furopyrimidine ring system, because of a formal isoelectronic relationship with purine, is of special biological interest (Miyazaki *et al.*, 2007; Gangjee *et al.* 2006; Lagu *et al.*, 2000). Recently, we have focused on the synthesis of the heterocycle systems containing fused furopyrimidine *via* aza-Wittig reaction at room temperature (Hu, *et al.*, 2007). Herein, we present X-ray crystallographic analysis of the compound (I) in this paper,(Fig. 1), which may be used as a new precursor for obtaining bioactive molecules.

In the molecule (I), the bond lengths and angles are unexceptional. The two fused rings of furo[2,3-d]pyrimidine form a dihedral angle of 0.88 (13)°. The C11—C16 phenyl ring is twisted with respect to pyrimidinone ring, with a dihedral angle of 75.07 (1)°. The cyclohexyl ring in (I) shows a distored chair conformation [ $\varphi$  =30.0 (3)° and  $\theta$  = 2.5 (3)°, puckering amplitude = 0.557 (3) Å]. The molecular structure is stabilized by intramolecular C—H···O and C—H···N hydrogen bonds interactions (Table 1). The crystal packing is mainly stabilized by C—H··· $\pi$  hydrogen bonding interactions. Further stability is provided by C—F··· $\pi$  and C—O··· $\pi$  stacking interactions.

#### S2. Experimental

To a solution of the diethyl 2-((4-fluorophenylimino)methyleneamino)-5-methylfuran- 3,4-dicarboxylate (3 mmol) in dichloromethane (5 ml) was added cyclohexanamine (3 mmol). After stirring the reaction mixture for 1 h, the solvent was removed and anhydrous ethanol (10 ml) with several drops of EtONa in EtOH was added. The mixture was stirred for 3 h at room temperature. The solution was concentrated under reduced pressure and the residue was recrystallized from ethanol to give the title compound in a yield of 84%. Crystals suitable for single-crystal X-ray diffraction were obtained by recrystallization from a mixed solvent of ethanol and dichloromethane (1:1  $\nu/\nu$ ) at room temperature.

#### S3. Refinement

All H atoms were located in difference maps and treated as riding atoms, with N—H = 0.86 Å and C—H = 0.93 - 0.98 Å, and  $U_{iso} = 1.2$  or  $1.5 U_{eq}$  (C,N).





Figure 1

The molecular structure of the title compound (I), showing the atom-labeling scheme. Displacement ellipsoids are drawn at the 50% probability level. Only the intramolecular C—H···O and C—H···N hydrogen bonds is shown as dashed lines.



#### Figure 2

A view of the packing and hydrogen bonding interactions of (I).

Ethyl 3-(4-fluorophenyl)-6-methyl-4-oxo- 2-(1-cyclohexylamino)-3,4-dihydrofuro[2,3-d]pyrimidine-5-carboxylate

#### Crystal data

 $C_{22}H_{24}FN_3O_4$   $M_r = 413.44$ Triclinic,  $P\overline{1}$ Hall symbol: -P 1 a = 9.2051 (8) Å b = 10.7957 (9) Å c = 11.6601 (10) Å  $\alpha = 106.681$  (1)°  $\beta = 100.417$  (2)°  $\gamma = 101.550$  (2)° V = 1051.85 (16) Å<sup>3</sup>

Data collection

Bruker SMART 4K CCD area-detector diffractometer Radiation source: fine-focus sealed tube Graphite monochromator  $\varphi$  and  $\omega$  scans Absorption correction: multi-scan (SADABS; Sheldrick, 2003)  $T_{\min} = 0.972$ ,  $T_{\max} = 0.981$ 

#### Refinement

Refinement on  $F^2$ 

Least-squares matrix: full  $R[F^2 > 2\sigma(F^2)] = 0.066$   $wR(F^2) = 0.182$  S = 1.09 4505 reflections 276 parameters 0 restraints Primary atom site location: structure-invariant direct methods

Z = 2F(000) = 436

 $D_{\rm x} = 1.305 {\rm Mg m}^{-3}$ 

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å Cell parameters from 1930 reflections

 $\theta$  = 2.3–22.7°  $\mu$  = 0.10 mm<sup>-1</sup> T = 291 K Block, colourless 0.30 × 0.30 × 0.20 mm

10785 measured reflections 4505 independent reflections 2941 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.036$  $\theta_{\text{max}} = 27.0^{\circ}, \ \theta_{\text{min}} = 1.9^{\circ}$ 

 $h = -11 \rightarrow 11$   $k = -13 \rightarrow 13$   $l = -14 \rightarrow 14$ 

Secondary atom site location: difference Fourier

Hydrogen site location: inferred from neighbouring sites

H atoms treated by a mixture of independent and constrained refinement

 $w = 1/[\sigma^2(F_o^2) + (0.084P)^2 + 0.0618P]$ where  $P = (F_o^2 + 2F_c^2)/3$ 

 $(\Delta/\sigma)_{\rm max} = 0.001$   $\Delta\rho_{\rm max} = 0.27 \text{ e Å}^{-3}$  $\Delta\rho_{\rm min} = -0.21 \text{ e Å}^{-3}$ 

#### Special details

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and F-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\mathring{A}^2)$ 

C1         0.3069 (4)         1.3641 (3)         0.4580 (4)         0.0893 (11)           H1A         0.2011         1.3243         0.4505         0.134*           H1B         0.3160         1.4451         0.4379         0.134*           H1C         0.3651         1.3846         0.5413         0.134*           C2         0.3654 (4)         1.2701 (3)         0.3728 (3)         0.0611 (8)           H2A         0.3083         1.2498         0.2881         0.073*           H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           C7         0.2826 (2)         0.9994 (2)         0.47482 (18)         0.0346 (5)           C8		х	у	Z	$U_{ m iso}$ */ $U_{ m eq}$
H1B         0.3160         1.4451         0.4379         0.134*           H1C         0.3651         1.3846         0.5413         0.134*           C2         0.3654 (4)         1.2701 (3)         0.3728 (3)         0.0611 (8)           H2A         0.3083         1.2498         0.2881         0.073*           H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           C7         0.2826 (2)         0.9994 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9	C1	0.3069 (4)	1.3641 (3)	0.4580 (4)	0.0893 (11)
H1C         0.3651         1.3846         0.5413         0.134*           C2         0.3654 (4)         1.2701 (3)         0.3728 (3)         0.0611 (8)           H2A         0.3083         1.2498         0.2881         0.073*           H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9994 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)	H1A	0.2011	1.3243	0.4505	0.134*
C2         0.3654 (4)         1.2701 (3)         0.3728 (3)         0.0611 (8)           H2A         0.3083         1.2498         0.2881         0.073*           H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.987 (2)         0.5730 (2)         0.0404 (6)           C11         0.1584 (3)         0.9935 (2)         0.7601 (2)         0.0433 (6)	H1B	0.3160	1.4451	0.4379	0.134*
H2A         0.3083         1.2498         0.2881         0.073*           H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37991 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)     <	H1C	0.3651	1.3846	0.5413	0.134*
H2B         0.4726         1.3091         0.3800         0.073*           C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7661 (2)         0.043	C2	0.3654 (4)	1.2701 (3)	0.3728 (3)	0.0611 (8)
C3         0.3773 (3)         1.0444 (2)         0.3310 (2)         0.0405 (6)           C4         0.3423 (3)         0.9266 (2)         0.37091 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0	H2A	0.3083	1.2498	0.2881	0.073*
C4         0.3423 (3)         0.9266 (2)         0.3709 (19)         0.0382 (5)           C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.75632 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0383 (3)         0.8672 (2)         0.0	H2B	0.4726	1.3091	0.3800	0.073*
C5         0.3652 (3)         0.8068 (3)         0.3117 (2)         0.0436 (6)           C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7661 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.090 (3)         1.1983 (3)         0.8673         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0486 (6) </td <td>C3</td> <td>0.3773 (3)</td> <td>1.0444 (2)</td> <td>0.3310(2)</td> <td>0.0405 (6)</td>	C3	0.3773 (3)	1.0444 (2)	0.3310(2)	0.0405 (6)
C6         0.4214 (4)         0.7543 (3)         0.2014 (2)         0.0621 (8)           H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           H13         -0.1013         1.1213         0.8673         0.0512 (7)           H15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0480 (6) <td>C4</td> <td>0.3423 (3)</td> <td>0.9266 (2)</td> <td>0.37091 (19)</td> <td>0.0382 (5)</td>	C4	0.3423 (3)	0.9266 (2)	0.37091 (19)	0.0382 (5)
H6A         0.4101         0.8081         0.1494         0.093*           H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)	C5	0.3652(3)	0.8068 (3)	0.3117 (2)	0.0436 (6)
H6B         0.3631         0.6632         0.1563         0.093*           H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*	C6	0.4214 (4)	0.7543 (3)	0.2014(2)	0.0621 (8)
H6C         0.5276         0.7573         0.2269         0.093*           C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1045 (3)         0.9847 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.3111         1.0605	H6A	0.4101	0.8081	0.1494	0.093*
C7         0.2826 (2)         0.9094 (2)         0.47482 (18)         0.0346 (5)           C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1345 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798	H6B	0.3631	0.6632	0.1563	0.093*
C8         0.2770 (3)         0.7808 (2)         0.46902 (19)         0.0388 (5)           C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0	H6C	0.5276	0.7573	0.2269	0.093*
C9         0.2328 (3)         0.9897 (2)         0.5730 (2)         0.0404 (6)           C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0.0482 (6)           H17         0.1861         0.5517         0.6475         0.058*	C7	0.2826(2)	0.9094(2)	0.47482 (18)	0.0346 (5)
C10         0.1892 (3)         0.7846 (2)         0.6342 (2)         0.0402 (6)           C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0.0482 (6)           H17         0.1861         0.5517         0.6475         0.058*           C18         0.0384 (3)         0.5200 (3)         0.7535 (3)         0.0711 (9)	C8	0.2770(3)	0.7808 (2)	0.46902 (19)	0.0388 (5)
C11         0.1584 (3)         0.9935 (2)         0.76523 (19)         0.0372 (5)           C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0.0482 (6)           H17         0.1861         0.5517         0.6475         0.058*           C18         0.0384 (3)         0.5200 (3)         0.7535 (3)         0.0711 (9)           H18A         -0.0525         0.4956         0.6862         0.085*      <	C9	0.2328 (3)	0.9897 (2)	0.5730(2)	0.0404 (6)
C12         0.0208 (3)         1.0263 (2)         0.7601 (2)         0.0433 (6)           H12         -0.0514         1.0000         0.6847         0.052*           C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0.0482 (6)           H17         0.1861         0.5517         0.6475         0.058*           C18         0.0384 (3)         0.5200 (3)         0.7535 (3)         0.0711 (9)           H18A         -0.0525         0.4956         0.6862         0.085*           C19         0.0750 (4)         0.3927 (3)         0.7692 (3)         0.0855 (11) <t< td=""><td>C10</td><td>0.1892 (3)</td><td>0.7846 (2)</td><td>0.6342 (2)</td><td>0.0402 (6)</td></t<>	C10	0.1892 (3)	0.7846 (2)	0.6342 (2)	0.0402 (6)
H12       -0.0514       1.0000       0.6847       0.052*         C13       -0.0090 (3)       1.0983 (3)       0.8672 (2)       0.0486 (6)         H13       -0.1013       1.1213       0.8653       0.058*         C14       0.0991 (3)       1.1353 (2)       0.9765 (2)       0.0480 (6)         C15       0.2366 (3)       1.1045 (3)       0.9847 (2)       0.0512 (7)         H15       0.3080       1.1311       1.0605       0.061*         C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22<	C11	0.1584(3)	0.9935 (2)	0.76523 (19)	0.0372 (5)
C13         -0.0090 (3)         1.0983 (3)         0.8672 (2)         0.0486 (6)           H13         -0.1013         1.1213         0.8653         0.058*           C14         0.0991 (3)         1.1353 (2)         0.9765 (2)         0.0480 (6)           C15         0.2366 (3)         1.1045 (3)         0.9847 (2)         0.0512 (7)           H15         0.3080         1.1311         1.0605         0.061*           C16         0.2661 (3)         1.0329 (2)         0.8772 (2)         0.0442 (6)           H16         0.3591         1.0110         0.8798         0.053*           C17         0.1711 (3)         0.6040 (2)         0.7262 (2)         0.0482 (6)           H17         0.1861         0.5517         0.6475         0.058*           C18         0.0384 (3)         0.5200 (3)         0.7535 (3)         0.0711 (9)           H18A         -0.0525         0.4956         0.6862         0.085*           C19         0.0750 (4)         0.3927 (3)         0.7692 (3)         0.0855 (11)           H19A         -0.0089         0.3431         0.7918         0.103*           C22         0.3165 (3)         0.6368 (3)         0.8250 (3)         0.0721 (9)      <	C12	0.0208(3)	1.0263 (2)	0.7601(2)	0.0433 (6)
H13       -0.1013       1.1213       0.8653       0.058*         C14       0.0991 (3)       1.1353 (2)       0.9765 (2)       0.0480 (6)         C15       0.2366 (3)       1.1045 (3)       0.9847 (2)       0.0512 (7)         H15       0.3080       1.1311       1.0605       0.061*         C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B<	H12	-0.0514	1.0000	0.6847	0.052*
C14       0.0991 (3)       1.1353 (2)       0.9765 (2)       0.0480 (6)         C15       0.2366 (3)       1.1045 (3)       0.9847 (2)       0.0512 (7)         H15       0.3080       1.1311       1.0605       0.061*         C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21 </td <td>C13</td> <td>-0.0090(3)</td> <td>1.0983 (3)</td> <td>0.8672(2)</td> <td>0.0486 (6)</td>	C13	-0.0090(3)	1.0983 (3)	0.8672(2)	0.0486 (6)
C15       0.2366 (3)       1.1045 (3)       0.9847 (2)       0.0512 (7)         H15       0.3080       1.1311       1.0605       0.061*         C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0	H13	-0.1013	1.1213	0.8653	0.058*
H15       0.3080       1.1311       1.0605       0.061*         C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C14	0.0991 (3)	1.1353 (2)	0.9765 (2)	0.0480 (6)
C16       0.2661 (3)       1.0329 (2)       0.8772 (2)       0.0442 (6)         H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C15	0.2366 (3)	1.1045 (3)	0.9847 (2)	0.0512 (7)
H16       0.3591       1.0110       0.8798       0.053*         C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H15	0.3080	1.1311	1.0605	0.061*
C17       0.1711 (3)       0.6040 (2)       0.7262 (2)       0.0482 (6)         H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C16	0.2661 (3)	1.0329 (2)	0.8772 (2)	0.0442 (6)
H17       0.1861       0.5517       0.6475       0.058*         C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H16	0.3591	1.0110	0.8798	0.053*
C18       0.0384 (3)       0.5200 (3)       0.7535 (3)       0.0711 (9)         H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C17	0.1711 (3)	0.6040(2)	0.7262(2)	0.0482 (6)
H18A       -0.0525       0.4956       0.6862       0.085*         H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H17	0.1861	0.5517	0.6475	0.058*
H18B       0.0175       0.5719       0.8286       0.085*         C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C18	0.0384(3)	0.5200(3)	0.7535 (3)	0.0711 (9)
C19       0.0750 (4)       0.3927 (3)       0.7692 (3)       0.0855 (11)         H19A       -0.0089       0.3431       0.7918       0.103*         H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H18A	-0.0525	0.4956	0.6862	0.085*
H19A -0.0089 0.3431 0.7918 0.103* H19B 0.0843 0.3362 0.6910 0.103* C22 0.3165 (3) 0.6368 (3) 0.8250 (3) 0.0721 (9) H22A 0.3063 0.6937 0.9027 0.087* H22B 0.4009 0.6863 0.8028 0.087* C21 0.3524 (4) 0.5105 (4) 0.8417 (4) 0.0887 (11)	H18B	0.0175	0.5719	0.8286	0.085*
H19B       0.0843       0.3362       0.6910       0.103*         C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	C19	0.0750 (4)	0.3927 (3)	0.7692 (3)	0.0855 (11)
C22       0.3165 (3)       0.6368 (3)       0.8250 (3)       0.0721 (9)         H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H19A	-0.0089		0.7918	0.103*
H22A       0.3063       0.6937       0.9027       0.087*         H22B       0.4009       0.6863       0.8028       0.087*         C21       0.3524 (4)       0.5105 (4)       0.8417 (4)       0.0887 (11)	H19B	0.0843	0.3362	0.6910	0.103*
H22B 0.4009 0.6863 0.8028 0.087* C21 0.3524 (4) 0.5105 (4) 0.8417 (4) 0.0887 (11)	C22	0.3165 (3)	0.6368 (3)	0.8250(3)	0.0721 (9)
C21 0.3524 (4) 0.5105 (4) 0.8417 (4) 0.0887 (11)	H22A	0.3063	0.6937	0.9027	0.087*
	H22B	0.4009	0.6863	0.8028	0.087*
1121 A 0 2757 0 4504 0 7675 0 106*			` '	0.8417 (4)	
H21A 0.5/5/ 0.4594 0./6/5 0.106*	H21A	0.3757	0.4594	0.7675	0.106*
H21B 0.4423 0.5356 0.9100 0.106*		0.4423	0.5356	0.9100	0.106*
F1 0.0682 (2) 1.20612 (17) 1.08220 (14) 0.0762 (5)	F1	0.0682(2)	1.20612 (17)	1.08220 (14)	0.0762 (5)
N1 0.1902 (2) 0.91680 (18) 0.65370 (16) 0.0378 (5)		` '	* /	* /	1 /
N2 0.2326 (2) 0.71226 (19) 0.54199 (17) 0.0446 (5)	N2	0.2326 (2)	0.71226 (19)	0.54199 (17)	0.0446 (5)

N3	0.1374(3)	0.7269 (2)	0.71300 (19)	0.0498 (6)
H3	0.117 (3)	0.781 (3)	0.774(2)	0.060*
O1	0.3480(2)	1.14890 (17)	0.40502 (15)	0.0509 (5)
O2	0.4260(2)	1.04606 (19)	0.24179 (15)	0.0588 (5)
O3	0.32637 (19)	0.71581 (16)	0.37123 (14)	0.0467 (4)
O4	0.2239 (2)	1.10393 (18)	0.59732 (17)	0.0639 (6)
C20	0.2211 (4)	0.4244 (3)	0.8669(3)	0.0785 (10)
H20A	0.2073	0.4705	0.9472	0.094*
H20B	0.2447	0.3414	0.8694	0.094*

Atomic displacement parameters  $(\mathring{A}^2)$ 

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.116 (3)	0.060(2)	0.113 (3)	0.040 (2)	0.051 (2)	0.036 (2)
C2	0.078(2)	0.0520 (18)	0.0698 (18)	0.0230 (15)	0.0288 (15)	0.0349 (15)
C3	0.0412 (13)	0.0461 (15)	0.0371 (12)	0.0116 (11)	0.0116 (10)	0.0170 (11)
C4	0.0408 (13)	0.0407 (14)	0.0353 (11)	0.0116 (11)	0.0115 (10)	0.0144 (10)
C5	0.0492 (15)	0.0439 (15)	0.0394 (12)	0.0130 (12)	0.0139 (11)	0.0143 (11)
C6	0.087(2)	0.0552 (18)	0.0517 (15)	0.0236 (16)	0.0370 (15)	0.0135 (13)
C7	0.0377 (12)	0.0329 (13)	0.0336 (11)	0.0083 (10)	0.0088 (9)	0.0128 (9)
C8	0.0445 (13)	0.0371 (13)	0.0334 (11)	0.0116 (11)	0.0092 (10)	0.0095 (10)
C9	0.0524 (15)	0.0373 (14)	0.0413 (12)	0.0160(11)	0.0189 (11)	0.0208 (11)
C10	0.0493 (14)	0.0361 (14)	0.0413 (12)	0.0132 (11)	0.0141 (11)	0.0191 (11)
C11	0.0491 (14)	0.0311 (13)	0.0392 (12)	0.0116 (11)	0.0180 (10)	0.0187 (10)
C12	0.0499 (15)	0.0432 (14)	0.0465 (13)	0.0154 (12)	0.0194 (11)	0.0233 (11)
C13	0.0530 (16)	0.0496 (16)	0.0607 (16)	0.0240 (13)	0.0294 (13)	0.0286 (13)
C14	0.0699 (18)	0.0384 (14)	0.0444 (13)	0.0172 (13)	0.0284 (12)	0.0167 (11)
C15	0.0608 (17)	0.0560 (17)	0.0397 (13)	0.0137 (14)	0.0151 (12)	0.0201 (12)
C16	0.0469 (14)	0.0488 (15)	0.0457 (13)	0.0179 (12)	0.0162 (11)	0.0225 (12)
C17	0.0732 (18)	0.0363 (14)	0.0472 (13)	0.0219 (13)	0.0229 (12)	0.0224 (11)
C18	0.066(2)	0.0461 (17)	0.107(2)	0.0083 (14)	0.0117 (17)	0.0453 (18)
C19	0.094(3)	0.0490 (19)	0.118(3)	0.0104 (17)	0.013(2)	0.049(2)
C22	0.064(2)	0.067(2)	0.094(2)	0.0068 (16)	0.0143 (17)	0.0515 (18)
C21	0.083(2)	0.095(3)	0.114(3)	0.033(2)	0.017(2)	0.072(2)
F1	0.1084 (14)	0.0745 (12)	0.0571 (9)	0.0383 (10)	0.0431 (9)	0.0164 (8)
N1	0.0501 (12)	0.0334 (11)	0.0378 (9)	0.0148 (9)	0.0169 (8)	0.0176 (8)
N2	0.0613 (13)	0.0339 (11)	0.0444 (11)	0.0145 (10)	0.0197 (10)	0.0164 (9)
N3	0.0759 (16)	0.0355 (13)	0.0520 (12)	0.0212 (11)	0.0302 (11)	0.0228 (10)
01	0.0728 (12)	0.0399 (10)	0.0524 (10)	0.0168 (9)	0.0321 (9)	0.0228 (8)
O2	0.0806 (14)	0.0645 (13)	0.0517 (10)	0.0286 (10)	0.0368 (10)	0.0311 (9)
О3	0.0627 (11)	0.0374 (10)	0.0440 (9)	0.0158 (8)	0.0218 (8)	0.0128 (8)
O4	0.1135 (16)	0.0423 (11)	0.0695 (12)	0.0402 (11)	0.0578 (11)	0.0346 (9)
C20	0.104(3)	0.070(2)	0.086(2)	0.032(2)	0.0246 (19)	0.0550 (19)

### Geometric parameters (Å, °)

-			
C1—C2	1.463 (4)	C12—C13	1.375 (3)
C1—H1A	0.9600	C12—H12	0.9300

G1 7715	0.000	G14 G14	
C1—H1B	0.9600	C13—C14	1.365 (4)
C1—H1C	0.9600	C13—H13	0.9300
C2—O1	1.449 (3)	C14—F1	1.363 (3)
C2—H2A	0.9700	C14—C15	1.365 (4)
C2—H2B	0.9700	C15—C16	1.377(3)
C3—O2	1.208 (3)	C15—H15	0.9300
C3—O1	1.318 (3)	C16—H16	0.9300
C3—C4	1.472 (3)	C17—N3	1.464(3)
C4—C5	1.357 (3)	C17—C22	1.505 (4)
C4—C7	1.461 (3)	C17—C18	1.509 (4)
C5—O3	1.384 (3)	C17—H17	0.9800
C5—C6	1.478 (3)	C18—C19	1.531 (4)
C6—H6A	0.9600	C18—H18A	0.9700
С6—Н6В	0.9600	C18—H18B	0.9700
С6—Н6С	0.9600	C19—C20	1.504 (4)
C7—C8	1.361 (3)	C19—H19A	0.9700
C7—C9	1.432 (3)	C19—H19B	0.9700
C8—N2	1.343 (3)	C22—C21	1.522 (4)
C8—O3	1.362 (3)	C22—H22A	0.9700
C9—O4	1.207 (3)	C22—H22B	0.9700
C9—N1	1.446 (3)	C21—C20	1.498 (5)
C10—N2	1.313 (3)	C21—C20 C21—H21A	0.9700
C10—N3	1.352 (3)	C21—H21B	0.9700
C10—N1	1.377 (3)	N3—H3	0.86 (3)
	* /	C20—H20A	0.86 (3)
C11—C12	1.378 (3)	C20—H20A C20—H20B	0.9700
C11—C16	1.383 (3)	С20—н20В	0.9700
C11—N1	1.442 (3)		
C2—C1—H1A	109.5	C14—C15—C16	117.9 (2)
C2—C1—H1B	109.5	C14—C15—H15	121.1
H1A—C1—H1B	109.5	C16—C15—H15	121.1
C2—C1—H1C	109.5	C15—C16—C11	120.4(2)
H1A—C1—H1C	109.5	C15—C16—H16	119.8
H1B—C1—H1C	109.5	C11—C16—H16	119.8
O1—C2—C1	107.8 (2)	N3—C17—C22	110.7 (2)
O1—C2—H2A	110.1	N3—C17—C18	110.7 (2)
C1—C2—H2A	110.1	C22—C17—C18	111.0 (2)
O1—C2—H2B	110.1	N3—C17—H17	108.1
C1—C2—H2B	110.1	C22—C17—H17	108.1
H2A—C2—H2B	108.5	C18—C17—H17	108.1
O2—C3—O1	123.8 (2)	C17—C18—C19	110.6 (3)
O2—C3—C4	124.9 (2)	C17—C18—H18A	10.5 (3)
01—C3—C4	111.31 (19)	C19—C18—H18A	109.5
C5—C4—C7	* *	C17—C18—H18B	
	106.1 (2)		109.5
C5—C4—C3	123.0 (2)	C19—C18—H18B	109.5
C7—C4—C3	130.9 (2)	H18A—C18—H18B	108.1
C4—C5—O3	110.5 (2)	C20—C19—C18	111.8 (3)
C4—C5—C6	134.8 (2)	C20—C19—H19A	109.2

O3—C5—C6	114.8 (2)	C18—C19—H19A	109.2
C5—C6—H6A	109.5	C20—C19—H19B	109.2
C5—C6—H6B	109.5	C18—C19—H19B	109.2
H6A—C6—H6B	109.5	H19A—C19—H19B	107.9
C5—C6—H6C	109.5	C17—C22—C21	111.6 (3)
H6A—C6—H6C	109.5	C17—C22—H22A	109.3
H6B—C6—H6C	109.5	C21—C22—H22A	109.3
C8—C7—C9	117.43 (19)	C17—C22—H22B	109.3
C8—C7—C4	105.55 (19)	C21—C22—H22B	109.3
C9—C7—C4	137.0 (2)	H22A—C22—H22B	108.0
N2—C8—C7	130.9 (2)	C20—C21—C22	111.9 (3)
N2—C8—O3	117.8 (2)	C20—C21—H21A	109.2
C7—C8—O3	111.33 (19)	C22—C21—H21A	109.2
O4—C9—C7	130.5 (2)	C20—C21—H21B	109.2
O4—C9—N1	118.1 (2)	C22—C21—H21B	109.2
C7—C9—N1	111.35 (19)	H21A—C21—H21B	107.9
N2—C10—N3	119.0 (2)	C10—N1—C11	119.56 (17)
N2—C10—N3 N2—C10—N1	* *	C10—N1—C11 C10—N1—C9	
N3—C10—N1	123.2 (2)	C11—N1—C9	124.19 (19)
N3—C10—N1 C12—C11—C16	117.7 (2)		116.10 (17)
	120.3 (2)	C10—N2—C8	112.82 (19)
C12—C11—N1	120.03 (19)	C10—N3—C17	122.8 (2)
C16—C11—N1	119.7 (2)	C10—N3—H3	114.2 (19)
C13—C12—C11	119.5 (2)	C17—N3—H3	118.7 (18)
C13—C12—H12	120.2	C3—O1—C2	118.03 (18)
C11—C12—H12	120.2	C8—O3—C5	106.58 (18)
C14—C13—C12	118.9 (2)	C21—C20—C19	111.4 (2)
C14—C13—H13	120.5	C21—C20—H20A	109.3
C12—C13—H13	120.5	C19—C20—H20A	109.3
F1—C14—C13	118.4 (2)	C21—C20—H20B	109.3
F1—C14—C15	118.5 (2)	C19—C20—H20B	109.3
C13—C14—C15	123.0 (2)	H20A—C20—H20B	108.0
O2—C3—C4—C5	1.6 (4)	N3—C17—C22—C21	179.1 (2)
O1—C3—C4—C5	-178.7(2)	C18—C17—C22—C21	55.7 (4)
O2—C3—C4—C7	-179.5 (2)	C17—C22—C21—C20	-54.7(4)
O1—C3—C4—C7	0.2(3)	N2—C10—N1—C11	-172.6(2)
C7—C4—C5—O3	-0.8(3)	N3—C10—N1—C11	8.9 (3)
C3—C4—C5—O3	178.38 (19)	N2—C10—N1—C9	2.7 (4)
C7—C4—C5—C6	179.5 (3)	N3—C10—N1—C9	-175.9(2)
C3—C4—C5—C6	-1.3 (4)	C12—C11—N1—C10	-107.4 (2)
C5—C4—C7—C8	0.7 (2)	C16—C11—N1—C10	72.2 (3)
C3—C4—C7—C8	-178.3 (2)	C12—C11—N1—C9	77.0 (3)
C5—C4—C7—C9	-179.3 (3)	C16—C11—N1—C9	-103.4 (2)
C3—C4—C7—C9	1.6 (4)	O4—C9—N1—C10	177.3 (2)
C9—C7—C8—N2	-0.6 (4)	C7—C9—N1—C10	-3.6(3)
C4—C7—C8—N2	179.4 (2)	O4—C9—N1—C11	-7.3 (3)
C9—C7—C8—O3	179.58 (18)	C7—C9—N1—C11	171.78 (18)
C4—C7—C8—O3		N3—C10—N2—C8	
C <del>1</del> —C/—C0—O3	-0.4 (2)	113-010-112-00	178.2 (2)

-178.6(3)	N1—C10—N2—C8	-0.3(3)
1.4 (5)	C7—C8—N2—C10	-0.7(4)
2.5 (3)	O3—C8—N2—C10	179.16 (19)
-177.5(2)	N2—C10—N3—C17	19.9 (4)
-0.2(3)	N1—C10—N3—C17	-161.5 (2)
179.3 (2)	C22—C17—N3—C10	90.1 (3)
-0.1(3)	C18—C17—N3—C10	-146.4(3)
-179.7(2)	O2—C3—O1—C2	4.3 (3)
0.2 (4)	C4—C3—O1—C2	-175.4(2)
180.0 (2)	C1—C2—O1—C3	172.4(2)
0.1 (4)	N2—C8—O3—C5	-179.9(2)
-0.4(4)	C7—C8—O3—C5	0.0(2)
0.5 (3)	C4—C5—O3—C8	0.5(3)
-179.1 (2)	C6—C5—O3—C8	-179.7(2)
-179.1 (2)	C22—C21—C20—C19	53.8 (4)
-55.8 (4)	C18—C19—C20—C21	-54.4 (4)
55.4 (4)		
	1.4 (5) 2.5 (3) -177.5 (2) -0.2 (3) 179.3 (2) -0.1 (3) -179.7 (2) 0.2 (4) 180.0 (2) 0.1 (4) -0.4 (4) 0.5 (3) -179.1 (2) -179.1 (2) -55.8 (4)	1.4 (5)

### Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	$D \cdots A$	D— $H$ ··· $A$
C17—H17···N2	0.98	2.41	2.813 (3)	104
C6—H6 <i>A</i> ···O2	0.96	2.45	3.039(3)	120
C20—H20 <i>B</i> ··· <i>Cg</i> 3 <sup>i</sup>	0.97	2.97	3.820 (4)	147
C14—F··· <i>Cg</i> 3 <sup>ii</sup>	1.36(1)	3.36(1)	3.732 (3)	95
C3—O2··· <i>Cg</i> 2 <sup>iii</sup>	1.21 (1)	3.31 (1)	3.409 (3)	84

Symmetry codes: (i) x, y-1, z; (ii) -x, -y+2, -z+2; (iii) -x+1, -y+2, -z+1.