

WEIGHED IN → TURNED INTO → RECOVERED → SAVING

1 · WEIGHED IN 2.6 t 1 load over the weighbridge	2 · TURNED INTO 1 product Processed ferrous scrap	3 · RECOVERED 2.4 t 94% · 2.4 t to Australian buyers · 0.0 t exported	4 · SAVING 3.7 t CO ₂ -e 61 trees' worth of carbon
---	--	--	--

THE LOAD

PARTNER	Example Demolition Contractors
SITE	Brisbane depot · Brisbane QLD
DATE	22 Sept 2026
DOCKET	WB-2609-2189
METAL IN	Ferrous scrap
WEIGHED IN	2.59 t
TURNED INTO	Processed ferrous scrap
RECOVERED	2.44 t (94%) — weighed out
RESIDUAL	0.15 t
WENT TO	Australian steel mill

THE DIFFERENCE IT MADE

CO₂-E AVOIDED

3.7 t

By putting **2.4 t** of recovered metal back into production instead of making it new — the carbon **61** trees absorb over ten years.

WEIGHED IN

1 load

2.6 t

RECOVERED

94% of what came in

2.4 t

NEW METAL DISPLACED

of ore-based metal that did not need to be made

2.4 t

GLOBAL STEEL VS LANDFILL

IF IT WENT TO LANDFILL

Metal lost	2.6 t
Made new from ore instead	2.4 t
Carbon from making it	3.7 t CO ₂ -e

WITH GLOBAL STEEL

Metal recovered	2.4 t
Residual	0.1 t
Carbon from making it new	0 t CO ₂ -e

THE DIFFERENCE **3.7 t CO₂-e** 2.4 t back into production · 61 trees' worth of carbon

WHAT HAPPENED TO IT

Sorted, cut to size where needed, non-ferrous and contamination removed, baled.

HOW THESE FIGURES ARE WORKED OUT

- 1. Weighed in.** Every load crosses the weighbridge at North Geelong; the docket weight is the figure used.
- 2. Turned into.** The load is processed on the line for its metal — the product it becomes is recorded against the load.
- 3. Recovered.** The saleable metal weighed out. Where an output weight was not recorded, Global Steel's usual recovery rate for that metal is used and the load is marked as an estimate.
- 4. Saving.** Tonnes recovered × the published recycling credit for that metal — the carbon avoided by not making the same metal new from ore, net of collection and reprocessing (steel 1.5 t CO₂/t, worldsteel; copper 5.2, aluminium 7.9 and mixed metals 4.8 t CO₂-e/t, US EPA WARM). Metal in landfill does not break down, so no landfill methane is claimed.
- 5. Trees.** CO₂-e avoided ÷ 0.060 t, what one tree seedling absorbs over ten years (US EPA).
6. Factors marked as stand-ins (brass, stainless) and usual recovery rates should be read as estimates.