

— SUPPLY STATEMENT

DEMO EAF STEEL MILL — SUPPLY STATEMENT

Every dispatch from Global Steel: what it was, what it weighed, where it came from and the recycled-content basis.

BUYER

Demo EAF Steel Mill

TYPE

Steel mill · electric arc furnace

DISPATCHES

36

SOURCE LOADS

127

METAL RECEIVED

759.t

weighed output of the processing line

RECYCLED CONTENT

100%

recovered scrap, no virgin metal

POST-CONSUMER



90%

the rest is pre-consumer manufacturing offcuts

759 t of recovered metal is about the steel in **843** family cars (≈ 0.9 t of steel each), or **30** 40-ft containers of bales (≈ 25 t a box).

BY PRODUCT 759 t

PRODUCT	FROM	LOADS	RECEIVED	SHARE
Processed spring steel — loose or baled	Mattress spring steel	51	458 t	60%
Processed ferrous scrap	Ferrous scrap	52	241 t	32%
Sorted metals by type	Mixed metals	24	60 t	8%
Total		127	759 t	100%

ORIGIN OF THE METAL 759 t

RECEIVED OVER TIME tonnes

RECYCLED-CONTENT BASIS

- **Recycled content: 100%.** Everything dispatched is recovered scrap — no virgin metal is added at any stage.
- **Origin:** recovered and processed at the Recycle Group facility, 116 Furner Avenue, North Geelong VIC 3215. Australian material, Australian processing.
- **Class:** post-consumer (mattresses, demolition, council and fit-out material) or pre-consumer (manufacturing offcuts) — shown per dispatch and per line.
- **Weights:** every figure is the weighed output of the processing line. Lines marked * use the usual recovery rate for that metal because the output was not separately weighed.
- **Carbon:** scrap-based EAF steel averages 0.70 t CO₂ per tonne of crude steel against 2.32 t for blast-furnace steel (World Steel Association, 2023 data). The mill's own EPD governs its product; Global Steel documents the scrap side.
- **What is not claimed:** the CO₂-e avoided by recycling this metal is reported to the partner who supplied it. Buyers see it for information, not as a credit.

DISPATCHES 36 in this period

DATE	CONSIGNMENT	PRODUCT	LOADS	OUT (T)	BALES	CONTAINER / VEHICLE
20 Oct 25	DS-2510-108	Processed spring steel, Processed ferrous scrap	2	13.03	23	Semi-trailer
28 Oct 25	DS-2510-109	Processed ferrous scrap, Processed spring steel	4	20.63	35	B-double
6 Nov 25	DS-2511-110	Processed spring steel, Processed ferrous scrap	3	19.93	35	B-double
17 Nov 25	DS-2511-111	Processed spring steel, Sorted metals by type	3	24.72	41	B-double
26 Nov 25	DS-2511-112	Processed ferrous scrap, Sorted metals by type, Processed spring steel	5	25.59	42	B-double
3 Dec 25	DS-2512-113	Processed ferrous scrap, Sorted metals by type	3	11.97	14	Semi-trailer
12 Dec 25	DS-2512-114	Processed spring steel, Sorted metals by type, Processed ferrous scrap	4	20.87	34	B-double
1 Jan 26	DS-2601-115	Processed spring steel, Processed ferrous scrap	3	21.07	37	B-double
9 Jan 26	DS-2601-116	Processed spring steel, Sorted metals by type	3	22.15	37	B-double
13 Jan 26	DS-2601-117	Processed spring steel	1	7.04	13	Semi-trailer
28 Jan 26	DS-2601-118	Processed ferrous scrap, Sorted metals by type, Processed spring steel	4	18.93	24	B-double

DISPATCHES (CONTINUED)

DATE	CONSIGNMENT	PRODUCT	LOADS	OUT (T)	BALES	CONTAINER / VEHICLE
4 Feb 26	DS-2602-119	Processed ferrous scrap	1	4.89	8	Semi-trailer
13 Feb 26	DS-2602-120	Processed spring steel, Sorted metals by type, Processed ferrous scrap	4	25.99	44	B-double
20 Feb 26	DS-2602-121	Processed spring steel	2	19.31	35	B-double
9 Mar 26	DS-2603-122	Processed spring steel, Sorted metals by type, Processed ferrous scrap	4	25.21	35	B-double
11 Mar 26	DS-2603-123	Sorted metals by type, Processed spring steel	3	21.99	33	B-double
19 Mar 26	DS-2603-124	Processed spring steel	3	23.29	42	B-double
26 Mar 26	DS-2603-125	Processed ferrous scrap, Sorted metals by type, Processed spring steel	4	22.89	34	B-double
1 Apr 26	DS-2604-126	Processed spring steel, Processed ferrous scrap, Sorted metals by type	5	26.42	43	B-double
10 Apr 26	DS-2604-127	Processed ferrous scrap, Processed spring steel, Sorted metals by type	3	18.49	25	B-double
24 Apr 26	DS-2604-128	Processed ferrous scrap, Sorted metals by type, Processed spring steel	4	27.46	43	B-double

DISPATCHES (CONTINUED)

DATE	CONSIGNMENT	PRODUCT	LOADS	OUT (T)	BALES	CONTAINER / VEHICLE
11 May 26	DS-2605-129	Processed spring steel, Processed ferrous scrap	3	19.96	36	B-double
13 May 26	DS-2605-130	Processed spring steel, Processed ferrous scrap	4	26.22	46	B-double
22 May 26	DS-2605-131	Processed spring steel, Processed ferrous scrap	3	25.83	46	B-double
28 May 26	DS-2605-132	Processed ferrous scrap, Processed spring steel, Sorted metals by type	4	25.54	43	B-double
8 June 26	DS-2606-133	Processed ferrous scrap, Processed spring steel, Sorted metals by type	5	26.40	36	B-double
22 June 26	DS-2606-134	Processed ferrous scrap, Sorted metals by type, Processed spring steel	5	24.82	36	B-double
26 June 26	DS-2606-135	Processed spring steel, Sorted metals by type, Processed ferrous scrap	5	21.92	31	B-double
8 July 26	DS-2607-136	Processed ferrous scrap, Processed spring steel	4	24.46	43	B-double
10 July 26	DS-2607-137	Sorted metals by type, Processed spring steel, Processed ferrous scrap	3	10.53	16	Semi-trailer

DISPATCHES (CONTINUED)

DATE	CONSIGNMENT	PRODUCT	LOADS	OUT (T)	BALES	CONTAINER / VEHICLE
4 Aug 26	DS-2608-138	Processed ferrous scrap, Processed spring steel	4	23.16	41	B-double
11 Aug 26	DS-2608-139	Processed ferrous scrap, Processed spring steel	5	26.74	46	B-double
19 Aug 26	DS-2608-140	Processed spring steel, Processed ferrous scrap	4	25.75	47	B-double
26 Aug 26	DS-2608-141	Processed ferrous scrap, Sorted metals by type	4	17.48	23	B-double
2 Sept 26	DS-2609-142	Processed spring steel, Processed ferrous scrap	4	24.36	42	B-double
14 Sept 26	DS-2609-143	Processed spring steel	2	13.72	25	Semi-trailer

HOW THESE FIGURES ARE WORKED OUT

- Weighed in.** Every load crosses the weighbridge at North Geelong; the docket weight is the figure used.
- Turned into.** The load is processed on the line for its metal — the product it becomes is recorded against the load.
- Recovered.** The saleable metal weighed out. Where an output weight was not recorded, Global Steel's usual recovery rate for that metal is used and the load is marked as an estimate.
- Saving.** Tonnes recovered × the published recycling credit for that metal — the carbon avoided by not making the same metal new from ore, net of collection and reprocessing (steel 1.5 t CO₂/t, worldsteel; copper 5.2, aluminium 7.9 and mixed metals 4.8 t CO₂-e/t, US EPA WARM). Metal in landfill does not break down, so no landfill methane is claimed.
- Trees.** CO₂-e avoided ÷ 0.060 t, what one tree seedling absorbs over ten years (US EPA).
- Factors marked as stand-ins (brass, stainless) and usual recovery rates should be read as estimates.