

lecture 03, the formal language PL

phil1012 introductory logic

overview

this lecture

- an introduction to the formal language PL
- the vocabulary and syntax of PL
- how formulas of PL are constructed
- translating propositions from English into PL with the use of a glossary

learning outcomes

- after doing the relevant reading for this lecture, listening to the lecture, and attending the relevant tutorial, you will be able to:
 - explain what the different symbols of PL mean
 - translate PL formulas into English
 - translate propositions from English into PL, providing a glossary for your translation
 - identify well-formed formulas of PL
 - construct construction tables for formulas of PL

required reading

- all of chapter 2

the language of propositional logic (PL)

the language of propositional logic (PL)

- the formal symbolic language of propositional logic (PL)
- the language of PL consists of a **vocabulary** and a **syntax**
- the vocabulary concerns the basic symbols
- the syntax concerns how basic symbols can be put together to form complex symbols

the vocabulary of PL

the vocabulary of PL

- basic propositions are represented in PL by simple capital letters with or without numerical subscripts
- they are called **sentence letters**
 - $A, A_2, A_3, \dots, B, B_2, B_3, \dots, C, C_2, C_3, \dots, Z, Z_2, Z_3$

-
- suppose you want to use 'A' to represent the proposition expressed by

the sentence 'John is short'

- in order to do this you would write a **glossary** like this:
 - A : John is short

-
- we use sentence letters only for basic propositions. so the following is not okay:
 - A : John is short and Jane is tall
 - remember that a negation is not a basic proposition. so the following is not okay:
 - A : John is not short

-
- we have introduced symbols to represent propositions (sentence letters)
 - now we introduce symbols to represent the **connectives**
 - $\neg, \wedge, \vee, \rightarrow, \leftrightarrow$

conjunction

- the connective conjunction is represented in PL by the symbol:
 - \wedge
- the name of the symbol is **caret**

-
- we can use caret to represent the conjunction of A and B as follows:
 - $(A \wedge B)$
 - we can use this to represent the proposition that John is short and Jane is tall

disjunction

- the connective disjunction is represented in PL by the symbol:
 - \vee
- the name of the symbol is **vel**

-
- we can use vel to represent the disjunction of A and B as follows:
 - $(A \vee B)$
 - we can use this to represent the proposition that John is short or Jane is tall

conditional

- the connective conditional is represented in PL by the symbol:
 - \rightarrow
- the name of the symbol is **arrow**

-
- we can use arrow to represent a conditional with A as its antecedent and B as its consequent as follows:
 - $(A \rightarrow B)$
 - we can use this to represent the proposition that if John is short, then Jane is tall

biconditional

- the connective biconditional is represented in PL by the symbol:
 - \leftrightarrow

- the name of the symbol is **double arrow**

-
- we can use double arrow to represent a biconditional with A as its left-hand side and B as its right-hand side as follows:
 - $(A \leftrightarrow B)$
 - we can use this to represent the proposition that John is short if and only if Jane is tall

negation

- the connective negation is represented in PL by the symbol:
 - \neg
- the name of the symbol is **neg**

-
- we can use neg to represent a negation with A as its negand as follows:
 - $\neg A$
 - we can use this to represent the proposition that John is not tall

the connectives of PL

- here are the symbols for the connectives in PL:

connective	name	symbol
negation	neg	\neg
conjunction	caret	\wedge
disjunction	vel	\vee
conditional	arrow	\rightarrow
biconditional	double arrow	\leftrightarrow

-
- here are some alternative symbols for the connectives

connective	symbol
negation	\sim
conjunction	$\&$
disjunction	\vee
conditional	\rightarrow
biconditional	\leftrightarrow

-
- note! although the choice of symbols for the connectives is entirely arbitrary, the choice we have made is final, and henceforth we will only use these symbols

-
- we now have the most important parts of the vocabulary of PL: sentence letters, connective symbols, and punctuation symbols ' (' and ') '
 - now we need to say how these can be put together

the syntax of PL

the syntax of PL

- we are now ready to precisely state the syntax of PL
- see the handout on the syntax of PL

- we use lowercase Greek letters like α and β to express general claims about the formulas of PL
- these are called **well-formed formula variables**
- well-formed formula variables can stand in for single sentence letters like A or for complex formulas like $(A \wedge B)$
- they are not part of the language of PL

- the symbols of PL are:
 - sentence letters (basic propositions):
 - $A, A_2, A_3, \dots, B, B_2, B_3, \dots, C, C_2, C_3, \dots, Z, Z_2, Z_3$
 - connectives:
 - $\neg \wedge \vee \rightarrow \leftrightarrow$
 - punctuation symbols (parentheses):
 - $()$

- wffs of PL are defined as follows:
 - any basic proposition is a wff
 - if α and β are wffs, then so are:
 - $\neg\alpha$
 - $(\alpha \wedge \beta)$
 - $(\alpha \vee \beta)$
 - $(\alpha \rightarrow \beta)$
 - $(\alpha \leftrightarrow \beta)$
 - nothing else is a wff

- the syntax of PL is specified by a **recursive definition**
- the **base clause** of the definition states certain things are wffs
- the **recursive clause** states that certain other things are wffs in terms of things we already know to be wffs

- all of the following can be generated using this definition:
 - $((R \rightarrow P) \leftrightarrow R)$
 - $(B \leftrightarrow ((C \wedge A) \vee C))$
 - $\neg(B \vee (B \leftrightarrow A))$
 - $((H \rightarrow G) \rightarrow (H \leftrightarrow (G \vee H)))$
 - $((Z \vee ((Y \vee Y) \wedge (Z \rightarrow Z)) \vee Y) \vee Y)$
 - $((C \vee (G \leftrightarrow (D \wedge A)) \rightarrow A) \vee I) \wedge ((D \leftrightarrow J) \leftrightarrow J)$

- the symbols of PL can be divided into the following categories:
 - **logical symbols** (the connective symbols)
 - **nonlogical symbols** (sentence letters)
 - **auxiliary symbols** (parentheses)
- the nonlogical symbols do not have a fixed meaning and need to be specified in a glossary
- this is why you must always provide a glossary for your translations

- given this syntax for PL we can show how any well-formed formula of PL is constructed
- suppose we want to construct $(\neg P \wedge (Q \vee R))$
- we might construct it as follows using a **construction table**

step	wff constructed at this step	from steps/by clause
1	P	/ $(2i)$
2	Q	/ $(2i)$
3	R	/ $(2i)$

step	wff constructed at this step	from steps/by clause
1	P	/ $(2i)$
2	Q	/ $(2i)$
3	R	/ $(2i)$
4	$\neg P$	1 / $(2ii \neg)$
5	$(Q \vee R)$	2,3 / $(2ii \vee)$

step	wff constructed at this step	from steps/by clause
1	P	/ $(2i)$
2	Q	/ $(2i)$
3	R	/ $(2i)$
4	$\neg P$	1 / $(2ii \neg)$
5	$(Q \vee R)$	2,3 / $(2ii \vee)$
6	$(\neg P \wedge (Q \vee R))$	4, 5 / $(2ii \wedge)$

- the other wffs in the construction are **subformulas** of the formula
- the connective added last in the construction is the **main connective**
- the main connectives gives its name to the formula it constructs

wrapping up

this lecture

- an introduction to the formal language PL
- the vocabulary and syntax of PL
- how formulas of PL are constructed
- translating propositions from English into PL with the use of a glossary

next lectures

- lecture 4, issues in translation: assertability and implicature
- lecture 5, the semantics of PL