


KONKAUTO

A MAXIMUM-TIER METHODOLOGY FOR
SPECIFICATION-DRIVEN AGENTIC DEVELOPMENT
(SDAD)

THE REPOSITORY IS THE BRAIN.
THE AGENT IS THE HANDS.
MARKDOWN IS THE CONTRACT.

THE SPECIFICATION IS THE SOURCE.
A technical doctrine for systems that outlive every session.

LOAD-BEARING SPECIFICATION FRAME



CODE IS NOT THE SOURCE OF TRUTH.

CODE IS DERIVED

A specification is the source; implementation is its output.

COMPLETE + VERSIONED


Machine-legible contracts can be regenerated, extended, repaired or rebuilt.

NOT THE CODE

The source of truth is never the product code.

THE DOCUMENTATION

It is the documentation the code was compiled from.



The specification is not a comment beside the source. It is the mold that gives the source its shape.

THE THREE LAWS OF KONKAUTO


LAW 01



LAW 02




LAW 03



PILLARS, NOT ADVICE: REMOVE ANY ONE AND THE OPERATING MODEL LOSES ITS LOAD PATH.

THE REPOSITORY IS A COGNITIVE ARCHITECTURE

KONKAUTO treats a software repository as more than storage: it is an externalized mind for humans and agents.



THE REPOSITORY IS THE BRAIN | THE AGENT IS THE HANDS | MARKDOWN IS THE CONTRACT

THE OPERATING PRINCIPLES OF SDAD

P1

DOCS BEFORE CODE

No src/ file without a spec link.

P2

ONE ENTRY POINT

AGENTS.md is always read first.

P3

STATUS IS EXPLICIT

Lifecycle state is visible in the record.

P4

DECISIONS ARE IMMUTABLE

A new ADR supersedes; it does not erase.

P5

HANDOFFS ARE WRITTEN

Snapshot current state; append the session history.

P6

BIDIRECTIONAL TRACEABILITY

Walk from spec to test and back.

P7

AGENT PROPOSES

Humans approve; the repository records.

P8

VERIFY, DO NOT ASSERT

A command exits 0; its output is recorded.

P9

LEAST PRIVILEGE, ROTATED

Scope write access; rotate the key.

THE KONKAUTO REPOSITORY ANATOMY

Every directory has a purpose. No direct access to the content.




FLOOR 01 / PRODUCT	src/ · tests/ DERIVED CODE / VERIFIABLE BEHAVIOR
FLOOR 02 / CONTROLS	quality/ · ops/ · .github/ QUALITY · SECURITY · CI
FLOOR 03 / EXECUTION	plans/ · tasks/ ORDERED WORK / ATOMIC UNITS
FLOOR 04 / CONTRACT	specs/ · decisions/ WHAT IS ALLOWED TO BE BUILT
FLOOR 05 / INTENT	vision/ · brainstorm/ · knowledge/ WHY · RAW IDEAS · REFERENCE
FLOOR 06 / MEMORY	.forge/ STATE.md · LEDGER.md · TRACE.md

CODE IS OUTPUT, NOT AUTHORITY.

FROM RAW THOUGHT TO VERIFIABLE IMPLEMENTATION

Promotion is deliberate. Nothing becomes a contract by accident.




STATUS IS THE CONTROL PLANE

Documents do not age. They transition by governance.



BRAINSTORM • SPEC • ADR • PLAN • TASK – EACH TYPE HAS ITS OWN TRANSITIONS.

AGENTS.MD — THE CONSTITUTION OF THE SYSTEM



“The only thing you should ever tell a new agent to read first, is AGENTS.md.”

It turns a general-purpose agent into a project-specific engineer.

HOW ANY AGENT BOOTS WITH ZERO CONTEXT



START WITH REPO STATE, NOT CHAT MEMORY.

SPECS ARE ENGINEERING RFCs, NOT PROMPTS

If two competent agents can implement the same specification in materially different ways, the specification is underspecified.

A SPEC MUST CLOSE THE CHOICE SPACE.

The goal is not more prose. It is less room for unrecorded interpretation.

SPEC / ENGINEERING RFC

BEHAVIORAL CONTRACT

01

SUMMARY

02

MOTIVATION

03

SCOPE

04

BEHAVIORAL CONTRACT

05

RULES

06

DATA MODEL

07

ACCEPTANCE CRITERIA

08

NFRs / SECURITY

09

OPEN QUESTIONS


10

VERIFICATION PLAN / TRACEABILITY

COMPLETE • VERSIONED • MACHINE-LEGIBLE

ACCEPTANCE CRITERIA BRIDGE SPEC & TESTS

Every Acceptance Criterion becomes an executable test.




BEHAVIOR IS WRITTEN AS

GIVEN · WHEN · THEN

TRANSLATION, NOT DUPLICATION.


SPEC → PLAN → TASKS. WORK MUST BECOME ATOMIC.



ONE AGENT SESSION ≈ 1-3 TASKS.

IF A TASK IS LARGE, IT MUST BE SPLIT.


THE KONKAUTO SESSION PROTOCOL



HANDOFF
FINAL COMMIT BEFORE PUSH

“Agents are disposable. The repository must outlive every session.”


CONTINUITY COMES FROM THE REPO, NOT THE CHAT



Handoffs are written, not remembered.

STATE.md summarizes the present. LEDGER.md preserves the sequence of sessions.

BIDIRECTIONAL TRACEABILITY. EXECUTED VERIFICATION.




- 01 Traceability is bidirectional. Any link can be walked both ways.
- 02 “Done” is not asserted. “Done” is proven.
- 03 A verification command ran, exited 0, and its output is recorded.

GOVERNANCE ENFORCED BY GIT, PROCESS & CI




PERSISTENT WRITE ACCESS WITH DISCIPLINED SECURITY

The deploy key removes friction. The handoff discipline removes risk.



FROM AI ASSISTANCE TO AI GOVERNED ENGINEERING



“Code is a derivative of specification. The repository is the brain. The agent is the hands. Markdown is the contract.”

KONKAUTO IS NOT A PROMPTING FRAMEWORK.

IT IS AN OPERATING SYSTEM FOR SPECIFICATION-DRIVEN AGENTIC DEVELOPMENT.