



**Faculty of Computer Applications**

---

**BCA Sem-1  
(AY-2026-27)**

# **Lab Book**

**Sub Code : 05BC3103  
(Programming Practices : 1)**

|                    |                             |
|--------------------|-----------------------------|
| <b>Roll No :</b>   | <b>92600527028</b>          |
| <b>Full Name :</b> | <b>Dalpautra Mo.Reaan I</b> |

**GitHub Link** | <https://github.com/reaandalpautra-pixel/BCA--PP-1---92600527028-Mo.Reaan-Dalpautra>

**Sub.Faculty Name : Dr.Ashwin Dobariya**

# Index

| Unit : 1   |                                                           |
|------------|-----------------------------------------------------------|
| Program No | Definition                                                |
| 1.         | Print "Hello World".                                      |
| 2.         | 2 Values from user and Perform All Arithmetic Operations. |
| 3.         | Print numbers from 1 to 20.                               |
| 4.         | Input 3 values from user and find out its Average.        |
| 5.         | Calculate the Square and Cube of a number.                |
| 6.         | Interchange the value of two numbers.                     |
| 7.         | Find largest out of three numbers.                        |
| 8.         | Find out Fibonacci series up to given n values.           |
| 9.         | Find out Number is Odd or Even.                           |
| 10.        | Find out sum of digits of a given number.                 |

## (1) Print "Hello World".

---


### Algorithm :

Step 1 : START

Step 2 : PRINT "Hello World"

Step 3 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main(){
    clrscr();
    printf("Hello World");
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background. The text "Hello World\_" is displayed in a light gray, monospaced font at the top left of the window.


## (2) 2 Values from user and Perform All Arithmetic Operations.

---

### Algorithm :

Step 1 : START  
Step 2 : DECLARE variables  $x=0.0$ ,  $y=0.0$ ,  $a$ ,  $s$ ,  $m$ ,  $d$   
Step 3 : INPUT  $x, y$   
Step 4 :  $a = x + y$   
Step 5 :  $s = x - y$   
Step 6 :  $m = x * y$   
Step 7 :  $d = x / y$   
Step 8 : OUTPUT  $a, s, m, d$   
Step 9 : STOP

### Flowchart :



### Code :

```
#include<stdio.h>
#include<conio.h>


void main()
{
    float x,y;
    clrscr();
    printf("\n Enter Number 1: ");
    scanf("%f",&x);
    printf("\n Enter Number 2: ");
    scanf("%f",&y);

    printf("Addition Is: %.2f \n",x+y);
    printf("Subtraction Is: %.2f \n",x-y);
    printf("Multiplication Is: %.2f \n",x*y);
    printf("Division Is: %.2f \n",x/y);

    getch();
}
```

### Output :

---

A screenshot of a terminal window with a black background and white text. It shows the output of a C program. The text is: "Enter Number 1: 23", "Enter Number 2: 2", "Addition is: 25.00", "Subtraction is: 21.00", "Multiplication is: 46.00", and "Division is: 11.50\_".

```
Enter Number 1: 23
```

```
Enter Number 2: 2
```

```
Addition is: 25.00
```

```
Subtraction is: 21.00
```

```
Multiplication is: 46.00
```

```
Division is: 11.50_
```

#### (4) Input 3 values from user and find out its Average.

##### Algorithm :

Step 1 : START

Step 2 : DECLARE variables x, y, z, avg


Step 3 : INPUT x, y, z

Step 4 :  $\text{avg} = (x + y + z) / 3$

Step 5 : PRINT avg

Step 6 : STOP

##### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int x,y,z;
    clrscr();
    printf("\n Enter Number 1: ");
    scanf("%d",&x);
    printf("\n Enter Number 2: ");
    scanf("%d",&y);
    printf("\n Enter Number 3: ");
    scanf("%d",&z);
    printf("\n Average is: %d ",(x+y+z)/3);
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background and white text. It shows the output of a C program. The text is as follows:

```
Enter Number 1: 23
Enter Number 2: 33
Enter Number 3: 43
Average is: 33 _
```



## (5) Calculate the Square and Cube of a number.

---

### Algorithm :

Step 1 : START

Step 2 : DECLARE variables  $n$ ,  $sqr$ ,  $cube$

Step 3 : INPUT  $n$


Step 4 :  $sqr = n * n$

Step 5 :  $cube = n * n * n$

Step 6 : OUTPUT  $sqr$ ,  $cube$

Step 7 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int n;
    clrscr();
    printf("\n Enter Number: ");
    scanf("%d",&n);
    printf("\n Enter Square: %d",n*n);
    printf("\n Cube is: %d",n*n*n);
    getch();
}
```

### Output :



Enter Number: 2

Square: 4

Cube is: 8

## (6) Interchange the value of two numbers.

---

### Algorithm :

Step 1 : START

Step 2 : DECLARE variables temp, x, y

Step 3 : INPUT x, y

Step 4 : temp = x


Step 5 : x = y

Step 6 : y = temp

Step 7 : PRINT x, y

Step 8 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int temp,x,y;
    clrscr();
    printf("\n Enter Number 1: ");
    scanf("%d",&x);
    printf("\n Enter Number 2: ");
    scanf("%d",&y);
    temp=x;
    x=y;
    y=temp;
    printf("\nNew Number 1: %d",x);
    printf("\nNew Number 2: %d",y);
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background and white text. The output shows the program's execution: it prompts for 'Enter Number 1:' and receives '23', then prompts for 'Enter Number 2:' and receives '33'. Finally, it displays 'New Number 1: 33' and 'New Number 2: 23\_'.

```
Enter Number 1: 23

Enter Number 2: 33

New Number 1: 33
New Number 2: 23_
```

## (7) Find largest out of three numbers.

### Algorithm :

Step 1 : START

Step 2 : DECLARE variables X, Y, Z

Step 3 : INPUT X, Y, Z


Step 4 : IF  $X > Y$  &&  $X > Z$  THEN  
PRINT "X is Largest"

Step 5 : ELSE IF  $Y > Z$  &&  $Y > X$  THEN  
PRINT "Y is Largest"

Step 6 : ELSE  
PRINT "Z is Largest"

Step 7 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main(){
    int x,y,z;
    clrscr();
    printf("\n Enter Number 1: ");
    scanf("%d",&x);
    printf("\n Enter Number 2: ");
    scanf("%d",&y);
    printf("\n Enter Number 3: ");
    scanf("%d",&z);

    if(x>y && x>z){
        printf("Number 1 is largest");
    }
    else if(y>z && y>x){
        printf("Number 2 is largest");
    }
    else{
        printf("Number 3 is largest");
    }
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background and white text. It shows the output of the C program: 'Enter Number 1: 23', 'Enter Number 2: 33', 'Enter Number 3: 43', and 'Number 3 is largest'.

```
Enter Number 1: 23
Enter Number 2: 33
Enter Number 3: 43
Number 3 is largest
```

## (9) Find out Number is Odd or Even.

---

### Algorithm :

Step 1 : START

Step 2 : DECLARE variable  $x = 0$


Step 3 : INPUT  $x$

Step 4 : IF  $x \% 2 = 0$  THEN  
PRINT "Even Number"

Step 5 : ELSE  
PRINT "Odd Number"

Step 6 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int n;
    clrscr();
    printf("\n Enter Number: ");
    scanf("%d",&n);

    if(n%2==0){
        printf("Even Number");
    }
    else
        printf("Odd Number");
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background and white text. The text shows the program's output for the number 22. It says "Enter Number: 22" on the first line and "Even Number\_" on the second line, with a cursor at the end of the second line.

```
Enter Number: 22
Even Number_
```

```
Enter Number: 23
Odd Number
```



## (10) Find out sum of digits of a given number.

---

### Algorithm :

Step 1 : START

Step 2 : DECLARE variables n, x, y

Step 3 : INPUT n


Step 4 :  $x = n \% 10$

Step 5 :  $y = n / 10$

Step 6 : OUTPUT  $x + y$

Step 7 : STOP

### Flowchart :




### Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int n,x,y;
    clrscr();
    printf("\n Enter Two Digit Number: ");
    scanf("%d",&n);
    x=n%10;
    y=n/10;
    printf("Sum Of Digits is: %d",x+y);
    getch();
}
```

### Output :

A screenshot of a terminal window with a black background and white text. The text shows the program's output: 'Enter Two Digit Number: 45' followed by 'Sum Of Digits is: 9\_'.

```
Enter Two Digit Number: 45
Sum Of Digits is: 9_
```