Lab 11


Q : Design a responsive Header and Navigation Bar with a dropdown list (Explore) using Tailwind CSS, HTML and JavaScript.

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<!DOCTYPE html>	--	Declares the document as an HTML5 document.
<html>	lang	Defines the root element of the HTML document and sets the page language to English.
<head>	--	Contains metadata, title, font links, the Tailwind CDN script and custom styles.
<meta>	charset, name, content	Specifies character encoding and responsive viewport settings.
<title>	--	Defines the title displayed in the browser tab.
<link>	rel, href, crossorigin	Preconnects to the font servers and links the Google Fonts stylesheet (Bricolage Grotesque and Figtree).
<script>	src	Loads the Tailwind CSS framework from the CDN.
<script> (inline)	--	Holds the Tailwind configuration (custom fonts and colors) and the JavaScript for dropdown open/close, keyboard navigation and the mobile menu toggle.
<style>	--	Adds a small CSS rule that turns off animations for users who prefer reduced motion.

<body>	class	Contains all visible webpage content and uses Tailwind background, text color, font and antialiasing utility classes.
<a>	href, class, aria-label, aria-current	Creates the skip link, brand link, navigation links and the Contact us button; uses Tailwind padding, rounded corner, hover and focus-ring classes. aria-current marks the active page.
<header>	id, class	Defines the sticky site header using Tailwind sticky, border, translucent background, backdrop-blur and shadow transition classes.
<nav>	class, aria-label	Defines the main navigation bar using Tailwind flex, height, max-width and padding classes; aria-label names the landmark for screen readers.
<svg>	width, height, viewBox, fill, stroke, stroke-width, class, aria-hidden, data-icon, data-chevron	Draws the Tidewell logo and the chevron, hamburger, close and product icons; aria-hidden hides decorative icons from screen readers.
<rect>	width, height, rx, fill	Draws the rounded square background of the logo.
<path>	d, stroke, stroke-width, stroke-linecap, stroke-linejoin	Draws the wave lines of the logo and the shapes of the icons.
	class, aria-hidden	Displays the brand name, icon tiles, dropdown titles and descriptions, and the small pointer on top of the dropdown panel.

	class	Creates the horizontal list of navigation links, the vertical Explore dropdown list and the mobile menu list using Tailwind flex, gap and rounded classes.
	class, data-dropdown, data-open	Defines each navigation item; the Explore item uses the group and relative classes with data-dropdown and data-open to control its open and closed state.
<button>	type, id, class, aria-expanded, aria-controls, aria-label, data-accordion	Creates the Explore button that toggles the dropdown and the hamburger button that toggles the mobile menu; aria attributes announce the state to screen readers.
	id, class, inert	Creates the Explore dropdown panel and the mobile menu panel with Tailwind transition, opacity, scale, visibility and grid-rows classes; inert keeps collapsed links out of keyboard focus.
<main>	id, class	Contains the demo page content; its id is the target of the skip link.
<h1>	class	Defines the main heading and uses Tailwind font-family, size, weight and tracking classes.
<p>	class	Defines the paragraph text and uses Tailwind text size, color, line-height and margin classes.

Final output :



Code :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <title>Tidewell – Header with Explore dropdown</title>

  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link
href="https://fonts.googleapis.com/css2?family=Bricolage+Grotesque:wght@
600;700&family=Figtree:wght@400;500;600&display=swap" rel="stylesheet"
/>
```

```
 <!-- Tailwind via CDN (fine for demos; compile Tailwind for production) -->
 <script src="https://cdn.tailwindcss.com"></script>
 <script>
  tailwind.config = {
   theme: {
    extend: {
     fontFamily: {
      display: ['"Bricolage Grotesque"', 'ui-sans-serif', 'system-ui', 'sans-serif'],
      sans: ['Figtree', 'ui-sans-serif', 'system-ui', 'sans-serif'],
     },
     colors: {
      ink:  { 900: '#10243A', 700: '#2B4157', 500: '#5B6E80' },
      tide: { 50: '#E8F6F5', 100: '#CDEBE9', 500: '#16928F', 600: '#0E7C7B',
700: '#0B6564' },
     },
    },
   },
  };
 </script>
 <style>
  @media (prefers-reduced-motion: reduce) {
   *, *::before, *::after { transition-duration: 0.01ms !important; }
  }
 </style>
</head>

<body class="bg-slate-50 font-sans text-ink-900 antialiased">

 <a href="#main" class="sr-only focus:not-sr-only focus:fixed focus:left-4
focus:top-4 focus:z-[60] focus:rounded-lg focus:bg-ink-900 focus:px-4
focus:py-2 focus:text-white">Skip to content</a>

 <!-- ==================== HEADER ==================== -->
 <header id="site-header" class="sticky top-0 z-50 border-b border-slate-200
```

```
bg-white/90 backdrop-blur transition-shadow duration-300">
  <nav aria-label="Main" class="mx-auto flex h-16 max-w-7xl items-center justify-between px-4 sm:px-6 lg:px-8">

    <!-- Brand -->
    <a href="#" aria-label="Tidewell home" class="flex items-center gap-2.5 rounded-lg focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500 focus-visible:ring-offset-2">
      <svg width="32" height="32" viewBox="0 0 32 32" fill="none" aria-hidden="true">
       <rect width="32" height="32" rx="9" fill="#10243A" />
       <path d="M6 13c3-3 6-3 10 0s7 3 10 0M6 20c3-3 6-3 10 0s7 3 10 0" stroke="#5FD1CC" stroke-width="2.4" stroke-linecap="round" />
      </svg>
      <span class="font-display text-xl font-bold tracking-tight">Ye leh!! apun ka kaam</span>
    </a>

    <!-- Main options: laid out HORIZONTALLY on desktop -->
    <ul class="ml-auto hidden items-center gap-1 lg:flex">
      <li><a href="#" aria-current="page" class="rounded-lg px-3 py-2 text-sm font-semibold text-tide-700 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">Home</a></li>

      <li><a href="#deals"   class="rounded-lg px-3 py-2 text-sm font-medium text-ink-700 transition-colors hover:bg-slate-100 hover:text-ink-900 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">Deals</a></li>
      <li><a href="#about"   class="rounded-lg px-3 py-2 text-sm font-medium text-ink-700 transition-colors hover:bg-slate-100 hover:text-ink-900 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">About</a></li>
      <!-- Explore: opens a VERTICAL list of options (hover or click) -->
      <li class="group relative" data-dropdown data-open="false">
```

```
        <button type="button" aria-expanded="false" aria-controls="menu-explore"
                class="flex items-center gap-1 rounded-lg px-3 py-2 text-sm font-medium text-ink-700 transition-colors hover:bg-slate-100 hover:text-ink-900 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500 group-data-[open=true]:bg-slate-100 group-data-[open=true]:text-ink-900">
          Explore
          <svg class="h-4 w-4 transition-transform duration-200 group-data-[open=true]:rotate-180" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="2" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="m19.5 8.25-7.5 7.5-7.5-7.5"/></svg>
        </button>

        <!-- pt-3 keeps the hover alive while the mouse crosses the gap -->
        <div id="menu-explore"
             class="invisible absolute left-0 top-full w-60 origin-top-left translate-y-2 scale-95 pt-3 opacity-0 transition-[opacity,transform,visibility] duration-200 ease-out group-data-[open=true]:visible group-data-[open=true]:translate-y-0 group-data-[open=true]:scale-100 group-data-[open=true]:opacity-100">
          <span aria-hidden="true" class="absolute left-7 top-[0.35rem] h-3 w-3 rotate-45 border-l border-t border-slate-900/10 bg-white"></span>
          <ul class="relative flex flex-col gap-0.5 rounded-2xl bg-white p-2 shadow-xl ring-1 ring-slate-900/5">
            <!-- Each <li> is one row of the vertical list: icon tile + title + short description -->
            <li>
              <a href="#laptops" class="group/item flex items-center gap-3 rounded-xl px-2.5 py-2 transition-colors hover:bg-tide-50 focus-visible:bg-tide-50 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">
                <span class="flex h-9 w-9 shrink-0 items-center justify-center rounded-lg bg-tide-100 text-tide-700 transition-colors group-hover/item:bg-
```

```
tide-600 group-hover/item:text-white group-focus-visible/item:bg-tide-600
group-focus-visible/item:text-white"><svg class="h-5 w-5" fill="none"
viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-
hidden="true"><path stroke-linecap="round" stroke-linejoin="round"
d="M2.25 17.25h19.5M4.5 17.25V6.75A2.25 2.25 0 0 1 6.75 4.5h10.5A2.25
2.25 0 0 1 19.5 6.75v10.5"/></svg></span>
            <span class="leading-tight"><span class="block text-sm font-
semibold text-ink-900">Laptops</span><span class="block text-xs text-ink-
500">Work and study</span></span>
          </a>
        </li>
        <li>
          <a href="#mobiles" class="group/item flex items-center gap-3
rounded-xl px-2.5 py-2 transition-colors hover:bg-tide-50 focus-visible:bg-
tide-50 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-
500">
            <span class="flex h-9 w-9 shrink-0 items-center justify-center
rounded-lg bg-tide-100 text-tide-700 transition-colors group-hover/item:bg-
tide-600 group-hover/item:text-white group-focus-visible/item:bg-tide-600
group-focus-visible/item:text-white"><svg class="h-5 w-5" fill="none"
viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-
hidden="true"><path stroke-linecap="round" stroke-linejoin="round"
d="M10.5 1.5H8.25A2.25 2.25 0 0 0 6 3.75v16.5a2.25 2.25 0 0 0 2.25
2.25h7.5A2.25 2.25 0 0 0 18 20.25V3.75a2.25 2.25 0 0 0-2.25-2.25H13.5m-3
0V3h3V1.5m-3 0h3m-3 18.75h3"/></svg></span>
            <span class="leading-tight"><span class="block text-sm font-
semibold text-ink-900">Mobiles</span><span class="block text-xs text-ink-
500">Latest phones</span></span>
          </a>
        </li>
        <li>
          <a href="#shoes" class="group/item flex items-center gap-3 rounded-
xl px-2.5 py-2 transition-colors hover:bg-tide-50 focus-visible:bg-tide-50
focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">
```

```
            <span class="flex h-9 w-9 shrink-0 items-center justify-center rounded-lg bg-tide-100 text-tide-700 transition-colors group-hover/item:bg-tide-600 group-hover/item:text-white group-focus-visible/item:bg-tide-600 group-focus-visible/item:text-white"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M3 17v-3.5c0-1 .4-2 1.2-2.7L7.5 8l2.5 2.5c1 1 2.4 1.5 3.8 1.5 3.5 0 7.2 1.2 7.2 3.5V17H3Z"/></svg></span>
            <span class="leading-tight"><span class="block text-sm font-semibold text-ink-900">Shoes</span><span class="block text-xs text-ink-500">Sneakers and more</span></span>
          </a>
        </li>
        <li>
          <a href="#watches" class="group/item flex items-center gap-3 rounded-xl px-2.5 py-2 transition-colors hover:bg-tide-50 focus-visible:bg-tide-50 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">
            <span class="flex h-9 w-9 shrink-0 items-center justify-center rounded-lg bg-tide-100 text-tide-700 transition-colors group-hover/item:bg-tide-600 group-hover/item:text-white group-focus-visible/item:bg-tide-600 group-focus-visible/item:text-white"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M12 6v6l3.75 1.5M21 12a9 9 0 1 1-18 0 9 9 0 0 1 18 0Z"/></svg></span>
            <span class="leading-tight"><span class="block text-sm font-semibold text-ink-900">Watches</span><span class="block text-xs text-ink-500">Smart and classic</span></span>
          </a>
        </li>
        <li>
          <a href="#headphones" class="group/item flex items-center gap-3 rounded-xl px-2.5 py-2 transition-colors hover:bg-tide-50 focus-visible:bg-tide-50 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-
```

```
500">
            <span class="flex h-9 w-9 shrink-0 items-center justify-center
rounded-lg bg-tide-100 text-tide-700 transition-colors group-hover/item:bg-
tide-600 group-hover/item:text-white group-focus-visible/item:bg-tide-600
group-focus-visible/item:text-white"><svg class="h-5 w-5" fill="none"
viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-
hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M3
14v-2a9 9 0 0 1 18 0v2M3 14h3v5H4.5A1.5 1.5 0 0 1 3 17.5V14Zm18 0h-
3v5h1.5a1.5 1.5 0 0 0 1.5-1.5V14Z"/></svg></span>
            <span class="leading-tight"><span class="block text-sm font-
semibold text-ink-900">Headphones</span><span class="block text-xs text-
ink-500">Wireless and wired</span></span>
          </a>
        </li>
      </ul>
    </div>
  </li>

  <li class="ml-2"><a href="#contact" class="inline-block rounded-xl bg-
tide-600 px-4 py-2.5 text-sm font-semibold text-white shadow-sm shadow-
tide-600/30 transition hover:-translate-y-px hover:bg-tide-700
hover:shadow-md focus-visible:outline-none focus-visible:ring-2 focus-
visible:ring-tide-500 focus-visible:ring-offset-2">Contact us</a></li>
</ul>

<!-- Hamburger (mobile only) -->
<div class="flex items-center gap-2">

  <button id="menu-btn" type="button" aria-expanded="false" aria-
controls="mobile-menu" aria-label="Open main menu"
          class="inline-flex h-10 w-10 items-center justify-center rounded-lg
text-ink-700 transition-colors hover:bg-slate-100 focus-visible:outline-none
focus-visible:ring-2 focus-visible:ring-tide-500 lg:hidden">
    <svg data-icon="open" class="h-6 w-6" fill="none" viewBox="0 0 24 24"
```

```
stroke="currentColor" stroke-width="1.8" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M3.75 6.75h16.5M3.75 12h16.5M3.75 17.25h16.5"/></svg>
        <svg data-icon="close" class="hidden h-6 w-6" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.8" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M6 18 18 6M6 6l12 12"/></svg>
      </button>
    </div>
  </nav>

  <!-- ====================== MOBILE MENU ====================== -->
  <div id="mobile-menu" inert class="grid grid-rows-[0fr] transition-[grid-template-rows] duration-300 ease-out lg:hidden">
    <div class="overflow-hidden">
      <ul class="mx-auto max-w-7xl space-y-1 border-t border-slate-200 px-4 py-3 sm:px-6">
        <li><a href="#" aria-current="page" class="block rounded-lg bg-tide-50 px-3 py-2.5 text-base font-semibold text-tide-700 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">Home</a></li>

        <!-- Explore accordion (vertical list) -->
        <li>
          <button type="button" data-accordion aria-expanded="false" aria-controls="m-explore"
                  class="flex w-full items-center justify-between rounded-lg px-3 py-2.5 text-base font-medium text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">
            Explore
            <svg data-chevron class="h-4 w-4 transition-transform duration-200" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="2" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="m19.5 8.25-7.5 7.5-7.5-7.5"/></svg>
```

```
        </button>
        <div id="m-explore" inert class="grid grid-rows-[0fr] transition-[grid-template-rows] duration-300 ease-out">
          <ul class="ml-3 overflow-hidden border-l-2 border-tide-100 pl-3">
            <li><a href="#laptops" class="flex items-center gap-3 rounded-lg px-3 py-2 text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500"><span class="text-tide-600"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M2.25 17.25h19.5M4.5 17.25V6.75A2.25 2.25 0 0 1 6.75 4.5h10.5A2.25 2.25 0 0 1 19.5 6.75v10.5"/></svg></span>Laptops</a></li>
            <li><a href="#mobiles" class="flex items-center gap-3 rounded-lg px-3 py-2 text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500"><span class="text-tide-600"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M10.5 1.5H8.25A2.25 2.25 0 0 0 6 3.75v16.5a2.25 2.25 0 0 0 2.25 2.25h7.5A2.25 2.25 0 0 0 18 20.25V3.75a2.25 2.25 0 0 0-2.25-2.25H13.5m-3 0V3h3V1.5m-3 0h3m-3 18.75h3"/></svg></span>Mobiles</a></li>
            <li><a href="#shoes" class="flex items-center gap-3 rounded-lg px-3 py-2 text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500"><span class="text-tide-600"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M3 17v-3.5c0-1 .4-2 1.2-2.7L7.5 8l2.5 2.5c1 1 2.4 1.5 3.8 1.5 3.5 0 7.2 1.2 7.2 3.5V17H3Z"/></svg></span>Shoes</a></li>
            <li><a href="#watches" class="flex items-center gap-3 rounded-lg px-3 py-2 text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500"><span class="text-tide-600"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M12 6v6l3.75 1.5M21 12a9 9 0 1 1-18 0 9 9 0 0 1 18 0Z"/></svg></span>Watches</a></li>
```

```
            <li><a href="#headphones" class="flex items-center gap-3 rounded-lg px-3 py-2 text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500"><span class="text-tide-600"><svg class="h-5 w-5" fill="none" viewBox="0 0 24 24" stroke="currentColor" stroke-width="1.7" aria-hidden="true"><path stroke-linecap="round" stroke-linejoin="round" d="M3 14v-2a9 9 0 0 1 18 0v2M3 14h3v5H4.5A1.5 1.5 0 0 1 3 17.5V14Zm18 0h-3v5h1.5a1.5 1.5 0 0 0 1.5-1.5V14Z"/></svg></span>Headphones</a></li>
          </ul>
         </div>
        </li>

        <li><a href="#deals"   class="block rounded-lg px-3 py-2.5 text-base font-medium text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">Deals</a></li>
        <li><a href="#about"   class="block rounded-lg px-3 py-2.5 text-base font-medium text-ink-700 hover:bg-slate-100 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500">About</a></li>
        <li class="pt-2"><a href="#contact" class="block rounded-xl bg-tide-600 px-4 py-3 text-center text-base font-semibold text-white shadow-sm hover:bg-tide-700 focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-tide-500 focus-visible:ring-offset-2">Contact us</a></li>
      </ul>
     </div>
   </div>
  </header>

  <!-- Demo content (replace with your page) -->
  <main id="main" class="mx-auto max-w-3xl px-4 py-20 sm:px-6">
   <h1 class="font-display text-4xl font-bold tracking-tight sm:text-5xl">Find what you need, faster.</h1>
   <p class="mt-5 max-w-xl text-lg leading-relaxed text-ink-700">
    Hover or click Explore to open the vertical list. Use Tab, the arrow keys and Esc to try it with the keyboard,
```

```
    or shrink the window to see the mobile menu.
   </p>
   <div class="mt-16 h-[120vh] rounded-2xl border border-dashed border-slate-300"></div>
  </main>

  <!-- ========== JAVASCRIPT ========== -->
  <script>
   (() => {
    'use strict';
    const header = document.getElementById('site-header');

    /* Header shadow on scroll */
    const onScroll = () => header.classList.toggle('shadow-md', window.scrollY > 8);
    onScroll();
    window.addEventListener('scroll', onScroll, { passive: true });

    /* ---------- Desktop dropdowns (works for any [data-dropdown]) ---------- */
    const dropdowns = [...document.querySelectorAll('[data-dropdown]')];
    const hoverQuery = window.matchMedia('(min-width: 1024px) and (hover: hover)');
    const HOVER_CLOSE_DELAY = 150;

    const setOpen = (dd, open) => {
     dd.dataset.open = String(open);
     dd.querySelector('button').setAttribute('aria-expanded', String(open));
     if (!open) dd._pinned = false;
    };
    const closeAll = (except = null) => dropdowns.forEach(dd => dd !== except && setOpen(dd, false));

    dropdowns.forEach(dd => {
```

```
    const btn = dd.querySelector('button');
    const links = () => [...dd.querySelectorAll('#' + btn.getAttribute('aria-controls') + ' a')];
    let timer;

    // Hover opens (mouse + desktop width only)
    dd.addEventListener('mouseenter', () => {
      if (!hoverQuery.matches) return;
      clearTimeout(timer);
      closeAll(dd);
      setOpen(dd, true);
    });
    dd.addEventListener('mouseleave', () => {
      if (!hoverQuery.matches || dd._pinned) return;
      timer = setTimeout(() => setOpen(dd, false), HOVER_CLOSE_DELAY);
    });

    // Click toggles; clicking a hover-opened menu pins it open
    btn.addEventListener('click', () => {
      const isOpen = dd.dataset.open === 'true';
      if (hoverQuery.matches && isOpen && !dd._pinned) { dd._pinned = true; return; }
      closeAll(dd);
      setOpen(dd, !isOpen);
      if (!isOpen) dd._pinned = true;
    });

    // Keyboard: Esc, Arrow keys, Home/End
    dd.addEventListener('keydown', e => {
      const items = links();
      const i = items.indexOf(document.activeElement);
      const open = dd.dataset.open === 'true';

      if (e.key === 'Escape' && open) {
```

```
      setOpen(dd, false);
      btn.focus();
    } else if (e.key === 'ArrowDown') {
      e.preventDefault();
      if (!open) setOpen(dd, true);
      requestAnimationFrame(() => (items[i + 1] || items[0]).focus());
    } else if (e.key === 'ArrowUp' && open) {
      e.preventDefault();
      (i > 0 ? items[i - 1] : btn).focus();
    } else if (e.key === 'Home' && i >= 0) {
      e.preventDefault(); items[0].focus();
    } else if (e.key === 'End' && i >= 0) {
      e.preventDefault(); items[items.length - 1].focus();
    }
  });

  // Close when focus leaves
  dd.addEventListener('focusout', e => {
    if (!dd.contains(e.relatedTarget)) setOpen(dd, false);
  });
});

// Click outside closes
document.addEventListener('click', e => {
  if (!e.target.closest('[data-dropdown]')) closeAll();
});

/* ---------- Mobile menu + accordions ---------- */
const setCollapsed = (panel, trigger, open) => {
  panel.classList.toggle('grid-rows-[1fr]', open);
  panel.classList.toggle('grid-rows-[0fr]', !open);
  panel.toggleAttribute('inert', !open);   // hidden links can't be tabbed to
  trigger.setAttribute('aria-expanded', String(open));
};
```

```
    const menuBtn = document.getElementById('menu-btn');
    const menu = document.getElementById('mobile-menu');
    const accordions = [...menu.querySelectorAll('[data-accordion]')];

    const setAccordion = (btn, open) => {
      setCollapsed(document.getElementById(btn.getAttribute('aria-
controls')), btn, open);
      btn.querySelector('[data-chevron]').classList.toggle('rotate-180', open);
    };
    const setMenu = open => {
      setCollapsed(menu, menuBtn, open);
      menuBtn.setAttribute('aria-label', open ? 'Close main menu' : 'Open main
menu');
      menuBtn.querySelector('[data-icon="open"]').classList.toggle('hidden',
open);
      menuBtn.querySelector('[data-icon="close"]').classList.toggle('hidden',
!open);
      if (!open) accordions.forEach(b => setAccordion(b, false));
    };

    menuBtn.addEventListener('click', () =>
setMenu(menuBtn.getAttribute('aria-expanded') !== 'true'));
    accordions.forEach(b => b.addEventListener('click', () => setAccordion(b,
b.getAttribute('aria-expanded') !== 'true')));
    menu.addEventListener('click', e => { if (e.target.closest('a'))
setMenu(false); });

    document.addEventListener('keydown', e => {
      if (e.key === 'Escape' && menuBtn.getAttribute('aria-expanded') ===
'true') {
        setMenu(false);
        menuBtn.focus();
      }
```

```
    });

    window.matchMedia('(min-width: 1024px)').addEventListener('change', e
=> {
      if (e.matches) setMenu(false);
      closeAll();
    });
  })();
 </script>
</body>
</html>
```