




Scopes

A Slack app's capabilities and permissions are governed by the [scopes](#) it requests.


Changes in optional status apply immediately to your published app as long as the scopes are already approved.

Bot Token Scopes

Scopes that govern what your app can access.

☒	Required	OAuth Scope	Description	
☒	Yes	chat:write	Send messages as @n8n	
☒	Yes	users:read	View people in a workspace	
☒	Yes	users:read.email	View email addresses of people in a workspace	

Add an OAuth Scope



Step 1: Add the Scopes to "Bot Token" instead

1. On that same page, look slightly higher up for the box labeled **Bot Token Scopes**. [\[1\]](#)
2. Click **Add an OAuth Scope**. [\[1\]](#)
3. Add your target scopes here:
 - users:read
 - users:read.email
 - chat:write (if your n8n workflow needs to send messages) [\[1, 2\]](#)

Step 2: Install the App

1. Scroll back up to the top of the **OAuth & Permissions** page.
2. Click the big green button that says **Install to Workspace** (or **Reinstall to Workspace**).
3. The regular permission authorization screen will show up without the Enterprise block, and you can hit **Allow**. [\[1, 2, 3, 4, 5\]](#)

Once completed, Slack will issue you a token starting with **xoxb-**. Copy that exact token and paste it directly into n8n as a **Slack Bot Token** credentials type! [\[1\]](#)

Let me know if the **Install to Workspace** button goes through successfully after you clear out those user scopes!

Step 3: Connect and Invite the Bot

1. Go back to **n8n**, open your Slack node, edit your credential settings, and paste the new xoxb- token into the **Bot Token** field.
2. Open your regular **Slack app**, navigate to your #all-02-portfolioproject channel, and type:

text


/invite @n8n_helper

Use code with caution.

(Replace @n8n_helper with the exact username you created in Step 1).

Once you press enter to invite them, click **Execute step** in n8n, and your workflow will successfully push the notification!

Let




🔗 copy the generated **Bot User OAuth Token** (it will start with xoxb-).

? Go back to your n8n workspace, delete the current failing Slack credential connection, create a new one, and choose **Slack Bot Token** instead of OAuth2 to paste your token

The screenshot shows the 'Slack account 5' setup page. On the left, there are tabs for 'Connection', 'Sharing', and 'Details'. The 'Connection' tab is active. In the top right corner, there are buttons for 'Save', a trash icon, and a close 'X' icon, which are circled in red. Below these, there is a dropdown menu labeled 'Access Token'. A green message box states 'Connection tested successfully' with a 'Retry' button. Below this, there are input fields for 'Access Token *' and 'Signature Secret'. A red bracket highlights these two fields. At the bottom, there is a section for 'Allowed HTTP Request Domains'.

Once n8n. setup is done... go to slack channel and do `/invite <app name>`
i.e, here n8n itself is the app name as the chosen name when created..
so `/invite @n8n` in the chat window of slack channel... it will add the bot.



After Executing in the n8n window:

n8n

AI Assistant

Preview

Overview

Personal

Personal / 02-n8nIncidentDetectionReasoning

Editor

Executions

Evaluations

Schedule Trigger

Read State

Read Cart Events

Filter New Events

If1

Read Baseline Metrics

Aggregate Batch

AI Agent

Append row in sheet1

Send a message

Update State

IngestorWebhook

Edit Fields

If

Append row in sheet

Respond to Webhook

No New Events

Google Gemini Chat

Execute workflow from Schedule Trigger

Logs

Clear execution

Send a message

Success in 299ms

Input

Output

1 Item

Success in 1.495s

Read Cart Events

Filter New Events

If1

No New Events

Send a message

ok	channel	message	message_timestamp
true	COBPQURVA3X	user : U0BPWL7RQCS type : message ts : 1786589057.509309 bot_id : B0BPF9X9JK1 app_id : A0BPTICE97F text : :memo: *LOG* — LOW severity • Step:* N/A	1786589057.509309

Admin Panel

Templates

Insights

Help

Settings