有时候CentOS默认的yum源不一定是国内镜像,导致yum在线安装及更新速度不是很理想。这时候需要将yum源设置为国内镜像站点。国内主要开源的开源镜像站点应该是网易和阿里云了。

修改CentOS默认yum源为mirrors.163.com

- 1、首先备份系统自带yum源配置文件/etc/yum.repos.d/CentOS-Base.repo
 - [root@localhost ~]# mv /etc/yum.repos.d/CentOS-Base.repo /etc/yum.repos.d/CentOS-Base.repo.backup
- 2、进入yum源配置文件所在的文件夹
 - 1 [root@localhost ~]# cd /etc/yum.repos.d/
- 3、下载163的yum源配置文件到上面那个文件夹内

CentOS7

[root@localhost yum.repos.d]# wget http://mirrors.163.com/.help/CentOS7-Base-163.repo

CentOS6

[root@localhost yum.repos.d]# wget http://mirrors.163.com/.help/CentOS6-Base-163.repo

CentOS5

- [root@localhost yum.repos.d]# wget http://mirrors.163.com/.help/CentOS5-Base-163.repo
- 4、运行yum makecache生成缓存
 - 1 [root@localhost yum.repos.d]# yum makecache
- 5、这时候再更新系统就会看到以下mirrors.163.com信息
 - [root@localhost yum.repos.d]# yum -y update
 - 己加载插件: fastestmirror, refresh-packagekit, security
 - 设置更新进程Loading mirror speeds from cached hostfile
 - 4 * base: mirrors.163.com
 - * extras: mirrors.163.com
 - * updates: mirrors.163.com

修改CentOS默认yum源为mirrors.aliyun.com

- 1、首先备份系统自带yum源配置文件/etc/yum.repos.d/CentOS-Base.repo
 - 1 [root@localhost ~]# mv /etc/yum.repos.d/CentOS-Base.repo /etc/yum.repos.d/CentOS-Base.repo.backup
- 2、下载ailiyun的yum源配置文件到/etc/yum.repos.d/

CentOS7

[root@localhost ~]# wget -0 /etc/yum.repos.d/CentOS-Base.repo http://mirrors.aliyun.com/repo/Centos-7.repo

CentOS6

[root@localhost ~]# wget -0 /etc/yum.repos.d/CentOS-Base.repo http://mirrors.aliyun.com/repo/Centos-6.repo

CentOS5

- [root@localhost ~]# wget -0 /etc/yum.repos.d/CentOS-Base.repo http://mirrors.aliyun.com/repo/Centos-5.repo
- 3、运行yum makecache生成缓存
- 1 [root@localhost ~]# yum makecache
- 4、这时候再更新系统就会看到以下mirrors.aliyun.com信息

```
[root@localhost ~]# yum -y update
己加载插件: fastestmirror, refresh-packagekit, security
设置更新进程Loading mirror speeds from cached hostfile
* base: mirrors.aliyun.com
* extras: mirrors.aliyun.com
* updates: mirrors.aliyun.com
```

来源: http://blog.csdn.net/inslow/article/details/54177191