


Box-model


T-class ②

29/01/26

- margin → collapses...



Flex box



- display: flex
- by default: row → flex-direction:
 - column
 - column-reverse
 - row-reverse
- justify-content: (main axis)
 - center
 - end
 - start
 - space-around, space-between, space evenly.
- align-items: (cross axis)
 - start | center | end | stretch
- align-self: (for single)
- gap:
- flex: 1 | 2 | 3 | 4

reset user agent style..

```
* {  
  height: 100px;  
  width: 100px;  
  border-size: border-box  
  box-sizing: border-box;  
}
```


```
:root {  
  --text-color:  
}
```

/* use */

```
body {  
  color: var(--text-color);  
}
```

To do:

- css suggestions (external)
- css live-server
- nvim drag-drop folder..



use */

• body-lol {

color: var(--text-color);

grid:

✓ → display: grid;

→ Automatically adding on the basis of grid-template.

✓ • grid-template-rows; ... ←

✓ • grid-template-columns;

• repeat (value, size)

fr → fraction

	-5	-1	-3	-1	-1
	2		3	4	5
1	1	2	3	4	
2	5	7			
3			6		
4					

Child k sath khelenge
lol

grid-row-start: 4

grid-column-start: 3

grid-row-end: 5

grid-column-end: 4

- grid-row : start / end;
 - grid-column : start / end;
- } combines to grid-area
-
- grid-area : row-start / col-start / row-end / col-end;

Tailwind

mobile

sm: (small and above)

md: (medium and above)

lg:

xl:

} breakpoints

don't use grid-template-area.