

# Exploratorium Translation

Repository File, Link, and Fetch-State Atlas / Атлас файлов, ссылок и  
состояния загрузки

OpenAI Codex

March 18, 2026

## Exploratorium Translation

English and Russian repository summaries repeated side-by-side, line-by-line, and page-by-page

Англо-русский документ, который повторяет одни и те же данные параллельно, построчно и постранично

This document is generated from repository metadata through `uv run repo-rag sync-exploratorium-translation --root ..`. It inventories the current state of referenced papers and documentation, summarizes all tracked files except the exploratorium's own generated outputs, and summarizes every authored explicit HTTP or HTTPS URL.

Этот документ генерируется из метаданных репозитория командой `uv run repo-rag sync-exploratorium-translation --root ..`. Он инвентаризирует текущее состояние статей и документации, суммирует все отслеживаемые файлы, кроме собственных сгенерированных выходов exploratorium, и описывает каждый авторский явный HTTP- или HTTPS-URL.

## Contents

|                                            |           |
|--------------------------------------------|-----------|
| <b>1 Side-By-Side / Параллельный показ</b> | <b>2</b>  |
| <b>2 Line-By-Line / Построчный показ</b>   | <b>47</b> |
| <b>3 Page-By-Page / Постраничный показ</b> | <b>97</b> |

## Repository Fetching State / Состояние загрузки источников

Generated at 2026-04-29T12:01:09Z. The repository currently tracks 268 summarized files, 78 authored explicit URL references, and 4 bibliography entries. The exploratorium excludes its own generated outputs (3 tracked path(s)) to avoid recursive drift.

Сгенерировано в 2026-04-29T12:01:09Z. Сейчас репозиторий содержит 268 суммаризированных файлов, 78 авторских явных URL и 4 библиографических записей. Сам exploratorium исключает собственные сгенерированные выходы (3 путей), чтобы не раздувать рекурсию.

Machine-generated link surfaces excluded from the authored link table: 2576 URL occurrences (2374 unique URLs), mostly from lockfiles or raw logs.

Машинно-сгенерированные ссылки, исключенные из авторской таблицы: 2576 вхождений URL (2374 уникальных URL), в основном из lockfile или сырых логов.

## 1 Side-By-Side / Параллельный показ

### Referenced Papers And Documentation Fetch State / Состояние загрузки статей и документации

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>lewis2020rag</b> : Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Kind: inproceedings. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. | <b>lewis2020rag</b> : Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Тип: inproceedings. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>khatab2024dspy</b>: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Kind: article. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.</p> <p><b>mcp2024</b>: Model Context Protocol. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/architecture/mcp-discovery.md. Related paths: docs/architecture/mcp-discovery.md.</p> <p><b>azureinference2025</b>: Azure AI Inference Documentation. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/operations/azure-deployment.md. Related paths: docs/operations/azure-deployment.md.</p> | <p><b>khatab2024dspy</b>: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Тип: article. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.</p> <p><b>mcp2024</b>: Model Context Protocol. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные сопроводительные пути: docs/architecture/mcp-discovery.md. Связанные пути: docs/architecture/mcp-discovery.md.</p> <p><b>azureinference2025</b>: Azure AI Inference Documentation. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные сопроводительные пути: docs/operations/azure-deployment.md. Связанные пути: docs/operations/azure-deployment.md.</p> |

## Summaries Of All Files / Сводки по всем файлам

| English                                                                                                                                                                                                                                                                                                                                                                                         | Русский                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>.codex/skills/exploratorium-translation-sync/SKILL.md. Kind: markdown. Size: 1722 bytes. Shape: 32 lines. Markdown document, 32 lines, 0 explicit URLs. Lead heading: Exploratorium Translation Sync.</p> <p>.codex/skills/file-summary-sync/SKILL.md. Kind: markdown. Size: 1367 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: File Summary Sync.</p> | <p>.codex/skills/exploratorium-translation-sync/SKILL.md. Тип: markdown. Размер: 1722 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 0. Главный заголовок: Exploratorium Translation Sync.</p> <p>.codex/skills/file-summary-sync/SKILL.md. Тип: markdown. Размер: 1367 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: File Summary Sync.</p> |

| English                                                                                                                                                                                                                     | Русский                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>.codex/skills/notebook-playbook-sync/SKILL.md</code> . Kind: markdown. Size: 2085 bytes. Shape: 48 lines. Markdown document, 48 lines, 0 explicit URLs. Lead heading: Notebook Playbook Sync.                         | <code>.codex/skills/notebook-playbook-sync/SKILL.md</code> . Тип: markdown. Размер: 2085 байт. Форма: 48 строк. Документ Markdown, 48 строк, явных URL: 0. Главный заголовок: Notebook Playbook Sync.                        |
| <code>.codex/skills/notebook-playbook-sync/agents/openai.yaml</code> . Kind: yaml. Size: 300 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.                              | <code>.codex/skills/notebook-playbook-sync/agents/openai.yaml</code> . Тип: yaml. Размер: 300 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.                       |
| <code>.codex/skills/post-push-gh-run-logging/SKILL.md</code> . Kind: markdown. Size: 2059 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: Post Push Gh Run Logging.                     | <code>.codex/skills/post-push-gh-run-logging/SKILL.md</code> . Тип: markdown. Размер: 2059 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: Post Push Gh Run Logging.                    |
| <code>.codex/skills/post-push-gh-run-logging/agents/openai.yaml</code> . Kind: yaml. Size: 281 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.                            | <code>.codex/skills/post-push-gh-run-logging/agents/openai.yaml</code> . Тип: yaml. Размер: 281 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.                     |
| <code>.codex/skills/post-push-gh-run-logging/scripts/write_gh_run_log.py</code> . Kind: python. Size: 6346 bytes. Shape: 178 lines. Python module, 178 lines, 0 explicit URLs. Module intent: No module docstring detected. | <code>.codex/skills/post-push-gh-run-logging/scripts/write_gh_run_log.py</code> . Тип: python. Размер: 6346 байт. Форма: 178 строк. Модуль Python, 178 строк, явных URL: 0. Назначение модуля: No module docstring detected. |
| <code>.codex/skills/repo-verification-audit-loop/SKILL.md</code> . Kind: markdown. Size: 2589 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Repo Verification Audit Loop.             | <code>.codex/skills/repo-verification-audit-loop/SKILL.md</code> . Тип: markdown. Размер: 2589 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Repo Verification Audit Loop.            |
| <code>.codex/skills/repo-verification-audit-loop/agents/openai.yaml</code> . Kind: yaml. Size: 272 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.                        | <code>.codex/skills/repo-verification-audit-loop/agents/openai.yaml</code> . Тип: yaml. Размер: 272 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.                 |
| <code>.codex/skills/rust-sqlite-lookup/SKILL.md</code> . Kind: markdown. Size: 1297 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup.                                 | <code>.codex/skills/rust-sqlite-lookup/SKILL.md</code> . Тип: markdown. Размер: 1297 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup.                                |
| <code>.codex/skills/todo-backlog-sync/SKILL.md</code> . Kind: markdown. Size: 1289 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync.                                   | <code>.codex/skills/todo-backlog-sync/SKILL.md</code> . Тип: markdown. Размер: 1289 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync.                                  |

| English                                                                                                                                                                                                              | Русский                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>.env.sample</code> . Kind: generic. Size: 905 bytes. Shape: 17 lines. Tracked repository file, 17 lines, 0 explicit URLs. Opening line: <code># Copy this file to .env and replace placeholder values</code> . | <code>.env.sample</code> . Тип: generic. Размер: 905 байт. Форма: 17 строк. Отслеживаемый файл репозитория, 17 строк, явных URL: 0. Первая строка: <code># Copy this file to .env and replace placeholder values</code> . |
| <code>.gitattributes</code> . Kind: generic. Size: 126 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: <code>*.png filter=lfs diff=lfs merge=lfs -text</code>                | <code>.gitattributes</code> . Тип: generic. Размер: 126 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: <code>*.png filter=lfs diff=lfs merge=lfs -text</code>                |
| <code>.github/workflows/ci.yml</code> . Kind: yaml. Size: 3738 bytes. Shape: 139 lines. YAML data or workflow file, 139 lines, 0 explicit URLs. Top keys: name, True, jobs.                                          | <code>.github/workflows/ci.yml</code> . Тип: yaml. Размер: 3738 байт. Форма: 139 строк. Файл YAML с данными или workflow, 139 строк, явных URL: 0. Верхние ключи: name, True, jobs.                                       |
| <code>.github/workflows/hushwheel-quality.yml</code> . Kind: yaml. Size: 3526 bytes. Shape: 104 lines. YAML data or workflow file, 104 lines, 0 explicit URLs. Top keys: name, True, env.                            | <code>.github/workflows/hushwheel-quality.yml</code> . Тип: yaml. Размер: 3526 байт. Форма: 104 строк. Файл YAML с данными или workflow, 104 строк, явных URL: 0. Верхние ключи: name, True, env.                         |
| <code>.github/workflows/pages.yml</code> . Kind: yaml. Size: 2424 bytes. Shape: 99 lines. YAML data or workflow file, 99 lines, 0 explicit URLs. Top keys: name, True, env.                                          | <code>.github/workflows/pages.yml</code> . Тип: yaml. Размер: 2424 байт. Форма: 99 строк. Файл YAML с данными или workflow, 99 строк, явных URL: 0. Верхние ключи: name, True, env.                                       |
| <code>.github/workflows/publication-pdf.yml</code> . Kind: yaml. Size: 5549 bytes. Shape: 144 lines. YAML data or workflow file, 144 lines, 0 explicit URLs. Top keys: name, True, env.                              | <code>.github/workflows/publication-pdf.yml</code> . Тип: yaml. Размер: 5549 байт. Форма: 144 строк. Файл YAML с данными или workflow, 144 строк, явных URL: 0. Верхние ключи: name, True, env.                           |
| <code>.github/workflows/publish.yml</code> . Kind: yaml. Size: 847 bytes. Shape: 43 lines. YAML data or workflow file, 43 lines, 0 explicit URLs. Top keys: name, True, jobs.                                        | <code>.github/workflows/publish.yml</code> . Тип: yaml. Размер: 847 байт. Форма: 43 строк. Файл YAML с данными или workflow, 43 строк, явных URL: 0. Верхние ключи: name, True, jobs.                                     |
| <code>.gitignore</code> . Kind: generic. Size: 222 bytes. Shape: 21 lines. Tracked repository file, 21 lines, 0 explicit URLs. Opening line: <code>.venv/</code>                                                     | <code>.gitignore</code> . Тип: generic. Размер: 222 байт. Форма: 21 строк. Отслеживаемый файл репозитория, 21 строк, явных URL: 0. Первая строка: <code>.venv/</code>                                                     |
| <code>.pre-commit-config.yml</code> . Kind: yaml. Size: 1689 bytes. Shape: 53 lines. YAML data or workflow file, 53 lines, 0 explicit URLs. Top keys: repos.                                                         | <code>.pre-commit-config.yml</code> . Тип: yaml. Размер: 1689 байт. Форма: 53 строк. Файл YAML с данными или workflow, 53 строк, явных URL: 0. Верхние ключи: repos.                                                      |
| <code>.python-version</code> . Kind: generic. Size: 5 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: 3.11                                                                   | <code>.python-version</code> . Тип: generic. Размер: 5 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: 3.11                                                                   |

| English                                                                                                                                                                                           | Русский                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>.yamllint.yml</code> . Kind: yaml. Size: 416 bytes. Shape: 20 lines. YAML data or workflow file, 20 lines, 0 explicit URLs. Top keys: extends, rules.                                       | <code>.yamllint.yml</code> . Тип: yaml. Размер: 416 байт. Форма: 20 строк. Файл YAML с данными или workflow, 20 строк, явных URL: 0. Верхние ключи: extends, rules.                                         |
| <code>AGENTS.md</code> . Kind: markdown. Size: 6999 bytes. Shape: 108 lines. Markdown document, 108 lines, 0 explicit URLs. Lead heading: Repository Agent Instructions.                          | <code>AGENTS.md</code> . Тип: markdown. Размер: 6999 байт. Форма: 108 строк. Документ Markdown, 108 строк, явных URL: 0. Главный заголовок: Repository Agent Instructions.                                  |
| <code>AGENTS.md.d/00-audit-baseline.md</code> . Kind: markdown. Size: 592 bytes. Shape: 15 lines. Markdown document, 15 lines, 0 explicit URLs. Lead heading: Audit Baseline Instructions.        | <code>AGENTS.md.d/00-audit-baseline.md</code> . Тип: markdown. Размер: 592 байт. Форма: 15 строк. Документ Markdown, 15 строк, явных URL: 0. Главный заголовок: Audit Baseline Instructions.                |
| <code>AGENTS.md.d/10-verification-loop.md</code> . Kind: markdown. Size: 1175 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: Verification Loop Instructions. | <code>AGENTS.md.d/10-verification-loop.md</code> . Тип: markdown. Размер: 1175 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: Verification Loop Instructions.         |
| <code>AGENTS.md.d/FILES.md</code> . Kind: markdown. Size: 2247 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: File Summary Instructions.                     | <code>AGENTS.md.d/FILES.md</code> . Тип: markdown. Размер: 2247 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: File Summary Instructions.                             |
| <code>AGENTS.md.d/RUST_LOOKUP.md</code> . Kind: markdown. Size: 1803 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup Instructions.         | <code>AGENTS.md.d/RUST_LOOKUP.md</code> . Тип: markdown. Размер: 1803 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup Instructions.                 |
| <code>FILES.csv</code> . Kind: generic. Size: 32209 bytes. Shape: binary surface. Tracked repository file, 32209 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.  | <code>FILES.csv</code> . Тип: generic. Размер: 32209 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 32209 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line. |
| <code>FILES.md</code> . Kind: markdown. Size: 36882 bytes. Shape: 282 lines. Markdown document, 282 lines, 1 explicit URLs. Lead heading: Repository File Inventory.                              | <code>FILES.md</code> . Тип: markdown. Размер: 36882 байт. Форма: 282 строк. Документ Markdown, 282 строк, явных URL: 1. Главный заголовок: Repository File Inventory.                                      |
| <code>Makefile</code> . Kind: make. Size: 12378 bytes. Shape: 329 lines. Repository Makefile, 329 lines, 1 explicit URLs. It exposes the shared automation surfaces.                              | <code>Makefile</code> . Тип: make. Размер: 12378 байт. Форма: 329 строк. Makefile репозитория, 329 строк, явных URL: 1. Он открывает общие поверхности автоматизации.                                       |
| <code>README.md</code> . Kind: markdown. Size: 17456 bytes. Shape: 224 lines. Markdown document, 224 lines, 5 explicit URLs. Lead heading: Repository RAG Lab.                                    | <code>README.md</code> . Тип: markdown. Размер: 17456 байт. Форма: 224 строк. Документ Markdown, 224 строк, явных URL: 5. Главный заголовок: Repository RAG Lab.                                            |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><code>TODO.md</code>. Kind: markdown. Size: 6104 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: TODO.</p> <p><code>data/questions/repository.yaml</code>. Kind: yaml. Size: 283 bytes. Shape: 7 lines. YAML data or workflow file, 7 lines, 0 explicit URLs. Top keys: no top-level mapping keys.</p> <p><code>docs/architecture/dspy-rag-guide.md</code>. Kind: markdown. Size: 36133 bytes. Shape: 714 lines. Markdown document, 714 lines, 1 explicit URLs. Lead heading: DSPy Guide For This Repository.</p> <p><code>docs/architecture/inspired/dspy-rag-tutorial.md</code>. Kind: markdown. Size: 1474 bytes. Shape: 35 lines. Markdown document, 35 lines, 1 explicit URLs. Lead heading: DSPy Tutorial: Basic RAG.</p> <p><code>docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md</code>. Kind: markdown. Size: 1555 bytes. Shape: 38 lines. Markdown document, 38 lines, 1 explicit URLs. Lead heading: Implementing RAG with DSPy: Technical Guide.</p> <p><code>docs/architecture/mcp-discovery.md</code>. Kind: markdown. Size: 784 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: MCP Discovery Notes.</p> <p><code>docs/architecture/package-api.md</code>. Kind: markdown. Size: 6019 bytes. Shape: 89 lines. Markdown document, 89 lines, 0 explicit URLs. Lead heading: Package API Notes.</p> <p><code>docs/architecture/research-narrative.md</code>. Kind: markdown. Size: 19762 bytes. Shape: 309 lines. Markdown document, 309 lines, 0 explicit URLs. Lead heading: Repository Research Narrative.</p> <p><code>docs/archive/repo-completeness-checklist.md</code>. Kind: markdown. Size: 7450 bytes. Shape: 238 lines. Markdown document, 238 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist.</p> | <p><code>TODO.md</code>. Тип: markdown. Размер: 6104 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: TODO.</p> <p><code>data/questions/repository.yaml</code>. Тип: yaml. Размер: 283 байт. Форма: 7 строк. Файл YAML с данными или workflow, 7 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.</p> <p><code>docs/architecture/dspy-rag-guide.md</code>. Тип: markdown. Размер: 36133 байт. Форма: 714 строк. Документ Markdown, 714 строк, явных URL: 1. Главный заголовок: DSPy Guide For This Repository.</p> <p><code>docs/architecture/inspired/dspy-rag-tutorial.md</code>. Тип: markdown. Размер: 1474 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 1. Главный заголовок: DSPy Tutorial: Basic RAG.</p> <p><code>docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md</code>. Тип: markdown. Размер: 1555 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 1. Главный заголовок: Implementing RAG with DSPy: Technical Guide.</p> <p><code>docs/architecture/mcp-discovery.md</code>. Тип: markdown. Размер: 784 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: MCP Discovery Notes.</p> <p><code>docs/architecture/package-api.md</code>. Тип: markdown. Размер: 6019 байт. Форма: 89 строк. Документ Markdown, 89 строк, явных URL: 0. Главный заголовок: Package API Notes.</p> <p><code>docs/architecture/research-narrative.md</code>. Тип: markdown. Размер: 19762 байт. Форма: 309 строк. Документ Markdown, 309 строк, явных URL: 0. Главный заголовок: Repository Research Narrative.</p> <p><code>docs/archive/repo-completeness-checklist.md</code>. Тип: markdown. Размер: 7450 байт. Форма: 238 строк. Документ Markdown, 238 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist.</p> |

| English                                                                                                                                                                                                                     | Русский                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>docs/audit/2026-03-15-repo-state.md</code> . Kind: markdown. Size: 5989 bytes. Shape: 151 lines. Markdown document, 151 lines, 0 explicit URLs. Lead heading: Repository State Audit.                                 | <code>docs/audit/2026-03-15-repo-state.md</code> . Тип: markdown. Размер: 5989 байт. Форма: 151 строк. Документ Markdown, 151 строк, явных URL: 0. Главный заголовок: Repository State Audit.                                 |
| <code>docs/audit/2026-03-17-docs-and-uv-refresh.md</code> . Kind: markdown. Size: 3977 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Documentation And UV Workflow Refresh Audit.     | <code>docs/audit/2026-03-17-docs-and-uv-refresh.md</code> . Тип: markdown. Размер: 3977 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Documentation And UV Workflow Refresh Audit.     |
| <code>docs/audit/2026-03-17-full-build.md</code> . Kind: markdown. Size: 6715 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: Full Build Audit.                                         | <code>docs/audit/2026-03-17-full-build.md</code> . Тип: markdown. Размер: 6715 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: Full Build Audit.                                         |
| <code>docs/audit/2026-03-17-gh-actions-watch-loop.md</code> . Kind: markdown. Size: 3797 bytes. Shape: 78 lines. Markdown document, 78 lines, 0 explicit URLs. Lead heading: GitHub Actions Watch Loop Audit.               | <code>docs/audit/2026-03-17-gh-actions-watch-loop.md</code> . Тип: markdown. Размер: 3797 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 0. Главный заголовок: GitHub Actions Watch Loop Audit.               |
| <code>docs/audit/2026-03-17-hushwheel-fixture.md</code> . Kind: markdown. Size: 5090 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Fixture Audit.                           | <code>docs/audit/2026-03-17-hushwheel-fixture.md</code> . Тип: markdown. Размер: 5090 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Fixture Audit.                           |
| <code>docs/audit/2026-03-17-hushwheel-rag-playbook.md</code> . Kind: markdown. Size: 4797 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel RAG Playbook Audit.                 | <code>docs/audit/2026-03-17-hushwheel-rag-playbook.md</code> . Тип: markdown. Размер: 4797 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel RAG Playbook Audit.                 |
| <code>docs/audit/2026-03-17-notebook-scaffolding.md</code> . Kind: markdown. Size: 3641 bytes. Shape: 70 lines. Markdown document, 70 lines, 0 explicit URLs. Lead heading: Notebook Scaffolding Audit.                     | <code>docs/audit/2026-03-17-notebook-scaffolding.md</code> . Тип: markdown. Размер: 3641 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 0. Главный заголовок: Notebook Scaffolding Audit.                     |
| <code>docs/audit/2026-03-17-publication-article.md</code> . Kind: markdown. Size: 2321 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Publication Article Audit.                       | <code>docs/audit/2026-03-17-publication-article.md</code> . Тип: markdown. Размер: 2321 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Publication Article Audit.                       |
| <code>docs/audit/2026-03-17-repo-completeness-checklist.md</code> . Kind: markdown. Size: 3114 bytes. Shape: 59 lines. Markdown document, 59 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist Audit. | <code>docs/audit/2026-03-17-repo-completeness-checklist.md</code> . Тип: markdown. Размер: 3114 байт. Форма: 59 строк. Документ Markdown, 59 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist Audit. |



| English                                                                                                                                                                                                         | Русский                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| docs/audit/2026-03-18-actions-caching.md. Kind: markdown. Size: 4189 bytes. Shape: 87 lines. Markdown document, 87 lines, 0 explicit URLs. Lead heading: GitHub Actions Caching Audit.                          | docs/audit/2026-03-18-actions-caching.md. Тип: markdown. Размер: 4189 байт. Форма: 87 строк. Документ Markdown, 87 строк, явных URL: 0. Главный заголовок: GitHub Actions Caching Audit.                          |
| docs/audit/2026-03-18-azure-inference-endpoint-probe.md. Kind: markdown. Size: 2648 bytes. Shape: 63 lines. Markdown document, 63 lines, 0 explicit URLs. Lead heading: Azure Inference Endpoint Probe Audit.   | docs/audit/2026-03-18-azure-inference-endpoint-probe.md. Тип: markdown. Размер: 2648 байт. Форма: 63 строк. Документ Markdown, 63 строк, явных URL: 0. Главный заголовок: Azure Inference Endpoint Probe Audit.   |
| docs/audit/2026-03-18-azure-runtime-surfaces.md. Kind: markdown. Size: 5307 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Azure Runtime Surfaces Audit.                   | docs/audit/2026-03-18-azure-runtime-surfaces.md. Тип: markdown. Размер: 5307 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Azure Runtime Surfaces Audit.                   |
| docs/audit/2026-03-18-dspy-training-path.md. Kind: markdown. Size: 4605 bytes. Shape: 81 lines. Markdown document, 81 lines, 0 explicit URLs. Lead heading: DSPy Training Path Audit.                           | docs/audit/2026-03-18-dspy-training-path.md. Тип: markdown. Размер: 4605 байт. Форма: 81 строк. Документ Markdown, 81 строк, явных URL: 0. Главный заголовок: DSPy Training Path Audit.                           |
| docs/audit/2026-03-18-hushwheel-program-harness.md. Kind: markdown. Size: 3907 bytes. Shape: 76 lines. Markdown document, 76 lines, 0 explicit URLs. Lead heading: Hushwheel Program Harness Audit.             | docs/audit/2026-03-18-hushwheel-program-harness.md. Тип: markdown. Размер: 3907 байт. Форма: 76 строк. Документ Markdown, 76 строк, явных URL: 0. Главный заголовок: Hushwheel Program Harness Audit.             |
| docs/audit/2026-03-18-notebook-execution.md. Kind: markdown. Size: 2577 bytes. Shape: 66 lines. Markdown document, 66 lines, 0 explicit URLs. Lead heading: Notebook Execution Audit.                           | docs/audit/2026-03-18-notebook-execution.md. Тип: markdown. Размер: 2577 байт. Форма: 66 строк. Документ Markdown, 66 строк, явных URL: 0. Главный заголовок: Notebook Execution Audit.                           |
| docs/audit/2026-03-18-notebook-runner-harness.md. Kind: markdown. Size: 4121 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.                 | docs/audit/2026-03-18-notebook-runner-harness.md. Тип: markdown. Размер: 4121 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.                 |
| docs/audit/2026-03-18-repository-benchmark-broadening.md. Kind: markdown. Size: 3728 bytes. Shape: 74 lines. Markdown document, 74 lines, 0 explicit URLs. Lead heading: Repository Benchmark Broadening Audit. | docs/audit/2026-03-18-repository-benchmark-broadening.md. Тип: markdown. Размер: 3728 байт. Форма: 74 строк. Документ Markdown, 74 строк, явных URL: 0. Главный заголовок: Repository Benchmark Broadening Audit. |
| docs/audit/2026-03-18-retest-with-env-refresh.md. Kind: markdown. Size: 5102 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Env Refresh Retest Audit.                    | docs/audit/2026-03-18-retest-with-env-refresh.md. Тип: markdown. Размер: 5102 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Env Refresh Retest Audit.                    |

| English                                                                                                                                                                                                                       | Русский                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| docs/audit/2026-03-18-retrieval-evaluation-suite.md. Kind: markdown. Size: 4031 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Retrieval Evaluation Suite Audit.                         | docs/audit/2026-03-18-retrieval-evaluation-suite.md. Тип: markdown. Размер: 4031 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Retrieval Evaluation Suite Audit.                         |
| docs/audit/2026-03-18-retrieval-ranking-refresh.md. Kind: markdown. Size: 6479 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Retrieval Ranking Refresh Audit.                         | docs/audit/2026-03-18-retrieval-ranking-refresh.md. Тип: markdown. Размер: 6479 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Retrieval Ranking Refresh Audit.                         |
| docs/audit/2026-03-18-rust-and-benchmark-hygiene.md. Kind: markdown. Size: 2049 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Rust And Benchmark Hygiene Audit.                         | docs/audit/2026-03-18-rust-and-benchmark-hygiene.md. Тип: markdown. Размер: 2049 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Rust And Benchmark Hygiene Audit.                         |
| docs/audit/2026-03-18-todo-backlog-sync.md. Kind: markdown. Size: 4104 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync Audit.                                           | docs/audit/2026-03-18-todo-backlog-sync.md. Тип: markdown. Размер: 4104 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync Audit.                                           |
| docs/audit/2026-03-18-z-notebook-runner-harness.md. Kind: markdown. Size: 4153 bytes. Shape: 104 lines. Markdown document, 104 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.                           | docs/audit/2026-03-18-z-notebook-runner-harness.md. Тип: markdown. Размер: 4153 байт. Форма: 104 строк. Документ Markdown, 104 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.                           |
| docs/audit/2026-03-18-zz-file-summary-inventory.md. Kind: markdown. Size: 2596 bytes. Shape: 69 lines. Markdown document, 69 lines, 0 explicit URLs. Lead heading: File Summary Inventory Audit.                              | docs/audit/2026-03-18-zz-file-summary-inventory.md. Тип: markdown. Размер: 2596 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 0. Главный заголовок: File Summary Inventory Audit.                              |
| docs/audit/2026-03-18-zz-research-narrative.md. Kind: markdown. Size: 3220 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Research Narrative Audit.                                      | docs/audit/2026-03-18-zz-research-narrative.md. Тип: markdown. Размер: 3220 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Research Narrative Audit.                                      |
| docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md. Kind: markdown. Size: 5061 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Session Consolidation On Origin Master. | docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md. Тип: markdown. Размер: 5061 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Session Consolidation On Origin Master. |

| English                                                                                                                                                                                                                      | Русский                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md. Kind: markdown. Size: 5404 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup And Retrieval Tag Audit.               | docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md. Тип: markdown. Размер: 5404 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup And Retrieval Tag Audit.               |
| docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md. Kind: markdown. Size: 3270 bytes. Shape: 73 lines. Markdown document, 73 lines, 0 explicit URLs. Lead heading: Session Consolidation Master CI Repair. | docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md. Тип: markdown. Размер: 3270 байт. Форма: 73 строк. Документ Markdown, 73 строк, явных URL: 0. Главный заголовок: Session Consolidation Master CI Repair. |
| docs/audit/2026-03-18-zzzzz-hushwheel-quality-instrumentation.md. Kind: markdown. Size: 8775 bytes. Shape: 165 lines. Markdown document, 165 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Instrumentation.        | docs/audit/2026-03-18-zzzzz-hushwheel-quality-instrumentation.md. Тип: markdown. Размер: 8775 байт. Форма: 165 строк. Документ Markdown, 165 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Instrumentation.        |
| docs/audit/2026-03-18-zzzzzzz-dspy-pipeline-and-live-azure-proof.md. Kind: markdown. Size: 5992 bytes. Shape: 116 lines. Markdown document, 116 lines, 1 explicit URLs. Lead heading: DSPy Pipeline And Live Azure Proof.    | docs/audit/2026-03-18-zzzzzzz-dspy-pipeline-and-live-azure-proof.md. Тип: markdown. Размер: 5992 байт. Форма: 116 строк. Документ Markdown, 116 строк, явных URL: 1. Главный заголовок: DSPy Pipeline And Live Azure Proof.    |
| docs/audit/2026-03-18-zzzzzzz-hushwheel-retrieval-record-wording.md. Kind: markdown. Size: 3042 bytes. Shape: 77 lines. Markdown document, 77 lines, 0 explicit URLs. Lead heading: Hushwheel Retrieval Record Wording.      | docs/audit/2026-03-18-zzzzzzz-hushwheel-retrieval-record-wording.md. Тип: markdown. Размер: 3042 байт. Форма: 77 строк. Документ Markdown, 77 строк, явных URL: 0. Главный заголовок: Hushwheel Retrieval Record Wording.      |
| docs/audit/2026-03-18-zzzzzzz-hushwheel-pdf-side-effect-fix.md. Kind: markdown. Size: 4044 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel PDF Side-Effect Fix.                | docs/audit/2026-03-18-zzzzzzz-hushwheel-pdf-side-effect-fix.md. Тип: markdown. Размер: 4044 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel PDF Side-Effect Fix.                |
| docs/audit/2026-03-18-zzzzzzz-hushwheel-quality-salvage.md. Kind: markdown. Size: 4554 bytes. Shape: 84 lines. Markdown document, 84 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Salvage Audit.                  | docs/audit/2026-03-18-zzzzzzz-hushwheel-quality-salvage.md. Тип: markdown. Размер: 4554 байт. Форма: 84 строк. Документ Markdown, 84 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Salvage Audit.                  |
| docs/audit/2026-03-18-zzzzzzz-land-unlanded-surfaces.md. Kind: markdown. Size: 2685 bytes. Shape: 72 lines. Markdown document, 72 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Landing Audit.                     | docs/audit/2026-03-18-zzzzzzz-land-unlanded-surfaces.md. Тип: markdown. Размер: 2685 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Landing Audit.                     |

| English                                                                                                                                                                                                                                 | Русский                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| docs/audit/2026-03-18-zzzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Kind: markdown. Size: 3472 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Rebased Master Log And Azure Typecheck Fix. | docs/audit/2026-03-18-zzzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Тип: markdown. Размер: 3472 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Rebased Master Log And Azure Typecheck Fix. |
| docs/audit/2026-03-18-zzzzzzz-worktree-consolidation.md. Kind: markdown. Size: 5914 bytes. Shape: 125 lines. Markdown document, 125 lines, 0 explicit URLs. Lead heading: Worktree Consolidation.                                       | docs/audit/2026-03-18-zzzzzzz-worktree-consolidation.md. Тип: markdown. Размер: 5914 байт. Форма: 125 строк. Документ Markdown, 125 строк, явных URL: 0. Главный заголовок: Worktree Consolidation.                                       |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-retrieval-regression-gate.md. Kind: markdown. Size: 2898 bytes. Shape: 66 lines. Markdown document, 66 lines, 0 explicit URLs. Lead heading: Retrieval Regression Gate Audit.                       | docs/audit/2026-03-18-zzzzzzzzzzzzz-retrieval-regression-gate.md. Тип: markdown. Размер: 2898 байт. Форма: 66 строк. Документ Markdown, 66 строк, явных URL: 0. Главный заголовок: Retrieval Regression Gate Audit.                       |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-land-remaining-unlanded-work.md. Kind: markdown. Size: 2908 bytes. Shape: 78 lines. Markdown document, 78 lines, 0 explicit URLs. Lead heading: Land Remaining Unlanded Work.                       | docs/audit/2026-03-18-zzzzzzzzzzzzz-land-remaining-unlanded-work.md. Тип: markdown. Размер: 2908 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 0. Главный заголовок: Land Remaining Unlanded Work.                       |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-node24-actions-refresh.md. Kind: markdown. Size: 2989 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Node 24 Actions Refresh.                                  | docs/audit/2026-03-18-zzzzzzzzzzzzz-node24-actions-refresh.md. Тип: markdown. Размер: 2989 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Node 24 Actions Refresh.                                  |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-rebase-hushwheel-quality-over-master.md. Kind: markdown. Size: 1889 bytes. Shape: 47 lines. Markdown document, 47 lines, 0 explicit URLs. Lead heading: Rebase Hushwheel Quality Over Master.       | docs/audit/2026-03-18-zzzzzzzzzzzzz-rebase-hushwheel-quality-over-master.md. Тип: markdown. Размер: 1889 байт. Форма: 47 строк. Документ Markdown, 47 строк, явных URL: 0. Главный заголовок: Rebase Hushwheel Quality Over Master.       |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Kind: markdown. Size: 2956 bytes. Shape: 75 lines. Markdown document, 75 lines, 0 explicit URLs. Lead heading: DSPy Backlog Reconciliation.                         | docs/audit/2026-03-18-zzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Тип: markdown. Размер: 2956 байт. Форма: 75 строк. Документ Markdown, 75 строк, явных URL: 0. Главный заголовок: DSPy Backlog Reconciliation.                         |
| docs/audit/2026-03-18-zzzzzzzzzzzzz-file-summary-test-churn-fix.md. Kind: markdown. Size: 2929 bytes. Shape: 85 lines. Markdown document, 85 lines, 0 explicit URLs. Lead heading: File Summary Test Churn Fix.                         | docs/audit/2026-03-18-zzzzzzzzzzzzz-file-summary-test-churn-fix.md. Тип: markdown. Размер: 2929 байт. Форма: 85 строк. Документ Markdown, 85 строк, явных URL: 0. Главный заголовок: File Summary Test Churn Fix.                         |



| English                                                                                                                                                                                                               | Русский                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| docs/audit/2026-03-19-github-pr-gate-sync.md. Kind: markdown. Size: 6599 bytes. Shape: 136 lines. Markdown document, 136 lines, 0 explicit URLs. Lead heading: Master Consolidation And GitHub PR Gate Sync.          | docs/audit/2026-03-19-github-pr-gate-sync.md. Тип: markdown. Размер: 6599 байт. Форма: 136 строк. Документ Markdown, 136 строк, явных URL: 0. Главный заголовок: Master Consolidation And GitHub PR Gate Sync.          |
| docs/audit/2026-03-19-node24-actions-opt-in.md. Kind: markdown. Size: 2929 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Node 24 Actions Opt-In.                                | docs/audit/2026-03-19-node24-actions-opt-in.md. Тип: markdown. Размер: 2929 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Node 24 Actions Opt-In.                                |
| docs/audit/2026-03-19-public-pages-and-secret-scan.md. Kind: markdown. Size: 5804 bytes. Shape: 113 lines. Markdown document, 113 lines, 2 explicit URLs. Lead heading: Public Pages And Secret Scan.                 | docs/audit/2026-03-19-public-pages-and-secret-scan.md. Тип: markdown. Размер: 5804 байт. Форма: 113 строк. Документ Markdown, 113 строк, явных URL: 2. Главный заголовок: Public Pages And Secret Scan.                 |
| docs/audit/2026-03-19-simple-end-to-end-verification-guide.md. Kind: markdown. Size: 4236 bytes. Shape: 103 lines. Markdown document, 103 lines, 0 explicit URLs. Lead heading: Simple End-To-End Verification Guide. | docs/audit/2026-03-19-simple-end-to-end-verification-guide.md. Тип: markdown. Размер: 4236 байт. Форма: 103 строк. Документ Markdown, 103 строк, явных URL: 0. Главный заголовок: Simple End-To-End Verification Guide. |
| docs/audit/README.md. Kind: markdown. Size: 416 bytes. Shape: 14 lines. Markdown document, 14 lines, 0 explicit URLs. Lead heading: Repository Audit Notes.                                                           | docs/audit/README.md. Тип: markdown. Размер: 416 байт. Форма: 14 строк. Документ Markdown, 14 строк, явных URL: 0. Главный заголовок: Repository Audit Notes.                                                           |
| docs/guides/hushwheel-fixture-rag-guide.md. Kind: markdown. Size: 5169 bytes. Shape: 138 lines. Markdown document, 138 lines, 0 explicit URLs. Lead heading: RAG Guide For The Hushwheel Fixture.                     | docs/guides/hushwheel-fixture-rag-guide.md. Тип: markdown. Размер: 5169 байт. Форма: 138 строк. Документ Markdown, 138 строк, явных URL: 0. Главный заголовок: RAG Guide For The Hushwheel Fixture.                     |
| docs/operations/azure-deployment.md. Kind: markdown. Size: 3199 bytes. Shape: 78 lines. Markdown document, 78 lines, 4 explicit URLs. Lead heading: Azure Deployment Notes.                                           | docs/operations/azure-deployment.md. Тип: markdown. Размер: 3199 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 4. Главный заголовок: Azure Deployment Notes.                                           |
| docs/operations/environment.md. Kind: markdown. Size: 6352 bytes. Shape: 121 lines. Markdown document, 121 lines, 0 explicit URLs. Lead heading: Environment Variables.                                               | docs/operations/environment.md. Тип: markdown. Размер: 6352 байт. Форма: 121 строк. Документ Markdown, 121 строк, явных URL: 0. Главный заголовок: Environment Variables.                                               |
| docs/operations/simple-end-to-end-verification-guide.md. Kind: markdown. Size: 4111 bytes. Shape: 105 lines. Markdown document, 105 lines, 12 explicit URLs. Lead heading: Simple End-To-End Verification Guide.      | docs/operations/simple-end-to-end-verification-guide.md. Тип: markdown. Размер: 4111 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 12. Главный заголовок: Simple End-To-End Verification Guide.      |

| English                                                                                                                                                                                                                                 | Русский                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>mkdocs.yml</code> . Kind: <code>yaml</code> . Size: 843 bytes. Shape: 37 lines. YAML data or workflow file, 37 lines, 2 explicit URLs. Top keys: <code>site_name</code> , <code>site_description</code> , <code>site_url</code> . | <code>mkdocs.yml</code> . Тип: <code>yaml</code> . Размер: 843 байт. Форма: 37 строк. Файл YAML с данными или workflow, 37 строк, явных URL: 2. Верхние ключи: <code>site_name</code> , <code>site_description</code> , <code>site_url</code> . |
| <code>notebooks/01_repo_rag_research.ipynb</code> . Kind: <code>notebook</code> . Size: 9324 bytes. Shape: 281 lines. Notebook, 11 cells, 0 explicit URLs. Opening heading: Repository RAG Research Playbook.                           | <code>notebooks/01_repo_rag_research.ipynb</code> . Тип: <code>notebook</code> . Размер: 9324 байт. Форма: 281 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: Repository RAG Research Playbook.                                      |
| <code>notebooks/02_agent_workflow_checklist.ipynb</code> . Kind: <code>notebook</code> . Size: 17632 bytes. Shape: 404 lines. Notebook, 9 cells, 1 explicit URLs. Opening heading: Agent Workflow Checklist.                            | <code>notebooks/02_agent_workflow_checklist.ipynb</code> . Тип: <code>notebook</code> . Размер: 17632 байт. Форма: 404 строк. Ноутбук, 9 ячеек, явных URL: 1. Первый заголовок: Agent Workflow Checklist.                                       |
| <code>notebooks/03_dspy_training_lab.ipynb</code> . Kind: <code>notebook</code> . Size: 12001 bytes. Shape: 314 lines. Notebook, 11 cells, 0 explicit URLs. Opening heading: DSPy Training Sample Lab.                                  | <code>notebooks/03_dspy_training_lab.ipynb</code> . Тип: <code>notebook</code> . Размер: 12001 байт. Форма: 314 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: DSPy Training Sample Lab.                                             |
| <code>notebooks/04_sample_population_lab.ipynb</code> . Kind: <code>notebook</code> . Size: 7894 bytes. Shape: 250 lines. Notebook, 9 cells, 0 explicit URLs. Opening heading: Sample Population Lab.                                   | <code>notebooks/04_sample_population_lab.ipynb</code> . Тип: <code>notebook</code> . Размер: 7894 байт. Форма: 250 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Sample Population Lab.                                              |
| <code>notebooks/05_hushwheel_fixture_rag_lab.ipynb</code> . Kind: <code>notebook</code> . Size: 13622 bytes. Shape: 378 lines. Notebook, 9 cells, 0 explicit URLs. Opening heading: Hushwheel Fixture RAG Lab.                          | <code>notebooks/05_hushwheel_fixture_rag_lab.ipynb</code> . Тип: <code>notebook</code> . Размер: 13622 байт. Форма: 378 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Hushwheel Fixture RAG Lab.                                     |
| <code>publication/.gitignore</code> . Kind: <code>generic</code> . Size: 80 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: <code>.build/</code>                                              | <code>publication/.gitignore</code> . Тип: <code>generic</code> . Размер: 80 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: <code>.build/</code>                                                 |
| <code>publication/Makefile</code> . Kind: <code>make</code> . Size: 1644 bytes. Shape: 48 lines. Repository Makefile, 48 lines, 0 explicit URLs. It exposes the shared automation surfaces.                                             | <code>publication/Makefile</code> . Тип: <code>make</code> . Размер: 1644 байт. Форма: 48 строк. Makefile репозитория, 48 строк, явных URL: 0. Он открывает общие поверхности автоматизации.                                                    |
| <code>publication/README.md</code> . Kind: <code>markdown</code> . Size: 1499 bytes. Shape: 34 lines. Markdown document, 34 lines, 0 explicit URLs. Lead heading: Publication Article.                                                  | <code>publication/README.md</code> . Тип: <code>markdown</code> . Размер: 1499 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 0. Главный заголовок: Publication Article.                                                        |
| <code>publication/article-banner.png</code> . Kind: <code>binary</code> . Size: 79074 bytes. Shape: <code>binary</code> surface. Binary asset, 79074 bytes of binary data. It is tracked for stable publication output.                 | <code>publication/article-banner.png</code> . Тип: <code>binary</code> . Размер: 79074 байт. Форма: бинарная поверхность. Бинарный артефакт, 79074 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.              |

| English                                                                                                                                                                                        | Русский                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| publication/exploratorium_translation/.git ignore. Kind: generic. Size: 32 bytes. Shape: 6 lines. Tracked repository file, 6 lines, 0 explicit URLs. Opening line: .build/                     | publication/exploratorium_translation/.git ignore. Тип: generic. Размер: 32 байт. Форма: 6 строк. Отслеживаемый файл репозитория, 6 строк, явных URL: 0. Первая строка: .build/                                      |
| publication/exploratorium_translation/Make file. Kind: make. Size: 870 bytes. Shape: 30 lines. Repository Makefile, 30 lines, 0 explicit URLs. It exposes the shared automation surfaces.      | publication/exploratorium_translation/Make file. Тип: make. Размер: 870 байт. Форма: 30 строк. Makefile репозитория, 30 строк, явных URL: 0. Он открывает общие поверхности автоматизации.                           |
| publication/exploratorium_translation/README.md. Kind: markdown. Size: 997 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: Exploratorium Translation.      | publication/exploratorium_translation/README.md. Тип: markdown. Размер: 997 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: Exploratorium Translation.                          |
| publication/exploratorium_translation/exploratorium_translation.tex. Kind: latex. Size: 2573 bytes. Shape: 70 lines. LaTeX source, 70 lines, 0 explicit URLs. Sections declared in preview: 0. | publication/exploratorium_translation/exploratorium_translation.tex. Тип: latex. Размер: 2573 байт. Форма: 70 строк. Исходник LaTeX, 70 строк, явных URL: 0. Секций в превью: 0.                                     |
| publication/references.bib. Kind: bibliography. Size: 1252 bytes. Shape: 28 lines. Bibliography file, 28 lines, 2 explicit URLs. Entries counted in preview: 4.                                | publication/references.bib. Тип: bibliography. Размер: 1252 байт. Форма: 28 строк. Библиографический файл, 28 строк, явных URL: 2. Записей в превью: 4.                                                              |
| publication/repository-rag-lab-article.pdf. Kind: binary. Size: 236232 bytes. Shape: binary surface. Binary asset, 236232 bytes of binary data. It is tracked for stable publication output.   | publication/repository-rag-lab-article.pdf. Тип: binary. Размер: 236232 байт. Форма: бинарная поверхность. Бинарный артефакт, 236232 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода. |
| publication/repository-rag-lab-article.tex. Kind: latex. Size: 9526 bytes. Shape: 208 lines. LaTeX source, 208 lines, 0 explicit URLs. Sections declared in preview: 4.                        | publication/repository-rag-lab-article.tex. Тип: latex. Размер: 9526 байт. Форма: 208 строк. Исходник LaTeX, 208 строк, явных URL: 0. Секций в превью: 4.                                                            |
| publication/todo-backlog-table.tex. Kind: latex. Size: 10547 bytes. Shape: 34 lines. LaTeX source, 34 lines, 36 explicit URLs. Sections declared in preview: 0.                                | publication/todo-backlog-table.tex. Тип: latex. Размер: 10547 байт. Форма: 34 строк. Исходник LaTeX, 34 строк, явных URL: 36. Секций в превью: 0.                                                                    |
| pyproject.toml. Kind: toml. Size: 2218 bytes. Shape: 95 lines. TOML configuration file, 95 lines, 0 explicit URLs. Top keys: build-system, project, dependency-groups.                         | pyproject.toml. Тип: toml. Размер: 2218 байт. Форма: 95 строк. Конфигурация TOML, 95 строк, явных URL: 0. Верхние ключи: build-system, project, dependency-groups.                                                   |
| rust-cli/Cargo.lock. Kind: generic. Size: 3213 bytes. Shape: binary surface. Tracked repository file, 3213 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.     | rust-cli/Cargo.lock. Тип: generic. Размер: 3213 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 3213 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.                |



| English                                                                                                                                                                                                          | Русский                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| rust-cli/Cargo.toml. Kind: toml. Size: 144 bytes. Shape: 8 lines. TOML configuration file, 8 lines, 0 explicit URLs. Top keys: package, dependencies.                                                            | rust-cli/Cargo.toml. Тип: toml. Размер: 144 байт. Форма: 8 строк. Конфигурация TOML, 8 строк, явных URL: 0. Верхние ключи: package, dependencies.                                                                     |
| rust-cli/src/main.rs. Kind: source. Size: 20422 bytes. Shape: 626 lines. Source file, 626 lines, 0 explicit URLs. Opening line: use rusqlite::{params, Connection};                                              | rust-cli/src/main.rs. Тип: source. Размер: 20422 байт. Форма: 626 строк. Исходный файл, 626 строк, явных URL: 0. Первая строка: use rusqlite::{params, Connection};                                                   |
| samples/README.md. Kind: markdown. Size: 713 bytes. Shape: 13 lines. Markdown document, 13 lines, 0 explicit URLs. Lead heading: Samples.                                                                        | samples/README.md. Тип: markdown. Размер: 713 байт. Форма: 13 строк. Документ Markdown, 13 строк, явных URL: 0. Главный заголовок: Samples.                                                                           |
| samples/logs/20260315T050730Z-gh-runs.md. Kind: markdown. Size: 1341 bytes. Shape: 45 lines. Markdown document, 45 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.                                 | samples/logs/20260315T050730Z-gh-runs.md. Тип: markdown. Размер: 1341 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.                                    |
| samples/logs/20260315T085140Z-gh-red-status-check.md. Kind: markdown. Size: 847 bytes. Shape: 25 lines. Markdown document, 25 lines, 1 explicit URLs. Lead heading: GitHub Actions Red Status Check.             | samples/logs/20260315T085140Z-gh-red-status-check.md. Тип: markdown. Размер: 847 байт. Форма: 25 строк. Документ Markdown, 25 строк, явных URL: 1. Главный заголовок: GitHub Actions Red Status Check.                |
| samples/logs/20260317T064722Z-full-build.raw.log. Kind: generic. Size: 2109 bytes. Shape: 62 lines. Tracked repository file, 62 lines, 0 explicit URLs. Opening line: # Full Build Raw Log                       | samples/logs/20260317T064722Z-full-build.raw.log. Тип: generic. Размер: 2109 байт. Форма: 62 строк. Отслеживаемый файл репозитория, 62 строк, явных URL: 0. Первая строка: # Full Build Raw Log                       |
| samples/logs/20260317T064833Z-full-build-attempt2.raw.log. Kind: generic. Size: 14950 bytes. Shape: 408 lines. Tracked repository file, 408 lines, 0 explicit URLs. Opening line: # Full Build Raw Log Attempt 2 | samples/logs/20260317T064833Z-full-build-attempt2.raw.log. Тип: generic. Размер: 14950 байт. Форма: 408 строк. Отслеживаемый файл репозитория, 408 строк, явных URL: 0. Первая строка: # Full Build Raw Log Attempt 2 |
| samples/logs/20260317T073401Z-gh-runs-not-ebook-scaffolding.md. Kind: markdown. Size: 2865 bytes. Shape: 35 lines. Markdown document, 35 lines, 13 explicit URLs. Lead heading: GitHub Actions Run Log.          | samples/logs/20260317T073401Z-gh-runs-not-ebook-scaffolding.md. Тип: markdown. Размер: 2865 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 13. Главный заголовок: GitHub Actions Run Log.             |
| samples/logs/20260317T073404Z-gh-runs.md. Kind: markdown. Size: 1269 bytes. Shape: 32 lines. Markdown document, 32 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.                                 | samples/logs/20260317T073404Z-gh-runs.md. Тип: markdown. Размер: 1269 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.                                    |

| English                                                                                                                                                                                                                                         | Русский                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>samples/logs/20260317T080018Z-gh-runs-all-notebooks.md</code> . Kind: markdown. Size: 2128 bytes. Shape: 34 lines. Markdown document, 34 lines, 8 explicit URLs. Lead heading: GitHub Actions Run Log.                                    | <code>samples/logs/20260317T080018Z-gh-runs-all-notebooks.md</code> . Тип: markdown. Размер: 2128 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 8. Главный заголовок: GitHub Actions Run Log.                                    |
| <code>samples/logs/20260317T083207Z-gh-runs-todo-backlog.md</code> . Kind: markdown. Size: 1063 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.                                     | <code>samples/logs/20260317T083207Z-gh-runs-todo-backlog.md</code> . Тип: markdown. Размер: 1063 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.                                     |
| <code>samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md</code> . Kind: markdown. Size: 1186 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.                      | <code>samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md</code> . Тип: markdown. Размер: 1186 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.                      |
| <code>samples/logs/20260317T085723Z-gh-runs-huswheel-fixture.md</code> . Kind: markdown. Size: 1472 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                                 | <code>samples/logs/20260317T085723Z-gh-runs-huswheel-fixture.md</code> . Тип: markdown. Размер: 1472 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                                 |
| <code>samples/logs/20260317T091641Z-gh-runs-huswheel-rag-playbook.md</code> . Kind: markdown. Size: 1470 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                            | <code>samples/logs/20260317T091641Z-gh-runs-huswheel-rag-playbook.md</code> . Тип: markdown. Размер: 1470 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                            |
| <code>samples/logs/20260317T092251Z-gh-runs-publication-article.md</code> . Kind: markdown. Size: 1801 bytes. Shape: 33 lines. Markdown document, 33 lines, 5 explicit URLs. Lead heading: GitHub Actions Run Log.                              | <code>samples/logs/20260317T092251Z-gh-runs-publication-article.md</code> . Тип: markdown. Размер: 1801 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 5. Главный заголовок: GitHub Actions Run Log.                              |
| <code>samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md</code> . Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log. | <code>samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md</code> . Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log. |
| <code>samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md</code> . Kind: markdown. Size: 1682 bytes. Shape: 41 lines. Markdown document, 41 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                            | <code>samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md</code> . Тип: markdown. Размер: 1682 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                            |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><code>samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md</code>. Kind: markdown. Size: 1747 bytes. Shape: 35 lines. Markdown document, 35 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T004712Z-gh-runs-huswheel-program-harness.md</code>. Kind: markdown. Size: 1798 bytes. Shape: 49 lines. Markdown document, 49 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-move-t-hose.md</code>. Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md</code>. Kind: markdown. Size: 1029 bytes. Shape: 26 lines. Markdown document, 26 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md</code>. Kind: markdown. Size: 1950 bytes. Shape: 62 lines. Markdown document, 62 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md</code>. Kind: markdown. Size: 1004 bytes. Shape: 26 lines. Markdown document, 26 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agnet-is-doing-1-.md</code>. Kind: markdown. Size: 1091 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-and-reporting.md</code>. Kind: markdown. Size: 2151 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.</p> | <p><code>samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md</code>. Тип: markdown. Размер: 1747 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T004712Z-gh-runs-huswheel-program-harness.md</code>. Тип: markdown. Размер: 1798 байт. Форма: 49 строк. Документ Markdown, 49 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-move-t-hose.md</code>. Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md</code>. Тип: markdown. Размер: 1029 байт. Форма: 26 строк. Документ Markdown, 26 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md</code>. Тип: markdown. Размер: 1950 байт. Форма: 62 строк. Документ Markdown, 62 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md</code>. Тип: markdown. Размер: 1004 байт. Форма: 26 строк. Документ Markdown, 26 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agnet-is-doing-1-.md</code>. Тип: markdown. Размер: 1091 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-and-reporting.md</code>. Тип: markdown. Размер: 2151 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.</p> |

| English                                                                                                                                                                                                                                                       | Русский                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-publication-surfaces.md</code> . Kind: markdown. Size: 1778 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.       | <code>samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-publication-surfaces.md</code> . Тип: markdown. Размер: 1778 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.       |
| <code>samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-follow-up.md</code> . Kind: markdown. Size: 1735 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                  | <code>samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-follow-up.md</code> . Тип: markdown. Размер: 1735 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                  |
| <code>samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md</code> . Kind: markdown. Size: 2222 bytes. Shape: 56 lines. Markdown document, 56 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                   | <code>samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md</code> . Тип: markdown. Размер: 2222 байт. Форма: 56 строк. Документ Markdown, 56 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                   |
| <code>samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md</code> . Kind: markdown. Size: 1828 bytes. Shape: 38 lines. Markdown document, 38 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log. | <code>samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md</code> . Тип: markdown. Размер: 1828 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log. |
| <code>samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md</code> . Kind: markdown. Size: 1768 bytes. Shape: 37 lines. Markdown document, 37 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                             | <code>samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md</code> . Тип: markdown. Размер: 1768 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                             |
| <code>samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md</code> . Kind: markdown. Size: 2460 bytes. Shape: 70 lines. Markdown document, 70 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.                              | <code>samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md</code> . Тип: markdown. Размер: 2460 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.                              |
| <code>samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md</code> . Kind: markdown. Size: 1074 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                       | <code>samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md</code> . Тип: markdown. Размер: 1074 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                       |
| <code>samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md</code> . Kind: markdown. Size: 1858 bytes. Shape: 54 lines. Markdown document, 54 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                                     | <code>samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md</code> . Тип: markdown. Размер: 1858 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                                     |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><code>samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md</code>. Kind: markdown. Size: 1217 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T090625Z-gh-runs-huswheel-quality-instrumentation.md</code>. Kind: markdown. Size: 1312 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md</code>. Kind: markdown. Size: 2223 bytes. Shape: 53 lines. Markdown document, 53 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md</code>. Kind: markdown. Size: 1325 bytes. Shape: 34 lines. Markdown document, 34 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md</code>. Kind: markdown. Size: 1469 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: GitHub Actions Summary.</p> <p><code>samples/logs/20260318T094347Z-gh-runs-huswheel-hardening-followup.md</code>. Kind: markdown. Size: 2739 bytes. Shape: 72 lines. Markdown document, 72 lines, 2 explicit URLs. Lead heading: GitHub Runs Log.</p> <p><code>samples/logs/20260318T100336Z-gh-runs-syn-c-final-rebased-inventories-for-carry-on-comm.md</code>. Kind: markdown. Size: 1103 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T101229Z-gh-runs-huswheel-audit-refresh.md</code>. Kind: markdown. Size: 1707 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Summary.</p> | <p><code>samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md</code>. Тип: markdown. Размер: 1217 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T090625Z-gh-runs-huswheel-quality-instrumentation.md</code>. Тип: markdown. Размер: 1312 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md</code>. Тип: markdown. Размер: 2223 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md</code>. Тип: markdown. Размер: 1325 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md</code>. Тип: markdown. Размер: 1469 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: GitHub Actions Summary.</p> <p><code>samples/logs/20260318T094347Z-gh-runs-huswheel-hardening-followup.md</code>. Тип: markdown. Размер: 2739 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 2. Главный заголовок: GitHub Runs Log.</p> <p><code>samples/logs/20260318T100336Z-gh-runs-syn-c-final-rebased-inventories-for-carry-on-comm.md</code>. Тип: markdown. Размер: 1103 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.</p> <p><code>samples/logs/20260318T101229Z-gh-runs-huswheel-audit-refresh.md</code>. Тип: markdown. Размер: 1707 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Summary.</p> |

| English                                                                                                                                                                                                                                                                                               | Русский                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md</code> . Kind: markdown. Size: 1556 bytes. Shape: 28 lines. Markdown document, 28 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                                                                                     | <code>samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md</code> . Тип: markdown. Размер: 1556 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                                                                                     |
| <code>samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md</code> . Kind: markdown. Size: 1061 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                                                                      | <code>samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md</code> . Тип: markdown. Размер: 1061 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                                                                      |
| <code>samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md</code> . Kind: markdown. Size: 1060 bytes. Shape: 21 lines. Markdown document, 21 lines, 3 explicit URLs. Lead heading: GitHub Actions Log.                                                                         | <code>samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md</code> . Тип: markdown. Размер: 1060 байт. Форма: 21 строк. Документ Markdown, 21 строк, явных URL: 3. Главный заголовок: GitHub Actions Log.                                                                         |
| <code>samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md</code> . Kind: markdown. Size: 1058 bytes. Shape: 22 lines. Markdown document, 22 lines, 2 explicit URLs. Lead heading: GitHub Actions Log.                                                                                | <code>samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md</code> . Тип: markdown. Размер: 1058 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 2. Главный заголовок: GitHub Actions Log.                                                                                |
| <code>samples/logs/20260318T125829Z-gh-runs-res-tore-retrieval-gate-after-rebase.md</code> . Kind: markdown. Size: 1585 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.                                                                   | <code>samples/logs/20260318T125829Z-gh-runs-res-tore-retrieval-gate-after-rebase.md</code> . Тип: markdown. Размер: 1585 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.                                                                   |
| <code>samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-followup-for-1.md</code> . Kind: markdown. Size: 1119 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'. | <code>samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-followup-for-1.md</code> . Тип: markdown. Размер: 1119 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'. |
| <code>samples/logs/20260318T131709Z-gh-runs-res-tore-root-readme-weighting-for-1.md</code> . Kind: markdown. Size: 1680 bytes. Shape: 45 lines. Markdown document, 45 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                                                                   | <code>samples/logs/20260318T131709Z-gh-runs-res-tore-root-readme-weighting-for-1.md</code> . Тип: markdown. Размер: 1680 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                                                                   |
| <code>samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md</code> . Kind: markdown. Size: 1335 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.                                                                   | <code>samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md</code> . Тип: markdown. Размер: 1335 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.                                                                   |

| English                                                                                                                                                                                                                                         | Русский                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>samples/logs/20260318T144102Z-gh-runs-merge-into-master.md</code> . Kind: markdown. Size: 2285 bytes. Shape: 69 lines. Markdown document, 69 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.                                | <code>samples/logs/20260318T144102Z-gh-runs-merge-into-master.md</code> . Тип: markdown. Размер: 2285 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.                                |
| <code>samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md</code> . Kind: markdown. Size: 2401 bytes. Shape: 71 lines. Markdown document, 71 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.           | <code>samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md</code> . Тип: markdown. Размер: 2401 байт. Форма: 71 строк. Документ Markdown, 71 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.           |
| <code>samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md</code> . Kind: markdown. Size: 1578 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Log.                    | <code>samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md</code> . Тип: markdown. Размер: 1578 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Log.                    |
| <code>samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md</code> . Kind: markdown. Size: 1137 bytes. Shape: 27 lines. Markdown document, 27 lines, 0 explicit URLs. Lead heading: GitHub Actions Log.                           | <code>samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md</code> . Тип: markdown. Размер: 1137 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 0. Главный заголовок: GitHub Actions Log.                           |
| <code>samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md</code> . Kind: markdown. Size: 2936 bytes. Shape: 67 lines. Markdown document, 67 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log. | <code>samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md</code> . Тип: markdown. Размер: 2936 байт. Форма: 67 строк. Документ Markdown, 67 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log. |
| <code>samples/logs/README.md</code> . Kind: markdown. Size: 331 bytes. Shape: 11 lines. Markdown document, 11 lines, 0 explicit URLs. Lead heading: GitHub Run Logs.                                                                            | <code>samples/logs/README.md</code> . Тип: markdown. Размер: 331 байт. Форма: 11 строк. Документ Markdown, 11 строк, явных URL: 0. Главный заголовок: GitHub Run Logs.                                                                            |
| <code>samples/population/hushwheel_fixture_population_candidates.yaml</code> . Kind: yaml. Size: 955 bytes. Shape: 22 lines. YAML data or workflow file, 22 lines, 0 explicit URLs. Top keys: no top-level mapping keys.                        | <code>samples/population/hushwheel_fixture_population_candidates.yaml</code> . Тип: yaml. Размер: 955 байт. Форма: 22 строк. Файл YAML с данными или workflow, 22 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.                  |
| <code>samples/population/repository_population_candidates.yaml</code> . Kind: yaml. Size: 690 bytes. Shape: 16 lines. YAML data or workflow file, 16 lines, 0 explicit URLs. Top keys: no top-level mapping keys.                               | <code>samples/population/repository_population_candidates.yaml</code> . Тип: yaml. Размер: 690 байт. Форма: 16 строк. Файл YAML с данными или workflow, 16 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.                         |

| English                                                                                                                                                                                                                                              | Русский                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>samples/training/hushwheel_fixture_trainin<br/>g_examples.yaml</code> . Kind: yaml. Size: 1852<br>bytes. Shape: 68 lines. YAML data or<br>workflow file, 68 lines, 0 explicit URLs. Top<br>keys: no top-level mapping keys.                    | <code>samples/training/hushwheel_fixture_trainin<br/>g_examples.yaml</code> . Тип: yaml. Размер: 1852<br>байт. Форма: 68 строк. Файл YAML с<br>данными или workflow, 68 строк, явных<br>URL: 0. Верхние ключи: no top-level<br>mapping keys.          |
| <code>samples/training/repository_training_examp<br/>les.yaml</code> . Kind: yaml. Size: 2641 bytes.<br>Shape: 82 lines. YAML data or workflow<br>file, 82 lines, 0 explicit URLs. Top keys: no<br>top-level mapping keys.                           | <code>samples/training/repository_training_examp<br/>les.yaml</code> . Тип: yaml. Размер: 2641 байт.<br>Форма: 82 строк. Файл YAML с данными<br>или workflow, 82 строк, явных URL: 0.<br>Верхние ключи: no top-level mapping keys.                    |
| <code>src/repo_rag_lab/__init__.py</code> . Kind: python.<br>Size: 178 bytes. Shape: 6 lines. Python<br>module, 6 lines, 0 explicit URLs. Module<br>intent: Public package surface for the<br>repository-grounded RAG lab.                           | <code>src/repo_rag_lab/__init__.py</code> . Тип: python.<br>Размер: 178 байт. Форма: 6 строк.<br>Модуль Python, 6 строк, явных URL: 0.<br>Назначение модуля: Public package<br>surface for the repository-grounded RAG<br>lab.                        |
| <code>src/repo_rag_lab/azure.py</code> . Kind: python.<br>Size: 2592 bytes. Shape: 76 lines. Python<br>module, 76 lines, 0 explicit URLs. Module<br>intent: Azure deployment manifest helpers<br>for downstream release workflows.                   | <code>src/repo_rag_lab/azure.py</code> . Тип: python.<br>Размер: 2592 байт. Форма: 76 строк.<br>Модуль Python, 76 строк, явных URL: 0.<br>Назначение модуля: Azure deployment<br>manifest helpers for downstream release<br>workflows.                |
| <code>src/repo_rag_lab/azure_runtime.py</code> . Kind:<br>python. Size: 15839 bytes. Shape: 462<br>lines. Python module, 462 lines, 0 explicit<br>URLs. Module intent: Azure runtime<br>normalization, live probes, and<br>cloud-completion helpers. | <code>src/repo_rag_lab/azure_runtime.py</code> . Тип:<br>python. Размер: 15839 байт. Форма: 462<br>строк. Модуль Python, 462 строк, явных<br>URL: 0. Назначение модуля: Azure<br>runtime normalization, live probes, and<br>cloud-completion helpers. |
| <code>src/repo_rag_lab/benchmarks.py</code> . Kind:<br>python. Size: 16315 bytes. Shape: 478<br>lines. Python module, 478 lines, 0 explicit<br>URLs. Module intent: Retrieval benchmark<br>helpers for notebook assertions and logging.              | <code>src/repo_rag_lab/benchmarks.py</code> . Тип:<br>python. Размер: 16315 байт. Форма: 478<br>строк. Модуль Python, 478 строк, явных<br>URL: 0. Назначение модуля: Retrieval<br>benchmark helpers for notebook assertions<br>and logging.           |
| <code>src/repo_rag_lab/cli.py</code> . Kind: python.<br>Size: 30871 bytes. Shape: 790 lines.<br>Python module, 790 lines, 0 explicit URLs.<br>Module intent: Command-line entrypoints<br>for the shared repository RAG workflows.                    | <code>src/repo_rag_lab/cli.py</code> . Тип: python.<br>Размер: 30871 байт. Форма: 790 строк.<br>Модуль Python, 790 строк, явных URL: 0.<br>Назначение модуля: Command-line<br>entrypoints for the shared repository RAG<br>workflows.                 |
| <code>src/repo_rag_lab/corpus.py</code> . Kind: python.<br>Size: 2768 bytes. Shape: 107 lines. Python<br>module, 107 lines, 0 explicit URLs. Module<br>intent: Repository file loading helpers for<br>the baseline text corpus.                      | <code>src/repo_rag_lab/corpus.py</code> . Тип: python.<br>Размер: 2768 байт. Форма: 107 строк.<br>Модуль Python, 107 строк, явных URL: 0.<br>Назначение модуля: Repository file<br>loading helpers for the baseline text corpus.                      |



---

**English**

`src/repo_rag_lab/dspy_training.py`. Kind: python. Size: 30024 bytes. Shape: 835 lines. Python module, 835 lines, 0 explicit URLs. Module intent: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_workflow.py`. Kind: python. Size: 5888 bytes. Shape: 163 lines. Python module, 163 lines, 0 explicit URLs. Module intent: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/exploratorium_translation.py`. Kind: python. Size: 38049 bytes. Shape: 1009 lines. Python module, 1009 lines, 0 explicit URLs. Module intent: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/file_summaries.py`. Kind: python. Size: 10564 bytes. Shape: 327 lines. Python module, 327 lines, 0 explicit URLs. Module intent: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/github_pr_gates.py`. Kind: python. Size: 3979 bytes. Shape: 140 lines. Python module, 140 lines, 0 explicit URLs. Module intent: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/mcp.py`. Kind: python. Size: 2947 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: Discovery helpers for MCP-related repository artifacts.

`src/repo_rag_lab/notebook_runner.py`. Kind: python. Size: 16433 bytes. Shape: 491 lines. Python module, 491 lines, 0 explicit URLs. Module intent: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_scaffolding.py`. Kind: python. Size: 10965 bytes. Shape: 258 lines. Python module, 258 lines, 0 explicit URLs. Module intent: High-level notebook scaffolds built from tested repository helpers.

---

**Русский**

`src/repo_rag_lab/dspy_training.py`. Тип: python. Размер: 30024 байт. Форма: 835 строк. Модуль Python, 835 строк, явных URL: 0. Назначение модуля: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_workflow.py`. Тип: python. Размер: 5888 байт. Форма: 163 строк. Модуль Python, 163 строк, явных URL: 0. Назначение модуля: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/exploratorium_translation.py`. Тип: python. Размер: 38049 байт. Форма: 1009 строк. Модуль Python, 1009 строк, явных URL: 0. Назначение модуля: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/file_summaries.py`. Тип: python. Размер: 10564 байт. Форма: 327 строк. Модуль Python, 327 строк, явных URL: 0. Назначение модуля: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/github_pr_gates.py`. Тип: python. Размер: 3979 байт. Форма: 140 строк. Модуль Python, 140 строк, явных URL: 0. Назначение модуля: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/mcp.py`. Тип: python. Размер: 2947 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: Discovery helpers for MCP-related repository artifacts.

`src/repo_rag_lab/notebook_runner.py`. Тип: python. Размер: 16433 байт. Форма: 491 строк. Модуль Python, 491 строк, явных URL: 0. Назначение модуля: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_scaffolding.py`. Тип: python. Размер: 10965 байт. Форма: 258 строк. Модуль Python, 258 строк, явных URL: 0. Назначение модуля: High-level notebook scaffolds built from tested repository helpers.

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><code>src/repo_rag_lab/notebook_support.py</code>. Kind: python. Size: 2843 bytes. Shape: 89 lines. Python module, 89 lines, 0 explicit URLs. Module intent: Helpers shared by notebooks so their setup logic stays in tested Python code.</p> <p><code>src/repo_rag_lab/pages_site.py</code>. Kind: python. Size: 13635 bytes. Shape: 390 lines. Python module, 390 lines, 2 explicit URLs. Module intent: Generate a MkDocs-ready catalog of tracked repository Markdown files.</p> <p><code>src/repo_rag_lab/population_samples.py</code>. Kind: python. Size: 8376 bytes. Shape: 241 lines. Python module, 241 lines, 0 explicit URLs. Module intent: Helpers for reviewing and batching starter corpus-population inputs.</p> <p><code>src/repo_rag_lab/retrieval.py</code>. Kind: python. Size: 19542 bytes. Shape: 616 lines. Python module, 616 lines, 0 explicit URLs. Module intent: Baseline chunking and lexical retrieval utilities for repository text.</p> <p><code>src/repo_rag_lab/rust_lookup.py</code>. Kind: python. Size: 7724 bytes. Shape: 295 lines. Python module, 295 lines, 0 explicit URLs. Module intent: Helpers for the native Rust-backed SQLite lookup index.</p> <p><code>src/repo_rag_lab/settings.py</code>. Kind: python. Size: 699 bytes. Shape: 28 lines. Python module, 28 lines, 0 explicit URLs. Module intent: Shared repository path settings derived from a repository root.</p> <p><code>src/repo_rag_lab/todo_backlog.py</code>. Kind: python. Size: 8434 bytes. Shape: 276 lines. Python module, 276 lines, 1 explicit URLs. Module intent: Shared backlog rendering helpers for Markdown and LaTeX surfaces.</p> <p><code>src/repo_rag_lab/training_samples.py</code>. Kind: python. Size: 5130 bytes. Shape: 154 lines. Python module, 154 lines, 0 explicit URLs. Module intent: Helpers for loading and summarizing starter DSPy training examples.</p> | <p><code>src/repo_rag_lab/notebook_support.py</code>. Тип: python. Размер: 2843 байт. Форма: 89 строк. Модуль Python, 89 строк, явных URL: 0. Назначение модуля: Helpers shared by notebooks so their setup logic stays in tested Python code.</p> <p><code>src/repo_rag_lab/pages_site.py</code>. Тип: python. Размер: 13635 байт. Форма: 390 строк. Модуль Python, 390 строк, явных URL: 2. Назначение модуля: Generate a MkDocs-ready catalog of tracked repository Markdown files.</p> <p><code>src/repo_rag_lab/population_samples.py</code>. Тип: python. Размер: 8376 байт. Форма: 241 строк. Модуль Python, 241 строк, явных URL: 0. Назначение модуля: Helpers for reviewing and batching starter corpus-population inputs.</p> <p><code>src/repo_rag_lab/retrieval.py</code>. Тип: python. Размер: 19542 байт. Форма: 616 строк. Модуль Python, 616 строк, явных URL: 0. Назначение модуля: Baseline chunking and lexical retrieval utilities for repository text.</p> <p><code>src/repo_rag_lab/rust_lookup.py</code>. Тип: python. Размер: 7724 байт. Форма: 295 строк. Модуль Python, 295 строк, явных URL: 0. Назначение модуля: Helpers for the native Rust-backed SQLite lookup index.</p> <p><code>src/repo_rag_lab/settings.py</code>. Тип: python. Размер: 699 байт. Форма: 28 строк. Модуль Python, 28 строк, явных URL: 0. Назначение модуля: Shared repository path settings derived from a repository root.</p> <p><code>src/repo_rag_lab/todo_backlog.py</code>. Тип: python. Размер: 8434 байт. Форма: 276 строк. Модуль Python, 276 строк, явных URL: 1. Назначение модуля: Shared backlog rendering helpers for Markdown and LaTeX surfaces.</p> <p><code>src/repo_rag_lab/training_samples.py</code>. Тип: python. Размер: 5130 байт. Форма: 154 строк. Модуль Python, 154 строк, явных URL: 0. Назначение модуля: Helpers for loading and summarizing starter DSPy training examples.</p> |

| English                                                                                                                                                                                                             | Русский                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| src/repo_rag_lab/utilities.py. Kind: python. Size: 31749 bytes. Shape: 907 lines. Python module, 907 lines, 1 explicit URLs. Module intent: User-facing utility helpers shared by the CLI, tests, and notebooks.    | src/repo_rag_lab/utilities.py. Тип: python. Размер: 31749 байт. Форма: 907 строк. Модуль Python, 907 строк, явных URL: 1. Назначение модуля: User-facing utility helpers shared by the CLI, tests, and notebooks.    |
| src/repo_rag_lab/verification.py. Kind: python. Size: 4126 bytes. Shape: 147 lines. Python module, 147 lines, 0 explicit URLs. Module intent: Verification helpers for Makefile and notebook contract checks.       | src/repo_rag_lab/verification.py. Тип: python. Размер: 4126 байт. Форма: 147 строк. Модуль Python, 147 строк, явных URL: 0. Назначение модуля: Verification helpers for Makefile and notebook contract checks.       |
| src/repo_rag_lab/workflow.py. Kind: python. Size: 14636 bytes. Shape: 466 lines. Python module, 466 lines, 0 explicit URLs. Module intent: Baseline repository question-answering workflow built on file retrieval. | src/repo_rag_lab/workflow.py. Тип: python. Размер: 14636 байт. Форма: 466 строк. Модуль Python, 466 строк, явных URL: 0. Назначение модуля: Baseline repository question-answering workflow built on file retrieval. |
| tests/features/repository_rag.feature. Kind: generic. Size: 377 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: Feature: Repository RAG                                   | tests/features/repository_rag.feature. Тип: generic. Размер: 377 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: Feature: Repository RAG                               |
| tests/fixtures/hushwheel_lexiconarium/.git ignore. Kind: generic. Size: 23 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: hushwheel                                        | tests/fixtures/hushwheel_lexiconarium/.git ignore. Тип: generic. Размер: 23 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: hushwheel                                    |
| tests/fixtures/hushwheel_lexiconarium/CHANGELOG.md. Kind: markdown. Size: 345 bytes. Shape: 9 lines. Markdown document, 9 lines, 0 explicit URLs. Lead heading: Changelog.                                          | tests/fixtures/hushwheel_lexiconarium/CHANGELOG.md. Тип: markdown. Размер: 345 байт. Форма: 9 строк. Документ Markdown, 9 строк, явных URL: 0. Главный заголовок: Changelog.                                         |
| tests/fixtures/hushwheel_lexiconarium/Doxy file. Kind: generic. Size: 1239 bytes. Shape: 35 lines. Tracked repository file, 35 lines, 0 explicit URLs. Opening line: PROJECT_NAME = Hushwheel Lexiconarium          | tests/fixtures/hushwheel_lexiconarium/Doxy file. Тип: generic. Размер: 1239 байт. Форма: 35 строк. Отслеживаемый файл репозитория, 35 строк, явных URL: 0. Первая строка: PROJECT_NAME = Hushwheel Lexiconarium      |
| tests/fixtures/hushwheel_lexiconarium/LICENSE.md. Kind: markdown. Size: 1082 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: LICENSE.                                           | tests/fixtures/hushwheel_lexiconarium/LICENSE.md. Тип: markdown. Размер: 1082 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: LICENSE.                                          |
| tests/fixtures/hushwheel_lexiconarium/Make file. Kind: make. Size: 20908 bytes. Shape: 388 lines. Repository Makefile, 388 lines, 0 explicit URLs. It exposes the shared automation surfaces.                       | tests/fixtures/hushwheel_lexiconarium/Make file. Тип: make. Размер: 20908 байт. Форма: 388 строк. Makefile репозитория, 388 строк, явных URL: 0. Он открывает общие поверхности автоматизации.                       |

| English                                                                                                                                                                                                                           | Русский                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/fixtures/hushwheel_lexiconarium/README.md. Kind: markdown. Size: 8269 bytes. Shape: 162 lines. Markdown document, 162 lines, 0 explicit URLs. Lead heading: The Hushwheel Lexiconarium.                                     | tests/fixtures/hushwheel_lexiconarium/README.md. Тип: markdown. Размер: 8269 байт. Форма: 162 строк. Документ Markdown, 162 строк, явных URL: 0. Главный заголовок: The Hushwheel Lexiconarium.                                              |
| tests/fixtures/hushwheel_lexiconarium/VERSION. Kind: generic. Size: 6 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: 0.1.0                                                               | tests/fixtures/hushwheel_lexiconarium/VERSION. Тип: generic. Размер: 6 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: 0.1.0                                                                     |
| tests/fixtures/hushwheel_lexiconarium/docs/architecture.md. Kind: markdown. Size: 1404 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead heading: Hushwheel Architecture.                                | tests/fixtures/hushwheel_lexiconarium/docs/architecture.md. Тип: markdown. Размер: 1404 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Architecture.                                         |
| tests/fixtures/hushwheel_lexiconarium/docs/catalog.md. Kind: markdown. Size: 27404 bytes. Shape: 357 lines. Markdown document, 357 lines, 0 explicit URLs. Lead heading: Hushwheel Representative Catalog.                        | tests/fixtures/hushwheel_lexiconarium/docs/catalog.md. Тип: markdown. Размер: 27404 байт. Форма: 357 строк. Документ Markdown, 357 строк, явных URL: 0. Главный заголовок: Hushwheel Representative Catalog.                                 |
| tests/fixtures/hushwheel_lexiconarium/docs/concepts.md. Kind: markdown. Size: 1559 bytes. Shape: 37 lines. Markdown document, 37 lines, 0 explicit URLs. Lead heading: Hushwheel Concepts.                                        | tests/fixtures/hushwheel_lexiconarium/docs/concepts.md. Тип: markdown. Размер: 1559 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 0. Главный заголовок: Hushwheel Concepts.                                                 |
| tests/fixtures/hushwheel_lexiconarium/docs/constellation-atlas.md. Kind: markdown. Size: 5111 bytes. Shape: 142 lines. Markdown document, 142 lines, 0 explicit URLs. Lead heading: Hushwheel Constellation Atlas \$::<[]>.       | tests/fixtures/hushwheel_lexiconarium/docs/constellation-atlas.md. Тип: markdown. Размер: 5111 байт. Форма: 142 строк. Документ Markdown, 142 строк, явных URL: 0. Главный заголовок: Hushwheel Constellation Atlas \$::<[]>.                |
| tests/fixtures/hushwheel_lexiconarium/docs/districts.md. Kind: markdown. Size: 1151 bytes. Shape: 42 lines. Markdown document, 42 lines, 0 explicit URLs. Lead heading: Hushwheel Districts.                                      | tests/fixtures/hushwheel_lexiconarium/docs/districts.md. Тип: markdown. Размер: 1151 байт. Форма: 42 строк. Документ Markdown, 42 строк, явных URL: 0. Главный заголовок: Hushwheel Districts.                                               |
| tests/fixtures/hushwheel_lexiconarium/docs/doxygen-fonts.sty. Kind: generic. Size: 212 bytes. Shape: binary surface. Tracked repository file, 212 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line. | tests/fixtures/hushwheel_lexiconarium/docs/doxygen-fonts.sty. Тип: generic. Размер: 212 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 212 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line. |
| tests/fixtures/hushwheel_lexiconarium/docs/hushwheel-reference.pdf. Kind: binary. Size: 132 bytes. Shape: binary surface. Binary asset, 132 bytes of binary data. It is tracked for stable publication output.                    | tests/fixtures/hushwheel_lexiconarium/docs/hushwheel-reference.pdf. Тип: binary. Размер: 132 байт. Форма: бинарная поверхность. Бинарный артефакт, 132 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.       |

| English                                                                                                                                                                                                                            | Русский                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/fixtures/hushwheel_lexiconarium/docs/operations.md. Kind: markdown. Size: 1068 bytes. Shape: 35 lines. Markdown document, 35 lines, 0 explicit URLs. Lead heading: Hushwheel Operations.                                     | tests/fixtures/hushwheel_lexiconarium/docs/operations.md. Тип: markdown. Размер: 1068 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 0. Главный заголовок: Hushwheel Operations.                                              |
| tests/fixtures/hushwheel_lexiconarium/docs/packaging.md. Kind: markdown. Size: 1112 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead heading: Hushwheel Packaging.                                       | tests/fixtures/hushwheel_lexiconarium/docs/packaging.md. Тип: markdown. Размер: 1112 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Packaging.                                                |
| tests/fixtures/hushwheel_lexiconarium/docs/testing.md. Kind: markdown. Size: 3507 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Testing.                                           | tests/fixtures/hushwheel_lexiconarium/docs/testing.md. Тип: markdown. Размер: 3507 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Testing.                                                    |
| tests/fixtures/hushwheel_lexiconarium/fixture-manifest.json. Kind: json. Size: 1098 bytes. Shape: 49 lines. JSON data file, 49 lines, 0 explicit URLs. Top keys: entry_count, source_size_bytes, doc_files.                        | tests/fixtures/hushwheel_lexiconarium/fixture-manifest.json. Тип: json. Размер: 1098 байт. Форма: 49 строк. Файл JSON, 49 строк, явных URL: 0. Верхние ключи: entry_count, source_size_bytes, doc_files.                                      |
| tests/fixtures/hushwheel_lexiconarium/include/hushwheel.h. Kind: source. Size: 404 bytes. Shape: 19 lines. Source file, 19 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL_H                                               | tests/fixtures/hushwheel_lexiconarium/include/hushwheel.h. Тип: source. Размер: 404 байт. Форма: 19 строк. Исходный файл, 19 строк, явных URL: 0. Первая строка: #ifndef HUSHWHEEL_H                                                          |
| tests/fixtures/hushwheel_lexiconarium/packaging/hushwheel.1. Kind: generic. Size: 1303 bytes. Shape: binary surface. Tracked repository file, 1303 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line. | tests/fixtures/hushwheel_lexiconarium/packaging/hushwheel.1. Тип: generic. Размер: 1303 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 1303 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line. |
| tests/fixtures/hushwheel_lexiconarium/packaging/hushwheel.package.json. Kind: json. Size: 591 bytes. Shape: 29 lines. JSON data file, 29 lines, 0 explicit URLs. Top keys: name, version, summary.                                 | tests/fixtures/hushwheel_lexiconarium/packaging/hushwheel.package.json. Тип: json. Размер: 591 байт. Форма: 29 строк. Файл JSON, 29 строк, явных URL: 0. Верхние ключи: name, version, summary.                                               |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel.c. Kind: source. Size: 1694579 bytes. Shape: 4375 lines. Source file, 4375 lines, 0 explicit URLs. Opening line: /**                                                           | tests/fixtures/hushwheel_lexiconarium/src/hushwheel.c. Тип: source. Размер: 1694579 байт. Форма: 4375 строк. Исходный файл, 4375 строк, явных URL: 0. Первая строка: /**                                                                      |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_internal.h. Kind: source. Size: 603 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL_INTERNAL_H                                 | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_internal.h. Тип: source. Размер: 603 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0. Первая строка: #ifndef HUSHWHEEL_INTERNAL_H                                            |

| English                                                                                                                                                                                                            | Русский                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_argent.c. Kind: source. Size: 324091 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"     | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_argent.c. Тип: source. Размер: 324091 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"     |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_bhagavatam.c. Kind: source. Size: 326160 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h" | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_bhagavatam.c. Тип: source. Размер: 326160 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h" |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_crosscanon.c. Kind: source. Size: 326144 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h" | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_crosscanon.c. Тип: source. Размер: 326144 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h" |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_editorial.c. Kind: source. Size: 325628 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"  | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_editorial.c. Тип: source. Размер: 325628 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"  |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_gita.c. Kind: source. Size: 323055 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"       | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_gita.c. Тип: source. Размер: 323055 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"       |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_kernel.c. Kind: source. Size: 324068 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"     | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_kernel.c. Тип: source. Размер: 324068 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"     |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_psalter.c. Kind: source. Size: 324600 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"    | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_psalter.c. Тип: source. Размер: 324600 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"    |
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_ranger.c. Kind: source. Size: 324105 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"     | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_ranger.c. Тип: source. Размер: 324105 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"     |

| English                                                                                                                                                                                                                 | Русский                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spokes.c. Kind: source. Size: 1074 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #include "hushwheel_internal.h"                    | tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spokes.c. Тип: source. Размер: 1074 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0. Первая строка: #include "hushwheel_internal.h"                     |
| tests/fixtures/hushwheel_lexiconarium/tests/bdd/hushwheel.feature. Kind: generic. Size: 1021 bytes. Shape: 28 lines. Tracked repository file, 28 lines, 0 explicit URLs. Opening line: Feature: Hushwheel CLI           | tests/fixtures/hushwheel_lexiconarium/tests/bdd/hushwheel.feature. Тип: generic. Размер: 1021 байт. Форма: 28 строк. Отслеживаемый файл репозитория, 28 строк, явных URL: 0. Первая строка: Feature: Hushwheel CLI       |
| tests/fixtures/hushwheel_lexiconarium/tests/bdd/run_bdd.py. Kind: python. Size: 3146 bytes. Shape: 94 lines. Python module, 94 lines, 0 explicit URLs. Module intent: No module docstring detected.                     | tests/fixtures/hushwheel_lexiconarium/tests/bdd/run_bdd.py. Тип: python. Размер: 3146 байт. Форма: 94 строк. Модуль Python, 94 строк, явных URL: 0. Назначение модуля: No module docstring detected.                     |
| tests/fixtures/hushwheel_lexiconarium/tests/integration/cli_suite.py. Kind: python. Size: 4482 bytes. Shape: 122 lines. Python module, 122 lines, 0 explicit URLs. Module intent: No module docstring detected.         | tests/fixtures/hushwheel_lexiconarium/tests/integration/cli_suite.py. Тип: python. Размер: 4482 байт. Форма: 122 строк. Модуль Python, 122 строк, явных URL: 0. Назначение модуля: No module docstring detected.         |
| tests/fixtures/hushwheel_lexiconarium/tests/unit/test_hushwheel_unit.c. Kind: source. Size: 2002 bytes. Shape: 62 lines. Source file, 62 lines, 0 explicit URLs. Opening line: #include <assert.h>                      | tests/fixtures/hushwheel_lexiconarium/tests/unit/test_hushwheel_unit.c. Тип: source. Размер: 2002 байт. Форма: 62 строк. Исходный файл, 62 строк, явных URL: 0. Первая строка: #include <assert.h>                       |
| tests/fixtures/hushwheel_lexiconarium/tools/lint_hushwheel.py. Kind: python. Size: 4678 bytes. Shape: 143 lines. Python module, 143 lines, 0 explicit URLs. Module intent: No module docstring detected.                | tests/fixtures/hushwheel_lexiconarium/tools/lint_hushwheel.py. Тип: python. Размер: 4678 байт. Форма: 143 строк. Модуль Python, 143 строк, явных URL: 0. Назначение модуля: No module docstring detected.                |
| tests/fixtures/hushwheel_lexiconarium/tools/regenerate_hushwheel_fixture.py. Kind: python. Size: 31375 bytes. Shape: 866 lines. Python module, 866 lines, 0 explicit URLs. Module intent: No module docstring detected. | tests/fixtures/hushwheel_lexiconarium/tools/regenerate_hushwheel_fixture.py. Тип: python. Размер: 31375 байт. Форма: 866 строк. Модуль Python, 866 строк, явных URL: 0. Назначение модуля: No module docstring detected. |
| tests/test_azure_runtime.py. Kind: python. Size: 3806 bytes. Shape: 101 lines. Python module, 101 lines, 10 explicit URLs. Module intent: No module docstring detected.                                                 | tests/test_azure_runtime.py. Тип: python. Размер: 3806 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 10. Назначение модуля: No module docstring detected.                                                 |
| tests/test_benchmarks_and_notebook_scaffolding.py. Kind: python. Size: 11605 bytes. Shape: 271 lines. Python module, 271 lines, 0 explicit URLs. Module intent: No module docstring detected.                           | tests/test_benchmarks_and_notebook_scaffolding.py. Тип: python. Размер: 11605 байт. Форма: 271 строк. Модуль Python, 271 строк, явных URL: 0. Назначение модуля: No module docstring detected.                           |

| English                                                                                                                                                                            | Русский                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/test_cli_and_dspy.py. Kind: python. Size: 44370 bytes. Shape: 1264 lines. Python module, 1264 lines, 2 explicit URLs. Module intent: No module docstring detected.           | tests/test_cli_and_dspy.py. Тип: python. Размер: 44370 байт. Форма: 1264 строк. Модуль Python, 1264 строк, явных URL: 2. Назначение модуля: No module docstring detected.           |
| tests/test_dspy_training.py. Kind: python. Size: 18513 bytes. Shape: 513 lines. Python module, 513 lines, 6 explicit URLs. Module intent: No module docstring detected.            | tests/test_dspy_training.py. Тип: python. Размер: 18513 байт. Форма: 513 строк. Модуль Python, 513 строк, явных URL: 6. Назначение модуля: No module docstring detected.            |
| tests/test_exploratorium_translation.py. Kind: python. Size: 5239 bytes. Shape: 138 lines. Python module, 138 lines, 8 explicit URLs. Module intent: No module docstring detected. | tests/test_exploratorium_translation.py. Тип: python. Размер: 5239 байт. Форма: 138 строк. Модуль Python, 138 строк, явных URL: 8. Назначение модуля: No module docstring detected. |
| tests/test_file_summaries.py. Kind: python. Size: 9110 bytes. Shape: 230 lines. Python module, 230 lines, 0 explicit URLs. Module intent: No module docstring detected.            | tests/test_file_summaries.py. Тип: python. Размер: 9110 байт. Форма: 230 строк. Модуль Python, 230 строк, явных URL: 0. Назначение модуля: No module docstring detected.            |
| tests/test_github_pr_gates.py. Kind: python. Size: 5678 bytes. Shape: 183 lines. Python module, 183 lines, 1 explicit URLs. Module intent: No module docstring detected.           | tests/test_github_pr_gates.py. Тип: python. Размер: 5678 байт. Форма: 183 строк. Модуль Python, 183 строк, явных URL: 1. Назначение модуля: No module docstring detected.           |
| tests/test_hushwheel_fixture.py. Kind: python. Size: 4617 bytes. Shape: 101 lines. Python module, 101 lines, 0 explicit URLs. Module intent: No module docstring detected.         | tests/test_hushwheel_fixture.py. Тип: python. Размер: 4617 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 0. Назначение модуля: No module docstring detected.         |
| tests/test_hushwheel_program_surface.py. Kind: python. Size: 4626 bytes. Shape: 125 lines. Python module, 125 lines, 0 explicit URLs. Module intent: No module docstring detected. | tests/test_hushwheel_program_surface.py. Тип: python. Размер: 4626 байт. Форма: 125 строк. Модуль Python, 125 строк, явных URL: 0. Назначение модуля: No module docstring detected. |
| tests/test_lookup_first.py. Kind: python. Size: 3559 bytes. Shape: 108 lines. Python module, 108 lines, 0 explicit URLs. Module intent: No module docstring detected.              | tests/test_lookup_first.py. Тип: python. Размер: 3559 байт. Форма: 108 строк. Модуль Python, 108 строк, явных URL: 0. Назначение модуля: No module docstring detected.              |
| tests/test_mcp_branches.py. Kind: python. Size: 1077 bytes. Shape: 31 lines. Python module, 31 lines, 0 explicit URLs. Module intent: No module docstring detected.                | tests/test_mcp_branches.py. Тип: python. Размер: 1077 байт. Форма: 31 строк. Модуль Python, 31 строк, явных URL: 0. Назначение модуля: No module docstring detected.                |
| tests/test_notebook_runner.py. Kind: python. Size: 3088 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: No module docstring detected.             | tests/test_notebook_runner.py. Тип: python. Размер: 3088 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: No module docstring detected.             |



| English                                                                                                                                                                    | Русский                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/test_pages_site.py. Kind: python. Size: 9045 bytes. Shape: 225 lines. Python module, 225 lines, 14 explicit URLs. Module intent: No module docstring detected.       | tests/test_pages_site.py. Тип: python. Размер: 9045 байт. Форма: 225 строк. Модуль Python, 225 строк, явных URL: 14. Назначение модуля: No module docstring detected.       |
| tests/test_population_samples.py. Kind: python. Size: 3144 bytes. Shape: 76 lines. Python module, 76 lines, 0 explicit URLs. Module intent: No module docstring detected.  | tests/test_population_samples.py. Тип: python. Размер: 3144 байт. Форма: 76 строк. Модуль Python, 76 строк, явных URL: 0. Назначение модуля: No module docstring detected.  |
| tests/test_project_surfaces.py. Kind: python. Size: 21079 bytes. Shape: 475 lines. Python module, 475 lines, 1 explicit URLs. Module intent: No module docstring detected. | tests/test_project_surfaces.py. Тип: python. Размер: 21079 байт. Форма: 475 строк. Модуль Python, 475 строк, явных URL: 1. Назначение модуля: No module docstring detected. |
| tests/test_repository_rag_bdd.py. Kind: python. Size: 879 bytes. Shape: 30 lines. Python module, 30 lines, 0 explicit URLs. Module intent: No module docstring detected.   | tests/test_repository_rag_bdd.py. Тип: python. Размер: 879 байт. Форма: 30 строк. Модуль Python, 30 строк, явных URL: 0. Назначение модуля: No module docstring detected.   |
| tests/test_retrieval.py. Kind: python. Size: 7407 bytes. Shape: 216 lines. Python module, 216 lines, 0 explicit URLs. Module intent: No module docstring detected.         | tests/test_retrieval.py. Тип: python. Размер: 7407 байт. Форма: 216 строк. Модуль Python, 216 строк, явных URL: 0. Назначение модуля: No module docstring detected.         |
| tests/test_todo_backlog.py. Kind: python. Size: 3505 bytes. Shape: 103 lines. Python module, 103 lines, 1 explicit URLs. Module intent: No module docstring detected.      | tests/test_todo_backlog.py. Тип: python. Размер: 3505 байт. Форма: 103 строк. Модуль Python, 103 строк, явных URL: 1. Назначение модуля: No module docstring detected.      |
| tests/test_training_samples.py. Kind: python. Size: 2535 bytes. Shape: 65 lines. Python module, 65 lines, 0 explicit URLs. Module intent: No module docstring detected.    | tests/test_training_samples.py. Тип: python. Размер: 2535 байт. Форма: 65 строк. Модуль Python, 65 строк, явных URL: 0. Назначение модуля: No module docstring detected.    |
| tests/test_utilities.py. Kind: python. Size: 26516 bytes. Shape: 698 lines. Python module, 698 lines, 6 explicit URLs. Module intent: No module docstring detected.        | tests/test_utilities.py. Тип: python. Размер: 26516 байт. Форма: 698 строк. Модуль Python, 698 строк, явных URL: 6. Назначение модуля: No module docstring detected.        |
| tests/test_verification.py. Kind: python. Size: 3156 bytes. Shape: 66 lines. Python module, 66 lines, 0 explicit URLs. Module intent: No module docstring detected.        | tests/test_verification.py. Тип: python. Размер: 3156 байт. Форма: 66 строк. Модуль Python, 66 строк, явных URL: 0. Назначение модуля: No module docstring detected.        |
| tests/test_workflow.py. Kind: python. Size: 3456 bytes. Shape: 99 lines. Python module, 99 lines, 0 explicit URLs. Module intent: No module docstring detected.            | tests/test_workflow.py. Тип: python. Размер: 3456 байт. Форма: 99 строк. Модуль Python, 99 строк, явных URL: 0. Назначение модуля: No module docstring detected.            |

| English                                                                                                                                                                            | Русский                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tests/test_workflow_live.py. Kind: python. Size: 3533 bytes. Shape: 106 lines. Python module, 106 lines, 0 explicit URLs. Module intent: No module docstring detected.             | tests/test_workflow_live.py. Тип: python. Размер: 3533 байт. Форма: 106 строк. Модуль Python, 106 строк, явных URL: 0. Назначение модуля: No module docstring detected.                       |
| todo-backlog.yaml. Kind: yaml. Size: 6116 bytes. Shape: 128 lines. YAML data or workflow file, 128 lines, 1 explicit URLs. Top keys: repository_web_base, items.                   | todo-backlog.yaml. Тип: yaml. Размер: 6116 байт. Форма: 128 строк. Файл YAML с данными или workflow, 128 строк, явных URL: 1. Верхние ключи: repository_web_base, items.                      |
| utilities/README.md. Kind: markdown. Size: 3495 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Repository Utilities.                          | utilities/README.md. Тип: markdown. Размер: 3495 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Repository Utilities.                                   |
| uv.lock. Kind: generic. Size: 766130 bytes. Shape: binary surface. Tracked repository file, 766130 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line. | uv.lock. Тип: generic. Размер: 766130 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 766130 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line. |

## Summaries Of All Authored URLs / Сводки по всем авторским URL

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="https://api.github.com/repos/example/demo/branches/master/protection">https://api.github.com/repos/example/demo/branches/master/protection</a> . Host: api.github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_github_pr_gates.py.<br><a href="https://astral.sh/">https://astral.sh/</a> . Host: astral.sh. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_exploratorium_translation.py tests/test_utilities.py.<br><a href="https://astral.sh/uv/install.sh">https://astral.sh/uv/install.sh</a> . Host: astral.sh. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md. | <a href="https://api.github.com/repos/example/demo/branches/master/protection">https://api.github.com/repos/example/demo/branches/master/protection</a> . Хост: api.github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_github_pr_gates.py.<br><a href="https://astral.sh/">https://astral.sh/</a> . Хост: astral.sh. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_exploratorium_translation.py tests/test_utilities.py.<br><a href="https://astral.sh/uv/install.sh">https://astral.sh/uv/install.sh</a> . Хост: astral.sh. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md. |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://dspy.ai/tutorials/rag/">https://dspy.ai/tutorials/rag/</a>. Host: dspy.ai. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/architecture/inspired/dspy-rag-tutorial.md.</p> <p><a href="https://example.com">https://example.com</a>. Host: example.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_pages_site.py.</p> <p><a href="https://example.com/docs">https://example.com/docs</a>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_pages_site.py.</p> <p><a href="https://example.com/org/repo/blob/main">https://example.com/org/repo/blob/main</a>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_todo_backlog.py.</p> <p><a href="https://example.invalid/v1">https://example.invalid/v1</a>. Host: example.invalid. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com">https://example.openai.azure.com</a>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_azure_runtime.py tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com/">https://example.openai.azure.com/</a>. Host: example.openai.azure.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_azure_runtime.py tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft">https://example.openai.azure.com/openai/deployments/repo-rag-ft</a>. Host: example.openai.azure.com. Occurrences: 3. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_azure_runtime.py.</p> | <p><a href="https://dspy.ai/tutorials/rag/">https://dspy.ai/tutorials/rag/</a>. Хост: dspy.ai. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/dspy-rag-tutorial.md.</p> <p><a href="https://example.com">https://example.com</a>. Хост: example.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_pages_site.py.</p> <p><a href="https://example.com/docs">https://example.com/docs</a>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_pages_site.py.</p> <p><a href="https://example.com/org/repo/blob/main">https://example.com/org/repo/blob/main</a>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_todo_backlog.py.</p> <p><a href="https://example.invalid/v1">https://example.invalid/v1</a>. Хост: example.invalid. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com">https://example.openai.azure.com</a>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_azure_runtime.py tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com/">https://example.openai.azure.com/</a>. Хост: example.openai.azure.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_azure_runtime.py tests/test_dspy_training.py.</p> <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft">https://example.openai.azure.com/openai/deployments/repo-rag-ft</a>. Хост: example.openai.azure.com. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_azure_runtime.py.</p> |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft/">https://example.openai.azure.com/openai/deployments/repo-rag-ft/</a>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_azure_runtime.py.</p> <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions">https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions</a>. Host: example.openai.azure.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test_dspx_training.py.</p> <p><a href="https://example.services.ai.azure.com/models">https://example.services.ai.azure.com/models</a>. Host: example.services.ai.azure.com. Occurrences: 6. Referenced by URL only. No repository-local mirror is currently tracked. Sources: Makefile docs/architecture/dspx-rag-guide.md docs/operations/azure-deployment.md src/repo_rag_lab/utilities.py tests/test_cli_and_dspx.py tests/test_project_surfaces.py.</p> <p><a href="https://github.com/">https://github.com/</a>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: src/repo_rag_lab/pages_site.py.</p> <p><a href="https://github.com/example/demo">https://github.com/example/demo</a>. Host: github.com. Occurrences: 10. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources: tests/test_cli_and_dspx.py tests/test_pages_site.py tests/test_utilities.py.</p> <p><a href="https://github.com/example/demo/blob/main/README.md">https://github.com/example/demo/blob/main/README.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/demo/blob/main/assets/logo.png">https://github.com/example/demo/blob/main/assets/logo.png</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_pages_site.py.</p> | <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft/">https://example.openai.azure.com/openai/deployments/repo-rag-ft/</a>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_azure_runtime.py.</p> <p><a href="https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions">https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions</a>. Хост: example.openai.azure.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test_dspx_training.py.</p> <p><a href="https://example.services.ai.azure.com/models">https://example.services.ai.azure.com/models</a>. Хост: example.services.ai.azure.com. Упоминаний: 6. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: Makefile docs/architecture/dspx-rag-guide.md docs/operations/azure-deployment.md src/repo_rag_lab/utilities.py tests/test_cli_and_dspx.py tests/test_project_surfaces.py.</p> <p><a href="https://github.com/">https://github.com/</a>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: src/repo_rag_lab/pages_site.py.</p> <p><a href="https://github.com/example/demo">https://github.com/example/demo</a>. Хост: github.com. Упоминаний: 10. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_cli_and_dspx.py tests/test_pages_site.py tests/test_utilities.py.</p> <p><a href="https://github.com/example/demo/blob/main/README.md">https://github.com/example/demo/blob/main/README.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/demo/blob/main/assets/logo.png">https://github.com/example/demo/blob/main/assets/logo.png</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_pages_site.py.</p> |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://github.com/example/demo/blob/main/src/tool.c">https://github.com/example/demo/blob/main/src/tool.c</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/demo/tree/main/docs">https://github.com/example/demo/tree/main/docs</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/project">https://github.com/example/project</a>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: tests/test_exploratorium_translation.py tests/test_utilities.py.</p> <p><a href="https://github.com/example/project/blob/main/README.md">https://github.com/example/project/blob/main/README.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_exploratorium_translation.py.</p> <p><a href="https://github.com/example/project/blob/main/README.md#L1-L2">https://github.com/example/project/blob/main/README.md#L1-L2</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test_exploratorium_translation.py.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: mkdocs.yml.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg</a>] (<a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml</a>). Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: README.md notebooks/02_agent_workflow_checklist.ipynb.</p> | <p><a href="https://github.com/example/demo/blob/main/src/tool.c">https://github.com/example/demo/blob/main/src/tool.c</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/demo/tree/main/docs">https://github.com/example/demo/tree/main/docs</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_pages_site.py.</p> <p><a href="https://github.com/example/project">https://github.com/example/project</a>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_exploratorium_translation.py tests/test_utilities.py.</p> <p><a href="https://github.com/example/project/blob/main/README.md">https://github.com/example/project/blob/main/README.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_exploratorium_translation.py.</p> <p><a href="https://github.com/example/project/blob/main/README.md#L1-L2">https://github.com/example/project/blob/main/README.md#L1-L2</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test_exploratorium_translation.py.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: mkdocs.yml.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg</a>] (<a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml</a>). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: README.md notebooks/02_agent_workflow_checklist.ipynb.</p> |

---

**English**

---

**Русский**

---

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)] ([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Host: github.com. Occurrences: 3. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources: FILES.md src/repo\_rag\_lab/todo\_backlog.py todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/ci.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)] ([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: FILES.md src/repo\_rag\_lab/todo\_backlog.py todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/ci.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.



| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md</a>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md</a>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> |

| English                                                                                                                                                                                                                                                                                                                                                                                                                                      | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md</a>. Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md</a>. Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                           |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>             | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>             |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>           |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>           |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>           |



| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                 | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                 |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                                                       | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                                                       |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                                                                     | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                                                                     |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                                                           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                                                           |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p>                                                                           | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p>                                                                           |
| <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml</a>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.</p> | <p><a href="https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml">https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml</a>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.</p> |

---

**English**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

---

**Русский**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

---

**English**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

---

**Русский**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

---

**English**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145).

Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

---

**Русский**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145).

Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

---

**English**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/).

Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

<https://gpt45standard.openai.azure.com/>.

Host: gpt45standard.openai.azure.com'.

Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources:

docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml\)](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Host: img.shields.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md.

<https://learn.microsoft.com/azure/ai-foundationry/foundry-models/how-to/inference>.

Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources:

docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-services/>.

Host: learn.microsoft.com. Occurrences: 4. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: publication/references.bib

tests/test\_exploratorium\_translation.py

tests/test\_utilities.py.

---

**Русский**

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/).

Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

<https://gpt45standard.openai.azure.com/>.

Хост: gpt45standard.openai.azure.com'.

Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается.

Источники: docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml\)](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Хост: img.shields.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md.

<https://learn.microsoft.com/azure/ai-foundationry/foundry-models/how-to/inference>.

Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure.

Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки:

docs/operations/azure-deployment.md.

Источники:

docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-services/>.

Хост: learn.microsoft.com. Упоминаний: 4. Внешний URL документации Azure.

Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки:

docs/operations/azure-deployment.md.

Источники: publication/references.bib

tests/test\_exploratorium\_translation.py

tests/test\_utilities.py.



| English                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Русский                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><a href="https://learn.microsoft.com/en-us/azure/ai-foundationry/openai/how-to/fine-tuning-deploy">https://learn.microsoft.com/en-us/azure/ai-foundationry/openai/how-to/fine-tuning-deploy</a>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.</p> <p><a href="https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning">https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning</a>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.</p> <p><a href="https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455">https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455</a>. Host: medium.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.</p> <p><a href="https://modelcontextprotocol.io/">https://modelcontextprotocol.io/</a>. Host: modelcontextprotocol.io. Occurrences: 4. External MCP documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/architecture/mcp-discovery.md. Sources: publication/references.bib tests/test_exploratorium_translation.py tests/test_utilities.py.</p> <p><a href="https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/">https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/</a>. Host: realagiorganization.github.io. Occurrences: 3. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md docs/audit/2026-03-19-public-pages-and-secret-scan.md mkdocs.yml.</p> | <p><a href="https://learn.microsoft.com/en-us/azure/ai-foundationry/openai/how-to/fine-tuning-deploy">https://learn.microsoft.com/en-us/azure/ai-foundationry/openai/how-to/fine-tuning-deploy</a>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.</p> <p><a href="https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning">https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning</a>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.</p> <p><a href="https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455">https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455</a>. Хост: medium.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.</p> <p><a href="https://modelcontextprotocol.io/">https://modelcontextprotocol.io/</a>. Хост: modelcontextprotocol.io. Упоминаний: 4. Внешний URL документации MCP. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/architecture/mcp-discovery.md. Источники: publication/references.bib tests/test_exploratorium_translation.py tests/test_utilities.py.</p> <p><a href="https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/">https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/</a>. Хост: realagiorganization.github.io. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md docs/audit/2026-03-19-public-pages-and-secret-scan.md mkdocs.yml.</p> |

| English                                                                                                                                                                                                                                                                                                                                                     | Русский                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/">https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/</a> . Host: realagiorganization.github.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/audit/2026-03-19-public-pages-and-secret-scan.md. | <a href="https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/">https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/</a> . Хост: realagiorganization.github.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/audit/2026-03-19-public-pages-and-secret-scan.md. |

## 2 Line-By-Line / Построчный показ

### Referenced Papers And Documentation Fetch State / Состояние загрузки статей и документации

**lewis2020rag**: Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Kind: inproceedings. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

**lewis2020rag**: Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Тип: inproceedings. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

**khattab2024dspy**: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Kind: article. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.

**khattab2024dspy**: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Тип: article. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.

**mcp2024**: Model Context Protocol. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/architecture/mcp-discovery.md. Related paths: docs/architecture/mcp-discovery.md.

**mcp2024**: Model Context Protocol. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные

сопроводительные пути: docs/architecture/mcp-discovery.md. Связанные пути: docs/architecture/mcp-discovery.md.

**azureinference2025:** Azure AI Inference Documentation. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/operations/azure-deployment.md. Related paths: docs/operations/azure-deployment.md.

**azureinference2025:** Azure AI Inference Documentation. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные сопроводительные пути: docs/operations/azure-deployment.md. Связанные пути: docs/operations/azure-deployment.md.

## Summaries Of All Files / Сводки по всем файлам

.codex/skills/exploratorium-translation-sync/SKILL.md. Kind: markdown. Size: 1722 bytes. Shape: 32 lines. Markdown document, 32 lines, 0 explicit URLs. Lead heading: Exploratorium Translation Sync.

.codex/skills/exploratorium-translation-sync/SKILL.md. Тип: markdown. Размер: 1722 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 0. Главный заголовок: Exploratorium Translation Sync.

.codex/skills/file-summary-sync/SKILL.md. Kind: markdown. Size: 1367 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: File Summary Sync.

.codex/skills/file-summary-sync/SKILL.md. Тип: markdown. Размер: 1367 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: File Summary Sync.

.codex/skills/notebook-playbook-sync/SKILL.md. Kind: markdown. Size: 2085 bytes. Shape: 48 lines. Markdown document, 48 lines, 0 explicit URLs. Lead heading: Notebook Playbook Sync.

.codex/skills/notebook-playbook-sync/SKILL.md. Тип: markdown. Размер: 2085 байт. Форма: 48 строк. Документ Markdown, 48 строк, явных URL: 0. Главный заголовок: Notebook Playbook Sync.

.codex/skills/notebook-playbook-sync/agents/openai.yaml. Kind: yaml. Size: 300 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.

.codex/skills/notebook-playbook-sync/agents/openai.yaml. Тип: yaml. Размер: 300 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

.codex/skills/post-push-gh-run-logging/SKILL.md. Kind: markdown. Size: 2059 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: Post Push Gh Run Logging.

.codex/skills/post-push-gh-run-logging/SKILL.md. Тип: markdown. Размер: 2059 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: Post Push Gh Run Logging.

.codex/skills/post-push-gh-run-logging/agents/openai.yaml. Kind: yaml. Size: 281 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top



keys: interface.

.codex/skills/post-push-gh-run-logging/agents/openai.yaml. Тип: yaml. Размер: 281 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

.codex/skills/post-push-gh-run-logging/scripts/write\_gh\_run\_log.py. Kind: python. Size: 6346 bytes. Shape: 178 lines. Python module, 178 lines, 0 explicit URLs. Module intent: No module docstring detected.

.codex/skills/post-push-gh-run-logging/scripts/write\_gh\_run\_log.py. Тип: python. Размер: 6346 байт. Форма: 178 строк. Модуль Python, 178 строк, явных URL: 0. Назначение модуля: No module docstring detected.

.codex/skills/repo-verification-audit-loop/SKILL.md. Kind: markdown. Size: 2589 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Repo Verification Audit Loop.

.codex/skills/repo-verification-audit-loop/SKILL.md. Тип: markdown. Размер: 2589 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Repo Verification Audit Loop.

.codex/skills/repo-verification-audit-loop/agents/openai.yaml. Kind: yaml. Size: 272 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.

.codex/skills/repo-verification-audit-loop/agents/openai.yaml. Тип: yaml. Размер: 272 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

.codex/skills/rust-sqlite-lookup/SKILL.md. Kind: markdown. Size: 1297 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup.

.codex/skills/rust-sqlite-lookup/SKILL.md. Тип: markdown. Размер: 1297 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup.

.codex/skills/todo-backlog-sync/SKILL.md. Kind: markdown. Size: 1289 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync.

.codex/skills/todo-backlog-sync/SKILL.md. Тип: markdown. Размер: 1289 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync.

.env.sample. Kind: generic. Size: 905 bytes. Shape: 17 lines. Tracked repository file, 17 lines, 0 explicit URLs. Opening line: # Copy this file to .env and replace placeholder values.

.env.sample. Тип: generic. Размер: 905 байт. Форма: 17 строк. Отслеживаемый файл репозитория, 17 строк, явных URL: 0. Первая строка: # Copy this file to .env and replace placeholder values.

.gitattributes. Kind: generic. Size: 126 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: \*.png filter=lfs diff=lfs merge=lfs -text

.gitattributes. Тип: generic. Размер: 126 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: \*.png filter=lfs diff=lfs merge=lfs -text

`.github/workflows/ci.yml`. Kind: yaml. Size: 3738 bytes. Shape: 139 lines. YAML data or workflow file, 139 lines, 0 explicit URLs. Top keys: name, True, jobs.

`.github/workflows/ci.yml`. Тип: yaml. Размер: 3738 байт. Форма: 139 строк. Файл YAML с данными или workflow, 139 строк, явных URL: 0. Верхние ключи: name, True, jobs.

`.github/workflows/hushwheel-quality.yml`. Kind: yaml. Size: 3526 bytes. Shape: 104 lines. YAML data or workflow file, 104 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/hushwheel-quality.yml`. Тип: yaml. Размер: 3526 байт. Форма: 104 строк. Файл YAML с данными или workflow, 104 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/pages.yml`. Kind: yaml. Size: 2424 bytes. Shape: 99 lines. YAML data or workflow file, 99 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/pages.yml`. Тип: yaml. Размер: 2424 байт. Форма: 99 строк. Файл YAML с данными или workflow, 99 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/publication-pdf.yml`. Kind: yaml. Size: 5549 bytes. Shape: 144 lines. YAML data or workflow file, 144 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/publication-pdf.yml`. Тип: yaml. Размер: 5549 байт. Форма: 144 строк. Файл YAML с данными или workflow, 144 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/publish.yml`. Kind: yaml. Size: 847 bytes. Shape: 43 lines. YAML data or workflow file, 43 lines, 0 explicit URLs. Top keys: name, True, jobs.

`.github/workflows/publish.yml`. Тип: yaml. Размер: 847 байт. Форма: 43 строк. Файл YAML с данными или workflow, 43 строк, явных URL: 0. Верхние ключи: name, True, jobs.

`.gitignore`. Kind: generic. Size: 222 bytes. Shape: 21 lines. Tracked repository file, 21 lines, 0 explicit URLs. Opening line: `.venv/`

`.gitignore`. Тип: generic. Размер: 222 байт. Форма: 21 строк. Отслеживаемый файл репозитория, 21 строк, явных URL: 0. Первая строка: `.venv/`

`.pre-commit-config.yml`. Kind: yaml. Size: 1689 bytes. Shape: 53 lines. YAML data or workflow file, 53 lines, 0 explicit URLs. Top keys: repos.

`.pre-commit-config.yml`. Тип: yaml. Размер: 1689 байт. Форма: 53 строк. Файл YAML с данными или workflow, 53 строк, явных URL: 0. Верхние ключи: repos.

`.python-version`. Kind: generic. Size: 5 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: `3.11`

`.python-version`. Тип: generic. Размер: 5 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: `3.11`

`.yamllint.yml`. Kind: yaml. Size: 416 bytes. Shape: 20 lines. YAML data or workflow file, 20 lines, 0 explicit URLs. Top keys: extends, rules.

`.yamllint.yml`. Тип: yaml. Размер: 416 байт. Форма: 20 строк. Файл YAML с данными или workflow, 20 строк, явных URL: 0. Верхние ключи: extends, rules.

`AGENTS.md`. Kind: markdown. Size: 6999 bytes. Shape: 108 lines. Markdown document, 108 lines, 0 explicit URLs. Lead heading: Repository Agent Instructions.

AGENTS.md. Тип: markdown. Размер: 6999 байт. Форма: 108 строк. Документ Markdown, 108 строк, явных URL: 0. Главный заголовок: Repository Agent Instructions.

AGENTS.md.d/00-audit-baseline.md. Kind: markdown. Size: 592 bytes. Shape: 15 lines. Markdown document, 15 lines, 0 explicit URLs. Lead heading: Audit Baseline Instructions.

AGENTS.md.d/00-audit-baseline.md. Тип: markdown. Размер: 592 байт. Форма: 15 строк. Документ Markdown, 15 строк, явных URL: 0. Главный заголовок: Audit Baseline Instructions.

AGENTS.md.d/10-verification-loop.md. Kind: markdown. Size: 1175 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: Verification Loop Instructions.

AGENTS.md.d/10-verification-loop.md. Тип: markdown. Размер: 1175 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: Verification Loop Instructions.

AGENTS.md.d/FILES.md. Kind: markdown. Size: 2247 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: File Summary Instructions.

AGENTS.md.d/FILES.md. Тип: markdown. Размер: 2247 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: File Summary Instructions.

AGENTS.md.d/RUST\_LOOKUP.md. Kind: markdown. Size: 1803 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup Instructions.

AGENTS.md.d/RUST\_LOOKUP.md. Тип: markdown. Размер: 1803 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup Instructions.

FILES.csv. Kind: generic. Size: 32209 bytes. Shape: binary surface. Tracked repository file, 32209 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

FILES.csv. Тип: generic. Размер: 32209 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 32209 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

FILES.md. Kind: markdown. Size: 36882 bytes. Shape: 282 lines. Markdown document, 282 lines, 1 explicit URLs. Lead heading: Repository File Inventory.

FILES.md. Тип: markdown. Размер: 36882 байт. Форма: 282 строк. Документ Markdown, 282 строк, явных URL: 1. Главный заголовок: Repository File Inventory.

Makefile. Kind: make. Size: 12378 bytes. Shape: 329 lines. Repository Makefile, 329 lines, 1 explicit URLs. It exposes the shared automation surfaces.

Makefile. Тип: make. Размер: 12378 байт. Форма: 329 строк. Makefile репозитория, 329 строк, явных URL: 1. Он открывает общие поверхности автоматизации.

README.md. Kind: markdown. Size: 17456 bytes. Shape: 224 lines. Markdown document, 224 lines, 5 explicit URLs. Lead heading: Repository RAG Lab.

README.md. Тип: markdown. Размер: 17456 байт. Форма: 224 строк. Документ Markdown, 224 строк, явных URL: 5. Главный заголовок: Repository RAG Lab.

`TODO.MD`. Kind: markdown. Size: 6104 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: TODO.

`TODO.MD`. Тип: markdown. Размер: 6104 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: TODO.

`data/questions/repository.yaml`. Kind: yaml. Size: 283 bytes. Shape: 7 lines. YAML data or workflow file, 7 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`data/questions/repository.yaml`. Тип: yaml. Размер: 283 байт. Форма: 7 строк. Файл YAML с данными или workflow, 7 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`docs/architecture/dspy-rag-guide.md`. Kind: markdown. Size: 36133 bytes. Shape: 714 lines. Markdown document, 714 lines, 1 explicit URLs. Lead heading: DSPy Guide For This Repository.

`docs/architecture/dspy-rag-guide.md`. Тип: markdown. Размер: 36133 байт. Форма: 714 строк. Документ Markdown, 714 строк, явных URL: 1. Главный заголовок: DSPy Guide For This Repository.

`docs/architecture/inspired/dspy-rag-tutorial.md`. Kind: markdown. Size: 1474 bytes. Shape: 35 lines. Markdown document, 35 lines, 1 explicit URLs. Lead heading: DSPy Tutorial: Basic RAG.

`docs/architecture/inspired/dspy-rag-tutorial.md`. Тип: markdown. Размер: 1474 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 1. Главный заголовок: DSPy Tutorial: Basic RAG.

`docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md`. Kind: markdown. Size: 1555 bytes. Shape: 38 lines. Markdown document, 38 lines, 1 explicit URLs. Lead heading: Implementing RAG with DSPy: Technical Guide.

`docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md`. Тип: markdown. Размер: 1555 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 1. Главный заголовок: Implementing RAG with DSPy: Technical Guide.

`docs/architecture/mcp-discovery.md`. Kind: markdown. Size: 784 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: MCP Discovery Notes.

`docs/architecture/mcp-discovery.md`. Тип: markdown. Размер: 784 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: MCP Discovery Notes.

`docs/architecture/package-api.md`. Kind: markdown. Size: 6019 bytes. Shape: 89 lines. Markdown document, 89 lines, 0 explicit URLs. Lead heading: Package API Notes.

`docs/architecture/package-api.md`. Тип: markdown. Размер: 6019 байт. Форма: 89 строк. Документ Markdown, 89 строк, явных URL: 0. Главный заголовок: Package API Notes.

`docs/architecture/research-narrative.md`. Kind: markdown. Size: 19762 bytes. Shape: 309 lines. Markdown document, 309 lines, 0 explicit URLs. Lead heading: Repository Research Narrative.

`docs/architecture/research-narrative.md`. Тип: markdown. Размер: 19762 байт.

Форма: 309 строк. Документ Markdown, 309 строк, явных URL: 0. Главный заголовок: Repository Research Narrative.

`docs/archive/repo-completeness-checklist.md`. Kind: markdown. Size: 7450 bytes. Shape: 238 lines. Markdown document, 238 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist.

`docs/archive/repo-completeness-checklist.md`. Тип: markdown. Размер: 7450 байт. Форма: 238 строк. Документ Markdown, 238 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist.

`docs/audit/2026-03-15-repo-state.md`. Kind: markdown. Size: 5989 bytes. Shape: 151 lines. Markdown document, 151 lines, 0 explicit URLs. Lead heading: Repository State Audit.

`docs/audit/2026-03-15-repo-state.md`. Тип: markdown. Размер: 5989 байт. Форма: 151 строк. Документ Markdown, 151 строк, явных URL: 0. Главный заголовок: Repository State Audit.

`docs/audit/2026-03-17-docs-and-uv-refresh.md`. Kind: markdown. Size: 3977 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Documentation And UV Workflow Refresh Audit.

`docs/audit/2026-03-17-docs-and-uv-refresh.md`. Тип: markdown. Размер: 3977 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Documentation And UV Workflow Refresh Audit.

`docs/audit/2026-03-17-full-build.md`. Kind: markdown. Size: 6715 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: Full Build Audit.

`docs/audit/2026-03-17-full-build.md`. Тип: markdown. Размер: 6715 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: Full Build Audit.

`docs/audit/2026-03-17-gh-actions-watch-loop.md`. Kind: markdown. Size: 3797 bytes. Shape: 78 lines. Markdown document, 78 lines, 0 explicit URLs. Lead heading: GitHub Actions Watch Loop Audit.

`docs/audit/2026-03-17-gh-actions-watch-loop.md`. Тип: markdown. Размер: 3797 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 0. Главный заголовок: GitHub Actions Watch Loop Audit.

`docs/audit/2026-03-17-hushwheel-fixture.md`. Kind: markdown. Size: 5090 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Fixture Audit.

`docs/audit/2026-03-17-hushwheel-fixture.md`. Тип: markdown. Размер: 5090 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Fixture Audit.

`docs/audit/2026-03-17-hushwheel-rag-playbook.md`. Kind: markdown. Size: 4797 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel RAG Playbook Audit.

`docs/audit/2026-03-17-hushwheel-rag-playbook.md`. Тип: markdown. Размер: 4797 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel RAG Playbook Audit.

`docs/audit/2026-03-17-notebook-scaffolding.md`. Kind: markdown. Size: 3641 bytes. Shape: 70 lines. Markdown document, 70 lines, 0 explicit URLs. Lead heading: Notebook Scaffolding Audit.

`docs/audit/2026-03-17-notebook-scaffolding.md`. Тип: markdown. Размер: 3641 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 0. Главный заголовок: Notebook Scaffolding Audit.

`docs/audit/2026-03-17-publication-article.md`. Kind: markdown. Size: 2321 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Publication Article Audit.

`docs/audit/2026-03-17-publication-article.md`. Тип: markdown. Размер: 2321 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Publication Article Audit.

`docs/audit/2026-03-17-repo-completeness-checklist.md`. Kind: markdown. Size: 3114 bytes. Shape: 59 lines. Markdown document, 59 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist Audit.

`docs/audit/2026-03-17-repo-completeness-checklist.md`. Тип: markdown. Размер: 3114 байт. Форма: 59 строк. Документ Markdown, 59 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist Audit.

`docs/audit/2026-03-18-actions-caching.md`. Kind: markdown. Size: 4189 bytes. Shape: 87 lines. Markdown document, 87 lines, 0 explicit URLs. Lead heading: GitHub Actions Caching Audit.

`docs/audit/2026-03-18-actions-caching.md`. Тип: markdown. Размер: 4189 байт. Форма: 87 строк. Документ Markdown, 87 строк, явных URL: 0. Главный заголовок: GitHub Actions Caching Audit.

`docs/audit/2026-03-18-azure-inference-endpoint-probe.md`. Kind: markdown. Size: 2648 bytes. Shape: 63 lines. Markdown document, 63 lines, 0 explicit URLs. Lead heading: Azure Inference Endpoint Probe Audit.

`docs/audit/2026-03-18-azure-inference-endpoint-probe.md`. Тип: markdown. Размер: 2648 байт. Форма: 63 строк. Документ Markdown, 63 строк, явных URL: 0. Главный заголовок: Azure Inference Endpoint Probe Audit.

`docs/audit/2026-03-18-azure-runtime-surfaces.md`. Kind: markdown. Size: 5307 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Azure Runtime Surfaces Audit.

`docs/audit/2026-03-18-azure-runtime-surfaces.md`. Тип: markdown. Размер: 5307 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Azure Runtime Surfaces Audit.

`docs/audit/2026-03-18-dspy-training-path.md`. Kind: markdown. Size: 4605 bytes. Shape: 81 lines. Markdown document, 81 lines, 0 explicit URLs. Lead heading: DSPy Training Path Audit.

`docs/audit/2026-03-18-dspy-training-path.md`. Тип: markdown. Размер: 4605 байт. Форма: 81 строк. Документ Markdown, 81 строк, явных URL: 0. Главный заголовок: DSPy Training Path Audit.

`docs/audit/2026-03-18-hushwheel-program-harness.md`. Kind: markdown. Size: 3907 bytes. Shape: 76 lines. Markdown document, 76 lines, 0 explicit URLs. Lead heading: Hushwheel Program Harness Audit.

`docs/audit/2026-03-18-hushwheel-program-harness.md`. Тип: markdown. Размер: 3907 байт. Форма: 76 строк. Документ Markdown, 76 строк, явных URL: 0. Главный заголовок: Hushwheel Program Harness Audit.

`docs/audit/2026-03-18-notebook-execution.md`. Kind: markdown. Size: 2577 bytes. Shape: 66 lines. Markdown document, 66 lines, 0 explicit URLs. Lead heading: Notebook Execution Audit.

`docs/audit/2026-03-18-notebook-execution.md`. Тип: markdown. Размер: 2577 байт. Форма: 66 строк. Документ Markdown, 66 строк, явных URL: 0. Главный заголовок: Notebook Execution Audit.

`docs/audit/2026-03-18-notebook-runner-harness.md`. Kind: markdown. Size: 4121 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-notebook-runner-harness.md`. Тип: markdown. Размер: 4121 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-repository-benchmark-broadening.md`. Kind: markdown. Size: 3728 bytes. Shape: 74 lines. Markdown document, 74 lines, 0 explicit URLs. Lead heading: Repository Benchmark Broadening Audit.

`docs/audit/2026-03-18-repository-benchmark-broadening.md`. Тип: markdown. Размер: 3728 байт. Форма: 74 строк. Документ Markdown, 74 строк, явных URL: 0. Главный заголовок: Repository Benchmark Broadening Audit.

`docs/audit/2026-03-18-retest-with-env-refresh.md`. Kind: markdown. Size: 5102 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Env Refresh Retest Audit.

`docs/audit/2026-03-18-retest-with-env-refresh.md`. Тип: markdown. Размер: 5102 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Env Refresh Retest Audit.

`docs/audit/2026-03-18-retrieval-evaluation-suite.md`. Kind: markdown. Size: 4031 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Retrieval Evaluation Suite Audit.

`docs/audit/2026-03-18-retrieval-evaluation-suite.md`. Тип: markdown. Размер: 4031 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Retrieval Evaluation Suite Audit.

`docs/audit/2026-03-18-retrieval-ranking-refresh.md`. Kind: markdown. Size: 6479 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Retrieval Ranking Refresh Audit.

`docs/audit/2026-03-18-retrieval-ranking-refresh.md`. Тип: markdown. Размер: 6479 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Retrieval Ranking Refresh Audit.

`docs/audit/2026-03-18-rust-and-benchmark-hygiene.md`. Kind: markdown. Size: 2049 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Rust And Benchmark Hygiene Audit.

`docs/audit/2026-03-18-rust-and-benchmark-hygiene.md`. Тип: markdown. Размер: 2049 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Rust And Benchmark Hygiene Audit.

`docs/audit/2026-03-18-todo-backlog-sync.md`. Kind: markdown. Size: 4104 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync Audit.

`docs/audit/2026-03-18-todo-backlog-sync.md`. Тип: markdown. Размер: 4104 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync Audit.

`docs/audit/2026-03-18-z-notebook-runner-harness.md`. Kind: markdown. Size: 4153 bytes. Shape: 104 lines. Markdown document, 104 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-z-notebook-runner-harness.md`. Тип: markdown. Размер: 4153 байт. Форма: 104 строк. Документ Markdown, 104 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-zz-file-summary-inventory.md`. Kind: markdown. Size: 2596 bytes. Shape: 69 lines. Markdown document, 69 lines, 0 explicit URLs. Lead heading: File Summary Inventory Audit.

`docs/audit/2026-03-18-zz-file-summary-inventory.md`. Тип: markdown. Размер: 2596 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 0. Главный заголовок: File Summary Inventory Audit.

`docs/audit/2026-03-18-zz-research-narrative.md`. Kind: markdown. Size: 3220 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Research Narrative Audit.

`docs/audit/2026-03-18-zz-research-narrative.md`. Тип: markdown. Размер: 3220 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Research Narrative Audit.

`docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md`. Kind: markdown. Size: 5061 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Session Consolidation On Origin Master.

`docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md`. Тип: markdown. Размер: 5061 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Session Consolidation On Origin Master.

`docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md`. Kind: markdown. Size: 5404 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup And Retrieval Tag Audit.

`docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md`. Тип: markdown. Размер: 5404 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup And Retrieval Tag Audit.

`docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md`. Kind: markdown. Size: 3270 bytes. Shape: 73 lines. Markdown document, 73 lines, 0 explicit URLs. Lead heading: Session Consolidation Master CI Repair.

`docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md`. Тип: markdown. Размер: 3270 байт. Форма: 73 строк. Документ Markdown, 73 строк, явных URL: 0. Главный заголовок: Session Consolidation Master CI Repair.

`docs/audit/2026-03-18-zzzzz-hushwheel-quality-instrumentation.md`. Kind: markdown. Size: 8775 bytes. Shape: 165 lines. Markdown document, 165 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Instrumentation.



docs/audit/2026-03-18-zzzzzz-hushwheel-quality-instrumentation.md. Тип: markdown. Размер: 8775 байт. Форма: 165 строк. Документ Markdown, 165 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Instrumentation.

docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md. Kind: markdown. Size: 5992 bytes. Shape: 116 lines. Markdown document, 116 lines, 1 explicit URLs. Lead heading: DSPy Pipeline And Live Azure Proof.

docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md. Тип: markdown. Размер: 5992 байт. Форма: 116 строк. Документ Markdown, 116 строк, явных URL: 1. Главный заголовок: DSPy Pipeline And Live Azure Proof.

docs/audit/2026-03-18-zzzzzz-hushwheel-retrieval-record-wording.md. Kind: markdown. Size: 3042 bytes. Shape: 77 lines. Markdown document, 77 lines, 0 explicit URLs. Lead heading: Hushwheel Retrieval Record Wording.

docs/audit/2026-03-18-zzzzzz-hushwheel-retrieval-record-wording.md. Тип: markdown. Размер: 3042 байт. Форма: 77 строк. Документ Markdown, 77 строк, явных URL: 0. Главный заголовок: Hushwheel Retrieval Record Wording.

docs/audit/2026-03-18-zzzzzz-hushwheel-pdf-side-effect-fix.md. Kind: markdown. Size: 4044 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel PDF Side-Effect Fix.

docs/audit/2026-03-18-zzzzzz-hushwheel-pdf-side-effect-fix.md. Тип: markdown. Размер: 4044 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel PDF Side-Effect Fix.

docs/audit/2026-03-18-zzzzzz-hushwheel-quality-salvage.md. Kind: markdown. Size: 4554 bytes. Shape: 84 lines. Markdown document, 84 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Salvage Audit.

docs/audit/2026-03-18-zzzzzz-hushwheel-quality-salvage.md. Тип: markdown. Размер: 4554 байт. Форма: 84 строк. Документ Markdown, 84 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Salvage Audit.

docs/audit/2026-03-18-zzzzzz-land-unlanded-surfaces.md. Kind: markdown. Size: 2685 bytes. Shape: 72 lines. Markdown document, 72 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Landing Audit.

docs/audit/2026-03-18-zzzzzz-land-unlanded-surfaces.md. Тип: markdown. Размер: 2685 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Landing Audit.

docs/audit/2026-03-18-zzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Kind: markdown. Size: 3472 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Rebased Master Log And Azure Typecheck Fix.

docs/audit/2026-03-18-zzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Тип: markdown. Размер: 3472 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Rebased Master Log And Azure Typecheck Fix.

docs/audit/2026-03-18-zzzzzz-worktree-consolidation.md. Kind: markdown. Size: 5914 bytes. Shape: 125 lines. Markdown document, 125 lines, 0 explicit URLs. Lead heading: Worktree Consolidation.

docs/audit/2026-03-18-zzzzzz-worktree-consolidation.md. Тип: markdown. Размер: 5914 байт. Форма: 125 строк. Документ Markdown, 125 строк, явных URL: 0. Главный заголовок: Worktree Consolidation.





docs/audit/2026-03-19-node24-actions-opt-in.md. Kind: markdown. Size: 2929 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Node 24 Actions Opt-In.

docs/audit/2026-03-19-node24-actions-opt-in.md. Тип: markdown. Размер: 2929 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Node 24 Actions Opt-In.

docs/audit/2026-03-19-public-pages-and-secret-scan.md. Kind: markdown. Size: 5804 bytes. Shape: 113 lines. Markdown document, 113 lines, 2 explicit URLs. Lead heading: Public Pages And Secret Scan.

docs/audit/2026-03-19-public-pages-and-secret-scan.md. Тип: markdown. Размер: 5804 байт. Форма: 113 строк. Документ Markdown, 113 строк, явных URL: 2. Главный заголовок: Public Pages And Secret Scan.

docs/audit/2026-03-19-simple-end-to-end-verification-guide.md. Kind: markdown. Size: 4236 bytes. Shape: 103 lines. Markdown document, 103 lines, 0 explicit URLs. Lead heading: Simple End-To-End Verification Guide.

docs/audit/2026-03-19-simple-end-to-end-verification-guide.md. Тип: markdown. Размер: 4236 байт. Форма: 103 строк. Документ Markdown, 103 строк, явных URL: 0. Главный заголовок: Simple End-To-End Verification Guide.

docs/audit/README.md. Kind: markdown. Size: 416 bytes. Shape: 14 lines. Markdown document, 14 lines, 0 explicit URLs. Lead heading: Repository Audit Notes.

docs/audit/README.md. Тип: markdown. Размер: 416 байт. Форма: 14 строк. Документ Markdown, 14 строк, явных URL: 0. Главный заголовок: Repository Audit Notes.

docs/guides/hushwheel-fixture-rag-guide.md. Kind: markdown. Size: 5169 bytes. Shape: 138 lines. Markdown document, 138 lines, 0 explicit URLs. Lead heading: RAG Guide For The Hushwheel Fixture.

docs/guides/hushwheel-fixture-rag-guide.md. Тип: markdown. Размер: 5169 байт. Форма: 138 строк. Документ Markdown, 138 строк, явных URL: 0. Главный заголовок: RAG Guide For The Hushwheel Fixture.

docs/operations/azure-deployment.md. Kind: markdown. Size: 3199 bytes. Shape: 78 lines. Markdown document, 78 lines, 4 explicit URLs. Lead heading: Azure Deployment Notes.

docs/operations/azure-deployment.md. Тип: markdown. Размер: 3199 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 4. Главный заголовок: Azure Deployment Notes.

docs/operations/environment.md. Kind: markdown. Size: 6352 bytes. Shape: 121 lines. Markdown document, 121 lines, 0 explicit URLs. Lead heading: Environment Variables.

docs/operations/environment.md. Тип: markdown. Размер: 6352 байт. Форма: 121 строк. Документ Markdown, 121 строк, явных URL: 0. Главный заголовок: Environment Variables.

docs/operations/simple-end-to-end-verification-guide.md. Kind: markdown. Size: 4111 bytes. Shape: 105 lines. Markdown document, 105 lines, 12 explicit URLs. Lead heading: Simple End-To-End Verification Guide.

docs/operations/simple-end-to-end-verification-guide.md. Тип: markdown. Размер:

4111 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 12. Главный заголовок: Simple End-To-End Verification Guide.

`mkdocs.yml`. Kind: yaml. Size: 843 bytes. Shape: 37 lines. YAML data or workflow file, 37 lines, 2 explicit URLs. Top keys: `site_name`, `site_description`, `site_url`.

`mkdocs.yml`. Тип: yaml. Размер: 843 байт. Форма: 37 строк. Файл YAML с данными или workflow, 37 строк, явных URL: 2. Верхние ключи: `site_name`, `site_description`, `site_url`.

`notebooks/01_repo_rag_research.ipynb`. Kind: notebook. Size: 9324 bytes. Shape: 281 lines. Notebook, 11 cells, 0 explicit URLs. Opening heading: Repository RAG Research Playbook.

`notebooks/01_repo_rag_research.ipynb`. Тип: notebook. Размер: 9324 байт. Форма: 281 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: Repository RAG Research Playbook.

`notebooks/02_agent_workflow_checklist.ipynb`. Kind: notebook. Size: 17632 bytes. Shape: 404 lines. Notebook, 9 cells, 1 explicit URLs. Opening heading: Agent Workflow Checklist.

`notebooks/02_agent_workflow_checklist.ipynb`. Тип: notebook. Размер: 17632 байт. Форма: 404 строк. Ноутбук, 9 ячеек, явных URL: 1. Первый заголовок: Agent Workflow Checklist.

`notebooks/03_dspy_training_lab.ipynb`. Kind: notebook. Size: 12001 bytes. Shape: 314 lines. Notebook, 11 cells, 0 explicit URLs. Opening heading: DSPy Training Sample Lab.

`notebooks/03_dspy_training_lab.ipynb`. Тип: notebook. Размер: 12001 байт. Форма: 314 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: DSPy Training Sample Lab.

`notebooks/04_sample_population_lab.ipynb`. Kind: notebook. Size: 7894 bytes. Shape: 250 lines. Notebook, 9 cells, 0 explicit URLs. Opening heading: Sample Population Lab.

`notebooks/04_sample_population_lab.ipynb`. Тип: notebook. Размер: 7894 байт. Форма: 250 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Sample Population Lab.

`notebooks/05_hushwheel_fixture_rag_lab.ipynb`. Kind: notebook. Size: 13622 bytes. Shape: 378 lines. Notebook, 9 cells, 0 explicit URLs. Opening heading: Hushwheel Fixture RAG Lab.

`notebooks/05_hushwheel_fixture_rag_lab.ipynb`. Тип: notebook. Размер: 13622 байт. Форма: 378 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Hushwheel Fixture RAG Lab.

`publication/.gitignore`. Kind: generic. Size: 80 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: `.build/`

`publication/.gitignore`. Тип: generic. Размер: 80 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: `.build/`

`publication/Makefile`. Kind: make. Size: 1644 bytes. Shape: 48 lines. Repository Makefile, 48 lines, 0 explicit URLs. It exposes the shared automation surfaces.

publication/Makefile. Тип: make. Размер: 1644 байт. Форма: 48 строк. Makefile репозитория, 48 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

publication/README.md. Kind: markdown. Size: 1499 bytes. Shape: 34 lines. Markdown document, 34 lines, 0 explicit URLs. Lead heading: Publication Article.

publication/README.md. Тип: markdown. Размер: 1499 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 0. Главный заголовок: Publication Article.

publication/article-banner.png. Kind: binary. Size: 79074 bytes. Shape: binary surface. Binary asset, 79074 bytes of binary data. It is tracked for stable publication output.

publication/article-banner.png. Тип: binary. Размер: 79074 байт. Форма: бинарная поверхность. Бинарный артефакт, 79074 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

publication/exploratorium\_translation/.gitignore. Kind: generic. Size: 32 bytes. Shape: 6 lines. Tracked repository file, 6 lines, 0 explicit URLs. Opening line: .build/

publication/exploratorium\_translation/.gitignore. Тип: generic. Размер: 32 байт. Форма: 6 строк. Отслеживаемый файл репозитория, 6 строк, явных URL: 0. Первая строка: .build/

publication/exploratorium\_translation/Makefile. Kind: make. Size: 870 bytes. Shape: 30 lines. Repository Makefile, 30 lines, 0 explicit URLs. It exposes the shared automation surfaces.

publication/exploratorium\_translation/Makefile. Тип: make. Размер: 870 байт. Форма: 30 строк. Makefile репозитория, 30 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

publication/exploratorium\_translation/README.md. Kind: markdown. Size: 997 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: Exploratorium Translation.

publication/exploratorium\_translation/README.md. Тип: markdown. Размер: 997 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: Exploratorium Translation.

publication/exploratorium\_translation/exploratorium\_translation.tex. Kind: latex. Size: 2573 bytes. Shape: 70 lines. LaTeX source, 70 lines, 0 explicit URLs. Sections declared in preview: 0.

publication/exploratorium\_translation/exploratorium\_translation.tex. Тип: latex. Размер: 2573 байт. Форма: 70 строк. Исходник LaTeX, 70 строк, явных URL: 0. Секций в превью: 0.

publication/references.bib. Kind: bibliography. Size: 1252 bytes. Shape: 28 lines. Bibliography file, 28 lines, 2 explicit URLs. Entries counted in preview: 4.

publication/references.bib. Тип: bibliography. Размер: 1252 байт. Форма: 28 строк. Библиографический файл, 28 строк, явных URL: 2. Записей в превью: 4.

publication/repository-rag-lab-article.pdf. Kind: binary. Size: 236232 bytes. Shape: binary surface. Binary asset, 236232 bytes of binary data. It is tracked for stable publication output.

publication/repository-rag-lab-article.pdf. Тип: binary. Размер: 236232 байт. Форма: бинарная поверхность. Бинарный артефакт, 236232 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

publication/repository-rag-lab-article.tex. Kind: latex. Size: 9526 bytes. Shape: 208 lines. LaTeX source, 208 lines, 0 explicit URLs. Sections declared in preview: 4.  
publication/repository-rag-lab-article.tex. Тип: latex. Размер: 9526 байт. Форма: 208 строк. Исходник LaTeX, 208 строк, явных URL: 0. Секций в превью: 4.

publication/todo-backlog-table.tex. Kind: latex. Size: 10547 bytes. Shape: 34 lines. LaTeX source, 34 lines, 36 explicit URLs. Sections declared in preview: 0.  
publication/todo-backlog-table.tex. Тип: latex. Размер: 10547 байт. Форма: 34 строк. Исходник LaTeX, 34 строк, явных URL: 36. Секций в превью: 0.

pyproject.toml. Kind: toml. Size: 2218 bytes. Shape: 95 lines. TOML configuration file, 95 lines, 0 explicit URLs. Top keys: build-system, project, dependency-groups.  
pyproject.toml. Тип: toml. Размер: 2218 байт. Форма: 95 строк. Конфигурация TOML, 95 строк, явных URL: 0. Верхние ключи: build-system, project, dependency-groups.

rust-cli/Cargo.lock. Kind: generic. Size: 3213 bytes. Shape: binary surface. Tracked repository file, 3213 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

rust-cli/Cargo.lock. Тип: generic. Размер: 3213 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 3213 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

rust-cli/Cargo.toml. Kind: toml. Size: 144 bytes. Shape: 8 lines. TOML configuration file, 8 lines, 0 explicit URLs. Top keys: package, dependencies.  
rust-cli/Cargo.toml. Тип: toml. Размер: 144 байт. Форма: 8 строк. Конфигурация TOML, 8 строк, явных URL: 0. Верхние ключи: package, dependencies.

rust-cli/src/main.rs. Kind: source. Size: 20422 bytes. Shape: 626 lines. Source file, 626 lines, 0 explicit URLs. Opening line: use rusqlite::{params, Connection};  
rust-cli/src/main.rs. Тип: source. Размер: 20422 байт. Форма: 626 строк. Исходный файл, 626 строк, явных URL: 0. Первая строка: use rusqlite::{params, Connection};

samples/README.md. Kind: markdown. Size: 713 bytes. Shape: 13 lines. Markdown document, 13 lines, 0 explicit URLs. Lead heading: Samples.

samples/README.md. Тип: markdown. Размер: 713 байт. Форма: 13 строк. Документ Markdown, 13 строк, явных URL: 0. Главный заголовок: Samples.

samples/logs/20260315T050730Z-gh-runs.md. Kind: markdown. Size: 1341 bytes. Shape: 45 lines. Markdown document, 45 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

samples/logs/20260315T050730Z-gh-runs.md. Тип: markdown. Размер: 1341 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

samples/logs/20260315T085140Z-gh-red-status-check.md. Kind: markdown. Size: 847 bytes. Shape: 25 lines. Markdown document, 25 lines, 1 explicit URLs. Lead heading: GitHub Actions Red Status Check.

`samples/logs/20260315T085140Z-gh-red-status-check.md`. Тип: markdown. Размер: 847 байт. Форма: 25 строк. Документ Markdown, 25 строк, явных URL: 1. Главный заголовок: GitHub Actions Red Status Check.

`samples/logs/20260317T064722Z-full-build.raw.log`. Kind: generic. Size: 2109 bytes. Shape: 62 lines. Tracked repository file, 62 lines, 0 explicit URLs. Opening line: # Full Build Raw Log

`samples/logs/20260317T064722Z-full-build.raw.log`. Тип: generic. Размер: 2109 байт. Форма: 62 строк. Отслеживаемый файл репозитория, 62 строк, явных URL: 0. Первая строка: # Full Build Raw Log

`samples/logs/20260317T064833Z-full-build-attempt2.raw.log`. Kind: generic. Size: 14950 bytes. Shape: 408 lines. Tracked repository file, 408 lines, 0 explicit URLs. Opening line: # Full Build Raw Log Attempt 2

`samples/logs/20260317T064833Z-full-build-attempt2.raw.log`. Тип: generic. Размер: 14950 байт. Форма: 408 строк. Отслеживаемый файл репозитория, 408 строк, явных URL: 0. Первая строка: # Full Build Raw Log Attempt 2

`samples/logs/20260317T073401Z-gh-runs-notebook-scaffolding.md`. Kind: markdown. Size: 2865 bytes. Shape: 35 lines. Markdown document, 35 lines, 13 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T073401Z-gh-runs-notebook-scaffolding.md`. Тип: markdown. Размер: 2865 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 13. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T073404Z-gh-runs.md`. Kind: markdown. Size: 1269 bytes. Shape: 32 lines. Markdown document, 32 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T073404Z-gh-runs.md`. Тип: markdown. Размер: 1269 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T080018Z-gh-runs-all-notebooks.md`. Kind: markdown. Size: 2128 bytes. Shape: 34 lines. Markdown document, 34 lines, 8 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T080018Z-gh-runs-all-notebooks.md`. Тип: markdown. Размер: 2128 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 8. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T083207Z-gh-runs-todo-backlog.md`. Kind: markdown. Size: 1063 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T083207Z-gh-runs-todo-backlog.md`. Тип: markdown. Размер: 1063 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md`. Kind: markdown. Size: 1186 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md`. Тип: markdown. Размер: 1186 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.



`samples/logs/20260317T085723Z-gh-runs-hushwheel-fixture.md`. Kind: markdown. Size: 1472 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T085723Z-gh-runs-hushwheel-fixture.md`. Тип: markdown. Размер: 1472 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T091641Z-gh-runs-hushwheel-rag-playbook.md`. Kind: markdown. Size: 1470 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T091641Z-gh-runs-hushwheel-rag-playbook.md`. Тип: markdown. Размер: 1470 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T092251Z-gh-runs-publication-article.md`. Kind: markdown. Size: 1801 bytes. Shape: 33 lines. Markdown document, 33 lines, 5 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T092251Z-gh-runs-publication-article.md`. Тип: markdown. Размер: 1801 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 5. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md`. Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md`. Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md`. Kind: markdown. Size: 1682 bytes. Shape: 41 lines. Markdown document, 41 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md`. Тип: markdown. Размер: 1682 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md`. Kind: markdown. Size: 1747 bytes. Shape: 35 lines. Markdown document, 35 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md`. Тип: markdown. Размер: 1747 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T004712Z-gh-runs-hushwheel-program-harness.md`. Kind: markdown. Size: 1798 bytes. Shape: 49 lines. Markdown document, 49 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T004712Z-gh-runs-hushwheel-program-harness.md`. Тип: markdown. Размер: 1798 байт. Форма: 49 строк. Документ Markdown, 49 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-move-those.md`. Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-m`  
`ove-those.md`. Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ

Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md`. Kind: markdown.  
Size: 1029 bytes. Shape: 26 lines. Markdown document, 26 lines, 1 explicit URLs.  
Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md`. Тип: markdown.  
Размер: 1029 байт. Форма: 26 строк. Документ Markdown, 26 строк, явных URL:  
1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md`. Kind:  
markdown. Size: 1950 bytes. Shape: 62 lines. Markdown document, 62 lines, 0  
explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md`. Тип: mark-  
down. Размер: 1950 байт. Форма: 62 строк. Документ Markdown, 62 строк, явных  
URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md`. Kind:  
markdown. Size: 1004 bytes. Shape: 26 lines. Markdown document, 26 lines, 1  
explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md`. Тип:  
markdown. Размер: 1004 байт. Форма: 26 строк. Документ Markdown, 26 строк,  
явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agnet-i`  
`s-doing-1-.md`. Kind: markdown. Size: 1091 bytes. Shape: 29 lines. Markdown  
document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agnet-is-d`  
`oing-1-.md`. Тип: markdown. Размер: 1091 байт. Форма: 29 строк. Документ  
Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-a`  
`nd-reporting.md`. Kind: markdown. Size: 2151 bytes. Shape: 55 lines. Markdown  
document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-and-r`  
`eporting.md`. Тип: markdown. Размер: 2151 байт. Форма: 55 строк. Документ  
Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-pub`  
`lication-surfaces.md`. Kind: markdown. Size: 1778 bytes. Shape: 55 lines. Markdown  
document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-pub`  
`lication-surfaces.md`. Тип: markdown. Размер: 1778 байт. Форма: 55 строк.  
Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions  
Run Log.

`samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-fol`  
`low-up.md`. Kind: markdown. Size: 1735 bytes. Shape: 55 lines. Markdown document,  
55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-fol`

low-up.md. Тип: markdown. Размер: 1735 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md`. Kind: markdown. Size: 2222 bytes. Shape: 56 lines. Markdown document, 56 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md`. Тип: markdown. Размер: 2222 байт. Форма: 56 строк. Документ Markdown, 56 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md`. Kind: markdown. Size: 1828 bytes. Shape: 38 lines. Markdown document, 38 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md`. Тип: markdown. Размер: 1828 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md`. Kind: markdown. Size: 1768 bytes. Shape: 37 lines. Markdown document, 37 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md`. Тип: markdown. Размер: 1768 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md`. Kind: markdown. Size: 2460 bytes. Shape: 70 lines. Markdown document, 70 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md`. Тип: markdown. Размер: 2460 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md`. Kind: markdown. Size: 1074 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md`. Тип: markdown. Размер: 1074 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md`. Kind: markdown. Size: 1858 bytes. Shape: 54 lines. Markdown document, 54 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md`. Тип: markdown. Размер: 1858 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md`. Kind: markdown. Size: 1217 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md`. Тип: markdown.

Размер: 1217 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T090625Z-gh-runs-hushwheel-quality-instrumentation.md`. Kind: markdown. Size: 1312 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T090625Z-gh-runs-hushwheel-quality-instrumentation.md`. Тип: markdown. Размер: 1312 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md`. Kind: markdown. Size: 2223 bytes. Shape: 53 lines. Markdown document, 53 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md`. Тип: markdown. Размер: 2223 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md`. Kind: markdown. Size: 1325 bytes. Shape: 34 lines. Markdown document, 34 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md`. Тип: markdown. Размер: 1325 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md`. Kind: markdown. Size: 1469 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: GitHub Actions Summary.

`samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md`. Тип: markdown. Размер: 1469 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: GitHub Actions Summary.

`samples/logs/20260318T094347Z-gh-runs-hushwheel-hardening-followup.md`. Kind: markdown. Size: 2739 bytes. Shape: 72 lines. Markdown document, 72 lines, 2 explicit URLs. Lead heading: GitHub Runs Log.

`samples/logs/20260318T094347Z-gh-runs-hushwheel-hardening-followup.md`. Тип: markdown. Размер: 2739 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 2. Главный заголовок: GitHub Runs Log.

`samples/logs/20260318T100336Z-gh-runs-sync-final-rebased-inventories-for-carry-on-comm.md`. Kind: markdown. Size: 1103 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T100336Z-gh-runs-sync-final-rebased-inventories-for-carry-on-comm.md`. Тип: markdown. Размер: 1103 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T101229Z-gh-runs-hushwheel-audit-refresh.md`. Kind: markdown. Size: 1707 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Summary.

`samples/logs/20260318T101229Z-gh-runs-hushwheel-audit-refresh.md`. Тип: markdown. Размер: 1707 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Summary.

`samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md`. Kind: markdown. Size: 1556 bytes. Shape: 28 lines. Markdown document, 28 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md`. Тип: markdown. Размер: 1556 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md`. Kind: markdown. Size: 1061 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md`. Тип: markdown. Размер: 1061 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md`. Kind: markdown. Size: 1060 bytes. Shape: 21 lines. Markdown document, 21 lines, 3 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md`. Тип: markdown. Размер: 1060 байт. Форма: 21 строк. Документ Markdown, 21 строк, явных URL: 3. Главный заголовок: GitHub Actions Log.

`samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md`. Kind: markdown. Size: 1058 bytes. Shape: 22 lines. Markdown document, 22 lines, 2 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md`. Тип: markdown. Размер: 1058 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 2. Главный заголовок: GitHub Actions Log.

`samples/logs/20260318T125829Z-gh-runs-restore-retrieval-gate-after-rebase.md`. Kind: markdown. Size: 1585 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T125829Z-gh-runs-restore-retrieval-gate-after-rebase.md`. Тип: markdown. Размер: 1585 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-followup-for-1.md`. Kind: markdown. Size: 1119 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'.  
`samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-followup-for-1.md`. Тип: markdown. Размер: 1119 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'.  
`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Kind: markdown. Size: 1680 bytes. Shape: 45 lines. Markdown document, 45 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Тип: markdown. Размер: 1680 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Kind: markdown. Size: 1680 bytes. Shape: 45 lines. Markdown document, 45 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Тип: markdown. Размер: 1680 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md`. Kind: markdown. Size: 1335 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md`. Тип: markdown. Размер: 1335 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T144102Z-gh-runs-merge-into-master.md`. Kind: markdown. Size: 2285 bytes. Shape: 69 lines. Markdown document, 69 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T144102Z-gh-runs-merge-into-master.md`. Тип: markdown. Размер: 2285 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md`. Kind: markdown. Size: 2401 bytes. Shape: 71 lines. Markdown document, 71 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md`. Тип: markdown. Размер: 2401 байт. Форма: 71 строк. Документ Markdown, 71 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md`. Kind: markdown. Size: 1578 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md`. Тип: markdown. Размер: 1578 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Log.

`samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md`. Kind: markdown. Size: 1137 bytes. Shape: 27 lines. Markdown document, 27 lines, 0 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md`. Тип: markdown. Размер: 1137 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 0. Главный заголовок: GitHub Actions Log.

`samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md`. Kind: markdown. Size: 2936 bytes. Shape: 67 lines. Markdown document, 67 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md`. Тип: markdown. Размер: 2936 байт. Форма: 67 строк. Документ Markdown, 67 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/README.md`. Kind: markdown. Size: 331 bytes. Shape: 11 lines. Markdown document, 11 lines, 0 explicit URLs. Lead heading: GitHub Run Logs.

`samples/logs/README.md`. Тип: markdown. Размер: 331 байт. Форма: 11 строк. Документ Markdown, 11 строк, явных URL: 0. Главный заголовок: GitHub Run Logs.

`samples/population/hushwheel_fixture_population_candidates.yaml`. Kind: yaml. Size: 955 bytes. Shape: 22 lines. YAML data or workflow file, 22 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/population/hushwheel_fixture_population_candidates.yaml`. Тип: yaml.

Размер: 955 байт. Форма: 22 строк. Файл YAML с данными или workflow, 22 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`samples/population/repository_population_candidates.yaml`. Kind: yaml. Size: 690 bytes. Shape: 16 lines. YAML data or workflow file, 16 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/population/repository_population_candidates.yaml`. Тип: yaml. Размер: 690 байт. Форма: 16 строк. Файл YAML с данными или workflow, 16 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`samples/training/hushwheel_fixture_training_examples.yaml`. Kind: yaml. Size: 1852 bytes. Shape: 68 lines. YAML data or workflow file, 68 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/training/hushwheel_fixture_training_examples.yaml`. Тип: yaml. Размер: 1852 байт. Форма: 68 строк. Файл YAML с данными или workflow, 68 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`samples/training/repository_training_examples.yaml`. Kind: yaml. Size: 2641 bytes. Shape: 82 lines. YAML data or workflow file, 82 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/training/repository_training_examples.yaml`. Тип: yaml. Размер: 2641 байт. Форма: 82 строк. Файл YAML с данными или workflow, 82 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`src/repo_rag_lab/__init__.py`. Kind: python. Size: 178 bytes. Shape: 6 lines. Python module, 6 lines, 0 explicit URLs. Module intent: Public package surface for the repository-grounded RAG lab.

`src/repo_rag_lab/__init__.py`. Тип: python. Размер: 178 байт. Форма: 6 строк. Модуль Python, 6 строк, явных URL: 0. Назначение модуля: Public package surface for the repository-grounded RAG lab.

`src/repo_rag_lab/azure.py`. Kind: python. Size: 2592 bytes. Shape: 76 lines. Python module, 76 lines, 0 explicit URLs. Module intent: Azure deployment manifest helpers for downstream release workflows.

`src/repo_rag_lab/azure.py`. Тип: python. Размер: 2592 байт. Форма: 76 строк. Модуль Python, 76 строк, явных URL: 0. Назначение модуля: Azure deployment manifest helpers for downstream release workflows.

`src/repo_rag_lab/azure_runtime.py`. Kind: python. Size: 15839 bytes. Shape: 462 lines. Python module, 462 lines, 0 explicit URLs. Module intent: Azure runtime normalization, live probes, and cloud-completion helpers.

`src/repo_rag_lab/azure_runtime.py`. Тип: python. Размер: 15839 байт. Форма: 462 строк. Модуль Python, 462 строк, явных URL: 0. Назначение модуля: Azure runtime normalization, live probes, and cloud-completion helpers.

`src/repo_rag_lab/benchmarks.py`. Kind: python. Size: 16315 bytes. Shape: 478 lines. Python module, 478 lines, 0 explicit URLs. Module intent: Retrieval benchmark helpers for notebook assertions and logging.

`src/repo_rag_lab/benchmarks.py`. Тип: python. Размер: 16315 байт. Форма: 478 строк. Модуль Python, 478 строк, явных URL: 0. Назначение модуля: Retrieval benchmark helpers for notebook assertions and logging.

`src/repo_rag_lab/cli.py`. Kind: python. Size: 30871 bytes. Shape: 790 lines. Python module, 790 lines, 0 explicit URLs. Module intent: Command-line entrypoints for the shared repository RAG workflows.

`src/repo_rag_lab/cli.py`. Тип: python. Размер: 30871 байт. Форма: 790 строк. Модуль Python, 790 строк, явных URL: 0. Назначение модуля: Command-line entrypoints for the shared repository RAG workflows.

`src/repo_rag_lab/corpus.py`. Kind: python. Size: 2768 bytes. Shape: 107 lines. Python module, 107 lines, 0 explicit URLs. Module intent: Repository file loading helpers for the baseline text corpus.

`src/repo_rag_lab/corpus.py`. Тип: python. Размер: 2768 байт. Форма: 107 строк. Модуль Python, 107 строк, явных URL: 0. Назначение модуля: Repository file loading helpers for the baseline text corpus.

`src/repo_rag_lab/dspy_training.py`. Kind: python. Size: 30024 bytes. Shape: 835 lines. Python module, 835 lines, 0 explicit URLs. Module intent: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_training.py`. Тип: python. Размер: 30024 байт. Форма: 835 строк. Модуль Python, 835 строк, явных URL: 0. Назначение модуля: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_workflow.py`. Kind: python. Size: 5888 bytes. Shape: 163 lines. Python module, 163 lines, 0 explicit URLs. Module intent: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/dspy_workflow.py`. Тип: python. Размер: 5888 байт. Форма: 163 строк. Модуль Python, 163 строк, явных URL: 0. Назначение модуля: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/exploratorium_translation.py`. Kind: python. Size: 38049 bytes. Shape: 1009 lines. Python module, 1009 lines, 0 explicit URLs. Module intent: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/exploratorium_translation.py`. Тип: python. Размер: 38049 байт. Форма: 1009 строк. Модуль Python, 1009 строк, явных URL: 0. Назначение модуля: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/file_summaries.py`. Kind: python. Size: 10564 bytes. Shape: 327 lines. Python module, 327 lines, 0 explicit URLs. Module intent: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/file_summaries.py`. Тип: python. Размер: 10564 байт. Форма: 327 строк. Модуль Python, 327 строк, явных URL: 0. Назначение модуля: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/github_pr_gates.py`. Kind: python. Size: 3979 bytes. Shape: 140 lines. Python module, 140 lines, 0 explicit URLs. Module intent: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/github_pr_gates.py`. Тип: python. Размер: 3979 байт. Форма: 140 строк. Модуль Python, 140 строк, явных URL: 0. Назначение модуля: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/mcp.py`. Kind: python. Size: 2947 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: Discovery helpers for MCP-related repository artifacts.



`src/repo_rag_lab/mcp.py`. Тип: python. Размер: 2947 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: Discovery helpers for MCP-related repository artifacts.

`src/repo_rag_lab/notebook_runner.py`. Kind: python. Size: 16433 bytes. Shape: 491 lines. Python module, 491 lines, 0 explicit URLs. Module intent: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_runner.py`. Тип: python. Размер: 16433 байт. Форма: 491 строк. Модуль Python, 491 строк, явных URL: 0. Назначение модуля: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_scaffolding.py`. Kind: python. Size: 10965 bytes. Shape: 258 lines. Python module, 258 lines, 0 explicit URLs. Module intent: High-level notebook scaffolds built from tested repository helpers.

`src/repo_rag_lab/notebook_scaffolding.py`. Тип: python. Размер: 10965 байт. Форма: 258 строк. Модуль Python, 258 строк, явных URL: 0. Назначение модуля: High-level notebook scaffolds built from tested repository helpers.

`src/repo_rag_lab/notebook_support.py`. Kind: python. Size: 2843 bytes. Shape: 89 lines. Python module, 89 lines, 0 explicit URLs. Module intent: Helpers shared by notebooks so their setup logic stays in tested Python code.

`src/repo_rag_lab/notebook_support.py`. Тип: python. Размер: 2843 байт. Форма: 89 строк. Модуль Python, 89 строк, явных URL: 0. Назначение модуля: Helpers shared by notebooks so their setup logic stays in tested Python code.

`src/repo_rag_lab/pages_site.py`. Kind: python. Size: 13635 bytes. Shape: 390 lines. Python module, 390 lines, 2 explicit URLs. Module intent: Generate a MkDocs-ready catalog of tracked repository Markdown files.

`src/repo_rag_lab/pages_site.py`. Тип: python. Размер: 13635 байт. Форма: 390 строк. Модуль Python, 390 строк, явных URL: 2. Назначение модуля: Generate a MkDocs-ready catalog of tracked repository Markdown files.

`src/repo_rag_lab/population_samples.py`. Kind: python. Size: 8376 bytes. Shape: 241 lines. Python module, 241 lines, 0 explicit URLs. Module intent: Helpers for reviewing and batching starter corpus-population inputs.

`src/repo_rag_lab/population_samples.py`. Тип: python. Размер: 8376 байт. Форма: 241 строк. Модуль Python, 241 строк, явных URL: 0. Назначение модуля: Helpers for reviewing and batching starter corpus-population inputs.

`src/repo_rag_lab/retrieval.py`. Kind: python. Size: 19542 bytes. Shape: 616 lines. Python module, 616 lines, 0 explicit URLs. Module intent: Baseline chunking and lexical retrieval utilities for repository text.

`src/repo_rag_lab/retrieval.py`. Тип: python. Размер: 19542 байт. Форма: 616 строк. Модуль Python, 616 строк, явных URL: 0. Назначение модуля: Baseline chunking and lexical retrieval utilities for repository text.

`src/repo_rag_lab/rust_lookup.py`. Kind: python. Size: 7724 bytes. Shape: 295 lines. Python module, 295 lines, 0 explicit URLs. Module intent: Helpers for the native Rust-backed SQLite lookup index.

`src/repo_rag_lab/rust_lookup.py`. Тип: python. Размер: 7724 байт. Форма: 295 строк. Модуль Python, 295 строк, явных URL: 0. Назначение модуля: Helpers for the native Rust-backed SQLite lookup index.

`src/repo_rag_lab/settings.py`. Kind: python. Size: 699 bytes. Shape: 28 lines. Python module, 28 lines, 0 explicit URLs. Module intent: Shared repository path settings derived from a repository root.

`src/repo_rag_lab/settings.py`. Тип: python. Размер: 699 байт. Форма: 28 строк. Модуль Python, 28 строк, явных URL: 0. Назначение модуля: Shared repository path settings derived from a repository root.

`src/repo_rag_lab/todo_backlog.py`. Kind: python. Size: 8434 bytes. Shape: 276 lines. Python module, 276 lines, 1 explicit URLs. Module intent: Shared backlog rendering helpers for Markdown and LaTeX surfaces.

`src/repo_rag_lab/todo_backlog.py`. Тип: python. Размер: 8434 байт. Форма: 276 строк. Модуль Python, 276 строк, явных URL: 1. Назначение модуля: Shared backlog rendering helpers for Markdown and LaTeX surfaces.

`src/repo_rag_lab/training_samples.py`. Kind: python. Size: 5130 bytes. Shape: 154 lines. Python module, 154 lines, 0 explicit URLs. Module intent: Helpers for loading and summarizing starter DSPy training examples.

`src/repo_rag_lab/training_samples.py`. Тип: python. Размер: 5130 байт. Форма: 154 строк. Модуль Python, 154 строк, явных URL: 0. Назначение модуля: Helpers for loading and summarizing starter DSPy training examples.

`src/repo_rag_lab/utilities.py`. Kind: python. Size: 31749 bytes. Shape: 907 lines. Python module, 907 lines, 1 explicit URLs. Module intent: User-facing utility helpers shared by the CLI, tests, and notebooks.

`src/repo_rag_lab/utilities.py`. Тип: python. Размер: 31749 байт. Форма: 907 строк. Модуль Python, 907 строк, явных URL: 1. Назначение модуля: User-facing utility helpers shared by the CLI, tests, and notebooks.

`src/repo_rag_lab/verification.py`. Kind: python. Size: 4126 bytes. Shape: 147 lines. Python module, 147 lines, 0 explicit URLs. Module intent: Verification helpers for Makefile and notebook contract checks.

`src/repo_rag_lab/verification.py`. Тип: python. Размер: 4126 байт. Форма: 147 строк. Модуль Python, 147 строк, явных URL: 0. Назначение модуля: Verification helpers for Makefile and notebook contract checks.

`src/repo_rag_lab/workflow.py`. Kind: python. Size: 14636 bytes. Shape: 466 lines. Python module, 466 lines, 0 explicit URLs. Module intent: Baseline repository question-answering workflow built on file retrieval.

`src/repo_rag_lab/workflow.py`. Тип: python. Размер: 14636 байт. Форма: 466 строк. Модуль Python, 466 строк, явных URL: 0. Назначение модуля: Baseline repository question-answering workflow built on file retrieval.

`tests/features/repository_rag.feature`. Kind: generic. Size: 377 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: Feature: Repository RAG

`tests/features/repository_rag.feature`. Тип: generic. Размер: 377 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: Feature: Repository RAG

`tests/fixtures/hushwheel_lexiconarium/.gitignore`. Kind: generic. Size: 23 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: hushwheel

tests/fixtures/hushwheel\_lexiconarium/.gitignore. Тип: generic. Размер: 23 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: hushwheel

tests/fixtures/hushwheel\_lexiconarium/CHANGELOG.md. Kind: markdown. Size: 345 bytes. Shape: 9 lines. Markdown document, 9 lines, 0 explicit URLs. Lead heading: Changelog.

tests/fixtures/hushwheel\_lexiconarium/CHANGELOG.md. Тип: markdown. Размер: 345 байт. Форма: 9 строк. Документ Markdown, 9 строк, явных URL: 0. Главный заголовок: Changelog.

tests/fixtures/hushwheel\_lexiconarium/Doxyfile. Kind: generic. Size: 1239 bytes. Shape: 35 lines. Tracked repository file, 35 lines, 0 explicit URLs. Opening line: PROJECT\_NAME = Hushwheel Lexiconarium

tests/fixtures/hushwheel\_lexiconarium/Doxyfile. Тип: generic. Размер: 1239 байт. Форма: 35 строк. Отслеживаемый файл репозитория, 35 строк, явных URL: 0. Первая строка: PROJECT\_NAME = Hushwheel Lexiconarium

tests/fixtures/hushwheel\_lexiconarium/LICENSE.md. Kind: markdown. Size: 1082 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: LICENSE.

tests/fixtures/hushwheel\_lexiconarium/LICENSE.md. Тип: markdown. Размер: 1082 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: LICENSE.

tests/fixtures/hushwheel\_lexiconarium/Makefile. Kind: make. Size: 20908 bytes. Shape: 388 lines. Repository Makefile, 388 lines, 0 explicit URLs. It exposes the shared automation surfaces.

tests/fixtures/hushwheel\_lexiconarium/Makefile. Тип: make. Размер: 20908 байт. Форма: 388 строк. Makefile репозитория, 388 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

tests/fixtures/hushwheel\_lexiconarium/README.md. Kind: markdown. Size: 8269 bytes. Shape: 162 lines. Markdown document, 162 lines, 0 explicit URLs. Lead heading: The Hushwheel Lexiconarium.

tests/fixtures/hushwheel\_lexiconarium/README.md. Тип: markdown. Размер: 8269 байт. Форма: 162 строк. Документ Markdown, 162 строк, явных URL: 0. Главный заголовок: The Hushwheel Lexiconarium.

tests/fixtures/hushwheel\_lexiconarium/VERSION. Kind: generic. Size: 6 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: 0.1.0

tests/fixtures/hushwheel\_lexiconarium/VERSION. Тип: generic. Размер: 6 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: 0.1.0

tests/fixtures/hushwheel\_lexiconarium/docs/architecture.md. Kind: markdown. Size: 1404 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead heading: Hushwheel Architecture.

tests/fixtures/hushwheel\_lexiconarium/docs/architecture.md. Тип: markdown. Размер: 1404 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Architecture.

tests/fixtures/hushwheel\_lexiconarium/docs/catalog.md. Kind: markdown. Size: 27404 bytes. Shape: 357 lines. Markdown document, 357 lines, 0 explicit URLs. Lead heading: Hushwheel Representative Catalog.

tests/fixtures/hushwheel\_lexiconarium/docs/catalog.md. Тип: markdown. Размер: 27404 байт. Форма: 357 строк. Документ Markdown, 357 строк, явных URL: 0. Главный заголовок: Hushwheel Representative Catalog.

tests/fixtures/hushwheel\_lexiconarium/docs/concepts.md. Kind: markdown. Size: 1559 bytes. Shape: 37 lines. Markdown document, 37 lines, 0 explicit URLs. Lead heading: Hushwheel Concepts.

tests/fixtures/hushwheel\_lexiconarium/docs/concepts.md. Тип: markdown. Размер: 1559 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 0. Главный заголовок: Hushwheel Concepts.

tests/fixtures/hushwheel\_lexiconarium/docs/constellation-atlas.md. Kind: markdown. Size: 5111 bytes. Shape: 142 lines. Markdown document, 142 lines, 0 explicit URLs. Lead heading: Hushwheel Constellation Atlas §:<[]>.

tests/fixtures/hushwheel\_lexiconarium/docs/constellation-atlas.md. Тип: markdown. Размер: 5111 байт. Форма: 142 строк. Документ Markdown, 142 строк, явных URL: 0. Главный заголовок: Hushwheel Constellation Atlas §:<[]>.

tests/fixtures/hushwheel\_lexiconarium/docs/districts.md. Kind: markdown. Size: 1151 bytes. Shape: 42 lines. Markdown document, 42 lines, 0 explicit URLs. Lead heading: Hushwheel Districts.

tests/fixtures/hushwheel\_lexiconarium/docs/districts.md. Тип: markdown. Размер: 1151 байт. Форма: 42 строк. Документ Markdown, 42 строк, явных URL: 0. Главный заголовок: Hushwheel Districts.

tests/fixtures/hushwheel\_lexiconarium/docs/doxygen-fonts.sty. Kind: generic. Size: 212 bytes. Shape: binary surface. Tracked repository file, 212 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/docs/doxygen-fonts.sty. Тип: generic. Размер: 212 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 212 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/docs/hushwheel-reference.pdf. Kind: binary. Size: 132 bytes. Shape: binary surface. Binary asset, 132 bytes of binary data. It is tracked for stable publication output.

tests/fixtures/hushwheel\_lexiconarium/docs/hushwheel-reference.pdf. Тип: binary. Размер: 132 байт. Форма: бинарная поверхность. Бинарный артефакт, 132 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

tests/fixtures/hushwheel\_lexiconarium/docs/operations.md. Kind: markdown. Size: 1068 bytes. Shape: 35 lines. Markdown document, 35 lines, 0 explicit URLs. Lead heading: Hushwheel Operations.

tests/fixtures/hushwheel\_lexiconarium/docs/operations.md. Тип: markdown. Размер: 1068 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 0. Главный заголовок: Hushwheel Operations.

tests/fixtures/hushwheel\_lexiconarium/docs/packaging.md. Kind: markdown. Size: 1112 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead

heading: Hushwheel Packaging.

tests/fixtures/hushwheel\_lexiconarium/docs/packaging.md. Тип: markdown. Размер: 1112 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Packaging.

tests/fixtures/hushwheel\_lexiconarium/docs/testing.md. Kind: markdown. Size: 3507 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Testing.

tests/fixtures/hushwheel\_lexiconarium/docs/testing.md. Тип: markdown. Размер: 3507 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Testing.

tests/fixtures/hushwheel\_lexiconarium/fixture-manifest.json. Kind: json. Size: 1098 bytes. Shape: 49 lines. JSON data file, 49 lines, 0 explicit URLs. Top keys: entry\_count, source\_size\_bytes, doc\_files.

tests/fixtures/hushwheel\_lexiconarium/fixture-manifest.json. Тип: json. Размер: 1098 байт. Форма: 49 строк. Файл JSON, 49 строк, явных URL: 0. Верхние ключи: entry\_count, source\_size\_bytes, doc\_files.

tests/fixtures/hushwheel\_lexiconarium/include/hushwheel.h. Kind: source. Size: 404 bytes. Shape: 19 lines. Source file, 19 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL\_H

tests/fixtures/hushwheel\_lexiconarium/include/hushwheel.h. Тип: source. Размер: 404 байт. Форма: 19 строк. Исходный файл, 19 строк, явных URL: 0. Первая строка: #ifndef HUSHWHEEL\_H

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.1. Kind: generic. Size: 1303 bytes. Shape: binary surface. Tracked repository file, 1303 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.1. Тип: generic. Размер: 1303 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 1303 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.package.json. Kind: json. Size: 591 bytes. Shape: 29 lines. JSON data file, 29 lines, 0 explicit URLs. Top keys: name, version, summary.

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.package.json. Тип: json. Размер: 591 байт. Форма: 29 строк. Файл JSON, 29 строк, явных URL: 0. Верхние ключи: name, version, summary.

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel.c. Kind: source. Size: 1694579 bytes. Shape: 4375 lines. Source file, 4375 lines, 0 explicit URLs. Opening line: /\*\*

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel.c. Тип: source. Размер: 1694579 байт. Форма: 4375 строк. Исходный файл, 4375 строк, явных URL: 0. Первая строка: /\*\*

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_internal.h. Kind: source. Size: 603 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL\_INTERNAL\_H

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_internal.h. Тип: source.

Размер: 603 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0.  
Первая строка: `#ifndef HUSHWHEEL_INTERNAL_H`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_argent.c`. Kind: source. Size: 324091 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_argent.c`. Тип: source. Размер: 324091 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_bhagavatam.c`. Kind: source. Size: 326160 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_bhagavatam.c`. Тип: source. Размер: 326160 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_crosscanon.c`. Kind: source. Size: 326144 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_crosscanon.c`. Тип: source. Размер: 326144 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_editorial.c`. Kind: source. Size: 325628 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_editorial.c`. Тип: source. Размер: 325628 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_gita.c`. Kind: source. Size: 323055 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_gita.c`. Тип: source. Размер: 323055 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_kernel.c`. Kind: source. Size: 324068 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_kernel.c`. Тип: source. Размер: 324068 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_psalter.c`. Kind: source. Size: 324600 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: `#include "hushwheel_internal.h"`

`tests/fixtures/hushwheel_lexiconarium/src/hushwheel_spoke_psalter.c`. Тип: source. Размер: 324600 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: `#include "hushwheel_internal.h"`

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_ranger.c. Kind: source. Size: 324105 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_ranger.c. Тип: source. Размер: 324105 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spokes.c. Kind: source. Size: 1074 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spokes.c. Тип: source. Размер: 1074 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/hushwheel.feature. Kind: generic. Size: 1021 bytes. Shape: 28 lines. Tracked repository file, 28 lines, 0 explicit URLs. Opening line: Feature: Hushwheel CLI

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/hushwheel.feature. Тип: generic. Размер: 1021 байт. Форма: 28 строк. Отслеживаемый файл репозитория, 28 строк, явных URL: 0. Первая строка: Feature: Hushwheel CLI

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/run\_bdd.py. Kind: python. Size: 3146 bytes. Shape: 94 lines. Python module, 94 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/run\_bdd.py. Тип: python. Размер: 3146 байт. Форма: 94 строк. Модуль Python, 94 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/integration/cli\_suite.py. Kind: python. Size: 4482 bytes. Shape: 122 lines. Python module, 122 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/integration/cli\_suite.py. Тип: python. Размер: 4482 байт. Форма: 122 строк. Модуль Python, 122 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/unit/test\_hushwheel\_unit.c. Kind: source. Size: 2002 bytes. Shape: 62 lines. Source file, 62 lines, 0 explicit URLs. Opening line: #include <assert.h>

tests/fixtures/hushwheel\_lexiconarium/tests/unit/test\_hushwheel\_unit.c. Тип: source. Размер: 2002 байт. Форма: 62 строк. Исходный файл, 62 строк, явных URL: 0. Первая строка: #include <assert.h>

tests/fixtures/hushwheel\_lexiconarium/tools/lint\_hushwheel.py. Kind: python. Size: 4678 bytes. Shape: 143 lines. Python module, 143 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tools/lint\_hushwheel.py. Тип: python. Размер: 4678 байт. Форма: 143 строк. Модуль Python, 143 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tools/regenerate\_hushwheel\_fixture.py. Kind: python. Size: 31375 bytes. Shape: 866 lines. Python module, 866 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tools/regenerate\_hushwheel\_fixture.py. Тип: python. Размер: 31375 байт. Форма: 866 строк. Модуль Python, 866 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_azure\_runtime.py. Kind: python. Size: 3806 bytes. Shape: 101 lines. Python module, 101 lines, 10 explicit URLs. Module intent: No module docstring detected.

tests/test\_azure\_runtime.py. Тип: python. Размер: 3806 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 10. Назначение модуля: No module docstring detected.

tests/test\_benchmarks\_and\_notebook\_scaffolding.py. Kind: python. Size: 11605 bytes. Shape: 271 lines. Python module, 271 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_benchmarks\_and\_notebook\_scaffolding.py. Тип: python. Размер: 11605 байт. Форма: 271 строк. Модуль Python, 271 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_cli\_and\_dspy.py. Kind: python. Size: 44370 bytes. Shape: 1264 lines. Python module, 1264 lines, 2 explicit URLs. Module intent: No module docstring detected.

tests/test\_cli\_and\_dspy.py. Тип: python. Размер: 44370 байт. Форма: 1264 строк. Модуль Python, 1264 строк, явных URL: 2. Назначение модуля: No module docstring detected.

tests/test\_dspy\_training.py. Kind: python. Size: 18513 bytes. Shape: 513 lines. Python module, 513 lines, 6 explicit URLs. Module intent: No module docstring detected.

tests/test\_dspy\_training.py. Тип: python. Размер: 18513 байт. Форма: 513 строк. Модуль Python, 513 строк, явных URL: 6. Назначение модуля: No module docstring detected.

tests/test\_exploratorium\_translation.py. Kind: python. Size: 5239 bytes. Shape: 138 lines. Python module, 138 lines, 8 explicit URLs. Module intent: No module docstring detected.

tests/test\_exploratorium\_translation.py. Тип: python. Размер: 5239 байт. Форма: 138 строк. Модуль Python, 138 строк, явных URL: 8. Назначение модуля: No module docstring detected.

tests/test\_file\_summaries.py. Kind: python. Size: 9110 bytes. Shape: 230 lines. Python module, 230 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_file\_summaries.py. Тип: python. Размер: 9110 байт. Форма: 230 строк. Модуль Python, 230 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_github\_pr\_gates.py. Kind: python. Size: 5678 bytes. Shape: 183 lines. Python module, 183 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_github\_pr\_gates.py. Тип: python. Размер: 5678 байт. Форма: 183 строк. Модуль Python, 183 строк, явных URL: 1. Назначение модуля: No module docstring detected.



tests/test\_hushwheel\_fixture.py. Kind: python. Size: 4617 bytes. Shape: 101 lines. Python module, 101 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_hushwheel\_fixture.py. Тип: python. Размер: 4617 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_hushwheel\_program\_surface.py. Kind: python. Size: 4626 bytes. Shape: 125 lines. Python module, 125 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_hushwheel\_program\_surface.py. Тип: python. Размер: 4626 байт. Форма: 125 строк. Модуль Python, 125 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_lookup\_first.py. Kind: python. Size: 3559 bytes. Shape: 108 lines. Python module, 108 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_lookup\_first.py. Тип: python. Размер: 3559 байт. Форма: 108 строк. Модуль Python, 108 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_mcp\_branches.py. Kind: python. Size: 1077 bytes. Shape: 31 lines. Python module, 31 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_mcp\_branches.py. Тип: python. Размер: 1077 байт. Форма: 31 строк. Модуль Python, 31 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_notebook\_runner.py. Kind: python. Size: 3088 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_notebook\_runner.py. Тип: python. Размер: 3088 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_pages\_site.py. Kind: python. Size: 9045 bytes. Shape: 225 lines. Python module, 225 lines, 14 explicit URLs. Module intent: No module docstring detected.

tests/test\_pages\_site.py. Тип: python. Размер: 9045 байт. Форма: 225 строк. Модуль Python, 225 строк, явных URL: 14. Назначение модуля: No module docstring detected.

tests/test\_population\_samples.py. Kind: python. Size: 3144 bytes. Shape: 76 lines. Python module, 76 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_population\_samples.py. Тип: python. Размер: 3144 байт. Форма: 76 строк. Модуль Python, 76 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_project\_surfaces.py. Kind: python. Size: 21079 bytes. Shape: 475 lines. Python module, 475 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_project\_surfaces.py. Тип: python. Размер: 21079 байт. Форма: 475 строк. Модуль Python, 475 строк, явных URL: 1. Назначение модуля: No module docstring detected.

tests/test\_repository\_rag\_bdd.py. Kind: python. Size: 879 bytes. Shape: 30 lines. Python module, 30 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_repository\_rag\_bdd.py. Тип: python. Размер: 879 байт. Форма: 30 строк. Модуль Python, 30 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_retrieval.py. Kind: python. Size: 7407 bytes. Shape: 216 lines. Python module, 216 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_retrieval.py. Тип: python. Размер: 7407 байт. Форма: 216 строк. Модуль Python, 216 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_todo\_backlog.py. Kind: python. Size: 3505 bytes. Shape: 103 lines. Python module, 103 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_todo\_backlog.py. Тип: python. Размер: 3505 байт. Форма: 103 строк. Модуль Python, 103 строк, явных URL: 1. Назначение модуля: No module docstring detected.

tests/test\_training\_samples.py. Kind: python. Size: 2535 bytes. Shape: 65 lines. Python module, 65 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_training\_samples.py. Тип: python. Размер: 2535 байт. Форма: 65 строк. Модуль Python, 65 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_utilities.py. Kind: python. Size: 26516 bytes. Shape: 698 lines. Python module, 698 lines, 6 explicit URLs. Module intent: No module docstring detected.

tests/test\_utilities.py. Тип: python. Размер: 26516 байт. Форма: 698 строк. Модуль Python, 698 строк, явных URL: 6. Назначение модуля: No module docstring detected.

tests/test\_verification.py. Kind: python. Size: 3156 bytes. Shape: 66 lines. Python module, 66 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_verification.py. Тип: python. Размер: 3156 байт. Форма: 66 строк. Модуль Python, 66 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_workflow.py. Kind: python. Size: 3456 bytes. Shape: 99 lines. Python module, 99 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_workflow.py. Тип: python. Размер: 3456 байт. Форма: 99 строк. Модуль Python, 99 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_workflow\_live.py. Kind: python. Size: 3533 bytes. Shape: 106 lines. Python module, 106 lines, 0 explicit URLs. Module intent: No module docstring

detected.

tests/test\_workflow\_live.py. Тип: python. Размер: 3533 байт. Форма: 106 строк. Модуль Python, 106 строк, явных URL: 0. Назначение модуля: No module docstring detected.

todo-backlog.yaml. Kind: yaml. Size: 6116 bytes. Shape: 128 lines. YAML data or workflow file, 128 lines, 1 explicit URLs. Top keys: repository\_web\_base, items.

todo-backlog.yaml. Тип: yaml. Размер: 6116 байт. Форма: 128 строк. Файл YAML с данными или workflow, 128 строк, явных URL: 1. Верхние ключи: repository\_web\_base, items.

utilities/README.md. Kind: markdown. Size: 3495 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Repository Utilities.

utilities/README.md. Тип: markdown. Размер: 3495 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Repository Utilities.

uv.lock. Kind: generic. Size: 766130 bytes. Shape: binary surface. Tracked repository file, 766130 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

uv.lock. Тип: generic. Размер: 766130 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 766130 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

## Summaries Of All Authored URLs / Сводки по всем авторским URL

<https://api.github.com/repos/example/demo/branches/master/protection>. Host: api.github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_github\_pr\_gates.py.

<https://api.github.com/repos/example/demo/branches/master/protection>. Хост: api.github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_github\_pr\_gates.py.

<https://astral.sh/>. Host: astral.sh. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_exploratorium\_translation.py

tests/test\_utilities.py.

<https://astral.sh/>. Хост: astral.sh. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://astral.sh/uv/install.sh>. Host: astral.sh. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md.

<https://astral.sh/uv/install.sh>. Хост: astral.sh. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md.

<https://dsp.ai/tutorials/rag/>. Host: dsp.ai. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/architectur

e/inspired/dspy-rag-tutorial.md.

<https://dspy.ai/tutorials/rag/>. Хост: dspy.ai. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/dspy-rag-tutorial.md.

<https://example.com>. Host: example.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_pages\_site.py.

<https://example.com>. Хост: example.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_pages\_site.py.

<https://example.com/docs>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_pages\_site.py.

<https://example.com/docs>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_pages\_site.py.

<https://example.com/org/repo/blob/main>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_todo\_backlog.py.

<https://example.com/org/repo/blob/main>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_todo\_backlog.py.

<https://example.invalid/v1>. Host: example.invalid. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_dspy\_training.py.

<https://example.invalid/v1>. Хост: example.invalid. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_dspy\_training.py.

<https://example.openai.azure.com>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com/>. Host: example.openai.azure.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com/>. Хост: example.openai.azure.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft>. Host: example.openai.azure.com. Occurrences: 3. Referenced by URL only. No repository-local

mirror is currently tracked. Sources: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/>. Хост: example.openai.azure.com. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions>. Host: example.openai.azure.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_dspy\_training.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions>. Хост: example.openai.azure.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_dspy\_training.py.

<https://example.services.ai.azure.com/models>. Host: example.services.ai.azure.com. Occurrences: 6. Referenced by URL only. No repository-local mirror is currently tracked. Sources: Makefile

docs/architecture/dspy-rag-guide.md

docs/operations/azure-deployment.md

src/repo\_rag\_lab/utilities.py

tests/test\_cli\_and\_dspy.py

tests/test\_project\_surfaces.py.

<https://example.services.ai.azure.com/models>. Хост: example.services.ai.azure.com. Упоминаний: 6. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: Makefile

docs/architecture/dspy-rag-guide.md

docs/operations/azure-deployment.md

src/repo\_rag\_lab/utilities.py

tests/test\_cli\_and\_dspy.py

tests/test\_project\_surfaces.py.

<https://github.com/>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: src/repo\_rag\_lab/pages\_site.py.

<https://github.com/>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: src/repo\_rag\_lab/pages\_site.py.

<https://github.com/example/demo>. Host: github.com. Occurrences: 10. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources:

tests/test\_cli\_and\_dspy.py

tests/test\_pages\_site.py

tests/test\_utilities.py.

<https://github.com/example/demo>. Хост: github.com. Упоминаний: 10. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_cli\_and\_dspy.py  
tests/test\_pages\_site.py  
tests/test\_utilities.py.

<https://github.com/example/demo/blob/main/README.md>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/README.md>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/assets/logo.png>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/assets/logo.png>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/src/tool.c>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/src/tool.c>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/tree/main/docs>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/tree/main/docs>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/project>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://github.com/example/project>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://github.com/example/project/blob/main/README.md>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py.

<https://github.com/example/project/blob/main/README.md>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py.



<https://github.com/example/project/blob/main/README.md#L1-L2>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py.

<https://github.com/example/project/blob/main/README.md#L1-L2>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: mkdocs.yml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: mkdocs.yml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: README.md

notebooks/02\_agent\_workflow\_checklist.ipynb.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: README.md

notebooks/02\_agent\_workflow\_checklist.ipynb.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Host: github.com. Occurrences: 3. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources: FILES.md

src/repo\_rag\_lab/todo\_backlog.py

todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: FILES.md

src/repo\_rag\_lab/todo\_backlog.py

todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob)

b/master/.github/workflows/ci.yml. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/ci.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L248-L251](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L248-L251](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L65-L66](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L65-L66](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66). Хост: github.com. Упоминаний: 1. Внешний URL GitHub,



упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/TODO.MD](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.MD). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/TODO.MD](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.MD). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/architecture/dspy-rag-guide.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/architecture/dspy-rag-guide.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/archive/repo-completeness-checklist.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/archive/repo-completeness-checklist.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/audit/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md). Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/audit/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/operations/azure-deployment.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none.

Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/operations/azure-deployment.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/dataset-integration-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/dataset-integration-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/repo-hardening-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/repo-hardening-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/01\\_repo\\_rag\\_research.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/01\\_repo\\_rag\\_research.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/03\\_dspy\\_training\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/03\\_dspy\\_training\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/04\\_sample\\_population\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/04\\_sample\\_population\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/publication/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/publication/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/pyproject.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/pyproject.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.lock](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.lock](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/population/repository\\_population\\_candidates.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/population/repository\\_population\\_candidates.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Хост: github.com.

Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources:

publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.



[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Хост: github.com. Упоминаний: 3. Внешний URL GitHub,

упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

<https://gpt45standard.openai.azure.com/>. Host: gpt45standard.openai.azure.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md.

<https://gpt45standard.openai.azure.com/>. Хост: gpt45standard.openai.azure.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Host: img.shields.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Хост: img.shields.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md.

<https://learn.microsoft.com/azure/ai-foundry/foundry-models/how-to/inference>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-foundry/foundry-models/how-to/inference>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-services/>. Host: learn.microsoft.com. Occurrences: 4. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://learn.microsoft.com/azure/ai-services/>. Хост: learn.microsoft.com. Упоминаний: 4. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: publication/references.bib

tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://learn.microsoft.com/en-us/azure/ai-foundry/openai/how-to/fine-tuning-deploy>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/en-us/azure/ai-foundry/openai/how-to/fine-tuning-deploy>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455>. Host: medium.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

<https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455>. Хост: medium.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

<https://modelcontextprotocol.io/>. Host: modelcontextprotocol.io. Occurrences: 4. External MCP documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/architecture/mcp-discovery.md. Sources: publication/references.bib

tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://modelcontextprotocol.io/>. Хост: modelcontextprotocol.io. Упоминаний: 4. Внешний URL документации MCP. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/architecture/mcp-discovery.md. Источники: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Host: realagiorganization.github.io. Occurrences: 3. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md  
docs/audit/2026-03-19-public-pages-and-secret-scan.md



mkdocs.yml.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Хост: realagiorganization.github.io. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md docs/audit/2026-03-19-public-pages-and-secret-scan.md mkdocs.yml.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Host: realagiorganization.github.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/audit/2026-03-19-public-pages-and-secret-scan.md.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Хост: realagiorganization.github.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/audit/2026-03-19-public-pages-and-secret-scan.md.

### 3 Page-By-Page / Постраничный показ

#### English: Referenced Papers And Documentation Fetch State

**lewis2020rag**: Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Kind: inproceedings. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

**khattab2024dspy**: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Kind: article. Cited in the bibliography, but no local PDF or paper mirror is tracked. Closest local companion paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Related paths: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.

**mcp2024**: Model Context Protocol. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/architecture/mcp-discovery.md. Related paths: docs/architecture/mcp-discovery.md.

**azureinference2025**: Azure AI Inference Documentation. Kind: misc. External documentation is cited by URL. No mirrored upstream copy is tracked, but local companion paths exist at docs/operations/azure-deployment.md. Related paths: docs/operations/azure-deployment.md.

#### English: Summaries Of All Files

.codex/skills/exploratorium-translation-sync/SKILL.md. Kind: markdown. Size: 1722 bytes. Shape: 32 lines. Markdown document, 32 lines, 0 explicit URLs. Lead heading: Exploratorium Translation Sync.

`.codex/skills/file-summary-sync/SKILL.md`. Kind: markdown. Size: 1367 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: File Summary Sync.

`.codex/skills/notebook-playbook-sync/SKILL.md`. Kind: markdown. Size: 2085 bytes. Shape: 48 lines. Markdown document, 48 lines, 0 explicit URLs. Lead heading: Notebook Playbook Sync.

`.codex/skills/notebook-playbook-sync/agents/openai.yaml`. Kind: yaml. Size: 300 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.

`.codex/skills/post-push-gh-run-logging/SKILL.md`. Kind: markdown. Size: 2059 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: Post Push Gh Run Logging.

`.codex/skills/post-push-gh-run-logging/agents/openai.yaml`. Kind: yaml. Size: 281 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.

`.codex/skills/post-push-gh-run-logging/scripts/write_gh_run_log.py`. Kind: python. Size: 6346 bytes. Shape: 178 lines. Python module, 178 lines, 0 explicit URLs. Module intent: No module docstring detected.

`.codex/skills/repo-verification-audit-loop/SKILL.md`. Kind: markdown. Size: 2589 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Repo Verification Audit Loop.

`.codex/skills/repo-verification-audit-loop/agents/openai.yaml`. Kind: yaml. Size: 272 bytes. Shape: 5 lines. YAML data or workflow file, 5 lines, 0 explicit URLs. Top keys: interface.

`.codex/skills/rust-sqlite-lookup/SKILL.md`. Kind: markdown. Size: 1297 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup.

`.codex/skills/todo-backlog-sync/SKILL.md`. Kind: markdown. Size: 1289 bytes. Shape: 29 lines. Markdown document, 29 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync.

`.env.sample`. Kind: generic. Size: 905 bytes. Shape: 17 lines. Tracked repository file, 17 lines, 0 explicit URLs. Opening line: `# Copy this file to .env and replace placeholder values`.

`.gitattributes`. Kind: generic. Size: 126 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: `*.png filter=lfs diff=lfs merge=lfs -text`

`.github/workflows/ci.yaml`. Kind: yaml. Size: 3738 bytes. Shape: 139 lines. YAML data or workflow file, 139 lines, 0 explicit URLs. Top keys: name, True, jobs.

`.github/workflows/hushwheel-quality.yaml`. Kind: yaml. Size: 3526 bytes. Shape: 104 lines. YAML data or workflow file, 104 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/pages.yaml`. Kind: yaml. Size: 2424 bytes. Shape: 99 lines. YAML data or workflow file, 99 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/publication-pdf.yml`. Kind: yaml. Size: 5549 bytes. Shape: 144 lines. YAML data or workflow file, 144 lines, 0 explicit URLs. Top keys: name, True, env.

`.github/workflows/publish.yml`. Kind: yaml. Size: 847 bytes. Shape: 43 lines. YAML data or workflow file, 43 lines, 0 explicit URLs. Top keys: name, True, jobs.

`.gitignore`. Kind: generic. Size: 222 bytes. Shape: 21 lines. Tracked repository file, 21 lines, 0 explicit URLs. Opening line: `.venv/`

`.pre-commit-config.yml`. Kind: yaml. Size: 1689 bytes. Shape: 53 lines. YAML data or workflow file, 53 lines, 0 explicit URLs. Top keys: repos.

`.python-version`. Kind: generic. Size: 5 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: `3.11`

`.yamllint.yml`. Kind: yaml. Size: 416 bytes. Shape: 20 lines. YAML data or workflow file, 20 lines, 0 explicit URLs. Top keys: extends, rules.

`AGENTS.md`. Kind: markdown. Size: 6999 bytes. Shape: 108 lines. Markdown document, 108 lines, 0 explicit URLs. Lead heading: Repository Agent Instructions.

`AGENTS.md.d/00-audit-baseline.md`. Kind: markdown. Size: 592 bytes. Shape: 15 lines. Markdown document, 15 lines, 0 explicit URLs. Lead heading: Audit Baseline Instructions.

`AGENTS.md.d/10-verification-loop.md`. Kind: markdown. Size: 1175 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: Verification Loop Instructions.

`AGENTS.md.d/FILES.md`. Kind: markdown. Size: 2247 bytes. Shape: 41 lines. Markdown document, 41 lines, 0 explicit URLs. Lead heading: File Summary Instructions.

`AGENTS.md.d/RUST_LOOKUP.md`. Kind: markdown. Size: 1803 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup Instructions.

`FILES.csv`. Kind: generic. Size: 32209 bytes. Shape: binary surface. Tracked repository file, 32209 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

`FILES.md`. Kind: markdown. Size: 36882 bytes. Shape: 282 lines. Markdown document, 282 lines, 1 explicit URLs. Lead heading: Repository File Inventory.

`Makefile`. Kind: make. Size: 12378 bytes. Shape: 329 lines. Repository Makefile, 329 lines, 1 explicit URLs. It exposes the shared automation surfaces.

`README.md`. Kind: markdown. Size: 17456 bytes. Shape: 224 lines. Markdown document, 224 lines, 5 explicit URLs. Lead heading: Repository RAG Lab.

`TODO.MD`. Kind: markdown. Size: 6104 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: TODO.

`data/questions/repository.yml`. Kind: yaml. Size: 283 bytes. Shape: 7 lines. YAML data or workflow file, 7 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`docs/architecture/dspy-rag-guide.md`. Kind: markdown. Size: 36133 bytes. Shape: 714 lines. Markdown document, 714 lines, 1 explicit URLs. Lead heading: DSPy Guide For This Repository.

`docs/architecture/inspired/dspy-rag-tutorial.md`. Kind: markdown. Size: 1474 bytes. Shape: 35 lines. Markdown document, 35 lines, 1 explicit URLs. Lead heading: DSPy Tutorial: Basic RAG.

`docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md`. Kind: markdown. Size: 1555 bytes. Shape: 38 lines. Markdown document, 38 lines, 1 explicit URLs. Lead heading: Implementing RAG with DSPy: Technical Guide.

`docs/architecture/mcp-discovery.md`. Kind: markdown. Size: 784 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: MCP Discovery Notes.

`docs/architecture/package-api.md`. Kind: markdown. Size: 6019 bytes. Shape: 89 lines. Markdown document, 89 lines, 0 explicit URLs. Lead heading: Package API Notes.

`docs/architecture/research-narrative.md`. Kind: markdown. Size: 19762 bytes. Shape: 309 lines. Markdown document, 309 lines, 0 explicit URLs. Lead heading: Repository Research Narrative.

`docs/archive/repo-completeness-checklist.md`. Kind: markdown. Size: 7450 bytes. Shape: 238 lines. Markdown document, 238 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist.

`docs/audit/2026-03-15-repo-state.md`. Kind: markdown. Size: 5989 bytes. Shape: 151 lines. Markdown document, 151 lines, 0 explicit URLs. Lead heading: Repository State Audit.

`docs/audit/2026-03-17-docs-and-uv-refresh.md`. Kind: markdown. Size: 3977 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Documentation And UV Workflow Refresh Audit.

`docs/audit/2026-03-17-full-build.md`. Kind: markdown. Size: 6715 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: Full Build Audit.

`docs/audit/2026-03-17-gh-actions-watch-loop.md`. Kind: markdown. Size: 3797 bytes. Shape: 78 lines. Markdown document, 78 lines, 0 explicit URLs. Lead heading: GitHub Actions Watch Loop Audit.

`docs/audit/2026-03-17-hushwheel-fixture.md`. Kind: markdown. Size: 5090 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Fixture Audit.

`docs/audit/2026-03-17-hushwheel-rag-playbook.md`. Kind: markdown. Size: 4797 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel RAG Playbook Audit.

`docs/audit/2026-03-17-notebook-scaffolding.md`. Kind: markdown. Size: 3641 bytes. Shape: 70 lines. Markdown document, 70 lines, 0 explicit URLs. Lead heading: Notebook Scaffolding Audit.

`docs/audit/2026-03-17-publication-article.md`. Kind: markdown. Size: 2321 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Publication Article Audit.

`docs/audit/2026-03-17-repo-completeness-checklist.md`. Kind: markdown. Size: 3114 bytes. Shape: 59 lines. Markdown document, 59 lines, 0 explicit URLs. Lead heading: Repository Completeness Checklist Audit.

`docs/audit/2026-03-18-actions-caching.md`. Kind: markdown. Size: 4189 bytes. Shape: 87 lines. Markdown document, 87 lines, 0 explicit URLs. Lead heading: GitHub Actions Caching Audit.

`docs/audit/2026-03-18-azure-inference-endpoint-probe.md`. Kind: markdown. Size: 2648 bytes. Shape: 63 lines. Markdown document, 63 lines, 0 explicit URLs. Lead heading: Azure Inference Endpoint Probe Audit.

`docs/audit/2026-03-18-azure-runtime-surfaces.md`. Kind: markdown. Size: 5307 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Azure Runtime Surfaces Audit.

`docs/audit/2026-03-18-dspy-training-path.md`. Kind: markdown. Size: 4605 bytes. Shape: 81 lines. Markdown document, 81 lines, 0 explicit URLs. Lead heading: DSPy Training Path Audit.

`docs/audit/2026-03-18-hushwheel-program-harness.md`. Kind: markdown. Size: 3907 bytes. Shape: 76 lines. Markdown document, 76 lines, 0 explicit URLs. Lead heading: Hushwheel Program Harness Audit.

`docs/audit/2026-03-18-notebook-execution.md`. Kind: markdown. Size: 2577 bytes. Shape: 66 lines. Markdown document, 66 lines, 0 explicit URLs. Lead heading: Notebook Execution Audit.

`docs/audit/2026-03-18-notebook-runner-harness.md`. Kind: markdown. Size: 4121 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-repository-benchmark-broadening.md`. Kind: markdown. Size: 3728 bytes. Shape: 74 lines. Markdown document, 74 lines, 0 explicit URLs. Lead heading: Repository Benchmark Broadening Audit.

`docs/audit/2026-03-18-retest-with-env-refresh.md`. Kind: markdown. Size: 5102 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Env Refresh Retest Audit.

`docs/audit/2026-03-18-retrieval-evaluation-suite.md`. Kind: markdown. Size: 4031 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Retrieval Evaluation Suite Audit.

`docs/audit/2026-03-18-retrieval-ranking-refresh.md`. Kind: markdown. Size: 6479 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Retrieval Ranking Refresh Audit.

`docs/audit/2026-03-18-rust-and-benchmark-hygiene.md`. Kind: markdown. Size: 2049 bytes. Shape: 53 lines. Markdown document, 53 lines, 0 explicit URLs. Lead heading: Rust And Benchmark Hygiene Audit.

docs/audit/2026-03-18-todo-backlog-sync.md. Kind: markdown. Size: 4104 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Todo Backlog Sync Audit.

docs/audit/2026-03-18-z-notebook-runner-harness.md. Kind: markdown. Size: 4153 bytes. Shape: 104 lines. Markdown document, 104 lines, 0 explicit URLs. Lead heading: Notebook Runner Harness Audit.

docs/audit/2026-03-18-zz-file-summary-inventory.md. Kind: markdown. Size: 2596 bytes. Shape: 69 lines. Markdown document, 69 lines, 0 explicit URLs. Lead heading: File Summary Inventory Audit.

docs/audit/2026-03-18-zz-research-narrative.md. Kind: markdown. Size: 3220 bytes. Shape: 79 lines. Markdown document, 79 lines, 0 explicit URLs. Lead heading: Research Narrative Audit.

docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md. Kind: markdown. Size: 5061 bytes. Shape: 109 lines. Markdown document, 109 lines, 0 explicit URLs. Lead heading: Session Consolidation On Origin Master.

docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md. Kind: markdown. Size: 5404 bytes. Shape: 105 lines. Markdown document, 105 lines, 0 explicit URLs. Lead heading: Rust SQLite Lookup And Retrieval Tag Audit.

docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md. Kind: markdown. Size: 3270 bytes. Shape: 73 lines. Markdown document, 73 lines, 0 explicit URLs. Lead heading: Session Consolidation Master CI Repair.

docs/audit/2026-03-18-zzzzz-hushwheel-quality-instrumentation.md. Kind: markdown. Size: 8775 bytes. Shape: 165 lines. Markdown document, 165 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Instrumentation.

docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md. Kind: markdown. Size: 5992 bytes. Shape: 116 lines. Markdown document, 116 lines, 1 explicit URLs. Lead heading: DSPy Pipeline And Live Azure Proof.

docs/audit/2026-03-18-zzzzzz-hushwheel-retrieval-record-wording.md. Kind: markdown. Size: 3042 bytes. Shape: 77 lines. Markdown document, 77 lines, 0 explicit URLs. Lead heading: Hushwheel Retrieval Record Wording.

docs/audit/2026-03-18-zzzzzzz-hushwheel-pdf-side-effect-fix.md. Kind: markdown. Size: 4044 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Hushwheel PDF Side-Effect Fix.

docs/audit/2026-03-18-zzzzzzzz-hushwheel-quality-salvage.md. Kind: markdown. Size: 4554 bytes. Shape: 84 lines. Markdown document, 84 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Salvage Audit.

docs/audit/2026-03-18-zzzzzzzz-land-unlanded-surfaces.md. Kind: markdown. Size: 2685 bytes. Shape: 72 lines. Markdown document, 72 lines, 0 explicit URLs. Lead heading: Hushwheel Quality Landing Audit.

docs/audit/2026-03-18-zzzzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Kind: markdown. Size: 3472 bytes. Shape: 83 lines. Markdown document, 83 lines, 0 explicit URLs. Lead heading: Rebased Master Log And Azure Typecheck Fix.

docs/audit/2026-03-18-zzzzzzz-worktree-consolidation.md. Kind: markdown. Size: 5914 bytes. Shape: 125 lines. Markdown document, 125 lines, 0 explicit URLs. Lead heading: Worktree Consolidation.

docs/audit/2026-03-18-zzzzzzzzzzzzz-retrieval-regression-gate.md. Kind: markdown. Size: 2898 bytes. Shape: 66 lines. Markdown document, 66 lines, 0 explicit URLs. Lead heading: Retrieval Regression Gate Audit.

docs/audit/2026-03-18-zzzzzzzzzzzzz-land-remaining-unlanded-work.md. Kind: markdown. Size: 2908 bytes. Shape: 78 lines. Markdown document, 78 lines, 0 explicit URLs. Lead heading: Land Remaining Unlanded Work.

docs/audit/2026-03-18-zzzzzzzzzzzzz-node24-actions-refresh.md. Kind: markdown. Size: 2989 bytes. Shape: 91 lines. Markdown document, 91 lines, 0 explicit URLs. Lead heading: Node 24 Actions Refresh.

docs/audit/2026-03-18-zzzzzzzzzzzzz-rebase-hushwheel-quality-over-master.md. Kind: markdown. Size: 1889 bytes. Shape: 47 lines. Markdown document, 47 lines, 0 explicit URLs. Lead heading: Rebase Hushwheel Quality Over Master.

docs/audit/2026-03-18-zzzzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Kind: markdown. Size: 2956 bytes. Shape: 75 lines. Markdown document, 75 lines, 0 explicit URLs. Lead heading: DSPy Backlog Reconciliation.

docs/audit/2026-03-18-zzzzzzzzzzzzzzz-file-summary-test-churn-fix.md. Kind: markdown. Size: 2929 bytes. Shape: 85 lines. Markdown document, 85 lines, 0 explicit URLs. Lead heading: File Summary Test Churn Fix.

docs/audit/2026-03-18-zzzzzzzzzzzzzzz-publication-cache-node24-followup.md. Kind: markdown. Size: 2900 bytes. Shape: 89 lines. Markdown document, 89 lines, 0 explicit URLs. Lead heading: Publication Cache Node 24 Follow-Up.

docs/audit/2026-03-18-zzzzzzzzzzzzzzz-retrieval-gate-restored-after-rebase.md. Kind: markdown. Size: 3788 bytes. Shape: 94 lines. Markdown document, 94 lines, 0 explicit URLs. Lead heading: Retrieval Gate Restored After Rebase.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Kind: markdown. Size: 2457 bytes. Shape: 62 lines. Markdown document, 62 lines, 0 explicit URLs. Lead heading: DSPy Backlog Reconciliation.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzz-lookup-first-ask-path.md. Kind: markdown. Size: 4604 bytes. Shape: 94 lines. Markdown document, 94 lines, 0 explicit URLs. Lead heading: Lookup First Ask Path.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzz-answer-synthesis-refresh.md. Kind: markdown. Size: 2565 bytes. Shape: 48 lines. Markdown document, 48 lines, 0 explicit URLs. Lead heading: 2026-03-18 Answer Synthesis Refresh.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzzz-retrieval-quality-doc-priority.md. Kind: markdown. Size: 3602 bytes. Shape: 68 lines. Markdown document, 68 lines, 0 explicit URLs. Lead heading: Retrieval Quality Doc Priority Audit.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzzzzz-merge-hushwheel-quality-into-master.md. Kind: markdown. Size: 4335 bytes. Shape: 112 lines. Markdown document, 112 lines, 0 explicit URLs. Lead heading: Merge Hushwheel Quality Into Master.





`notebooks/05_hushwheel_fixture_rag_lab.ipynb`. Kind: notebook. Size: 13622 bytes. Shape: 378 lines. Notebook, 9 cells, 0 explicit URLs. Opening heading: Hushwheel Fixture RAG Lab.

`publication/.gitignore`. Kind: generic. Size: 80 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: `.build/`

`publication/Makefile`. Kind: make. Size: 1644 bytes. Shape: 48 lines. Repository Makefile, 48 lines, 0 explicit URLs. It exposes the shared automation surfaces.

`publication/README.md`. Kind: markdown. Size: 1499 bytes. Shape: 34 lines. Markdown document, 34 lines, 0 explicit URLs. Lead heading: Publication Article.

`publication/article-banner.png`. Kind: binary. Size: 79074 bytes. Shape: binary surface. Binary asset, 79074 bytes of binary data. It is tracked for stable publication output.

`publication/exploratorium_translation/.gitignore`. Kind: generic. Size: 32 bytes. Shape: 6 lines. Tracked repository file, 6 lines, 0 explicit URLs. Opening line: `.build/`

`publication/exploratorium_translation/Makefile`. Kind: make. Size: 870 bytes. Shape: 30 lines. Repository Makefile, 30 lines, 0 explicit URLs. It exposes the shared automation surfaces.

`publication/exploratorium_translation/README.md`. Kind: markdown. Size: 997 bytes. Shape: 28 lines. Markdown document, 28 lines, 0 explicit URLs. Lead heading: Exploratorium Translation.

`publication/exploratorium_translation/exploratorium_translation.tex`. Kind: latex. Size: 2573 bytes. Shape: 70 lines. LaTeX source, 70 lines, 0 explicit URLs. Sections declared in preview: 0.

`publication/references.bib`. Kind: bibliography. Size: 1252 bytes. Shape: 28 lines. Bibliography file, 28 lines, 2 explicit URLs. Entries counted in preview: 4.

`publication/repository-rag-lab-article.pdf`. Kind: binary. Size: 236232 bytes. Shape: binary surface. Binary asset, 236232 bytes of binary data. It is tracked for stable publication output.

`publication/repository-rag-lab-article.tex`. Kind: latex. Size: 9526 bytes. Shape: 208 lines. LaTeX source, 208 lines, 0 explicit URLs. Sections declared in preview: 4.

`publication/todo-backlog-table.tex`. Kind: latex. Size: 10547 bytes. Shape: 34 lines. LaTeX source, 34 lines, 36 explicit URLs. Sections declared in preview: 0.

`pyproject.toml`. Kind: toml. Size: 2218 bytes. Shape: 95 lines. TOML configuration file, 95 lines, 0 explicit URLs. Top keys: build-system, project, dependency-groups.

`rust-cli/Cargo.lock`. Kind: generic. Size: 3213 bytes. Shape: binary surface. Tracked repository file, 3213 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

`rust-cli/Cargo.toml`. Kind: toml. Size: 144 bytes. Shape: 8 lines. TOML configuration file, 8 lines, 0 explicit URLs. Top keys: package, dependencies.

`rust-cli/src/main.rs`. Kind: source. Size: 20422 bytes. Shape: 626 lines. Source file, 626 lines, 0 explicit URLs. Opening line: `use rusqlite::{params, Connection};`

`samples/README.md`. Kind: markdown. Size: 713 bytes. Shape: 13 lines. Markdown document, 13 lines, 0 explicit URLs. Lead heading: Samples.

`samples/logs/20260315T050730Z-gh-runs.md`. Kind: markdown. Size: 1341 bytes. Shape: 45 lines. Markdown document, 45 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260315T085140Z-gh-red-status-check.md`. Kind: markdown. Size: 847 bytes. Shape: 25 lines. Markdown document, 25 lines, 1 explicit URLs. Lead heading: GitHub Actions Red Status Check.

`samples/logs/20260317T064722Z-full-build.raw.log`. Kind: generic. Size: 2109 bytes. Shape: 62 lines. Tracked repository file, 62 lines, 0 explicit URLs. Opening line: `# Full Build Raw Log`

`samples/logs/20260317T064833Z-full-build-attempt2.raw.log`. Kind: generic. Size: 14950 bytes. Shape: 408 lines. Tracked repository file, 408 lines, 0 explicit URLs. Opening line: `# Full Build Raw Log Attempt 2`

`samples/logs/20260317T073401Z-gh-runs-notebook-scaffolding.md`. Kind: markdown. Size: 2865 bytes. Shape: 35 lines. Markdown document, 35 lines, 13 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T073404Z-gh-runs.md`. Kind: markdown. Size: 1269 bytes. Shape: 32 lines. Markdown document, 32 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T080018Z-gh-runs-all-notebooks.md`. Kind: markdown. Size: 2128 bytes. Shape: 34 lines. Markdown document, 34 lines, 8 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T083207Z-gh-runs-todo-backlog.md`. Kind: markdown. Size: 1063 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md`. Kind: markdown. Size: 1186 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T085723Z-gh-runs-hushwheel-fixture.md`. Kind: markdown. Size: 1472 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T091641Z-gh-runs-hushwheel-rag-playbook.md`. Kind: markdown. Size: 1470 bytes. Shape: 36 lines. Markdown document, 36 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260317T092251Z-gh-runs-publication-article.md`. Kind: markdown. Size: 1801 bytes. Shape: 33 lines. Markdown document, 33 lines, 5 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md`. Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md`. Kind: markdown. Size: 1682 bytes. Shape: 41 lines. Markdown document, 41 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md`. Kind: markdown. Size: 1747 bytes. Shape: 35 lines. Markdown document, 35 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T004712Z-gh-runs-hushwheel-program-harness.md`. Kind: markdown. Size: 1798 bytes. Shape: 49 lines. Markdown document, 49 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-move-those.md`. Kind: markdown. Size: 1113 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md`. Kind: markdown. Size: 1029 bytes. Shape: 26 lines. Markdown document, 26 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md`. Kind: markdown. Size: 1950 bytes. Shape: 62 lines. Markdown document, 62 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md`. Kind: markdown. Size: 1004 bytes. Shape: 26 lines. Markdown document, 26 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agnet-is-doing-1-.md`. Kind: markdown. Size: 1091 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-and-reporting.md`. Kind: markdown. Size: 2151 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-publication-surfaces.md`. Kind: markdown. Size: 1778 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-follow-up.md`. Kind: markdown. Size: 1735 bytes. Shape: 55 lines. Markdown document, 55 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md`. Kind: markdown. Size: 2222 bytes. Shape: 56 lines. Markdown document, 56 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md`. Kind: markdown. Size: 1828 bytes. Shape: 38 lines. Markdown document, 38 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md`. Kind: markdown. Size: 1768 bytes. Shape: 37 lines. Markdown document, 37 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md`. Kind: markdown. Size: 2460 bytes. Shape: 70 lines. Markdown document, 70 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md`. Kind: markdown. Size: 1074 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md`. Kind: markdown. Size: 1858 bytes. Shape: 54 lines. Markdown document, 54 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md`. Kind: markdown. Size: 1217 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T090625Z-gh-runs-hushwheel-quality-instrumentation.md`. Kind: markdown. Size: 1312 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md`. Kind: markdown. Size: 2223 bytes. Shape: 53 lines. Markdown document, 53 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md`. Kind: markdown. Size: 1325 bytes. Shape: 34 lines. Markdown document, 34 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md`. Kind: markdown. Size: 1469 bytes. Shape: 45 lines. Markdown document, 45 lines, 0 explicit URLs. Lead heading: GitHub Actions Summary.

`samples/logs/20260318T094347Z-gh-runs-hushwheel-hardening-followup.md`. Kind: markdown. Size: 2739 bytes. Shape: 72 lines. Markdown document, 72 lines, 2 explicit URLs. Lead heading: GitHub Runs Log.

`samples/logs/20260318T100336Z-gh-runs-sync-final-rebased-inventories-for-carry-on-comm.md`. Kind: markdown. Size: 1103 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T101229Z-gh-runs-hushwheel-audit-refresh.md`. Kind: markdown. Size: 1707 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Summary.

`samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md`. Kind: markdown. Size: 1556 bytes. Shape: 28 lines. Markdown document, 28 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md`. Kind: markdown. Size: 1061 bytes. Shape: 29 lines. Markdown document, 29 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md`. Kind: markdown. Size: 1060 bytes. Shape: 21 lines. Markdown document, 21 lines, 3 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md`. Kind: markdown. Size: 1058 bytes. Shape: 22 lines. Markdown document, 22 lines, 2 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260318T125829Z-gh-runs-restore-retrieval-gate-after-rebase.md`. Kind: markdown. Size: 1585 bytes. Shape: 36 lines. Markdown document, 36 lines, 0 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-follow-up-for-1.md`. Kind: markdown. Size: 1119 bytes. Shape: 27 lines. Markdown document, 27 lines, 3 explicit URLs. Lead heading: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'.

`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Kind: markdown. Size: 1680 bytes. Shape: 45 lines. Markdown document, 45 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md`. Kind: markdown. Size: 1335 bytes. Shape: 34 lines. Markdown document, 34 lines, 1 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T144102Z-gh-runs-merge-into-master.md`. Kind: markdown. Size: 2285 bytes. Shape: 69 lines. Markdown document, 69 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md`. Kind: markdown. Size: 2401 bytes. Shape: 71 lines. Markdown document, 71 lines, 2 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md`. Kind: markdown. Size: 1578 bytes. Shape: 37 lines. Markdown document, 37 lines, 1 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md`. Kind: markdown. Size: 1137 bytes. Shape: 27 lines. Markdown document, 27 lines, 0 explicit URLs. Lead heading: GitHub Actions Log.

`samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md`. Kind: markdown. Size: 2936 bytes. Shape: 67 lines. Markdown document, 67 lines, 3 explicit URLs. Lead heading: GitHub Actions Run Log.

`samples/logs/README.md`. Kind: markdown. Size: 331 bytes. Shape: 11 lines. Markdown document, 11 lines, 0 explicit URLs. Lead heading: GitHub Run Logs.

`samples/population/hushwheel_fixture_population_candidates.yaml`. Kind: yaml. Size: 955 bytes. Shape: 22 lines. YAML data or workflow file, 22 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/population/repository_population_candidates.yaml`. Kind: yaml. Size: 690 bytes. Shape: 16 lines. YAML data or workflow file, 16 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/training/hushwheel_fixture_training_examples.yaml`. Kind: yaml. Size: 1852 bytes. Shape: 68 lines. YAML data or workflow file, 68 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`samples/training/repository_training_examples.yaml`. Kind: yaml. Size: 2641 bytes. Shape: 82 lines. YAML data or workflow file, 82 lines, 0 explicit URLs. Top keys: no top-level mapping keys.

`src/repo_rag_lab/__init__.py`. Kind: python. Size: 178 bytes. Shape: 6 lines. Python module, 6 lines, 0 explicit URLs. Module intent: Public package surface for the repository-grounded RAG lab.

`src/repo_rag_lab/azure.py`. Kind: python. Size: 2592 bytes. Shape: 76 lines. Python module, 76 lines, 0 explicit URLs. Module intent: Azure deployment manifest helpers for downstream release workflows.

`src/repo_rag_lab/azure_runtime.py`. Kind: python. Size: 15839 bytes. Shape: 462 lines. Python module, 462 lines, 0 explicit URLs. Module intent: Azure runtime normalization, live probes, and cloud-completion helpers.

`src/repo_rag_lab/benchmarks.py`. Kind: python. Size: 16315 bytes. Shape: 478 lines. Python module, 478 lines, 0 explicit URLs. Module intent: Retrieval benchmark helpers for notebook assertions and logging.

`src/repo_rag_lab/cli.py`. Kind: python. Size: 30871 bytes. Shape: 790 lines. Python module, 790 lines, 0 explicit URLs. Module intent: Command-line entrypoints for the shared repository RAG workflows.

`src/repo_rag_lab/corpus.py`. Kind: python. Size: 2768 bytes. Shape: 107 lines. Python module, 107 lines, 0 explicit URLs. Module intent: Repository file loading helpers for the baseline text corpus.

`src/repo_rag_lab/dspy_training.py`. Kind: python. Size: 30024 bytes. Shape: 835 lines. Python module, 835 lines, 0 explicit URLs. Module intent: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_workflow.py`. Kind: python. Size: 5888 bytes. Shape: 163 lines. Python module, 163 lines, 0 explicit URLs. Module intent: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/exploratorium_translation.py`. Kind: python. Size: 38049 bytes. Shape: 1009 lines. Python module, 1009 lines, 0 explicit URLs. Module intent: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/file_summaries.py`. Kind: python. Size: 10564 bytes. Shape: 327 lines. Python module, 327 lines, 0 explicit URLs. Module intent: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/github_pr_gates.py`. Kind: python. Size: 3979 bytes. Shape: 140 lines. Python module, 140 lines, 0 explicit URLs. Module intent: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/mcp.py`. Kind: python. Size: 2947 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: Discovery helpers for MCP-related repository artifacts.

`src/repo_rag_lab/notebook_runner.py`. Kind: python. Size: 16433 bytes. Shape: 491 lines. Python module, 491 lines, 0 explicit URLs. Module intent: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_scaffolding.py`. Kind: python. Size: 10965 bytes. Shape: 258 lines. Python module, 258 lines, 0 explicit URLs. Module intent: High-level notebook scaffolds built from tested repository helpers.

`src/repo_rag_lab/notebook_support.py`. Kind: python. Size: 2843 bytes. Shape: 89 lines. Python module, 89 lines, 0 explicit URLs. Module intent: Helpers shared by notebooks so their setup logic stays in tested Python code.

`src/repo_rag_lab/pages_site.py`. Kind: python. Size: 13635 bytes. Shape: 390 lines. Python module, 390 lines, 2 explicit URLs. Module intent: Generate a MkDocs-ready catalog of tracked repository Markdown files.

`src/repo_rag_lab/population_samples.py`. Kind: python. Size: 8376 bytes. Shape: 241 lines. Python module, 241 lines, 0 explicit URLs. Module intent: Helpers for reviewing and batching starter corpus-population inputs.

`src/repo_rag_lab/retrieval.py`. Kind: python. Size: 19542 bytes. Shape: 616 lines. Python module, 616 lines, 0 explicit URLs. Module intent: Baseline chunking and lexical retrieval utilities for repository text.

`src/repo_rag_lab/rust_lookup.py`. Kind: python. Size: 7724 bytes. Shape: 295 lines. Python module, 295 lines, 0 explicit URLs. Module intent: Helpers for the native Rust-backed SQLite lookup index.

`src/repo_rag_lab/settings.py`. Kind: python. Size: 699 bytes. Shape: 28 lines. Python module, 28 lines, 0 explicit URLs. Module intent: Shared repository path settings derived from a repository root.

`src/repo_rag_lab/todo_backlog.py`. Kind: python. Size: 8434 bytes. Shape: 276 lines. Python module, 276 lines, 1 explicit URLs. Module intent: Shared backlog rendering helpers for Markdown and LaTeX surfaces.

`src/repo_rag_lab/training_samples.py`. Kind: python. Size: 5130 bytes. Shape: 154 lines. Python module, 154 lines, 0 explicit URLs. Module intent: Helpers for loading and summarizing starter DSPy training examples.

`src/repo_rag_lab/utilities.py`. Kind: python. Size: 31749 bytes. Shape: 907 lines. Python module, 907 lines, 1 explicit URLs. Module intent: User-facing utility helpers shared by the CLI, tests, and notebooks.

`src/repo_rag_lab/verification.py`. Kind: python. Size: 4126 bytes. Shape: 147 lines. Python module, 147 lines, 0 explicit URLs. Module intent: Verification helpers for Makefile and notebook contract checks.

`src/repo_rag_lab/workflow.py`. Kind: python. Size: 14636 bytes. Shape: 466 lines. Python module, 466 lines, 0 explicit URLs. Module intent: Baseline repository question-answering workflow built on file retrieval.

`tests/features/repository_rag.feature`. Kind: generic. Size: 377 bytes. Shape: 12 lines. Tracked repository file, 12 lines, 0 explicit URLs. Opening line: Feature: Repository RAG

`tests/fixtures/hushwheel_lexiconarium/.gitignore`. Kind: generic. Size: 23 bytes. Shape: 4 lines. Tracked repository file, 4 lines, 0 explicit URLs. Opening line: hushwheel

tests/fixtures/hushwheel\_lexiconarium/CHANGELOG.md. Kind: markdown. Size: 345 bytes. Shape: 9 lines. Markdown document, 9 lines, 0 explicit URLs. Lead heading: Changelog.

tests/fixtures/hushwheel\_lexiconarium/Doxyfile. Kind: generic. Size: 1239 bytes. Shape: 35 lines. Tracked repository file, 35 lines, 0 explicit URLs. Opening line: PROJECT\_NAME = Hushwheel Lexiconarium

tests/fixtures/hushwheel\_lexiconarium/LICENSE.md. Kind: markdown. Size: 1082 bytes. Shape: 22 lines. Markdown document, 22 lines, 0 explicit URLs. Lead heading: LICENSE.

tests/fixtures/hushwheel\_lexiconarium/Makefile. Kind: make. Size: 20908 bytes. Shape: 388 lines. Repository Makefile, 388 lines, 0 explicit URLs. It exposes the shared automation surfaces.

tests/fixtures/hushwheel\_lexiconarium/README.md. Kind: markdown. Size: 8269 bytes. Shape: 162 lines. Markdown document, 162 lines, 0 explicit URLs. Lead heading: The Hushwheel Lexiconarium.

tests/fixtures/hushwheel\_lexiconarium/VERSION. Kind: generic. Size: 6 bytes. Shape: 2 lines. Tracked repository file, 2 lines, 0 explicit URLs. Opening line: 0.1.0

tests/fixtures/hushwheel\_lexiconarium/docs/architecture.md. Kind: markdown. Size: 1404 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead heading: Hushwheel Architecture.

tests/fixtures/hushwheel\_lexiconarium/docs/catalog.md. Kind: markdown. Size: 27404 bytes. Shape: 357 lines. Markdown document, 357 lines, 0 explicit URLs. Lead heading: Hushwheel Representative Catalog.

tests/fixtures/hushwheel\_lexiconarium/docs/concepts.md. Kind: markdown. Size: 1559 bytes. Shape: 37 lines. Markdown document, 37 lines, 0 explicit URLs. Lead heading: Hushwheel Concepts.

tests/fixtures/hushwheel\_lexiconarium/docs/constellation-atlas.md. Kind: markdown. Size: 5111 bytes. Shape: 142 lines. Markdown document, 142 lines, 0 explicit URLs. Lead heading: Hushwheel Constellation Atlas §:<[>.

tests/fixtures/hushwheel\_lexiconarium/docs/districts.md. Kind: markdown. Size: 1151 bytes. Shape: 42 lines. Markdown document, 42 lines, 0 explicit URLs. Lead heading: Hushwheel Districts.

tests/fixtures/hushwheel\_lexiconarium/docs/doxygen-fonts.sty. Kind: generic. Size: 212 bytes. Shape: binary surface. Tracked repository file, 212 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/docs/hushwheel-reference.pdf. Kind: binary. Size: 132 bytes. Shape: binary surface. Binary asset, 132 bytes of binary data. It is tracked for stable publication output.

tests/fixtures/hushwheel\_lexiconarium/docs/operations.md. Kind: markdown. Size: 1068 bytes. Shape: 35 lines. Markdown document, 35 lines, 0 explicit URLs. Lead heading: Hushwheel Operations.



tests/fixtures/hushwheel\_lexiconarium/docs/packaging.md. Kind: markdown. Size: 1112 bytes. Shape: 33 lines. Markdown document, 33 lines, 0 explicit URLs. Lead heading: Hushwheel Packaging.

tests/fixtures/hushwheel\_lexiconarium/docs/testing.md. Kind: markdown. Size: 3507 bytes. Shape: 80 lines. Markdown document, 80 lines, 0 explicit URLs. Lead heading: Hushwheel Testing.

tests/fixtures/hushwheel\_lexiconarium/fixture-manifest.json. Kind: json. Size: 1098 bytes. Shape: 49 lines. JSON data file, 49 lines, 0 explicit URLs. Top keys: entry\_count, source\_size\_bytes, doc\_files.

tests/fixtures/hushwheel\_lexiconarium/include/hushwheel.h. Kind: source. Size: 404 bytes. Shape: 19 lines. Source file, 19 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL\_H

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.1. Kind: generic. Size: 1303 bytes. Shape: binary surface. Tracked repository file, 1303 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.package.json. Kind: json. Size: 591 bytes. Shape: 29 lines. JSON data file, 29 lines, 0 explicit URLs. Top keys: name, version, summary.

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel.c. Kind: source. Size: 1694579 bytes. Shape: 4375 lines. Source file, 4375 lines, 0 explicit URLs. Opening line: /\*\*

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_internal.h. Kind: source. Size: 603 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #ifndef HUSHWHEEL\_INTERNAL\_H

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_argent.c. Kind: source. Size: 324091 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_bhagavatam.c. Kind: source. Size: 326160 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_crosscanon.c. Kind: source. Size: 326144 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_editorial.c. Kind: source. Size: 325628 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_gita.c. Kind: source. Size: 323055 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_kernel.c. Kind: source. Size: 324068 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_psalter.c. Kind: source. Size: 324600 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_ranger.c. Kind: source. Size: 324105 bytes. Shape: 525 lines. Source file, 525 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spokes.c. Kind: source. Size: 1074 bytes. Shape: 25 lines. Source file, 25 lines, 0 explicit URLs. Opening line: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/hushwheel.feature. Kind: generic. Size: 1021 bytes. Shape: 28 lines. Tracked repository file, 28 lines, 0 explicit URLs. Opening line: Feature: Hushwheel CLI

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/run\_bdd.py. Kind: python. Size: 3146 bytes. Shape: 94 lines. Python module, 94 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/integration/cli\_suite.py. Kind: python. Size: 4482 bytes. Shape: 122 lines. Python module, 122 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/unit/test\_hushwheel\_unit.c. Kind: source. Size: 2002 bytes. Shape: 62 lines. Source file, 62 lines, 0 explicit URLs. Opening line: #include <assert.h>

tests/fixtures/hushwheel\_lexiconarium/tools/lint\_hushwheel.py. Kind: python. Size: 4678 bytes. Shape: 143 lines. Python module, 143 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tools/regenerate\_hushwheel\_fixture.py. Kind: python. Size: 31375 bytes. Shape: 866 lines. Python module, 866 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_azure\_runtime.py. Kind: python. Size: 3806 bytes. Shape: 101 lines. Python module, 101 lines, 10 explicit URLs. Module intent: No module docstring detected.

tests/test\_benchmarks\_and\_notebook\_scaffolding.py. Kind: python. Size: 11605 bytes. Shape: 271 lines. Python module, 271 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_cli\_and\_dspy.py. Kind: python. Size: 44370 bytes. Shape: 1264 lines. Python module, 1264 lines, 2 explicit URLs. Module intent: No module docstring detected.

tests/test\_dspy\_training.py. Kind: python. Size: 18513 bytes. Shape: 513 lines. Python module, 513 lines, 6 explicit URLs. Module intent: No module docstring detected.

tests/test\_exploratorium\_translation.py. Kind: python. Size: 5239 bytes. Shape: 138 lines. Python module, 138 lines, 8 explicit URLs. Module intent: No module docstring detected.

tests/test\_file\_summaries.py. Kind: python. Size: 9110 bytes. Shape: 230 lines. Python module, 230 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_github\_pr\_gates.py. Kind: python. Size: 5678 bytes. Shape: 183 lines. Python module, 183 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_hushwheel\_fixture.py. Kind: python. Size: 4617 bytes. Shape: 101 lines. Python module, 101 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_hushwheel\_program\_surface.py. Kind: python. Size: 4626 bytes. Shape: 125 lines. Python module, 125 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_lookup\_first.py. Kind: python. Size: 3559 bytes. Shape: 108 lines. Python module, 108 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_mcp\_branches.py. Kind: python. Size: 1077 bytes. Shape: 31 lines. Python module, 31 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_notebook\_runner.py. Kind: python. Size: 3088 bytes. Shape: 84 lines. Python module, 84 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_pages\_site.py. Kind: python. Size: 9045 bytes. Shape: 225 lines. Python module, 225 lines, 14 explicit URLs. Module intent: No module docstring detected.

tests/test\_population\_samples.py. Kind: python. Size: 3144 bytes. Shape: 76 lines. Python module, 76 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_project\_surfaces.py. Kind: python. Size: 21079 bytes. Shape: 475 lines. Python module, 475 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_repository\_rag\_bdd.py. Kind: python. Size: 879 bytes. Shape: 30 lines. Python module, 30 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_retrieval.py. Kind: python. Size: 7407 bytes. Shape: 216 lines. Python module, 216 lines, 0 explicit URLs. Module intent: No module docstring detected.

tests/test\_todo\_backlog.py. Kind: python. Size: 3505 bytes. Shape: 103 lines. Python module, 103 lines, 1 explicit URLs. Module intent: No module docstring detected.

tests/test\_training\_samples.py. Kind: python. Size: 2535 bytes. Shape: 65 lines. Python module, 65 lines, 0 explicit URLs. Module intent: No module docstring detected.

`tests/test_utilities.py`. Kind: python. Size: 26516 bytes. Shape: 698 lines. Python module, 698 lines, 6 explicit URLs. Module intent: No module docstring detected.

`tests/test_verification.py`. Kind: python. Size: 3156 bytes. Shape: 66 lines. Python module, 66 lines, 0 explicit URLs. Module intent: No module docstring detected.

`tests/test_workflow.py`. Kind: python. Size: 3456 bytes. Shape: 99 lines. Python module, 99 lines, 0 explicit URLs. Module intent: No module docstring detected.

`tests/test_workflow_live.py`. Kind: python. Size: 3533 bytes. Shape: 106 lines. Python module, 106 lines, 0 explicit URLs. Module intent: No module docstring detected.

`todo-backlog.yaml`. Kind: yaml. Size: 6116 bytes. Shape: 128 lines. YAML data or workflow file, 128 lines, 1 explicit URLs. Top keys: `repository_web_base`, `items`.

`utilities/README.md`. Kind: markdown. Size: 3495 bytes. Shape: 54 lines. Markdown document, 54 lines, 0 explicit URLs. Lead heading: Repository Utilities.

`uv.lock`. Kind: generic. Size: 766130 bytes. Shape: binary surface. Tracked repository file, 766130 bytes of binary data, 0 explicit URLs. Opening line: No non-empty preview line.

## English: Summaries Of All Authored URLs

<https://api.github.com/repos/example/demo/branches/master/protection>. Host: api.github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: `tests/test_github_pr_gates.py`.

<https://astral.sh/>. Host: astral.sh. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `tests/test_exploratorium_translation.py`  
`tests/test_utilities.py`.

<https://astral.sh/uv/install.sh>. Host: astral.sh. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `README.md`.

<https://dspy.ai/tutorials/rag/>. Host: dspy.ai. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `docs/architecture/inspired/dspy-rag-tutorial.md`.

<https://example.com>. Host: example.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `tests/test_pages_site.py`.

<https://example.com/docs>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `tests/test_pages_site.py`.

<https://example.com/org/repo/blob/main>. Host: example.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: `tests/test_todo_backlog.py`.

<https://example.invalid/v1>. Host: example.invalid. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_dspy\_training.py.

<https://example.openai.azure.com>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py  
tests/test\_dspy\_training.py.

<https://example.openai.azure.com/>. Host: example.openai.azure.com. Occurrences: 2. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py  
tests/test\_dspy\_training.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft>. Host: example.openai.azure.com. Occurrences: 3. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/>. Host: example.openai.azure.com. Occurrences: 4. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions>. Host: example.openai.azure.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: tests/test\_dspy\_training.py.

<https://example.services.ai.azure.com/models>. Host: example.services.ai.azure.com. Occurrences: 6. Referenced by URL only. No repository-local mirror is currently tracked. Sources: Makefile  
docs/architecture/dspy-rag-guide.md  
docs/operations/azure-deployment.md  
src/repo\_rag\_lab/utilities.py  
tests/test\_cli\_and\_dspy.py  
tests/test\_project\_surfaces.py.

<https://github.com/>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: src/repo\_rag\_lab/pages\_site.py.

<https://github.com/example/demo>. Host: github.com. Occurrences: 10. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources: tests/test\_cli\_and\_dspy.py  
tests/test\_pages\_site.py  
tests/test\_utilities.py.

<https://github.com/example/demo/blob/main/README.md>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/assets/logo.png>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/src/tool.c>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/demo/tree/main/docs>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_pages\_site.py.

<https://github.com/example/project>. Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://github.com/example/project/blob/main/README.md>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py.

<https://github.com/example/project/blob/main/README.md#L1-L2>. Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: tests/test\_exploratorium\_translation.py.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: mkdocs.yml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg)] ([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml)). Host: github.com. Occurrences: 2. External GitHub URL referenced from 2 file(s). Local companion path(s): none. Sources: README.md  
notebooks/02\_agent\_workflow\_checklist.ipynb.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)] ([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml)). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Host: github.com. Occurrences: 3. External GitHub URL referenced from 3 file(s). Local companion path(s): none. Sources: FILES.md  
src/repo\_rag\_lab/todo\_backlog.py  
todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/ci.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L248-L251](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L65-L66](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/TODO.MD](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.MD). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/architecture/dspy-rag-guide.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/archive/repo-completeness-checklist.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/audit/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md). Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/operations/azure-deployment.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/dataset-integration-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.



[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/repo-hardening-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/01\\_repo\\_rag\\_research.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/03\\_dspy\\_training\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/04\\_sample\\_population\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/publication/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/pyproject.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.lock](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/population/repository\\_population\\_candidates.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.



[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Host: github.com. Occurrences: 2. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Host: github.com. Occurrences: 3. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/). Host: github.com. Occurrences: 1. External GitHub URL referenced from 1 file(s). Local companion path(s): none. Sources: publication/todo-backlog-table.tex.

<https://gpt45standard.openai.azure.com/>. Host: gpt45standard.openai.azure.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Host: img.shields.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md.

<https://learn.microsoft.com/azure/ai-foundry/foundry-models/how-to/inference>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-services/>. Host: learn.microsoft.com. Occurrences: 4. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://learn.microsoft.com/en-us/azure/ai-foundry/openai/how-to/fine-tuning-deploy>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning>. Host: learn.microsoft.com. Occurrences: 1. External Azure documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/operations/azure-deployment.md. Sources: docs/operations/azure-deployment.md.

<https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455>. Host: medium.com. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

<https://modelcontextprotocol.io/>. Host: modelcontextprotocol.io. Occurrences: 4. External MCP documentation URL. No mirrored upstream copy is tracked, but local companion notes exist at docs/architecture/mcp-discovery.md. Sources: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Host: realagiorganization.github.io. Occurrences: 3. Referenced by URL only. No repository-local mirror is currently tracked. Sources: README.md  
docs/audit/2026-03-19-public-pages-and-secret-scan.md  
mkdocs.yml.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Host: realagiorganization.github.io. Occurrences: 1. Referenced by URL only. No repository-local mirror is currently tracked. Sources: docs/audit/2026-03-19-public-pages-and-secret-scan.md.

## Русский: Состояние загрузки статей и документации

**lewis2020rag**: Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. Тип: inproceedings. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

**khattab2024dspy**: DSPy: Compiling Declarative Language Model Calls into Self-Improving Pipelines. Тип: article. Источник есть в библиографии, но локальный PDF или зеркало статьи не отслеживаются. Ближайшие локальные сопроводительные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md. Связанные пути: docs/architecture/dspy-rag-guide.md, docs/architecture/inspired/dspy-rag-tutorial.md, docs/guides/hushwheel-fixture-rag-guide.md.

**mcp2024**: Model Context Protocol. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные сопроводительные пути: docs/architecture/mcp-discovery.md. Связанные пути: docs/architecture/mcp-discovery.md.

**azureinference2025**: Azure AI Inference Documentation. Тип: misc. Внешняя документация цитируется по URL. Зеркальная копия upstream не отслеживается, но есть локальные сопроводительные пути: docs/operations/azure-deployment.md. Связанные пути: docs/operations/azure-deployment.md.

## Русский: Сводки по всем файлам

.codex/skills/exploratorium-translation-sync/SKILL.md. Тип: markdown. Размер: 1722 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 0. Главный заголовок: Exploratorium Translation Sync.

.codex/skills/file-summary-sync/SKILL.md. Тип: markdown. Размер: 1367 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: File Summary Sync.

.codex/skills/notebook-playbook-sync/SKILL.md. Тип: markdown. Размер: 2085 байт. Форма: 48 строк. Документ Markdown, 48 строк, явных URL: 0. Главный заголовок: Notebook Playbook Sync.

.codex/skills/notebook-playbook-sync/agents/openai.yaml. Тип: yaml. Размер: 300 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

.codex/skills/post-push-gh-run-logging/SKILL.md. Тип: markdown. Размер: 2059 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: Post Push Gh Run Logging.

.codex/skills/post-push-gh-run-logging/agents/openai.yaml. Тип: yaml. Размер: 281 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

`.codex/skills/post-push-gh-run-logging/scripts/write_gh_run_log.py`. Тип: python. Размер: 6346 байт. Форма: 178 строк. Модуль Python, 178 строк, явных URL: 0. Назначение модуля: No module docstring detected.

`.codex/skills/repo-verification-audit-loop/SKILL.md`. Тип: markdown. Размер: 2589 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Repo Verification Audit Loop.

`.codex/skills/repo-verification-audit-loop/agents/openai.yaml`. Тип: yaml. Размер: 272 байт. Форма: 5 строк. Файл YAML с данными или workflow, 5 строк, явных URL: 0. Верхние ключи: interface.

`.codex/skills/rust-sqlite-lookup/SKILL.md`. Тип: markdown. Размер: 1297 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup.

`.codex/skills/todo-backlog-sync/SKILL.md`. Тип: markdown. Размер: 1289 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync.

`.env.sample`. Тип: generic. Размер: 905 байт. Форма: 17 строк. Отслеживаемый файл репозитория, 17 строк, явных URL: 0. Первая строка: # Copy this file to .env and replace placeholder values.

`.gitattributes`. Тип: generic. Размер: 126 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: \*.png filter=lfs diff=lfs merge=lfs -text

`.github/workflows/ci.yaml`. Тип: yaml. Размер: 3738 байт. Форма: 139 строк. Файл YAML с данными или workflow, 139 строк, явных URL: 0. Верхние ключи: name, True, jobs.

`.github/workflows/hushwheel-quality.yaml`. Тип: yaml. Размер: 3526 байт. Форма: 104 строк. Файл YAML с данными или workflow, 104 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/pages.yaml`. Тип: yaml. Размер: 2424 байт. Форма: 99 строк. Файл YAML с данными или workflow, 99 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/publication-pdf.yaml`. Тип: yaml. Размер: 5549 байт. Форма: 144 строк. Файл YAML с данными или workflow, 144 строк, явных URL: 0. Верхние ключи: name, True, env.

`.github/workflows/publish.yaml`. Тип: yaml. Размер: 847 байт. Форма: 43 строк. Файл YAML с данными или workflow, 43 строк, явных URL: 0. Верхние ключи: name, True, jobs.

`.gitignore`. Тип: generic. Размер: 222 байт. Форма: 21 строк. Отслеживаемый файл репозитория, 21 строк, явных URL: 0. Первая строка: .venv/

`.pre-commit-config.yaml`. Тип: yaml. Размер: 1689 байт. Форма: 53 строк. Файл YAML с данными или workflow, 53 строк, явных URL: 0. Верхние ключи: repos.

`.python-version`. Тип: generic. Размер: 5 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: 3.11

`.yamllint.yml`. Тип: `yaml`. Размер: 416 байт. Форма: 20 строк. Файл YAML с данными или `workflow`, 20 строк, явных URL: 0. Верхние ключи: `extends`, `rules`.

`AGENTS.md`. Тип: `markdown`. Размер: 6999 байт. Форма: 108 строк. Документ Markdown, 108 строк, явных URL: 0. Главный заголовок: `Repository Agent Instructions`.

`AGENTS.md.d/00-audit-baseline.md`. Тип: `markdown`. Размер: 592 байт. Форма: 15 строк. Документ Markdown, 15 строк, явных URL: 0. Главный заголовок: `Audit Baseline Instructions`.

`AGENTS.md.d/10-verification-loop.md`. Тип: `markdown`. Размер: 1175 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: `Verification Loop Instructions`.

`AGENTS.md.d/FILES.md`. Тип: `markdown`. Размер: 2247 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 0. Главный заголовок: `File Summary Instructions`.

`AGENTS.md.d/RUST_LOOKUP.md`. Тип: `markdown`. Размер: 1803 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: `Rust SQLite Lookup Instructions`.

`FILES.csv`. Тип: `generic`. Размер: 32209 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 32209 байт бинарных данных, явных URL: 0. Первая строка: `No non-empty preview line`.

`FILES.md`. Тип: `markdown`. Размер: 36882 байт. Форма: 282 строк. Документ Markdown, 282 строк, явных URL: 1. Главный заголовок: `Repository File Inventory`.

`Makefile`. Тип: `make`. Размер: 12378 байт. Форма: 329 строк. Makefile репозитория, 329 строк, явных URL: 1. Он открывает общие поверхности автоматизации.

`README.md`. Тип: `markdown`. Размер: 17456 байт. Форма: 224 строк. Документ Markdown, 224 строк, явных URL: 5. Главный заголовок: `Repository RAG Lab`.

`TODO.MD`. Тип: `markdown`. Размер: 6104 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: `TODO`.

`data/questions/repository.yaml`. Тип: `yaml`. Размер: 283 байт. Форма: 7 строк. Файл YAML с данными или `workflow`, 7 строк, явных URL: 0. Верхние ключи: по `top-level mapping keys`.

`docs/architecture/dspy-rag-guide.md`. Тип: `markdown`. Размер: 36133 байт. Форма: 714 строк. Документ Markdown, 714 строк, явных URL: 1. Главный заголовок: `DSPy Guide For This Repository`.

`docs/architecture/inspired/dspy-rag-tutorial.md`. Тип: `markdown`. Размер: 1474 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 1. Главный заголовок: `DSPy Tutorial: Basic RAG`.

`docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md`. Тип: `markdown`. Размер: 1555 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 1. Главный заголовок: `Implementing RAG with DSPy: Technical Guide`.

`docs/architecture/mcp-discovery.md`. Тип: markdown. Размер: 784 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: MCP Discovery Notes.

`docs/architecture/package-api.md`. Тип: markdown. Размер: 6019 байт. Форма: 89 строк. Документ Markdown, 89 строк, явных URL: 0. Главный заголовок: Package API Notes.

`docs/architecture/research-narrative.md`. Тип: markdown. Размер: 19762 байт. Форма: 309 строк. Документ Markdown, 309 строк, явных URL: 0. Главный заголовок: Repository Research Narrative.

`docs/archive/repo-completeness-checklist.md`. Тип: markdown. Размер: 7450 байт. Форма: 238 строк. Документ Markdown, 238 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist.

`docs/audit/2026-03-15-repo-state.md`. Тип: markdown. Размер: 5989 байт. Форма: 151 строк. Документ Markdown, 151 строк, явных URL: 0. Главный заголовок: Repository State Audit.

`docs/audit/2026-03-17-docs-and-uv-refresh.md`. Тип: markdown. Размер: 3977 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Documentation And UV Workflow Refresh Audit.

`docs/audit/2026-03-17-full-build.md`. Тип: markdown. Размер: 6715 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: Full Build Audit.

`docs/audit/2026-03-17-gh-actions-watch-loop.md`. Тип: markdown. Размер: 3797 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 0. Главный заголовок: GitHub Actions Watch Loop Audit.

`docs/audit/2026-03-17-hushwheel-fixture.md`. Тип: markdown. Размер: 5090 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Fixture Audit.

`docs/audit/2026-03-17-hushwheel-rag-playbook.md`. Тип: markdown. Размер: 4797 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel RAG Playbook Audit.

`docs/audit/2026-03-17-notebook-scaffolding.md`. Тип: markdown. Размер: 3641 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 0. Главный заголовок: Notebook Scaffolding Audit.

`docs/audit/2026-03-17-publication-article.md`. Тип: markdown. Размер: 2321 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Publication Article Audit.

`docs/audit/2026-03-17-repo-completeness-checklist.md`. Тип: markdown. Размер: 3114 байт. Форма: 59 строк. Документ Markdown, 59 строк, явных URL: 0. Главный заголовок: Repository Completeness Checklist Audit.

`docs/audit/2026-03-18-actions-caching.md`. Тип: markdown. Размер: 4189 байт. Форма: 87 строк. Документ Markdown, 87 строк, явных URL: 0. Главный заголовок: GitHub Actions Caching Audit.

`docs/audit/2026-03-18-azure-inference-endpoint-probe.md`. Тип: markdown. Размер: 2648 байт. Форма: 63 строк. Документ Markdown, 63 строк, явных URL: 0. Главный заголовок: Azure Inference Endpoint Probe Audit.

`docs/audit/2026-03-18-azure-runtime-surfaces.md`. Тип: markdown. Размер: 5307 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Azure Runtime Surfaces Audit.

`docs/audit/2026-03-18-dspy-training-path.md`. Тип: markdown. Размер: 4605 байт. Форма: 81 строк. Документ Markdown, 81 строк, явных URL: 0. Главный заголовок: DSPy Training Path Audit.

`docs/audit/2026-03-18-hushwheel-program-harness.md`. Тип: markdown. Размер: 3907 байт. Форма: 76 строк. Документ Markdown, 76 строк, явных URL: 0. Главный заголовок: Hushwheel Program Harness Audit.

`docs/audit/2026-03-18-notebook-execution.md`. Тип: markdown. Размер: 2577 байт. Форма: 66 строк. Документ Markdown, 66 строк, явных URL: 0. Главный заголовок: Notebook Execution Audit.

`docs/audit/2026-03-18-notebook-runner-harness.md`. Тип: markdown. Размер: 4121 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-repository-benchmark-broadening.md`. Тип: markdown. Размер: 3728 байт. Форма: 74 строк. Документ Markdown, 74 строк, явных URL: 0. Главный заголовок: Repository Benchmark Broadening Audit.

`docs/audit/2026-03-18-retest-with-env-refresh.md`. Тип: markdown. Размер: 5102 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Env Refresh Retest Audit.

`docs/audit/2026-03-18-retrieval-evaluation-suite.md`. Тип: markdown. Размер: 4031 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Retrieval Evaluation Suite Audit.

`docs/audit/2026-03-18-retrieval-ranking-refresh.md`. Тип: markdown. Размер: 6479 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Retrieval Ranking Refresh Audit.

`docs/audit/2026-03-18-rust-and-benchmark-hygiene.md`. Тип: markdown. Размер: 2049 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 0. Главный заголовок: Rust And Benchmark Hygiene Audit.

`docs/audit/2026-03-18-todo-backlog-sync.md`. Тип: markdown. Размер: 4104 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Todo Backlog Sync Audit.

`docs/audit/2026-03-18-z-notebook-runner-harness.md`. Тип: markdown. Размер: 4153 байт. Форма: 104 строк. Документ Markdown, 104 строк, явных URL: 0. Главный заголовок: Notebook Runner Harness Audit.

`docs/audit/2026-03-18-zz-file-summary-inventory.md`. Тип: markdown. Размер: 2596 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 0. Главный заголовок: File Summary Inventory Audit.



docs/audit/2026-03-18-zz-research-narrative.md. Тип: markdown. Размер: 3220 байт. Форма: 79 строк. Документ Markdown, 79 строк, явных URL: 0. Главный заголовок: Research Narrative Audit.

docs/audit/2026-03-18-zzz-session-consolidation-on-origin-master.md. Тип: markdown. Размер: 5061 байт. Форма: 109 строк. Документ Markdown, 109 строк, явных URL: 0. Главный заголовок: Session Consolidation On Origin Master.

docs/audit/2026-03-18-zzzz-rust-sqlite-lookup.md. Тип: markdown. Размер: 5404 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 0. Главный заголовок: Rust SQLite Lookup And Retrieval Tag Audit.

docs/audit/2026-03-18-zzzz-session-consolidation-master-ci-repair.md. Тип: markdown. Размер: 3270 байт. Форма: 73 строк. Документ Markdown, 73 строк, явных URL: 0. Главный заголовок: Session Consolidation Master CI Repair.

docs/audit/2026-03-18-zzzzz-hushwheel-quality-instrumentation.md. Тип: markdown. Размер: 8775 байт. Форма: 165 строк. Документ Markdown, 165 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Instrumentation.

docs/audit/2026-03-18-zzzzzz-dspy-pipeline-and-live-azure-proof.md. Тип: markdown. Размер: 5992 байт. Форма: 116 строк. Документ Markdown, 116 строк, явных URL: 1. Главный заголовок: DSPy Pipeline And Live Azure Proof.

docs/audit/2026-03-18-zzzzzz-hushwheel-retrieval-record-wording.md. Тип: markdown. Размер: 3042 байт. Форма: 77 строк. Документ Markdown, 77 строк, явных URL: 0. Главный заголовок: Hushwheel Retrieval Record Wording.

docs/audit/2026-03-18-zzzzzzz-hushwheel-pdf-side-effect-fix.md. Тип: markdown. Размер: 4044 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Hushwheel PDF Side-Effect Fix.

docs/audit/2026-03-18-zzzzzzz-hushwheel-quality-salvage.md. Тип: markdown. Размер: 4554 байт. Форма: 84 строк. Документ Markdown, 84 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Salvage Audit.

docs/audit/2026-03-18-zzzzzzz-land-unlanded-surfaces.md. Тип: markdown. Размер: 2685 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 0. Главный заголовок: Hushwheel Quality Landing Audit.

docs/audit/2026-03-18-zzzzzzz-rebased-master-log-and-azure-typecheck-fix.md. Тип: markdown. Размер: 3472 байт. Форма: 83 строк. Документ Markdown, 83 строк, явных URL: 0. Главный заголовок: Rebased Master Log And Azure Typecheck Fix.

docs/audit/2026-03-18-zzzzzzz-worktree-consolidation.md. Тип: markdown. Размер: 5914 байт. Форма: 125 строк. Документ Markdown, 125 строк, явных URL: 0. Главный заголовок: Worktree Consolidation.

docs/audit/2026-03-18-zzzzzzzzzzz-retrieval-regression-gate.md. Тип: markdown. Размер: 2898 байт. Форма: 66 строк. Документ Markdown, 66 строк, явных URL: 0. Главный заголовок: Retrieval Regression Gate Audit.

docs/audit/2026-03-18-zzzzzzzzzzzzz-land-remaining-unlanded-work.md. Тип: markdown. Размер: 2908 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 0. Главный заголовок: Land Remaining Unlanded Work.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzz-node24-actions-refresh.md. Тип: markdown. Размер: 2989 байт. Форма: 91 строк. Документ Markdown, 91 строк, явных URL: 0. Главный заголовок: Node 24 Actions Refresh.

docs/audit/2026-03-18-zzzzzzzzzzzzzz-rebase-hushwheel-quality-over-master.md.  
Тип: markdown. Размер: 1889 байт. Форма: 47 строк. Документ Markdown, 47  
строк, явных URL: 0. Главный заголовок: Rebase Hushwheel Quality Over Master.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Тип: markdown. Размер: 2956 байт. Форма: 75 строк. Документ Markdown, 75 строк, явных URL: 0. Главный заголовок: DSPy Backlog Reconciliation.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzz-file-summary-test-churn-fix.md. Тип: markdown. Размер: 2929 байт. Форма: 85 строк. Документ Markdown, 85 строк, явных URL: 0. Главный заголовок: File Summary Test Churn Fix.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzz-publication-cache-node24-followup.md.  
Тип: markdown. Размер: 2900 байт. Форма: 89 строк. Документ Markdown, 89  
строк, явных URL: 0. Главный заголовок: Publication Cache Node 24 Follow-Up.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzz-retrieval-gate-restored-after-rebase.  
md. Тип: markdown. Размер: 3788 байт. Форма: 94 строк. Документ Markdown, 94  
строк, явных URL: 0. Главный заголовок: Retrieval Gate Restored After Rebase.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzzzz-dspy-backlog-reconciliation.md. Тип:  
markdown. Размер: 2457 байт. Форма: 62 строк. Документ Markdown, 62 строк,  
явных URL: 0. Главный заголовок: DSPy Backlog Reconciliation.

---

---

docs/audit/2026-03-18-aaaaaaaaaaaaaaaaaaaa-lookup-first-ask-path.md. Тип: markdown. Размер: 4604 байт. Форма: 94 строк. Документ Markdown, 94 строк, явных URL: 0. Главный заголовок: Lookup First Ask Path.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzzzzzz-answer-synthesis-refresh.md. Тип: markdown. Размер: 2565 байт. Форма: 48 строк. Документ Markdown, 48 строк, явных URL: 0. Главный заголовок: 2026-03-18 Answer Synthesis Refresh.

docs/audit/2026-03-18-zzzzzzzzzzzzzzzzzzzzz-retrieval-quality-doc-priority.md.  
Тип: markdown. Размер: 3602 байт. Форма: 68 строк. Документ Markdown, 68  
строк, явных URL: 0. Главный заголовок: Retrieval Quality Doc Priority Audit.

docs/audit/2026-03-18-aaaaaaaaaaaaaaaaaaaaaaaaaaaa-merge-hushwheel-quality-into-master.md. Тип: markdown. Размер: 4335 байт. Форма: 112 строк. Документ Markdown, 112 строк, явных URL: 0. Главный заголовок: Merge Hushwheel Quality Into Master.

docs/audit/2026-03-18-xxxxxxxxxxxxxxxxxxxxxxxx-hushwheel-atlas-consolidation.m  
d. Тип: markdown. Размер: 4762 байт. Форма: 109 строк. Документ Markdown,  
109 строк, явных URL: 0. Главный заголовок: Hushwheel Atlas Consolidation.

docs/audit/2026-03-19-github-pr-gate-sync.md. Тип: markdown. Размер: 6599 байт. Форма: 136 строк. Документ Markdown, 136 строк, явных URL: 0. Главный заголовок: Master Consolidation And GitHub PR Gate Sync.

docs/audit/2026-03-19-node24-actions-opt-in.md. Тип: markdown. Размер: 2929 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Node 24 Actions Opt-In.

`docs/audit/2026-03-19-public-pages-and-secret-scan.md`. Тип: markdown. Размер: 5804 байт. Форма: 113 строк. Документ Markdown, 113 строк, явных URL: 2. Главный заголовок: Public Pages And Secret Scan.

`docs/audit/2026-03-19-simple-end-to-end-verification-guide.md`. Тип: markdown. Размер: 4236 байт. Форма: 103 строк. Документ Markdown, 103 строк, явных URL: 0. Главный заголовок: Simple End-To-End Verification Guide.

`docs/audit/README.md`. Тип: markdown. Размер: 416 байт. Форма: 14 строк. Документ Markdown, 14 строк, явных URL: 0. Главный заголовок: Repository Audit Notes.

`docs/guides/hushwheel-fixture-rag-guide.md`. Тип: markdown. Размер: 5169 байт. Форма: 138 строк. Документ Markdown, 138 строк, явных URL: 0. Главный заголовок: RAG Guide For The Hushwheel Fixture.

`docs/operations/azure-deployment.md`. Тип: markdown. Размер: 3199 байт. Форма: 78 строк. Документ Markdown, 78 строк, явных URL: 4. Главный заголовок: Azure Deployment Notes.

`docs/operations/environment.md`. Тип: markdown. Размер: 6352 байт. Форма: 121 строк. Документ Markdown, 121 строк, явных URL: 0. Главный заголовок: Environment Variables.

`docs/operations/simple-end-to-end-verification-guide.md`. Тип: markdown. Размер: 4111 байт. Форма: 105 строк. Документ Markdown, 105 строк, явных URL: 12. Главный заголовок: Simple End-To-End Verification Guide.

`mkdocs.yml`. Тип: yaml. Размер: 843 байт. Форма: 37 строк. Файл YAML с данными или workflow, 37 строк, явных URL: 2. Верхние ключи: `site_name`, `site_description`, `site_url`.

`notebooks/01_repo_rag_research.ipynb`. Тип: notebook. Размер: 9324 байт. Форма: 281 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: Repository RAG Research Playbook.

`notebooks/02_agent_workflow_checklist.ipynb`. Тип: notebook. Размер: 17632 байт. Форма: 404 строк. Ноутбук, 9 ячеек, явных URL: 1. Первый заголовок: Agent Workflow Checklist.

`notebooks/03_dspy_training_lab.ipynb`. Тип: notebook. Размер: 12001 байт. Форма: 314 строк. Ноутбук, 11 ячеек, явных URL: 0. Первый заголовок: DSPy Training Sample Lab.

`notebooks/04_sample_population_lab.ipynb`. Тип: notebook. Размер: 7894 байт. Форма: 250 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Sample Population Lab.

`notebooks/05_hushwheel_fixture_rag_lab.ipynb`. Тип: notebook. Размер: 13622 байт. Форма: 378 строк. Ноутбук, 9 ячеек, явных URL: 0. Первый заголовок: Hushwheel Fixture RAG Lab.

`publication/.gitignore`. Тип: generic. Размер: 80 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: `.build/`

publication/Makefile. Тип: make. Размер: 1644 байт. Форма: 48 строк. Makefile репозитория, 48 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

publication/README.md. Тип: markdown. Размер: 1499 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 0. Главный заголовок: Publication Article.

publication/article-banner.png. Тип: binary. Размер: 79074 байт. Форма: бинарная поверхность. Бинарный артефакт, 79074 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

publication/exploratorium\_translation/.gitignore. Тип: generic. Размер: 32 байт. Форма: 6 строк. Отслеживаемый файл репозитория, 6 строк, явных URL: 0. Первая строка: .build/

publication/exploratorium\_translation/Makefile. Тип: make. Размер: 870 байт. Форма: 30 строк. Makefile репозитория, 30 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

publication/exploratorium\_translation/README.md. Тип: markdown. Размер: 997 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 0. Главный заголовок: Exploratorium Translation.

publication/exploratorium\_translation/exploratorium\_translation.tex. Тип: latex. Размер: 2573 байт. Форма: 70 строк. Исходник LaTeX, 70 строк, явных URL: 0. Секций в превью: 0.

publication/references.bib. Тип: bibliography. Размер: 1252 байт. Форма: 28 строк. Библиографический файл, 28 строк, явных URL: 2. Записей в превью: 4.

publication/repository-rag-lab-article.pdf. Тип: binary. Размер: 236232 байт. Форма: бинарная поверхность. Бинарный артефакт, 236232 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

publication/repository-rag-lab-article.tex. Тип: latex. Размер: 9526 байт. Форма: 208 строк. Исходник LaTeX, 208 строк, явных URL: 0. Секций в превью: 4.

publication/todo-backlog-table.tex. Тип: latex. Размер: 10547 байт. Форма: 34 строк. Исходник LaTeX, 34 строк, явных URL: 36. Секций в превью: 0.

pyproject.toml. Тип: toml. Размер: 2218 байт. Форма: 95 строк. Конфигурация TOML, 95 строк, явных URL: 0. Верхние ключи: build-system, project, dependency-groups.

rust-cli/Cargo.lock. Тип: generic. Размер: 3213 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 3213 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

rust-cli/Cargo.toml. Тип: toml. Размер: 144 байт. Форма: 8 строк. Конфигурация TOML, 8 строк, явных URL: 0. Верхние ключи: package, dependencies.

rust-cli/src/main.rs. Тип: source. Размер: 20422 байт. Форма: 626 строк. Исходный файл, 626 строк, явных URL: 0. Первая строка: use rusqlite::{params, Connection};

`samples/README.md`. Тип: markdown. Размер: 713 байт. Форма: 13 строк. Документ Markdown, 13 строк, явных URL: 0. Главный заголовок: Samples.

`samples/logs/20260315T050730Z-gh-runs.md`. Тип: markdown. Размер: 1341 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260315T085140Z-gh-red-status-check.md`. Тип: markdown. Размер: 847 байт. Форма: 25 строк. Документ Markdown, 25 строк, явных URL: 1. Главный заголовок: GitHub Actions Red Status Check.

`samples/logs/20260317T064722Z-full-build.raw.log`. Тип: generic. Размер: 2109 байт. Форма: 62 строк. Отслеживаемый файл репозитория, 62 строк, явных URL: 0. Первая строка: # Full Build Raw Log

`samples/logs/20260317T064833Z-full-build-attempt2.raw.log`. Тип: generic. Размер: 14950 байт. Форма: 408 строк. Отслеживаемый файл репозитория, 408 строк, явных URL: 0. Первая строка: # Full Build Raw Log Attempt 2

`samples/logs/20260317T073401Z-gh-runs-notebook-scaffolding.md`. Тип: markdown. Размер: 2865 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 13. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T073404Z-gh-runs.md`. Тип: markdown. Размер: 1269 байт. Форма: 32 строк. Документ Markdown, 32 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T080018Z-gh-runs-all-notebooks.md`. Тип: markdown. Размер: 2128 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 8. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T083207Z-gh-runs-todo-backlog.md`. Тип: markdown. Размер: 1063 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T084723Z-gh-runs-repo-completeness-checklist.md`. Тип: markdown. Размер: 1186 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T085723Z-gh-runs-hushwheel-fixture.md`. Тип: markdown. Размер: 1472 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T091641Z-gh-runs-hushwheel-rag-playbook.md`. Тип: markdown. Размер: 1470 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260317T092251Z-gh-runs-publication-article.md`. Тип: markdown. Размер: 1801 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 5. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003027Z-gh-runs-wire-skill-triggers-for-do-repo-verification-aud.md`. Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003654Z-gh-runs-execute-all-notebooks.md`. Тип: markdown. Размер: 1682 байт. Форма: 41 строк. Документ Markdown, 41 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T003927Z-gh-runs-publication-workflow-fix.md`. Тип: markdown. Размер: 1747 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T004712Z-gh-runs-hushwheel-program-harness.md`. Тип: markdown. Размер: 1798 байт. Форма: 49 строк. Документ Markdown, 49 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010254Z-gh-runs-refresh-final-notebook-outputs-for-no-move-those.md`. Тип: markdown. Размер: 1113 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010637Z-gh-runs-env-refresh-retest.md`. Тип: markdown. Размер: 1029 байт. Форма: 26 строк. Документ Markdown, 26 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T010741Z-gh-runs-consolidate-session-master.md`. Тип: markdown. Размер: 1950 байт. Форма: 62 строк. Документ Markdown, 62 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T012137Z-gh-runs-azure-inference-endpoint-probe.md`. Тип: markdown. Размер: 1004 байт. Форма: 26 строк. Документ Markdown, 26 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T012714Z-gh-runs-tighten-repo-hygiene-for-other-agents-doing-1.md`. Тип: markdown. Размер: 1091 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T015109Z-gh-runs-improve-notebook-run-observability-and-reporting.md`. Тип: markdown. Размер: 2151 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T021736Z-gh-runs-sync-todo-backlog-into-markdown-and-publication-surfaces.md`. Тип: markdown. Размер: 1778 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T023922Z-gh-runs-implement-step-1-dspy-training-path-follow-up.md`. Тип: markdown. Размер: 1735 байт. Форма: 55 строк. Документ Markdown, 55 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T044242Z-gh-runs-add-maintained-repository-research-narrative.md`. Тип: markdown. Размер: 2222 байт. Форма: 56 строк. Документ Markdown, 56 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T050051Z-gh-runs-add-azure-runtime-surfaces-for-do-1-and-2-and-carry-on-to-next.md`. Тип: markdown. Размер: 1828 байт. Форма: 38 строк. Документ Markdown, 38 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T051627Z-gh-runs-develop-retrieval-evaluation-suite.md`. Тип: markdown. Размер: 1768 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T060918Z-gh-runs-consolidate-session-master-repair.md`. Тип: markdown. Размер: 2460 байт. Форма: 70 строк. Документ Markdown, 70 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T063755Z-gh-runs-keep-utility-sync-tests-side-effect-free.md`. Тип: markdown. Размер: 1074 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T064924Z-gh-runs-retrieval-refresh-go-ahead.md`. Тип: markdown. Размер: 1858 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T083955Z-gh-runs-benchmark-broadening-2.md`. Тип: markdown. Размер: 1217 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T090625Z-gh-runs-hushwheel-quality-instrumentation.md`. Тип: markdown. Размер: 1312 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T091252Z-gh-runs-add-rust-lookup-and-retrieval-tag-summaries-for-.md`. Тип: markdown. Размер: 2223 байт. Форма: 53 строк. Документ Markdown, 53 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T093632Z-gh-runs-retrieval-regression-gate-great-carry-on.md`. Тип: markdown. Размер: 1325 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T094120Z-gh-runs-dspy-live-proof-and-rust-wrapper-repair.md`. Тип: markdown. Размер: 1469 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 0. Главный заголовок: GitHub Actions Summary.

`samples/logs/20260318T094347Z-gh-runs-hushwheel-hardening-followup.md`. Тип: markdown. Размер: 2739 байт. Форма: 72 строк. Документ Markdown, 72 строк, явных URL: 2. Главный заголовок: GitHub Runs Log.

`samples/logs/20260318T100336Z-gh-runs-sync-final-rebased-inventories-for-carry-on-comm.md`. Тип: markdown. Размер: 1103 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T101229Z-gh-runs-hushwheel-audit-refresh.md`. Тип: markdown. Размер: 1707 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Summary.

`samples/logs/20260318T101939Z-gh-runs-land-each-unlanded.md`. Тип: markdown. Размер: 1556 байт. Форма: 28 строк. Документ Markdown, 28 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T123402Z-gh-runs-fix-file-summary-test-churn-for-1.md`. Тип: markdown. Размер: 1061 байт. Форма: 29 строк. Документ Markdown, 29 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T124437Z-gh-runs-reconcile-stale-dspy-backlog-for-1.md`. Тип: markdown. Размер: 1060 байт. Форма: 21 строк. Документ Markdown, 21 строк, явных URL: 3. Главный заголовок: GitHub Actions Log.

`samples/logs/20260318T125547Z-gh-runs-wire-lookup-first-ask-for-1.md`. Тип: markdown. Размер: 1058 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 2. Главный заголовок: GitHub Actions Log.

`samples/logs/20260318T125829Z-gh-runs-restore-retrieval-gate-after-rebase.md`. Тип: markdown. Размер: 1585 байт. Форма: 36 строк. Документ Markdown, 36 строк, явных URL: 0. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T130525Z-gh-runs-finish-node24-publication-cache-follow-up-for-1.md`. Тип: markdown. Размер: 1119 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 3. Главный заголовок: GitHub Actions Status For 'Finish Node 24 publication cache follow-up for "1"'.

`samples/logs/20260318T131709Z-gh-runs-restore-root-readme-weighting-for-1.md`. Тип: markdown. Размер: 1680 байт. Форма: 45 строк. Документ Markdown, 45 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T133247Z-gh-runs-improve-retrieval-doc-priority-for-1.md`. Тип: markdown. Размер: 1335 байт. Форма: 34 строк. Документ Markdown, 34 строк, явных URL: 1. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T144102Z-gh-runs-merge-into-master.md`. Тип: markdown. Размер: 2285 байт. Форма: 69 строк. Документ Markdown, 69 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260318T145935Z-gh-runs-consolidate-all-unconsolidated-changes.md`. Тип: markdown. Размер: 2401 байт. Форма: 71 строк. Документ Markdown, 71 строк, явных URL: 2. Главный заголовок: GitHub Actions Run Log.

`samples/logs/20260319T035301Z-gh-runs-public-pages-and-workflow-repairs.md`. Тип: markdown. Размер: 1578 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 1. Главный заголовок: GitHub Actions Log.

`samples/logs/20260319T071544Z-gh-runs-doncsoldiate-consolidation.md`. Тип: markdown. Размер: 1137 байт. Форма: 27 строк. Документ Markdown, 27 строк, явных URL: 0. Главный заголовок: GitHub Actions Log.

`samples/logs/20260319T114913Z-gh-runs-fix-publication-verification-for-whats-next-step.md`. Тип: markdown. Размер: 2936 байт. Форма: 67 строк. Документ Markdown, 67 строк, явных URL: 3. Главный заголовок: GitHub Actions Run Log.

`samples/logs/README.md`. Тип: markdown. Размер: 331 байт. Форма: 11 строк. Документ Markdown, 11 строк, явных URL: 0. Главный заголовок: GitHub Run Logs.

`samples/population/hushwheel_fixture_population_candidates.yaml`. Тип: yaml. Размер: 955 байт. Форма: 22 строк. Файл YAML с данными или workflow, 22 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`samples/population/repository_population_candidates.yaml`. Тип: yaml. Размер: 690 байт. Форма: 16 строк. Файл YAML с данными или workflow, 16 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.



`samples/training/hushwheel_fixture_training_examples.yaml`. Тип: yaml. Размер: 1852 байт. Форма: 68 строк. Файл YAML с данными или workflow, 68 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`samples/training/repository_training_examples.yaml`. Тип: yaml. Размер: 2641 байт. Форма: 82 строк. Файл YAML с данными или workflow, 82 строк, явных URL: 0. Верхние ключи: no top-level mapping keys.

`src/repo_rag_lab/__init__.py`. Тип: python. Размер: 178 байт. Форма: 6 строк. Модуль Python, 6 строк, явных URL: 0. Назначение модуля: Public package surface for the repository-grounded RAG lab.

`src/repo_rag_lab/azure.py`. Тип: python. Размер: 2592 байт. Форма: 76 строк. Модуль Python, 76 строк, явных URL: 0. Назначение модуля: Azure deployment manifest helpers for downstream release workflows.

`src/repo_rag_lab/azure_runtime.py`. Тип: python. Размер: 15839 байт. Форма: 462 строк. Модуль Python, 462 строк, явных URL: 0. Назначение модуля: Azure runtime normalization, live probes, and cloud-completion helpers.

`src/repo_rag_lab/benchmarks.py`. Тип: python. Размер: 16315 байт. Форма: 478 строк. Модуль Python, 478 строк, явных URL: 0. Назначение модуля: Retrieval benchmark helpers for notebook assertions and logging.

`src/repo_rag_lab/cli.py`. Тип: python. Размер: 30871 байт. Форма: 790 строк. Модуль Python, 790 строк, явных URL: 0. Назначение модуля: Command-line entrypoints for the shared repository RAG workflows.

`src/repo_rag_lab/corpus.py`. Тип: python. Размер: 2768 байт. Форма: 107 строк. Модуль Python, 107 строк, явных URL: 0. Назначение модуля: Repository file loading helpers for the baseline text corpus.

`src/repo_rag_lab/dspy_training.py`. Тип: python. Размер: 30024 байт. Форма: 835 строк. Модуль Python, 835 строк, явных URL: 0. Назначение модуля: DSPy training and artifact helpers for repository-grounded RAG.

`src/repo_rag_lab/dspy_workflow.py`. Тип: python. Размер: 5888 байт. Форма: 163 строк. Модуль Python, 163 строк, явных URL: 0. Назначение модуля: DSPy-backed runtime wrappers around the repository retrieval workflow.

`src/repo_rag_lab/exploratorium_translation.py`. Тип: python. Размер: 38049 байт. Форма: 1009 строк. Модуль Python, 1009 строк, явных URL: 0. Назначение модуля: Generate the bilingual exploratorium translation publication surfaces.

`src/repo_rag_lab/file_summaries.py`. Тип: python. Размер: 10564 байт. Форма: 327 строк. Модуль Python, 327 строк, явных URL: 0. Назначение модуля: Generate tracked repository file-summary surfaces.

`src/repo_rag_lab/github_pr_gates.py`. Тип: python. Размер: 3979 байт. Форма: 140 строк. Модуль Python, 140 строк, явных URL: 0. Назначение модуля: GitHub branch-protection helpers for required pull-request gate checks.

`src/repo_rag_lab/mcp.py`. Тип: python. Размер: 2947 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: Discovery helpers for MCP-related repository artifacts.

`src/repo_rag_lab/notebook_runner.py`. Тип: python. Размер: 16433 байт. Форма: 491 строк. Модуль Python, 491 строк, явных URL: 0. Назначение модуля: Monitored batch execution helpers for repository notebooks.

`src/repo_rag_lab/notebook_scaffolding.py`. Тип: python. Размер: 10965 байт. Форма: 258 строк. Модуль Python, 258 строк, явных URL: 0. Назначение модуля: High-level notebook scaffolds built from tested repository helpers.

`src/repo_rag_lab/notebook_support.py`. Тип: python. Размер: 2843 байт. Форма: 89 строк. Модуль Python, 89 строк, явных URL: 0. Назначение модуля: Helpers shared by notebooks so their setup logic stays in tested Python code.

`src/repo_rag_lab/pages_site.py`. Тип: python. Размер: 13635 байт. Форма: 390 строк. Модуль Python, 390 строк, явных URL: 2. Назначение модуля: Generate a MkDocs-ready catalog of tracked repository Markdown files.

`src/repo_rag_lab/population_samples.py`. Тип: python. Размер: 8376 байт. Форма: 241 строк. Модуль Python, 241 строк, явных URL: 0. Назначение модуля: Helpers for reviewing and batching starter corpus-population inputs.

`src/repo_rag_lab/retrieval.py`. Тип: python. Размер: 19542 байт. Форма: 616 строк. Модуль Python, 616 строк, явных URL: 0. Назначение модуля: Baseline chunking and lexical retrieval utilities for repository text.

`src/repo_rag_lab/rust_lookup.py`. Тип: python. Размер: 7724 байт. Форма: 295 строк. Модуль Python, 295 строк, явных URL: 0. Назначение модуля: Helpers for the native Rust-backed SQLite lookup index.

`src/repo_rag_lab/settings.py`. Тип: python. Размер: 699 байт. Форма: 28 строк. Модуль Python, 28 строк, явных URL: 0. Назначение модуля: Shared repository path settings derived from a repository root.

`src/repo_rag_lab/todo_backlog.py`. Тип: python. Размер: 8434 байт. Форма: 276 строк. Модуль Python, 276 строк, явных URL: 1. Назначение модуля: Shared backlog rendering helpers for Markdown and LaTeX surfaces.

`src/repo_rag_lab/training_samples.py`. Тип: python. Размер: 5130 байт. Форма: 154 строк. Модуль Python, 154 строк, явных URL: 0. Назначение модуля: Helpers for loading and summarizing starter DSPy training examples.

`src/repo_rag_lab/utilities.py`. Тип: python. Размер: 31749 байт. Форма: 907 строк. Модуль Python, 907 строк, явных URL: 1. Назначение модуля: User-facing utility helpers shared by the CLI, tests, and notebooks.

`src/repo_rag_lab/verification.py`. Тип: python. Размер: 4126 байт. Форма: 147 строк. Модуль Python, 147 строк, явных URL: 0. Назначение модуля: Verification helpers for Makefile and notebook contract checks.

`src/repo_rag_lab/workflow.py`. Тип: python. Размер: 14636 байт. Форма: 466 строк. Модуль Python, 466 строк, явных URL: 0. Назначение модуля: Baseline repository question-answering workflow built on file retrieval.

`tests/features/repository_rag.feature`. Тип: generic. Размер: 377 байт. Форма: 12 строк. Отслеживаемый файл репозитория, 12 строк, явных URL: 0. Первая строка: Feature: Repository RAG

tests/fixtures/hushwheel\_lexiconarium/.gitignore. Тип: generic. Размер: 23 байт. Форма: 4 строк. Отслеживаемый файл репозитория, 4 строк, явных URL: 0. Первая строка: hushwheel

tests/fixtures/hushwheel\_lexiconarium/CHANGELOG.md. Тип: markdown. Размер: 345 байт. Форма: 9 строк. Документ Markdown, 9 строк, явных URL: 0. Главный заголовок: Changelog.

tests/fixtures/hushwheel\_lexiconarium/Doxyfile. Тип: generic. Размер: 1239 байт. Форма: 35 строк. Отслеживаемый файл репозитория, 35 строк, явных URL: 0. Первая строка: PROJECT\_NAME = Hushwheel Lexiconarium

tests/fixtures/hushwheel\_lexiconarium/LICENSE.md. Тип: markdown. Размер: 1082 байт. Форма: 22 строк. Документ Markdown, 22 строк, явных URL: 0. Главный заголовок: LICENSE.

tests/fixtures/hushwheel\_lexiconarium/Makefile. Тип: make. Размер: 20908 байт. Форма: 388 строк. Makefile репозитория, 388 строк, явных URL: 0. Он открывает общие поверхности автоматизации.

tests/fixtures/hushwheel\_lexiconarium/README.md. Тип: markdown. Размер: 8269 байт. Форма: 162 строк. Документ Markdown, 162 строк, явных URL: 0. Главный заголовок: The Hushwheel Lexiconarium.

tests/fixtures/hushwheel\_lexiconarium/VERSION. Тип: generic. Размер: 6 байт. Форма: 2 строк. Отслеживаемый файл репозитория, 2 строк, явных URL: 0. Первая строка: 0.1.0

tests/fixtures/hushwheel\_lexiconarium/docs/architecture.md. Тип: markdown. Размер: 1404 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Architecture.

tests/fixtures/hushwheel\_lexiconarium/docs/catalog.md. Тип: markdown. Размер: 27404 байт. Форма: 357 строк. Документ Markdown, 357 строк, явных URL: 0. Главный заголовок: Hushwheel Representative Catalog.

tests/fixtures/hushwheel\_lexiconarium/docs/concepts.md. Тип: markdown. Размер: 1559 байт. Форма: 37 строк. Документ Markdown, 37 строк, явных URL: 0. Главный заголовок: Hushwheel Concepts.

tests/fixtures/hushwheel\_lexiconarium/docs/constellation-atlas.md. Тип: markdown. Размер: 5111 байт. Форма: 142 строк. Документ Markdown, 142 строк, явных URL: 0. Главный заголовок: Hushwheel Constellation Atlas <[>.

tests/fixtures/hushwheel\_lexiconarium/docs/districts.md. Тип: markdown. Размер: 1151 байт. Форма: 42 строк. Документ Markdown, 42 строк, явных URL: 0. Главный заголовок: Hushwheel Districts.

tests/fixtures/hushwheel\_lexiconarium/docs/doxygen-fonts.sty. Тип: generic. Размер: 212 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 212 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/docs/hushwheel-reference.pdf. Тип: binary. Размер: 132 байт. Форма: бинарная поверхность. Бинарный артефакт, 132 байт бинарных данных. Он хранится в Git для стабильного публикационного вывода.

tests/fixtures/hushwheel\_lexiconarium/docs/operations.md. Тип: markdown. Размер: 1068 байт. Форма: 35 строк. Документ Markdown, 35 строк, явных URL: 0. Главный заголовок: Hushwheel Operations.

tests/fixtures/hushwheel\_lexiconarium/docs/packaging.md. Тип: markdown. Размер: 1112 байт. Форма: 33 строк. Документ Markdown, 33 строк, явных URL: 0. Главный заголовок: Hushwheel Packaging.

tests/fixtures/hushwheel\_lexiconarium/docs/testing.md. Тип: markdown. Размер: 3507 байт. Форма: 80 строк. Документ Markdown, 80 строк, явных URL: 0. Главный заголовок: Hushwheel Testing.

tests/fixtures/hushwheel\_lexiconarium/fixture-manifest.json. Тип: json. Размер: 1098 байт. Форма: 49 строк. Файл JSON, 49 строк, явных URL: 0. Верхние ключи: entry\_count, source\_size\_bytes, doc\_files.

tests/fixtures/hushwheel\_lexiconarium/include/hushwheel.h. Тип: source. Размер: 404 байт. Форма: 19 строк. Исходный файл, 19 строк, явных URL: 0. Первая строка: #ifndef HUSHWHEEL\_H

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.1. Тип: generic. Размер: 1303 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 1303 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

tests/fixtures/hushwheel\_lexiconarium/packaging/hushwheel.package.json. Тип: json. Размер: 591 байт. Форма: 29 строк. Файл JSON, 29 строк, явных URL: 0. Верхние ключи: name, version, summary.

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel.c. Тип: source. Размер: 1694579 байт. Форма: 4375 строк. Исходный файл, 4375 строк, явных URL: 0. Первая строка: /\*\*

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_internal.h. Тип: source. Размер: 603 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0. Первая строка: #ifndef HUSHWHEEL\_INTERNAL\_H

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_argent.c. Тип: source. Размер: 324091 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_bhagavatam.c. Тип: source. Размер: 326160 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_crosscanon.c. Тип: source. Размер: 326144 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_editorial.c. Тип: source. Размер: 325628 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_gita.c. Тип: source. Размер: 323055 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_kernel.c. Тип: source. Размер: 324068 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_psalter.c. Тип: source. Размер: 324600 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spoke\_ranger.c. Тип: source. Размер: 324105 байт. Форма: 525 строк. Исходный файл, 525 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/src/hushwheel\_spokes.c. Тип: source. Размер: 1074 байт. Форма: 25 строк. Исходный файл, 25 строк, явных URL: 0. Первая строка: #include "hushwheel\_internal.h"

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/hushwheel.feature. Тип: generic. Размер: 1021 байт. Форма: 28 строк. Отслеживаемый файл репозитория, 28 строк, явных URL: 0. Первая строка: Feature: Hushwheel CLI

tests/fixtures/hushwheel\_lexiconarium/tests/bdd/run\_bdd.py. Тип: python. Размер: 3146 байт. Форма: 94 строк. Модуль Python, 94 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/integration/cli\_suite.py. Тип: python. Размер: 4482 байт. Форма: 122 строк. Модуль Python, 122 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tests/unit/test\_hushwheel\_unit.c. Тип: source. Размер: 2002 байт. Форма: 62 строк. Исходный файл, 62 строк, явных URL: 0. Первая строка: #include <assert.h>

tests/fixtures/hushwheel\_lexiconarium/tools/lint\_hushwheel.py. Тип: python. Размер: 4678 байт. Форма: 143 строк. Модуль Python, 143 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/fixtures/hushwheel\_lexiconarium/tools/regenerate\_hushwheel\_fixture.py. Тип: python. Размер: 31375 байт. Форма: 866 строк. Модуль Python, 866 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_azure\_runtime.py. Тип: python. Размер: 3806 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 10. Назначение модуля: No module docstring detected.

tests/test\_benchmarks\_and\_notebook\_scaffolding.py. Тип: python. Размер: 11605 байт. Форма: 271 строк. Модуль Python, 271 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_cli\_and\_dspy.py. Тип: python. Размер: 44370 байт. Форма: 1264 строк. Модуль Python, 1264 строк, явных URL: 2. Назначение модуля: No module docstring detected.

tests/test\_dspy\_training.py. Тип: python. Размер: 18513 байт. Форма: 513 строк. Модуль Python, 513 строк, явных URL: 6. Назначение модуля: No module docstring detected.

tests/test\_exploratorium\_translation.py. Тип: python. Размер: 5239 байт. Форма: 138 строк. Модуль Python, 138 строк, явных URL: 8. Назначение модуля: No module docstring detected.

tests/test\_file\_summaries.py. Тип: python. Размер: 9110 байт. Форма: 230 строк. Модуль Python, 230 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_github\_pr\_gates.py. Тип: python. Размер: 5678 байт. Форма: 183 строк. Модуль Python, 183 строк, явных URL: 1. Назначение модуля: No module docstring detected.

tests/test\_hushwheel\_fixture.py. Тип: python. Размер: 4617 байт. Форма: 101 строк. Модуль Python, 101 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_hushwheel\_program\_surface.py. Тип: python. Размер: 4626 байт. Форма: 125 строк. Модуль Python, 125 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_lookup\_first.py. Тип: python. Размер: 3559 байт. Форма: 108 строк. Модуль Python, 108 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_mcp\_branches.py. Тип: python. Размер: 1077 байт. Форма: 31 строк. Модуль Python, 31 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_notebook\_runner.py. Тип: python. Размер: 3088 байт. Форма: 84 строк. Модуль Python, 84 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_pages\_site.py. Тип: python. Размер: 9045 байт. Форма: 225 строк. Модуль Python, 225 строк, явных URL: 14. Назначение модуля: No module docstring detected.

tests/test\_population\_samples.py. Тип: python. Размер: 3144 байт. Форма: 76 строк. Модуль Python, 76 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_project\_surfaces.py. Тип: python. Размер: 21079 байт. Форма: 475 строк. Модуль Python, 475 строк, явных URL: 1. Назначение модуля: No module docstring detected.

tests/test\_repository\_rag\_bdd.py. Тип: python. Размер: 879 байт. Форма: 30 строк. Модуль Python, 30 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_retrieval.py. Тип: python. Размер: 7407 байт. Форма: 216 строк. Модуль Python, 216 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_todo\_backlog.py. Тип: python. Размер: 3505 байт. Форма: 103 строк. Модуль Python, 103 строк, явных URL: 1. Назначение модуля: No module docstring detected.

tests/test\_training\_samples.py. Тип: python. Размер: 2535 байт. Форма: 65 строк. Модуль Python, 65 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_utilities.py. Тип: python. Размер: 26516 байт. Форма: 698 строк. Модуль Python, 698 строк, явных URL: 6. Назначение модуля: No module docstring detected.

tests/test\_verification.py. Тип: python. Размер: 3156 байт. Форма: 66 строк. Модуль Python, 66 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_workflow.py. Тип: python. Размер: 3456 байт. Форма: 99 строк. Модуль Python, 99 строк, явных URL: 0. Назначение модуля: No module docstring detected.

tests/test\_workflow\_live.py. Тип: python. Размер: 3533 байт. Форма: 106 строк. Модуль Python, 106 строк, явных URL: 0. Назначение модуля: No module docstring detected.

todo-backlog.yaml. Тип: yaml. Размер: 6116 байт. Форма: 128 строк. Файл YAML с данными или workflow, 128 строк, явных URL: 1. Верхние ключи: repository\_web\_base, items.

utilities/README.md. Тип: markdown. Размер: 3495 байт. Форма: 54 строк. Документ Markdown, 54 строк, явных URL: 0. Главный заголовок: Repository Utilities.

uv.lock. Тип: generic. Размер: 766130 байт. Форма: бинарная поверхность. Отслеживаемый файл репозитория, 766130 байт бинарных данных, явных URL: 0. Первая строка: No non-empty preview line.

## Русский: Сводки по всем авторским URL

<https://api.github.com/repos/example/demo/branches/master/protection>. Хост: api.github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: tests/test\_github\_pr\_gates.py.

<https://astral.sh/>. Хост: astral.sh. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_exploratorium\_translation.py tests/test\_utilities.py.

<https://astral.sh/uv/install.sh>. Хост: astral.sh. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md.

<https://dspy.ai/tutorials/rag/>. Хост: dspy.ai. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/dspy-rag-tutorial.md.

<https://example.com>. Хост: example.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_pages\_site.py.

<https://example.com/docs>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_pages\_site.py.

<https://example.com/org/repo/blob/main>. Хост: example.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_todo\_backlog.py.

<https://example.invalid/v1>. Хост: example.invalid. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_dspy\_training.py.

<https://example.openai.azure.com>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com/>. Хост: example.openai.azure.com. Упоминаний: 2. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py tests/test\_dspy\_training.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft>. Хост: example.openai.azure.com. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/>. Хост: example.openai.azure.com. Упоминаний: 4. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_azure\_runtime.py.

<https://example.openai.azure.com/openai/deployments/repo-rag-ft/chat/completions>. Хост: example.openai.azure.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: tests/test\_dspy\_training.py.

<https://example.services.ai.azure.com/models>. Хост: example.services.ai.azure.com. Упоминаний: 6. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: Makefile docs/architecture/dspy-rag-guide.md docs/operations/azure-deployment.md src/repo\_rag\_lab/utilities.py tests/test\_cli\_and\_dspy.py tests/test\_project\_surfaces.py.

<https://github.com/>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: src/repo\_rag\_lab/pages\_site.py.

<https://github.com/example/demo>. Хост: github.com. Упоминаний: 10. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_cli\_and\_dspy.py



tests/test\_pages\_site.py  
tests/test\_utilities.py.

<https://github.com/example/demo/blob/main/README.md>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/assets/logo.png>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/blob/main/src/tool.c>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/demo/tree/main/docs>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_pages\_site.py.

<https://github.com/example/project>. Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://github.com/example/project/blob/main/README.md>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py.

<https://github.com/example/project/blob/main/README.md#L1-L2>. Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: tests/test\_exploratorium\_translation.py.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: mkdocs.yml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml)). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 2 файле(ах). Локальные сопроводительные пути: none. Источники: README.md  
notebooks/02\_agent\_workflow\_checklist.ipynb.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml/badge.svg](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml/badge.svg)]([https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/publish.yml)). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: README.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 3 файле(ах). Локальные сопроводительные пути: none. Источники: FILES.md

src/repo\_rag\_lab/todo\_backlog.py  
todo-backlog.yaml.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/ci.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/ci.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/.github/workflows/publish.yml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/.github/workflows/publish.yml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L142-L143](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L142-L143). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L153-L154](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L153-L154). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L248-L251](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L248-L251). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/Makefile#L65-L66](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/Makefile#L65-L66). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/README.md). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/TODO.MD](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/TODO.MD). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/architecture/dspy-rag-guide.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/architecture/dspy-rag-guide.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/archive/repo-completeness-checklist.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/archive/repo-completeness-checklist.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/audit/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/audit/README.md). Хост: github.com. Упоминаний: 3. Внешний URL

GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/operations/azure-deployment.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/operations/azure-deployment.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/dataset-integration-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/dataset-integration-plan.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/docs/planning/repo-hardening-plan.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/docs/planning/repo-hardening-plan.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/01\\_repo\\_rag\\_research.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/01_repo_rag_research.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/03\\_dspy\\_training\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/03_dspy_training_lab.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/notebooks/04\\_sample\\_population\\_lab.ipynb](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/notebooks/04_sample_population_lab.ipynb). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/publication/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/publication/README.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/pyproject.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/pyproject.toml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.lock](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.lock). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/rust-cli/Cargo.toml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/rust-cli/Cargo.toml). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/population/repository\\_population\\_candidates.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/population/repository_population_candidates.yaml). Хост: github.com.

Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/samples/training/repository\\_training\\_examples.yaml](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/samples/training/repository_training_examples.yaml). Хост: github.com.

Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/benchmarks.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/benchmarks.py). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/cli.py#L72-L88](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/cli.py#L72-L88). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/dspy\\_workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/dspy_workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/population\\_samples.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/population_samples.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/retrieval.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/retrieval.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L108-L124](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L108-L124). Хост: github.com. Упоминаний: 2. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/utilities.py#L190-L193](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/utilities.py#L190-L193). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L11-L51](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L11-L51). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ax). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/verification.py#L133-L146](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/verification.py#L133-L146). Хост: github.com. Упоминаний: 1.

Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L119-L145](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L119-L145). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/src/repo\\_rag\\_lab/workflow.py#L54-L72](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/src/repo_rag_lab/workflow.py#L54-L72). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: docs/operations/simple-end-to-end-verification-guide.md.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_benchmarks\\_and\\_notebook\\_scaffolding.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_benchmarks_and_notebook_scaffolding.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/tests/test\\_repository\\_rag\\_bdd.py](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/tests/test_repository_rag_bdd.py). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/blob/master/utilities/README.md](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/blob/master/utilities/README.md). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/samples/logs/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/samples/logs/). Хост: github.com. Упоминаний: 3. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

[https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/tree/master/tests/fixtures/hushwheel\\_lexiconarium/](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/tree/master/tests/fixtures/hushwheel_lexiconarium/). Хост: github.com. Упоминаний: 1. Внешний URL GitHub, упомянутый в 1 файле(ах). Локальные сопроводительные пути: none. Источники: publication/todo-backlog-table.tex.

<https://gpt45standard.openai.azure.com/>. Хост: gpt45standard.openai.azure.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/audit/2026-03-18-zzzzz-dspy-pipeline-and-live-azure-proof.md.

[https://img.shields.io/badge/coverage-94.12%25-brightgreen\)\]\(https://github.com/realagiorganization/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/actions/workflows/ci.yml](https://img.shields.io/badge/coverage-94.12%25-brightgreen)](https://github.com/realagiorganization/dspy_rag_in_repo_docs_and_impl1/actions/workflows/ci.yml). Хост: img.shields.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md.

<https://learn.microsoft.com/azure/ai-foundry/foundry-models/how-to/inference>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure.



Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/azure/ai-services/>. Хост: learn.microsoft.com. Упоминаний: 4. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

<https://learn.microsoft.com/en-us/azure/ai-foundry/openai/how-to/fine-tuning-deploy>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://learn.microsoft.com/en-us/azure/ai-services/openai/how-to/fine-tuning>. Хост: learn.microsoft.com. Упоминаний: 1. Внешний URL документации Azure. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/operations/azure-deployment.md. Источники: docs/operations/azure-deployment.md.

<https://medium.com/@arancibia.juan22/implementing-rag-with-dspy-a-technical-guide-a6ae15f6a455>. Хост: medium.com. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/architecture/inspired/implementing-rag-with-dspy-technical-guide.md.

<https://modelcontextprotocol.io/>. Хост: modelcontextprotocol.io. Упоминаний: 4. Внешний URL документации MCP. Зеркальная копия upstream не хранится, но есть локальные сопроводительные заметки: docs/architecture/mcp-discovery.md. Источники: publication/references.bib  
tests/test\_exploratorium\_translation.py  
tests/test\_utilities.py.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Хост: realagiorganization.github.io. Упоминаний: 3. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: README.md  
docs/audit/2026-03-19-public-pages-and-secret-scan.md  
mkdocs.yml.

[https://realagiorganization.github.io/dspy\\_rag\\_in\\_repo\\_docs\\_and\\_impl1/](https://realagiorganization.github.io/dspy_rag_in_repo_docs_and_impl1/). Хост: realagiorganization.github.io. Упоминаний: 1. Ссылка хранится только как URL. Локальное зеркало в репозитории сейчас не отслеживается. Источники: docs/audit/2026-03-19-public-pages-and-secret-scan.md.