

The diagram illustrates the process of a solar power plant. On the left, a yellow sun emits rays that pass through a lens (mercek) with a diameter of 5-10 metres, focusing the light into a large yellow cone. This concentrated light is directed at a boiler (TUZ) where heat turns water into steam. The steam then turns a turbine, which is connected to a generator. The generator produces electricity, which is then used to pump seawater (DENİZ SUYU) back into the boiler. The diagram also shows a cooling system (İÇME SUYU) that uses a fan to cool the steam back into water.

Büyük Su Haznesi
(Barajın Ana Bölümü)

Artırılmış ve Soğutulmuş Deniz Suyu
(Borularla Ana Hazneye Aktarılır)

30 Adet Türbin

Ön Hazine
(Toplanan Sular)

Ön Haznedeki Sular
Tekrar Baraja Aktarılır

Artırılmış ve Soğutulmuş Deniz Suyu
(Borularla Ana Hazneye Aktarılır)

6 Adet Türbin
(Modern Deniz Suyu Arıtma ve Enerji Tesisi)

Deniz Suyu Girişi
(Tuzlu Su)

- 1 Deniz suyu, kıyıldaki tesisden alınır.
- 2 Mercek sistemi ile tuzdan artırılır ve soğutulur.
- 3 Artırılmış ve soğutulmuş su borularla barajın arkasındaki büyük hazneye aktarılır.
- 4 Barajdaki su, 30 adet türbinden geçerek enerji üretir (her türbin bir delikten su fırlatır).
- 5 Ön hazineye toplanan sular, boru hattı ile tekrar baraja aktarılır.
- 6 Alt kısımdaki 6 adet modern türbin ile ek enerji üretilir.

As shown in Figure 1, drinking water can be obtained from seawater by first generating electricity and then cooling the freshwater vapor produced using that electricity.

Once a dam is constructed at a suitable location near the coast—as shown in Figure 2—The amount of electricity generated depends on the number of turbines installed; the more turbines, the greater the output. As illustrated in the image, lenses are used to evaporate seawater to generate electricity; the resulting steam is then cooled to produce fresh water, which fills the dam. Electricity is generated using as many turbines as the dam's capacity allows, while pumps—powered by the electricity produced by 30% of these turbines—return the outflowing water back into the dam. By replenishing the water lost to evaporation during the summer months with seawater processed via lenses, it is possible to ensure continuous, uninterrupted, and highly cost-effective electricity generation.



A second alternative—applicable if there is no coastline but there are desert areas—is to generate electricity during the day by heating water with a lens; since a lens system is used, no expensive construction is required. A portion of the electricity generated during the day can be stored—using a storage method similar to the one implemented in Japan—for use at night. Electricity can even be stored by filling barrels with finely powdered salt and using nickel rods.




ELECTRICITY GENERATION VIA DAMS WITH 100 TURBINES FILLED WITH SEAWATER




In thermal power plants, fossil fuels are burned using ordinary air, which contains 20% oxygen and 60% nitrogen. Consequently, combustion is inefficient; the fossil fuel does not burn completely, resulting in the release of large quantities of carbon monoxide gas into the environment.



As shown in the image, if fresh air (containing 20% oxygen) is heated in a chamber using the waste hot air discharged from a thermal power plant's stack, the oxygen rises and separates from the nitrogen upon heating; if this pure oxygen is then used to burn fossil fuel, five times more heat is generated—meaning the same efficiency can be achieved with one-fifth of the fuel. Furthermore, since combustion is complete, no carbon monoxide is released into the atmosphere.





As shown in the three images above, the first image illustrates a scenario in existing fossil fuel power plants where pressure is reduced from 170 bar to 0.1 bar in a single step, resulting in significant energy loss. If the pressure is reduced in stages and a high-speed shaft is added to the reduction turbine, up to ten times more electricity can be generated.


TEKSTİL BOYA SONRASI ATIK SULARIN NEHİRLERİ ATILMAMASI İLE İLGİLİ BULUŞ



Wastewater from textile dyeing factories pollutes rivers after the dyeing process. If the wastewater is evaporated using a lens with a diameter of one meter—as shown in the picture—only 50–100 grams of solid powdered dye and chemical waste will remain, and the rivers will not be polluted.

INCREASING THE EFFICIENCY OF THERMAL POWER PLANTS

To ensure constitutional justice, it is possible to determine whether a defendant is telling the truth by attaching the sensors shown in the image while their statement is being recorded; by observing where electrical activity occurs in the brain—distinguishing between the patterns associated with truth-telling and those associated with lying—true justice can be achieved.



In any interrogation, the matter can be very easily resolved using a brain signal test or a lie detector, as shown in the two images above.

REDUCING SOCIETAL CRIME RATES AND ENHANCING INDIVIDUAL QUALITY METHOD OF WRITING SIMULTANEOUSLY WITH BOTH HANDS (RIGHT AND LEFT HANDS)

Parıltılılaşacaklarından
Doğrulaştırılabildiğinde
Haklılaştırılacağımızdan
Mutlaklaşabilmemizdendir
Saygınlıştırılabilmiştir
İmkânlaştırılabilmenin
Atılğanlaştırılıyorlardı
Hesapçılaştırılabilmenin
Korkusuzlaştığımızdandır
İnsancillaştırıldığımızdan
Çalışkanlaştırılabilmeme

If individuals are taught to write with both hands during their schooling and subsequently practice writing—simultaneously with both hands—the nine hundred-plus positive adjectives mentioned in the examples above, neural connections corresponding to all these positive attributes will form in the brain. Consequently, their talents, intelligence, skills, personal qualities, genetic quality, resilience, and motivation will improve; they will become positive, productive individuals with robust mental health—people who have no desire to commit crimes—thereby fostering a peaceful society.

I applied this method myself, and it served only to enhance my positive attributes; I became an individual who is positive, productive, efficient, possesses high mental health, morale, and intelligence, and is fully compliant with the constitution. There are no downsides for the individual in applying this method; indeed, it is highly beneficial in many respects.

DEEP SPACE COMMUNICATION



The principle behind deep-space communication involves directing a beam—such as a laser—at a rotating object to interact with its motion, and then reading the signals reflected back from that dynamic state. By first developing the core technology using a simple fan, and subsequently scaling up to the motion of the solar system and then the galaxy, it would be possible to create a system for instantaneous deep-space communication. It might even be achievable with today's technology.