

## DETERMINISTIC FUNCTIONS CHEAT SHEET


Properties of commonly used functions in ecology

<b>Polynomials</b>	<b>Form</b>	<b>Range</b>	<b>Left end</b>	<b>Right end</b>	<b>Middle</b>
Line	$y = \sum_{i=0}^n a_i x_i$	$\{-\infty, \infty\}$	$y \rightarrow \pm\infty$ ; constant slope	$y \rightarrow \pm\infty$ ; constant slope	Monotonic
Quadratic	$y = \sum_{i=0}^n a_i x_i^2$	$\{-\infty, \infty\}$	$y \rightarrow \pm\infty$ ; accelerating	$y \rightarrow \pm\infty$ ; accelerating	Single max/min
Cubic	$y = \sum_{i=0}^n a_i x_i^3$	$\{-\infty, \infty\}$	$y \rightarrow \pm\infty$ ; accelerating	$y \rightarrow \pm\infty$ ; accelerating	Up to 2 max/min
<b>Piecewise polynomials</b>	<b>Form</b>	<b>Range</b>	<b>Left end</b>	<b>Right end</b>	<b>Middle</b>
Threshold	$y = a_1 \text{ if } x < T$ $= a_2 \text{ if } x > T$	$\{-\infty, \infty\}$	flat	flat	breakpoint
Hockey stick	$y = ax \text{ if } x < T$ $= aT \text{ if } x > T$	$\{-\infty, \infty\}$	flat or linear	flat or linear	breakpoint
Piecewise linear	$y = ax \text{ if } x < T$ $= aT - b(x - T) \text{ if } x > T$	$\{-\infty, \infty\}$	linear	linear	breakpoint
<b>Rational</b>	<b>Form</b>	<b>Range</b>	<b>Left end</b>	<b>Right end</b>	<b>Middle</b>
Hyperbolic	$y = \frac{a}{b+x}$	$\{0, \infty\}$	$y \rightarrow \infty$ or finite	$y \rightarrow 0$	decreasing
Michaelis-Menten	$y = \frac{ax}{b+x}$	$\{0, \infty\}$	$y = 0$ , linear	<i>asymptote</i>	saturating
Holling Type III	$y = \frac{ax^2}{b^2+x^2}$	$\{0, \infty\}$	$y = 0$ , accelerating	<i>asymptote</i>	sigmoid
Holling type IV (c>0)	$y = \frac{ax^2}{b+cx+x^2}$	$\{0, \infty\}$	$y = 0$ , accelerating	<i>asymptote</i>	hump-shaped


<b>Exponential-based</b>	<b>Form</b>	<b>Range</b>	<b>Left end</b>	<b>Right end</b>	<b>Middle</b>
Neg. exponential	$y = ae^{-bx}$	$\{0, \infty\}$	$y$ finite	$y \rightarrow 0$	decreasing
Monomolecular	$y = a(1 - e^{-bx})$	$\{0, \infty\}$	$y = 0$ , linear	$y \rightarrow 0$	saturating
Ricker	$y = axe^{-bx}$	$\{0, \infty\}$	$y = 0$ , linear	$y \rightarrow 0$	hump-shaped
Logistic	$y = \frac{e^{a+bx}}{1+e^{a+bx}}$	$\{0, \infty\}$	$y = 0$ , accelerating	asymptote	sigmoid

<b>Power-based</b>	<b>Form</b>	<b>Range</b>	<b>Left end</b>	<b>Right end</b>	<b>Middle</b>
Power law	$y = ax^b$	$\{0, \infty\}$	$y \rightarrow 0, y \rightarrow \infty$	$y \rightarrow 0, y \rightarrow \infty$	monotonic
Von Bertalanfy	$y = a(1 - e^{b-k(a-d)x})^{\frac{1}{1-d}}$	$\{0, \infty\}$	$y = 0$ , accelerating	asymptote	sigmoid
Gompertz	$y = e^{-ae^{-bx}}$	$\{0, \infty\}$	$y = 0$ , accelerating	asymptote	symmetric
Shepherd	$y = \frac{ax}{b+x^c}$	$\{0, \infty\}$	$y = 0$ , linear	$y \rightarrow 0$	hump-shaped
Hassell	$y = \frac{ax}{(b+x)^c}$	$\{0, \infty\}$	$y = 0$ , linear	$y \rightarrow 0$	hump-shaped
Non-rectangular hyperbola	Like MM				


## PIECEWISE POLYNOMIALS



## RATIONAL:



## EXPONENTIAL-BASED



## POWER-BASED

