

## CORE2B - SELECT + TRANSFER + DISCRIMINATE

# Static Transfer Workbook

Core2B selects only from the Core2A legal pool and respects an upstream ceiling of M5\_METHOD\_DISCRIMINATION. Attempt precedes substantial explanation.

### This sample demonstrates:

- Selected IDs: EQ-D1, EQ-R1, EQ-I1, EQ-H1, EQ-M1.
- Legal M6 item remains excluded by the M5 ceiling.
- Internal family/demand labels are hidden from learner pages.
- No live repair routing or learner-state mutation.

#### Sample topic

A point on an axis equidistant from two fixed points

Generated review fixture - not an official exam source

# 1. Transfer task

Choose the structure and solve before reading the check.

---

## ATTEMPT FIRST

P on x-axis,  $A=(-2,3)$ ,  $B=(4,3)$ . Find P.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## AFTER YOUR ATTEMPT - ANSWER CHECK

$P=(1,0)$ .

## 2. Transfer task

Choose the structure and solve before reading the check.

---

### ATTEMPT FIRST

A diagram gives  $A=(-1,4)$ ,  $B=(7,2)$ ,  $P$  on  $x$ -axis. Model and solve.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

### AFTER YOUR ATTEMPT - ANSWER CHECK

$P=(9/4,0)$ .

### 3. Transfer task

Choose the structure and solve before reading the check.

---

#### ATTEMPT FIRST

$P=(3,0)$  is equidistant from  $A=(1,4)$  and  $B=(k,2)$ . Find  $k$ .

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

#### AFTER YOUR ATTEMPT - ANSWER CHECK

$k=-1$  or  $7$ .

## 4. Transfer task

Choose the structure and solve before reading the check.

---

### ATTEMPT FIRST

Interpret  $(x+3)^2+16=(x-5)^2+4$  geometrically and solve.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

### AFTER YOUR ATTEMPT - ANSWER CHECK

$P=(1/4,0)$ .

## 5. Transfer task

Choose the structure and solve before reading the check.

---

### ATTEMPT FIRST

$A=(1,5)$ ,  $B=(9,5)$ ,  $P$  on  $x$ -axis. Choose the efficient method and solve.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

### AFTER YOUR ATTEMPT - ANSWER CHECK

$P=(5,0)$ ; symmetry is efficient.