MOVEINSYNC
COMMUTE TRUST REVIEW

FIELD NOTE 01 - EMPLOYEE EXPERIENCE

Fix commute trust before polishing the MoveInSync app

The fastest credible path to a higher rating is to make the commute dependable at its two highest-stakes moments: opening the app and trusting the trip state. This report turns public Play Store evidence into a 30-day engineering plan.

PUBLIC GOOGLE PLAY EVIDENCE THROUGH 9 OCT 2026 / 910 UNIQUE REVIEWS



EXECUTIVE SUMMARY

Restore trust before redesigning the surface


Access and reliability is the first fix. It represents 39.7% of the 63 recent manually coded complaints. Crashes, loading failures and login/OTP failures prevent every other commute task.

Trip truth is the second fix. Tracking, route, notification and boarding-state complaints contribute another 28.6%. Together, these two groups account for 68.3% of the recent coded complaint set.

In the 600-review newest-sort sample, the mean was 3.77 and 29.3% were one or two stars. These are sample signals, not the Play Store's official aggregate rating.

3.77 / 5	29.3%	68.3%
Newest-review sample	One-to-two-star share	Top two complaint groups

Share of 63 recent manually coded complaints




Decision: ship release health gates first, then a canonical Trip Assurance surface, then structured recovery. Do not begin with a broad visual redesign.

PUBLIC EVIDENCE

Ratings move; the trust failures repeat

Weekly average in the 600 newest-review sample



The weekly sample is volatile and should not be overinterpreted. The complaint language is more decision-useful: employees repeatedly describe being unable to access the app or unable to trust the booking, ETA, route and boarding state presented.

A keyword classifier was built and validated, but achieved only 43.3% exact primary-theme agreement on a frozen 30-review set. Automated theme totals were rejected; the recommendation uses manually coded evidence.

Version signal

Version	Reviews	Avg rating	1-2 star share
12.16.0	67	3.85	26.9%
12.16.1	38	3.53	34.2%
12.17.0	141	3.76	29.8%
12.18.0	65	4.11	20.0%
12.18.1	94	3.90	26.6%
12.19.0	102	3.58	35.3%

Version comparisons are descriptive, not causal. Versions overlap in time and 9.2% of the full deduplicated dataset has no reported version. Pair this view with internal crash and journey telemetry before rollback decisions.

PRIORITIZED BUILD PLAN

What engineering should start tomorrow

P0

Make access boringly reliable
39.7% of recent coded complaints.

Build next: Crash/startup telemetry; login and OTP funnel with failure codes; secure session recovery; retry/fallback states; staged rollout and rollback switch.

Know it worked: Proposed SLOs: crash-free sessions at least 99.5%; core screen loads within 5s at least 99%; login/OTP completion at least 98%. Calibrate against internal baselines.

P0

Create one source of trip truth
28.6% of recent coded complaints.

Build next: Idempotent booking and cancellation writes; canonical trip-state contract; server reconciliation; cached last-confirmed trip; timestamped GPS freshness; explicit stale and mismatch states.

Know it worked: Booking reconciliation; status mismatches per 1,000 active trips; P95 location freshness; ETA error by version and tenant.

P1

Turn failures into traceable recovery
17.5% of recent coded complaints.

Build next: Structured issue categories; automatic trip/app/device context; visible case ID and status; operations-versus-product routing; Play review response workflow.

Know it worked: Support contacts per 1,000 trips; acknowledgement and resolution time; repeat contacts; developer response rate.

P2

Remove task friction
14.3% of recent coded complaints.

Build next: Skippable feedback; explicit waitlist and confirmation; booking/cancellation receipt; contextual safety prompts; no-show evidence and dispute path.

Know it worked: Task completion; forced-feedback dismissals; no-show disputes; median time to complete core tasks.

PRODUCT CONCEPT

Trip Assurance: one surface for the facts that matter

The interactive HTML submission demonstrates these three states with an automatic preview and user-controlled switching. The product decision is the state contract, not merely the visual treatment.

OPEN THE INTERACTIVE DASHBOARD INCLUDED WITH THIS SUBMISSION

NORMAL	STALE GPS	SYSTEM MISMATCH
Booking, cab, pickup time, tracking and OTP agree. Show live ETA with an update timestamp.	Keep the confirmed booking, label the last update, and never present a guessed ETA as live.	Preserve the last confirmed fact, admit the conflict, open a diagnostic-rich case, and show its ID.

Core contract

booking_state + allocation_state + pickup_time + vehicle + location_age + eta_confidence + boarding_state + recovery_case

Rules

- A booking mutation must be idempotent.
- Contradictory sources must resolve through a canonical state machine.
- Every live value carries freshness and confidence.
- Offline or stale states retain only the last confirmed fact.
- Recovery automatically includes trip and app diagnostics.
- Safety actions remain available even when other data is degraded.

30-DAY DELIVERY

Sequence work around learning and release safety

Days	Outcome	Work
1-3	**A shared failure view**	Instrument launch, authentication, booking retrieval, allocation, tracking freshness, OTP and support handoff. Cut by version, OS, device, network and tenant.
4-10	**Stable access**	Fix largest crash/authentication clusters. Add session recovery and OTP failure states. Pause staged rollout on SLO regression.
8-18	**Trip Assurance pilot**	Ship the canonical view model, booking reconciliation and stale-state handling behind a feature flag to one enterprise cohort with a comparable holdout.
15-24	**Traceable recovery**	Attach diagnostics, expose case status and route operational versus technical failures.
25-30	**Scale decision**	Review critical journey success, trust failures, support contacts, low-star review rate and guardrails. Expand only on supported improvement.

Measurement

Primary: critical journey success and trust failure rate per 1,000 active trips.
Lagging: one-to-two-star reviews per 10,000 completed trips, tagged to access or trip truth.
Guardrails: false no-show disputes, SOS availability, battery/data use and support contacts.

METHODS AND LIMITS

A reproducible pipeline with explicit uncertainty

I used Node.js and the open-source google-play-scraper package to collect 600 newest and 400 helpful English-language reviews for India, then deduplicated them by review ID. Saved data excludes public reviewer names and profile images.

I manually coded 160 reviews with one primary theme using a documented taxonomy. Of these, 118 were specific complaints; 63 fell inside the recent 90-day window. The manual set is intentionally complaint-heavy, so theme shares indicate direction rather than population prevalence.

The 910-review combined dataset joins newest and helpfulness-ranked samples and is not a random sample. Weekly rating uses only the 600 newest reviews. Version analysis is descriptive. Google Play may display different aggregate ratings by locale or device.

A frozen keyword classifier evaluation reached 43.3% exact primary-theme accuracy. Its aggregate output is excluded. A production monitoring loop should use a stronger semantic classifier, human review of low-confidence cases and periodic frozen-set evaluation.

Reproducible commands

npm run fetch:reviews	Collect and deduplicate current public reviews
npm run build:manual-analysis	Combine audited human labels and calculate themes
npm run analyze:reviews	Generate quality, time and version summaries
npm run build:dashboard	Produce the portable one-file interactive dashboard

Tools used

Node.js and JavaScript for collection and analysis; google-play-scraper for public reviews; manual coding with a documented taxonomy; Chart.js and vanilla JavaScript for the portable dashboard; ReportLab for this PDF; and AI-assisted coding and visual iteration with all quantitative claims checked against saved outputs.

Next evidence to request

Internal crash traces, authentication/OTP funnel events, booking-state reconciliation logs, GPS freshness and ETA error, enterprise-tenant splits, completed-trip denominators, support categories and no-show disputes. These will verify root causes and calibrate the proposed SLOs before broad rollout.