## db/mysql.sql

```
CREATE TABLE IF NOT EXISTS `customers` (
  id int(11) NOT NULL PRIMARY KEY AUTO INCREMENT.
  email varchar(255) NOT NULL,
  name varchar(255) NOT NULL,
  active BOOLEAN DEFAULT false
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
CREATE TABLE IF NOT EXISTS 'spots' (
  spot_id int NOT NULL PRIMARY KEY AUTO INCREMENT,
  place varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
CREATE TABLE IF NOT EXISTS `users` (
  user id bigint NOT NULL PRIMARY KEY AUTO INCREMENT,
  nickname varchar(255) NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4:
CREATE TABLE IF NOT EXISTS `groups` (
  group id bigint NOT NULL PRIMARY KEY AUTO INCREMENT,
  title varchar(50) NOT NULL.
  info varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
CREATE TABLE IF NOT EXISTS `comments` (
  comment_id int NOT NULL PRIMARY KEY AUTO_INCREMENT,
  content varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4:
CREATE TABLE IF NOT EXISTS `leaders` (
  leader id int NOT NULL PRIMARY KEY AUTO INCREMENT
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
CREATE TABLE IF NOT EXISTS `members` (
  member id int NOT NULL PRIMARY KEY AUTO INCREMENT
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- microservice sglschema
CREATE TABLE IF NOT EXISTS `purchases` (
  `id` int(11) NOT NULL AUTO INCREMENT,
  `userid` int NOT NULL,
  `goodsid` int NOT NULL,
  `date` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```