

Data Collection and DBMS

1. A..... is a set of column that identifies every row in a table.
 - A. composite key
 - B. candidate key
 - C. foreign key
 - D. super key
2. The output of following SQL statement will be _____.
SELECT SUBSTR('123456789', INSTR('abcabcabc','b'), 4) FROM EMP;
 - A. 6789
 - B. 2345
 - C. 1234
 - D. 456789
3. Which of the following SQL command can be used to modify existing data in a database table?
 - A. MODIFY
 - B. UPDATE
 - C. CHANGE
 - D. NEW
4. provides option for entering SQL queries as execution time, rather than at the development stage.
 - A. PL/SQL
 - B. SQL*Plus
 - C. SQL
 - D. Dynamic SQL
5. The is essentially used to search for patterns in target string.
 - A. Like Predicate
 - B. Null Predicate
 - C. In Predicate
 - D. Out Predicate
6. The GRADES table has these columns:
STD_ID NUMBER(12)
EXAM_END DATE
GPA NUMBER(4,3)
Display the students' grade point averages (GPA), sorted from highest grade point average to lowest within each semester, starting from the earliest date. Which statement accomplishes this?
 - A. SELECT std_id, exam_end, gpa
FROM GRADES
ORDER BY exam_end DESC, gpa DESC;
 - B. SELECT std_id, exam_end, gpa
FROM GRADES
ORDER BY exam_end ASC, gpa ASC;
 - C. SELECT std_id, exam_end, gpa
FROM GRADES
ORDER BY exam_end, gpa DESC;
 - D. SELECT std_id, exam_end, gpa
FROM GRADES

Data Collection and DBMS

ORDER BY gpa DESC, semester

7. Which of the following single-row operators can be used for writing a sub-query?
 - A. >=
 - B. <
 - C. =
 - D. All of the above
8. What is the maximum level of sub-queries allowed in Oracle in a single SQL statement?
 - A. 20
 - B. 50
 - C. Unlimited
 - D. 255
9. Consider this statement:
Select emp_name, (select count(*) from departments)
From employees
Where salary= (select salary from employees);
What is wrong with it?
 - A. The statement will fail because the subquery in the SELECT list references a table that is not listed in the FROM clause.
 - B. The statement will fail if the second query returns more than one row.
 - C. Both A & B
 - D. The statement will run but is extremely inefficient because of the need to run the second sub query once for every row in EMPLOYEES
10. The file in DBMS is called as in RDBMS.
 - A. Console
 - B. Schema
 - C. Table
 - D. Object
11. Which of follows property of transaction is followed by NoSQL database?
 - A. ACID
 - B. BASE
 - C. CAP
 - D. All of the above
12. Cassandra, The NoSQL database follows which combinations of CAP theory?
 - A. CA
 - B. CP
 - C. AP
 - D. Both A and B
13. _____ databases are used to store information about networks, such as social connections.
 - A. Key-value
 - B. Wide-column
 - C. Document
 - D. Graph

Data Collection and DBMS

14. Point out the correct statement:
- A. Documents can contain many different key-value pairs, or key-array pairs, or even nested documents
 - B. MongoDB has official drivers for a variety of popular programming languages and development environments
 - C. When compared to relational databases, NoSQL databases are more scalable and provide superior performance
 - D. All of the above
15. MongoDB is a _____ database that provides high performance, high availability, and easy scalability.
- A. Graph
 - B. Key value
 - C. Document
 - D. Tabular
16. How many categories are there in NoSQL Database Family?
- A. 4
 - B. 3
 - C. 2
 - D. None
17. What is the maximum size of a MongoDB document?
- A. 2 MB
 - B. 16 MB
 - C. 12 MB
 - D. There is no maximum size. It depends on the RAM.
18. Which datatype is not supported by Json and is there in BSON?
- A. Date and Bin Data type.
 - B. Date and String data Type.
 - C. Date and Null.
 - D. Date and Number.
19. Choose the correct answer from below, for backup and recovery we can use?
- A. Mongodump & mongorestore
 - B. Mongoimport & mongoexport
 - C. Import & Export
 - D. Backup & Recovery
20. What is Config Database in MongoDB?
- A. An internal database that holds the metadata associated with a sharded cluster.
 - B. An external database that holds the metadata associated with a sharded cluster.
 - C. It is a MongoDB client
 - D. It is a MongoDB server
21. MongoDB scales horizontally using _____ for load balancing purpose.
- A. Replication
 - B. Partitioning
 - C. Sharding
 - D. Coping

Data Collection and DBMS

22. What is the interactive shell for MongoDB called?
- A. mongo
 - B. mongodb
 - C. dbmong
 - D. None of the mentioned
23. Which statement about an Oracle instance is true?
- A. The redo log buffer is NOT part of the shared memory area of an Oracle instance.
 - B. Multiple instances can execute on the same computer, each accessing its own physical database.
 - C. An Oracle instance is a combination of memory structures, background processes, and user processes.
 - D. In a shared server environment, the memory structure component of an Instance consists of a single SGA and a single
24. is preferred method for enforcing data integrity
- A. Constraints
 - B. Stored Procedure
 - C. Triggers
 - D. Cursors
25. Which two files are used during operation of the DBMS?
- A. Query languages and utilities
 - B. DML and query language
 - C. Data dictionary and transaction log
 - D. Data dictionary and query language
26. A query may include a _____ that specifies the fields from the matching documents to return.
- A. selection
 - B. projection
 - C. union
 - D. None of the mentioned
27. Point out the correct statement :
- A. Secondary indexes allow applications to store a view of a portion of the collection in an efficient data structure
 - B. MongoDB has full support for secondary indexes
 - C. Most indexes store an ordered representation of all values of a field or a group of fields
 - D. All of the mentioned
28. MongoDB stores all documents in _____.
- A. tables
 - B. collections
 - C. rows
 - D. All of the mentioned
29. In MongoDB, _____ operations modify the data of a single collection.
- A. CRUD
 - B. GRID

Data Collection and DBMS

- C. READ
- D. ALTER

30. Point out the wrong statement :

- A. Indexes cannot enforce uniqueness in collection
- B. CRUD stands for create, read, update, and delete
- C. CRUD application is the most simplest application
- D. Sometimes CRUD is also called as SCRUD

31. Which of the following operation adds a new document to the users collection ?

- A. add
- B. insert
- C. truncate
- D. drop

32. Which of the following preference determines how the client direct read operations to the set?

- A. read
- B. write
- C. update
- D. delete

33. MongoDB process collection of documents using _____ operations.

- A. Hbase
- B. Hive
- C. Map-reduce
- D. None of the mentioned

34. Which of the following is a metapackage for enterprise?

- A. mongodb-enterprise
- B. mongodb-enterprise-server
- C. mongodb-enterprise-mongos
- D. mongodb-mongos

35. _____ package contains the mongod daemon and associated configuration and init scripts.

- A. mongodb-enterprise
- B. mongodb-enterprise-server
- C. mongodb-enterprise-mongos
- D. None of the mentioned

36. A sharded cluster can contain _____ query router to divide the client request load.

- A. 1
- B. 0
- C. more than 1
- D. All of the mentioned

37. _____ servers store the cluster's metadata.

- A. Local
- B. Config

Data Collection and DBMS

- C. Master
- D. main

38. Production sharded clusters have exactly _____ config servers.

- A. 1
- B. 2
- C. 3
- D. 4

39. To divide the shard key values into chunks, MongoDB uses _____ based partitioning.

- A. range
- B. b tree
- C. document
- D. isMaster

40. _____ based partitioning, by contrast, ensures an even distribution of data at the expense of efficient range queries.

- A. Hash
- B. Range
- C. Table
- D. Data