

OSC MCQ Test e-DBDA March 22

*Required

1. Email *

2. In Linux everything is a File include devices , directories , peripherals

Mark only one oval.

☒ yes

☐ no

3. In Linux,PWD stands for

Mark only one oval.

☐ permanent working directory

☒ present working directory

☐ parent working directory

☐ All of the above

4. The cd command stands for

Mark only one oval.

☐ complete directory

☐ created directory

☒ change directory

☐ current directory

5. Which key should be pressed to save a file in line editing mode?

Mark only one oval.

- ☒ i
- ☐ x
- ☐ q
- ☐ w

6. The user who creates the file is called as the

Mark only one oval.

- ☐ Group owner
- ☐ System owner
- ☒ File owner
- ☐ Other users

7. Which of the following option is used to prints only a count of the lines that match a pattern in grep command

Mark only one oval.

- ☒ -c
- ☐ -d
- ☐ -n
- ☐ -e

8. which command is used change the permission of a file?

Mark only one oval.

- ☒ chmod
- ☐ change mode
- ☐ shown
- ☐ chown

9. Which of the following option is true in case of -A n option in grep command

Mark only one oval.

- ☒ Prints searched line and nlines after the result.
- ☒ Prints searched line and n line before the result.
- ☒ Prints searched line and n lines after before the result.
- ☒ All of the above

10. Which option is true about grep command?

Mark only one oval.

- ☒ -o : Print only the matched parts of a matching line
- ☐ -i : Ignores, case for matching
- ☐ -v : This prints out all the lines that do not matches the pattern
- ☐ All of the above

11. What is the output of the following command for bash shell: `echo linux`

Mark only one oval.

- ☐ linux echo
- ☐ linux
- ☒ linux bash
- ☐ no output

12. How do you print the lines between 5 and 10, both inclusive

Mark only one oval.

- ☒ `cat filename | head | tail -6`
- ☐ `more +5 -5 filename`
- ☐ `cat filename | tail +5 | head`
- ☐ `cat filename | tail -5 | head -10`

13. What is the output of the following code: `os=Linux echo 1.$os 2."$os" 3.'$os' 4.$os`

Mark only one oval.

- ☐ 1.Linux 2.Linux 3.Linux 4.Linux
- ☒ 1.Linux 2.Linux 3.\$os 4.Linux
- ☐ 1.Linux 2.Linux 3.Linux 4.\$os
- ☐ 1.Linux 2.\$os 3.\$os 4.\$os

14. The expression `expr -11 % 2` evaluates to:

Mark only one oval.

- ☐ 0
- ☐ 1
- ☒ -1
- ☐ 2

15. Which command(s) is/are used to get help about a command in Linux?

Mark only one oval.

- ☐ whatis
- ☒ man
- ☒ None of these
- ☐ Both a and b

16. Which option in `man` command is similar to `whatis` command

Mark only one oval.

- ☐ -k
- ☒ -f
- ☐ -l
- ☐ None

17. The -s option in date command is used to do which of the following option

Mark only one oval.

- ☒ changes the system time
- ☐ changes the access time of a file
- ☐ changes the modification time of a file.
- ☐ none

18. Which option in cat command can be used to print the line number of each file along with contents

Mark only one oval.

- ☒ cat filename
- ☐ gedit filename
- ☒ cat -n filename
- ☐ vi filename

19. If 7 terminals are currently logged on, then the command date +%Y

Mark only one oval.

- ☒ 22
- ☐ 2022
- ☐ current date
- ☐ an error message

20. str="hello" how to print the length of the string str?

Mark only one oval.

- ☐ echo -n str
- ☒ echo \$str
- ☐ echo \$str|wc -c
- ☐ None of the above
- ☐ Other: _____

21. umask value is set in which file

Mark only one oval.

- ☒ /etc/profile
- ☐ /bin/profile
- ☒ /profile
- ☐ ~profile

22. The inode number can be printed in which command

Mark only one oval.

- ☐ ls -li
- ☐ ls -i
- ☐ Both A nd B
- ☒ None of the above

df -i

23. The -p option in mkdir allows

Mark only one oval.

- ☒ enables the command to create parent/child directories as necessary.
- ☐ prints directory information
- ☐ change directory permission
- ☐ None
- ☐ Other: _____

24. Which option is used to change directory to the root directory,

Mark only one oval.

- ☒ cd ~
- ☐ cd
- ☐ cd /
- ☐ cd root

25. Which command is used to know whether the command is internal or external?

Mark only one oval.

- ☐ list
- ☐ internal
- ☐ external
- ☒ type



26. To sort a file with numeric data in reverse order

Mark only one oval.

- ☒ sort -r
- ☐ sort -n -r
- ☐ sort -nr
- ☐ both c and d

27. Which key combination is used to close the terminal?

Mark only one oval.

- ☐ ctrl+z
- ☐ ctrl+c
- ☒ ctrl+d
- ☐ ctrl+v
- ☐ Option 2

28. Which command can be used to print only the uniq lines that are not repeated .

Mark only one oval.

- ☐ uniq
- ☒ uniq -u
- ☐ sort|uniq -u
- ☐ uniq -d

29. Which option in uniq command prints how many times a line was repeated by displaying a number as a prefix with the line.

Mark only one oval.

- ☒ sort|uniq -c
☐ sort|uniq -n
☐ sort|uniq -s
☐ sort |uniq -o

30. Which option about move command is true

Mark only one oval.

- ☐ It renames a file or folder.
☐ It moves a group of files to a different directory.
☒ it moves a directory to other
☒ All of the above

31. Which option is used to translate the text of a file from upper case to lower case?

Mark only one oval.

- ☐ translate
☒ tr
☐ replace
☐ alter

This content is neither created nor endorsed by Google.

Google Forms