

OSC MCQ Test e-DBDA March 22

*Required

1. Email *

2. In Linux everything is a File include devices , directories , peripherals

Mark only one oval.

☒ yes

☐ no

3. In Linux,PWD stands for

Mark only one oval.

☐ permanent working directory

☒ present working directory

☐ parent working directory

☐ All of the above

4. The cd command stands for

Mark only one oval.

☐ complete directory

☐ created directory

☒ change directory

☐ current directory

5. Which key should be pressed to save a file in line editing mode?

Mark only one oval.

☐ i

☐ x

☐ q

☒ w

6. The user who creates the file is called as the

Mark only one oval.

☐ Group owner

☐ System owner

☒ File owner

☐ Other users

7. Which of the following option is used to prints only a count of the lines that match a pattern in grep command

Mark only one oval.

☒ -c

☐ -d

☐ -n

☐ -e

8. which command is used change the permission of a file?

Mark only one oval.

☒ chmod

☐ change mode

☐ shown

☐ chown

9. Which of the following option is true in case of -A n option in grep command

Mark only one oval.

☒ Prints searched line and nlines after the result.

☐ Prints searched line and n line before the result.

☐ Prints searched line and n lines after before the result.

☐ All of the above

10. Which option is true about grep command?

Mark only one oval.

☐ -o : Print only the matched parts of a matching line

☐ -i : Ignores, case for matching

☐ -v : This prints out all the lines that do not matches the pattern

☒ All of the above

11. What is the output of the following command for bash shell: `echo linux`

Mark only one oval.

- ☐ linux echo
- ☒ linux
- ☐ linux bash
- ☐ no output

12. How do you print the lines between 5 and 10, both inclusive

Mark only one oval.

- ☐ `cat filename | head | tail -6`
- ☒ `more +5 -5 filename`
- ☐ `cat filename | tail +5 | head`
- ☐ `cat filename | tail -5 | head -10`

+5 -6

13. What is the output of the following code: `os=Linux echo 1.$os 2."$os" 3.'$os' 4.$os`

Mark only one oval.

- ☐ 1.Linux 2.Linux 3.Linux 4.Linux
- ☒ 1.Linux 2.Linux 3.\$os 4.Linux
- ☐ 1.Linux 2.Linux 3.Linux 4.\$os
- ☐ 1.Linux 2.\$os 3.\$os 4.\$os

14. The expression `expr -11 % 2` evaluates to:

Mark only one oval.

☐ 0

☐ 1

☒ -1

☐ 2

15. Which command(s) is/are used to get help about a command in Linux?

Mark only one oval.

☐ whatis

☐ man

☐ None of these

☒ Both a and b

16. Which option in `man` command is similar to `whatis` command

Mark only one oval.

☐ -k

☒ -f

☐ -l

☐ None

17. The -s option in date command is used to do which of the following option

Mark only one oval.

- ☒ changes the system time
- ☐ changes the access time of a file
- ☐ changes the modification time of a file.
- ☐ none

18. Which option in cat command can be used to print the line number of each file along with contents

Mark only one oval.

- ☐ cat filename
- ☐ gedit filename
- ☒ cat -n filename
- ☐ vi filename

19. If 7 terminals are currently logged on, then the command date +%Y

Mark only one oval.

- ☐ 22
- ☒ 2022
- ☐ current date
- ☐ an error message

20. `str="hello"` how to print the length of the string `str`?

Mark only one oval.

- ☐ `echo -n str`
- ☐ `echo $str`
- ☒ `echo $str|wc -c`
- ☐ None of the above
- ☐ Other: _____

21. `umask` value is set in which file

Mark only one oval.

- ☒ `/etc/profile`
- ☐ `/bin/profile`
- ☐ `/profile`
- ☐ `~profile`

22. The inode number can be printed in which command

Mark only one oval.

- ☐ `ls -li`
- ☐ `ls -i`
- ☒ Both A nd B
- ☐ None of the above

23. The -p option in mkdir allows

Mark only one oval.

- ☒ enables the command to create parent/child directories as necessary.
- ☐ prints directory information
- ☐ change directory permission
- ☐ None
- ☐ Other: _____

24. Which option is used to change directory to the root directory,

Mark only one oval.

- ☐ cd ~
- ☐ cd
- ☒ cd /
- ☐ cd root

25. Which command is used to know whether the command is internal or external?

Mark only one oval.

- ☐ list
- ☐ internal
- ☐ external
- ☒ type

26. To sort a file with numeric data in reverse order

Mark only one oval.

- ☐ sort -r
- ☐ sort -n -r
- ☐ sort -nr
- ☐ both c and d

27. Which key combination is used to close the terminal?

Mark only one oval.

- ☐ ctrl+z
- ☐ ctrl+c
- ☐ ctrl+d
- ☐ ctrl+v
- ☐ Option 2

28. Which command can be used to print only the uniq lines that are not repeated .

Mark only one oval.

- ☐ uniq
- ☐ uniq -u
- ☐ sort|uniq -u
- ☐ uniq -d

29. Which option in uniq command prints how many times a line was repeated by displaying a number as a prefix with the line.

Mark only one oval.

- ☒ sort|uniq -c
- ☐ sort|uniq -n
- ☐ sort|uniq -s
- ☐ sort |uniq -o

30. Which option about move command is true

Mark only one oval.

- ☐ It renames a file or folder.
- ☐ It moves a group of files to a different directory.
- ☐ it moves a directory to other
- ☒ All of the above

31. Which option is used to translate the text of a file from upper case to lower case?

Mark only one oval.

- ☐ translate
- ☒ tr
- ☐ replace
- ☐ alter

This content is neither created nor endorsed by Google.

Google Forms