Rebeca Gonzalez Suarez - Publication List

Contents

Metrics, $1 \bullet$ Main publications, $2 \bullet$ Publications from top, $4 \bullet$ Conference proceedings, $6 \bullet$ Full Publication list, $7 \bullet$ Public Analysis Summaries, $84 \bullet$ Public top results, $87 \bullet$ Internal Analysis Notes, 89.

Metrics

As of June 30, 2021:

	Citeable papers	Published only
Number of papers	1,049	1,008
Number of citations	124,723	124,304
Average citations per pape	r 118.9	123.3
h index	159	159

The contributions listed here are labeled when it corresponds using the following convention:

[PA = Primary Author; ED = Editor, Corresponding Author; C = Contributor; R = Review]

Additionally to this, the ten most relevant peer-reviewed publications are highlighted.

I am an ATLAS Collaboration author since 2019. I was an author of the CMS collaboration from 2006 until 2018.

Main publications

Publications in which I have had a personal contribution, in reverse chronological order. The ten most relevant publications are marked with a \star sign.

Hunt for rare processes and long-lived particles at FCC-ee, Marcin Chrzaszcz, Rebeca Gonzalez Suarez, Stéphane Monteil, arXiv:2106.15459, Submitted to the EPJ Plus "Focus Point on A Future Higgs & Electroweak Factory (FCC): Challenges towards Discovery - Part II: Physics Opportunities and Challenges" [PA, ED]

Searches for Long-Lived Particles at the FCC-ee Snowmass2021 - Letter of Interest. [PA, ED]

To catch a long-lived particle: hit selection towards a regional hardware track trigger implementation, Mikael Mårtensson, Max Isacson, Hampus Hahne, Rebeca Gonzalez Suarez, Richard Brenner, arXiv:1907.09846 JINST 14 P11009 (2019) [PA, ED]

Recent CMS results in top and Higgs physics, Rebeca Gonzalez Suarez, arXiv:1707.05054, Modern Physics Letters A, 2, Vol. 32, No. 29 (2017) 1730026 [PA, ED]

Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at sqrt(s) = 8 TeV using H to WW decays, CMS Collaboration, arXiv:1606.01522, JHEP 03 (2017) 032 [R - Higgs to WW]

Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton+jets final states produced in pp collisions at $\sqrt{s}=8$ TeV, CMS Collaboration, arXiv:1605.09047, Phys. Lett. B 762 (2016) 512 [R - ARC]

Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s}=$ 7 and 8 TeV, ATLAS and CMS Collaborations, arXiv:1606.02266, JHEP 1608 (2016) 045. [C]

Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width, *CMS Collaboration*, arXiv:1605.02329, JHEP 09 (2016) 051 [R - Higgs to WW] 500th paper of CMS

Search for s channel single top quark production in pp collisions at \sqrt{s} =7 and 8 TeV, CMS Collaboration, arXiv:1603.02555, JHEP 09 (2016) 027 [R - Single Top]

Search for anomalous single top quark production in association with a photon in pp collisions at sqrt(s) = 8 TeV, CMS Collaboration, arXiv:1511.03951, JHEP 04 (2016) 035 [R - Single Top]

Measurement of top quark polarisation in t-channel single top quark production, CMS Collaboration, arXiv:1511.02138, JHEP 04 (2016) 073 [R - Single Top]

* Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at sqrt(s) = 8 TeV, CMS Collaboration, arXiv:1509.08159, JHEP06(2016)177 [C, R-ARC] Cited by 52.

Measurement of the Charge Asymmetry in Top Quark Pair Production in pp Collisions at $\sqrt{s}=8$ TeV using a Template Method, CMS Collaboration, arXiv:1508.03862, Phys. Rev. D 93, 034014 (2016) [R-ARC]

Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method, *CMS Collaboration*, arXiv:1502.02485, Eur. Phys. J. C 75 (2015) 251 [R-ARC]

Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV, CMS Collaboration, arXiv:1412.8662, Eur. Phys. J. C 75 (2015) 212 [C]

* Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV, CMS Collaboration, arXiv:1411.3441, Phys. Rev. D 92, 012004 (2015) [PA, ED] Cited by 475.

Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at \sqrt{s} =8 TeV, CMS Collaboration, arXiv:1410.1154, JHEP01(2015)053 [R - Single Top]

- *** Search for monotop signatures in proton-proton collisions at** $\sqrt{s} = 8$ **TeV**, *CMS Collaboration*, arXiv:1410.1149, Phys. Rev. Lett. 114, 101801 (2015) [R Chair of the Review] Cited by **79**.
- * Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s}=8$ TeV, CMS Collaboration, arXiv:1401.2942, Phys. Rev. Lett. 112, 231802. [PA] Cited by $\bf 198$.

Measurement of the t-channel single-top-quark production cross section and of the $|V_{tb}|$ CKM matrix element in pp collisions at $\sqrt{s}=8$ TeV, CMS Collaboration, arXiv:1403.7366, JHEP 06 (2014) 090 [R - Single top]

Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV, CMS Collaboration, arXiv:1405.7570, Eur. Phys. J. C 74 (2014) [R-ARC]

* Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states, CMS Collaboration, arXiv:1312.1129, JHEP 01(2014)096 [PA] Cited by 443.

Snowmass 2013 Top quark working group report, (Top Quark Working Group Collaboration), arXiv:1311.2028 [C]

Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV, CMS Collaboration, arXiv:1303.4571, JHEP 1306 (2013) 081 [C]

* Evidence for associated production of a single top quark and W boson in pp collisions at 7 TeV, CMS Collaboration, arXiv:1209.3489, Phys. Rev. Lett. 110, 022003 (2013) [PA, ED] Cited by 166.

Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt(s)=7$ TeV, CMS Collaboration,arXiv:1209.6620, JHEP 1211 (2012) 147 [R-ARC]

* Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, CMS Collaboration, arXiv:1207.7235, Phys.Lett. B716 (2012) 30-61 [C] Cited by 11,745.

Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt(s)=7$ TeV, CMS Collaboration, arXiv:1204.3774, Physics Letters B 716 (2012) 260-284 [R-ARC]

- \star Search for the standard model Higgs boson decaying to a W pair in the fully leptonic final state in pp collisions at $\sqrt(s)=7$ TeV, CMS Collaboration, arXiv:1202.1489, Phys.Lett. B 710 (2012) 91-113 [C] Cited by 184.
- \star Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at 7 TeV in Lepton + Jets Events Using b-quark Jet Identification, CMS Collaboration, arXiv:1108.3773, Phys.Rev. D84 (2011) 092004 [C] Cited by 138.
- \star Measurement of W^+W^- Production and Search for the Higgs Boson in pp Collisions at $\sqrt{s}=7$ TeV, CMS Collaboration, arXiv:1102.5429, Phys.Lett. B 699 (2011) 25-47 [C] Cited by $\underline{179}$.

Publications from top

Publications submitted to journals during (or shortly after) my period as convener of the top quark physics analysis group in CMS, in reverse chronological order:

Search for new physics in top quark production in dilepton final states in proton-proton collisions at \sqrt{s} = 13 TeVs CMS Collaboration, Eur. Phys. J. C 79 (2019) 886, arXiv:1903.11144

Combinations of single-top-quark production cross-section measurements and $|f_{LV}V_{tb}|$ determinations at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS experiments ATLAS and CMS Collaborations, JHEP 05 (2019) 088, arXiv:1902.07158

Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s} = 13$ TeV CMS Collaboration, Submitted to Phys. Lett. B, arXiv:1812.10514

Measurement of the top quark mass in the all-jets final state at $\sqrt{s}=13$ TeV and combination with the lepton+jets channel CMS Collaboration, Eur. Phys. J. C 79 (2019) 313, arXiv:1812.10534

Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s}=$ 13 TeV $\it CMS$ $\it Collaboration$, Eur. Phys. J. C 79 (2019) 368, arXiv:1812.10505

Measurements of $t\bar{t}$ differential cross sections in proton-proton collisions at $\sqrt{s}=$ 13 TeV using events containing two leptons CMS Collaboration, JHEP 02 (2019) 149, arXiv:1811.06625

Measurement of jet substructure observables in $t\bar{t}$ events from proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, Phys. Rev. D 98, 092014 (2018), arXiv:1808.073403

Evidence for the associated production of a single top quark and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, Phys. Rev. Lett. 121, 221802 (2018), arXiv:1808.02913

Study of the underlying event in top quark pair production in pp collisions at 13 TeV CMS Collaboration, Eur. Phys. J. C 79 (2019) 123 arXiv:1807.02810

Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, JHEP 10 (2018) 117, arXiv:1805.07399

Measurement of the top quark mass with lepton+jets final states using pp collisions at $\sqrt{s}=13$ TeV CMS Collaboration, Eur. Phys. J. C 78 (2018) 891, arXiv:1805.01428

Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $\sqrt{s}=13$ TeV $\it CMS$ $\it Collaboration$, Phys. Rev. D 97, 112003 (2018), arXiv:1803.08856

Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, JHEP 06 (2018) 002, arXiv:1803.03991

Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s}=13$ TeV CMS Collaboration, Phys.Lett. B779 (2018) 358-384, arXiv:1712.02825

Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s}=13$ TeV CMS Collaboration, JHEP 06 (2018) 102, arXiv:1712.02399

Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton CMS Collaboration, JHEP 03 (2018) 115, arXiv:1711.03143

Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, JHEP 08 (2018) 011, arXiv:1711.02547

Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV CMS Collaboration, Eur. Phys. J. C (2018) 78: 140, arXiv:1710.10614

Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV CMS and ATLAS Collaborations, JHEP 04 (2018) 033, arXiv:1709.05327

Measurement of normalized differential $t\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV CMS Collaboration, JHEP 04 (2018) 060, arXiv:1708.07638

Measurement of the semileptonic $t\bar{t}+\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV CMS Collaboration, JHEP 10 (2017) 006, arXiv:1706.08128

Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at \sqrt{s} = 13 TeV *CMS Collaboration*, Phys. Lett. B 776 (2017) 355, arXiv:1705.10141

Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables M_{bl} , M_{T2} , and M_{lb} in pp collisions at $\sqrt{s}=$ 8 TeV CMS Collaboration, Phys. Rev. D 96 (2017) 032002, arXiv:1704.06142

Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at \sqrt{s} = 8 TeV CMS Collaboration, Eur. Phys. J. C 77 (2017) 467, arXiv:1703.06330

Measurement of the top quark mass using single top quark events in proton-proton collisions at \sqrt{s} = 8 TeV *CMS Collaboration*, EPJC 77 (2017) 354, arXiv:1703.02530

Measurement of double-differential cross sections for top quark pair production in pp collisions at \sqrt{s} = 8 TeV and impact on parton distribution functions *CMS Collaboration*, EPJC 77 (2017) 459, arXiv:1703.01630

Search for standard model production of four top quarks in proton-proton collisions at \sqrt{s} = 13 TeV, CMS Collaboration, Phys. Lett. B 772 (2017) 336, arXiv:1702.06164

Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at \sqrt{s} = 8 TeV, CMS Collaboration, JHEP 07 (2017) 003, arXiv:1702.01404

Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at \sqrt{s} =13 TeV, CMS Collaboration, JHEP 09 (2017) 051, arXiv:1701.06228

Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s}=$ 8 TeV, CMS Collaboration, JHEP 03 (2017) 101, arXiv:1611.08931

Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s}=13$ TeV, CMS Collaboration, EPJC 77 (2017) 172, arXiv:1611.04040

Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8$ TeV , CMS Collaboration, Phys. Lett. B 770 (2017) 50, arXiv:1610.09551

Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s}=8$ TeV, CMS Collaboration, JHEP 02 (2017) 079, arXiv:1610.04857

Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV, CMS Collaboration, Phys. Rev. D 95, 092001 (2017), arXiv:1610.04191

Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV, CMS Collaboration, Phys. Lett. B 772 (2017) 752, arXiv:1610.00678

Conference proceedings

Long-Lived Particles at Future Colliders, *Rebeca Gonzalez Suarez*, Proceedings for the XXVII Epiphany Conference, submitted to be published in the June 2021 issue of Acta Physica Polonica B, arXiv:2102.07597

Run-1 Single-top measurements at CMS, Rebeca Gonzalez Suarez, Proceedings DPF 2015, arXiv:1510.05235

Inclusive single top cross section at the LHC, *Rebeca Gonzalez Suarez on behalf of the CMS and ATLAS collaborations*, Proceedings TOP 2013, DOI:10.3204/DESY-PROC-2014-02/16

Single top Production at $\sqrt{s}=7$ TeV, Rebeca Gonzalez Suarez on behalf of the CMS, ATLAS collaborations, Proceedings Moriond 2012, arXiv:1205.2786

Higgs search prospects at the LHC, *Rebeca Gonzalez Suarez*, Proceedings BEACH 2010, Nucl.Phys.Proc.Suppl. 210-211 (2011) 283-288

Discovery Potential for the SM Higgs Boson in the $H\to WW^*\to 2l2\nu$ channel at LHC, Rebeca Gonzalez Suarez, Proceedings ICHEP 2008, arXiv:0810.1468

A Software and Computing prototype for CMS Muon System alignment, (Iban Cabrillo, Isidro Gonzalez Caballero, Rebeca Gonzalez Suarez...), Proceedings CHEP 2007, Journal of Physics: Conference Series 119 (2008) 072008

Full Publication list

Full list of publications of which I am an author, in reverse chronological order:

- G. Aad et al. [ATLAS Collaboration], "Measurement of the $t\bar{t}t\bar{t}$ production cross section in pp collisions at \sqrt{s} =13 TeV with the ATLAS detector," [arXiv:2106.11683 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for R-parity violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data," [arXiv:2106.09609 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents," [arXiv:2106.09287 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Configuration and performance of the ATLAS b-jet triggers in Run 2," [arXiv:2106.03584 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector," [arXiv:2106.01676 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for new phenomena in final states with two leptons and one or no b-tagged jets at $\sqrt{s}=13$ TeV using the ATLAS detector," [arXiv:2105.13847 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for lepton-flavor-violation in Z-boson decays with τ -leptons with the ATLAS detector," [arXiv:2105.12491 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Performance of the ATLAS Level-1 topological trigger in Run 2," [arXiv:2105.01416 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," [arXiv:2104.13240 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "A search for the decays of stopped long-lived particles at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2104.03050 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2103.12603 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for supersymmetry in events with four or more charged leptons in $139\,\mathrm{fb}^{-1}$ of $\sqrt{s}=13\,\mathrm{TeV}~pp$ collisions with the ATLAS detector," [arXiv:2103.11684 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," [arXiv:2103.10322 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurements of $W^+W^-+\geq 1$ jet production cross-sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2103.10319 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for bottom-squark pair production in pp collision events at $\sqrt{s}=13$ TeV with hadronically decaying τ -leptons, b-jets and missing transverse momentum using the ATLAS detector," [arXiv:2103.08189 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector," [arXiv:2103.01918 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for resonances decaying into photon pairs in 139 fb⁻¹ of pp colli-

- sions at $\sqrt{s} = 13$ TeV with the ATLAS detector," [arXiv:2102.13405 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13$ TeV," [arXiv:2103.01029 [physics.ins-det]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," [arXiv:2102.10874 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for charged Higgs bosons decaying into a top quark and a bottom quark at \sqrt{s} =13 TeV with the ATLAS detector," [arXiv:2102.10076 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Emulating the impact of additional proton-proton interactions in the ATLAS simulation by pre-sampling sets of inelastic Monte Carlo events," [arXiv:2102.09495 [hep-ex]].
- R. Gonzalez Suarez, "Long-Lived Particles at Future Colliders," [arXiv:2102.07597 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2102.01444 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector," [arXiv:2101.12527 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV," [arXiv:2101.11961 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a τ -lepton in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2101.11582 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS," [arXiv:2101.10771 [nucl-ex]].
- G. Aad et al. [ATLAS Collaboration], "Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets," [arXiv:2101.05095 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "The ATLAS Fast TracKer System," [arXiv:2101.05078 [physics.ins-det]].
- G. Aad et al. [ATLAS Collaboration], "Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2101.01629 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at \sqrt{s} = 13 TeV with the ATLAS detector," [arXiv:2012.03799 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV," [arXiv:2012.00578 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV with ATLAS," [arXiv:2011.12211 [nucl-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for trilepton resonances from chargino and neutralino pair production in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector," [arXiv:2011.10543 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector," [arXiv:2011.09308 [hep-ex]].

- G. Aad et al. [ATLAS Collaboration], "Measurements of Higgs Bosons Decaying to Bottom Quarks from Vector Boson Fusion Production with the ATLAS Experiment at $\sqrt{s}=13$ TeV," [arXiv:2011.08280 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for displaced leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector," [arXiv:2011.07812 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell bb$ and $\ell\ell WW$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2011.05639 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," JHEP **02**, 226 (2021) doi:10.1007/JHEP02(2021)226 [arXiv:2011.05259 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb⁻¹ of \sqrt{s} =13 TeV pp collision data with the ATLAS detector," JHEP **02**, 143 (2021) doi:10.1007/JHEP02(2021)143 [arXiv:2010.14293 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at \sqrt{s} =13 TeV with the ATLAS detector," [arXiv:2010.13651 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for dark matter produced in association with a dark Higgs boson decaying into $W^{\pm}W^{\mp}$ or ZZ in fully hadronic final states from $\sqrt{s}=13$ TeV pp collisions recorded with the ATLAS detector," Phys. Rev. Lett. **126**, 121802 (2021) doi:10.1103/PhysRevLett.126.121802 [arXiv:2010.06548 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Observation of photon-induced W^+W^- production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector," Phys. Lett. B **816**, 136190 (2021) doi:10.1016/j.physletb.2021.136190 [arXiv:2010.04019 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Charged-lepton-flavour violation at the LHC: a search for $Z\to e\tau/\mu\tau$ decays with the ATLAS detector," [arXiv:2010.02566 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2010.02098 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC," Eur. Phys. J. C **81**, no.1, 11 (2021) doi:10.1140/epjc/s10052-020-08730-0 [arXiv:2010.01015 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS," Phys. Rev. Lett. **125**, no.26, 261801 (2020) doi:10.1103/PhysRevLett.125.261801 [arXiv:2009.14537 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell'^+\ell'^-$ and $\ell^+\ell^-\nu\bar{\nu}$ final states using 139 fb $^{-1}$ of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2009.14791 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton–proton collisions," [arXiv:2009.04986 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector," Phys. Rev. Lett. **126**, no.7, 072301 (2021) doi:10.1103/PhysRevLett.126.072301 [arXiv:2008.09811 [nucl-ex]].

- G. Aad *et al.* [ATLAS Collaboration], "Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Eur. Phys. J. C **81**, no.3, 218 (2021) doi:10.1140/epjc/s10052-021-08929-9 [arXiv:2008.07949 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC," JHEP 10, 062 (2020) doi:10.1007/JHEP10(2020)062 [arXiv:2008.06032 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for heavy resonances decaying into a photon and a hadronically decaying Higgs boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Phys. Rev. Lett. **125**, 251802 (2020) doi:10.1103/PhysRevLett.125.251802 [arXiv:2008.05928 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurement of light-by-light scattering and search for axion-like particles with 2.2 $\rm nb^{-1}$ of Pb+Pb data with the ATLAS detector," [arXiv:2008.05355 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," [arXiv:2008.02508 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Evidence for $t\bar{t}t\bar{t}$ production in the multilepton final state in proton–proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Eur. Phys. J. C **80**, no.11, 1085 (2020) doi:10.1140/epjc/s10052-020-08509-3 [arXiv:2007.14858 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS," JHEP **11**, 163 (2020) doi:10.1007/JHEP11(2020)163 [arXiv:2007.14811 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Test of the universality of τ and μ lepton couplings in W-boson decays from $t\bar{t}$ events with the ATLAS detector," [arXiv:2007.14040 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Measurement of hadronic event shapes in high-p $_T$ multijet final states at $\sqrt{s}=13$ TeV with the ATLAS detector," JHEP **01**, 188 (2021) doi:10.1007/JHEP01(2021)188 [arXiv:2007.12600 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Operation of the ATLAS trigger system in Run 2," JINST 15, no.10, P10004 (2020) doi:10.1088/1748-0221/15/10/P10004 [arXiv:2007.12539 [physics.ins-det]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton—proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Phys. Rev. D **102**, 112008 (2020) doi:10.1103/PhysRevD.102.112008 [arXiv:2007.05293 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector," Phys. Lett. B **812**, 135980 (2021) doi:10.1016/j.physletb.2020.135980 [arXiv:2007.07830 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Alignment of the ATLAS Inner Detector in Run-2," Eur. Phys. J. C **80**, no.12, 1194 (2020) doi:10.1140/epjc/s10052-020-08700-6 [arXiv:2007.07624 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $tW\gamma$ production in the e μ channel at 13 TeV with the ATLAS detector," JHEP **09**, 049 (2020) doi:10.1007/JHEP09(2020)049 [arXiv:2007.06946 [hep-ex]].
- G. Aad et~al. [ATLAS Collaboration], "Measurements of WH and ZH production in the $H\to b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector," Eur. Phys. J. C $\bf 81$, no.2, 178 (2021) doi:10.1140/epjc/s10052-020-08677-2 [arXiv:2007.02873 [hep-ex]].

- G. Aad et al. [ATLAS Collaboration], "Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," [arXiv:2007.02645 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS," Eur. Phys. J. C **81**, no.2, 163 (2021) doi:10.1140/epjc/s10052-020-08734-w [arXiv:2006.15458 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Measurement of the $t\bar{t}$ production cross-section in the lepton+jets channel at $\sqrt{s}=13$ TeV with the ATLAS experiment," Phys. Lett. B **810**, 135797 (2020) doi:10.1016/j.physletb.2020.135797 [arXiv:2006.13076 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector," JHEP 11, 005 (2020) doi:10.1007/JHEP11(2020)005 [arXiv:2006.12946 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector," JHEP **01**, 033 (2021) doi:10.1007/JHEP01(2021)033 [arXiv:2006.09274 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for top squarks in events with a Higgs or Z boson using 139 fb⁻¹ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector," Eur. Phys. J. C **80**, no.11, 1080 (2020) doi:10.1140/epjc/s10052-020-08469-8 [arXiv:2006.05880 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector," JHEP ${\bf 10},\,112$ (2020) doi:10.1007/JHEP10(2020)112 [arXiv:2006.05872 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **102**, 112006 (2020) doi:10.1103/PhysRevD.102.112006 [arXiv:2005.12236 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking," JHEP **08**, 080 (2020) doi:10.1007/JHEP08(2020)080 [arXiv:2005.09554 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "A search for the $Z\gamma$ decay mode of the Higgs boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Phys. Lett. B **809**, 135754 (2020) doi:10.1016/j.physletb.2020.135754 [arXiv:2005.05382 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," JHEP **10**, 061 (2020) doi:10.1007/JHEP10(2020)061 [arXiv:2005.05138 [hep-ex]].
- G. Aad *et al.* [CMS and ATLAS], "Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s}=8$ TeV," JHEP **08**, no.08, 051 (2020) doi:10.1007/JHEP08(2020)051 [arXiv:2005.03799 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Dijet resonance search with weak supervision using $\sqrt{s}=13$ TeV pp collisions in the ATLAS detector," Phys. Rev. Lett. **125**, no.13, 131801 (2020) doi:10.1103/PhysRevLett.125.131801 [arXiv:2005.02983 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Eur. Phys. J. C **80**, no.12, 1165 (2020) doi:10.1140/epjc/s10052-020-08554-y [arXiv:2004.14636 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector," Eur. Phys. J. C **80**, no.8, 737

- (2020) doi:10.1140/epjc/s10052-020-8102-8 [arXiv:2004.14060 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Performance of the ATLAS muon triggers in Run 2," JINST **15**, no.09, P09015 (2020) doi:10.1088/1748-0221/15/09/p09015 [arXiv:2004.13447 [physics.ins-det]].
- G. Aad *et al.* [ATLAS Collaboration], "CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and tH Processes Using $H\to\gamma\gamma$ with the ATLAS Detector," Phys. Rev. Lett. **125**, no.6, 061802 (2020) doi:10.1103/PhysRevLett.125.061802 [arXiv:2004.04545 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **80**, no.10, 942 (2020) doi:10.1140/epjc/s10052-020-8223-0 [arXiv:2004.03969 [hep-ex]].
- G. Aad *et al.* [ATLAS Collaboration], "Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at \sqrt{s} =13 TeV with the ATLAS detector," Eur. Phys. J. C **80**, no.10, 957 (2020) [erratum: Eur. Phys. J. C **81**, no.1, 29 (2021)] doi:10.1140/epjc/s10052-020-8227-9 [arXiv:2004.03447 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector," Phys. Rev. Lett. **125**, no.22, 221802 (2020) doi:10.1103/PhysRevLett.125.221802 [arXiv:2004.01678 [hep-ex]].
- G. Aad et~al.~ [ATLAS Collaboration], "Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," JHEP $\bf 07$, 044 (2020) doi:10.1007/JHEP07(2020)044 [arXiv:2003.11960 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of central exclusive $\pi^+\pi^-$ production in proton-proton collisions at $\sqrt{s}=5.02$ and 13 TeV," Eur. Phys. J. C **80**, no.8, 718 (2020) doi:10.1140/epjc/s10052-020-8166-5 [arXiv:2003.02811 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS and TOTEM], "Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=8$ TeV with the CMS and TOTEM experiments," Eur. Phys. J. C **80**, no.12, 1164 (2020) doi:10.1140/epjc/s10052-020-08562-y [arXiv:2002.12146 [hep-ex]].
- G. Aad et al. [ATLAS Collaboration], "Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **125**, no.5, 051801 (2020) doi:10.1103/PhysRevLett.125.051801 [arXiv:2002.12223 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements with silicon photomultipliers of dose-rate effects in the radiation damage of plastic scintillator tiles in the CMS hadron endcap calorimeter," JINST 15, no.06, P06009 (2020) doi:10.1088/1748-0221/15/06/P06009 [arXiv:2001.06553 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **05**, 052 (2020) doi:10.1007/JHEP05(2020)052 [arXiv:2001.04521 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 034 (2020) doi:10.1007/JHEP03(2020)034 [arXiv:1912.01594 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 103 (2020) doi:10.1007/JHEP03(2020)103 [arXiv:1911.10267 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new neutral Higgs bosons through the H \to ZA $\to \ell^+\ell^-$ bb process in pp collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 055 (2020) doi:10.1007/JHEP03(2020)055 [arXiv:1911.03781 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Studies of charm quark diffusion inside jets using PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV," Phys. Rev. Lett. **125**, no.10, 102001 (2020) doi:10.1103/PhysRevLett.125.102001 [arXiv:1911.01461 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $\sqrt{s} = 13$ TeV," JHEP **03**, 065 (2020) doi:10.1007/JHEP03(2020)065 [arXiv:1910.11634 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **03**, 014 (2020) doi:10.1007/JHEP03(2020)014 [arXiv:1910.08815 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s_{_{\mathrm{NN}}}}=2.76$ and 5.02 TeV," Eur. Phys. J. C **80**, no.6, 534 (2020) doi:10.1140/epjc/s10052-020-7834-9 [arXiv:1910.08789 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Strange hadron production in pp and pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Rev. C **101**, no.6, 064906 (2020) doi:10.1103/PhysRevC.101.064906 [arXiv:1910.04812 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark polarization and $t\bar{t}$ spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **100**, no.7, 072002 (2019) doi:10.1103/PhysRevD.100.072002 [arXiv:1907.03729 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of J/ ψ meson production inside jets in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **804**, 135409 (2020) doi:10.1016/j.physletb.2020.135409 [arXiv:1910.01686 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s}=13$ TeV," JINST **15**, no.05, P05002 (2020) doi:10.1088/1748-0221/15/05/P05002 [arXiv:1910.00079 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Evidence for WW production from double-parton interactions in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **80**, no.1, 41 (2020) doi:10.1140/epjc/s10052-019-7541-6 [arXiv:1909.06265 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **803**, 135285 (2020) doi:10.1016/j.physletb.2020.135285 [arXiv:1909.05306 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for electroweak production of a vector-like T quark using fully hadronic final states," JHEP **01**, 036 (2020) doi:10.1007/JHEP01(2020)036 [arXiv:1909.04721 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **100**, no.11, 112007 (2019) doi:10.1103/PhysRevD.100.112007 [arXiv:1909.04114 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **01**, 096 (2020) doi:10.1007/JHEP01(2020)096 [arXiv:1908.09206 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s} = 13$ TeV," JHEP **11**, 109 (2019) doi:10.1007/JHEP11(2019)109 [arXiv:1908.08500 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 025 (2020) doi:10.1007/JHEP03(2020)025 [arXiv:1908.01713 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Measurement of the average very forward energy as a function of

- the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.11, 893 (2019) doi:10.1140/epjc/s10052-019-7402-3 [arXiv:1908.01750 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **04**, 171 (2020) doi:10.1007/JHEP04(2020)171 [arXiv:1908.01115 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for direct pair production of supersymmetric partners to the τ lepton in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **80**, no.3, 189 (2020) doi:10.1140/epjc/s10052-020-7739-7 [arXiv:1907.13179 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 056 (2020) doi:10.1007/JHEP03(2020)056 [arXiv:1907.11270 [hep-ex]].
- M. Mårtensson, M. Isacson, H. Hahne, R. Gonzalez Suarez and R. Brenner, "To catch a long-lived particle: hit selection towards a regional hardware track trigger implementation," JINST **14**, no.11, P11009 (2019) doi:10.1088/1748-0221/14/11/P11009 [arXiv:1907.09846 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **12**, 062 (2019) doi:10.1007/JHEP12(2019)062 [arXiv:1907.08354 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **80**, no.5, 370 (2020) doi:10.1140/epjc/s10052-020-7858-1 [arXiv:1907.08330 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **79**, no.11, 969 (2019) doi:10.1140/epjc/s10052-019-7451-7 [arXiv:1907.08155 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **800**, 135087 (2020) doi:10.1016/j.physletb.2019.135087 [arXiv:1907.07235 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets," Phys. Rev. Lett. **123**, no.24, 241801 (2019) doi:10.1103/PhysRevLett.123.241801 [arXiv:1907.06275 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of the $B^+ \to J/\psi \overline{\Lambda} p$ decay in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **12**, 100 (2019) doi:10.1007/JHEP12(2019)100 [arXiv:1907.05461 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for MSSM Higgs bosons decaying to $\mu + \mu$ in proton-proton collisions at s=13TeV," Phys. Lett. B **798**, 134992 (2019) doi:10.1016/j.physletb.2019.134992 [arXiv:1907.03152 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **100**, no.7, 072007 (2019) doi:10.1103/PhysRevD.100.072007 [arXiv:1907.01590 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combined search for supersymmetry with photons in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **801**, 135183 (2020) doi:10.1016/j.physletb.2019.135183 [arXiv:1907.00857 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of vectorlike quarks in the fully hadronic final state," Phys. Rev. D **100**, no.7, 072001 (2019) doi:10.1103/PhysRevD.100.072001 [arXiv:1906.11903 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Search for long-lived particles using nonprompt jets and missing transverse

- momentum with proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **797**, 134876 (2019) doi:10.1016/j.physletb.2019.13487 [arXiv:1906.06441 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "A multi-dimensional search for new heavy resonances decaying to boosted WW, WZ, or ZZ boson pairs in the dijet final state at 13 TeV," Eur. Phys. J. C **80**, no.3, 237 (2020) doi:10.1140/epjc/s10052-020-7773-5 [arXiv:1906.05977 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Production of Λ_c^+ baryons in proton-proton and lead-lead collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV," Phys. Lett. B **803**, 135328 (2020) doi:10.1016/j.physletb.2020.135328 [arXiv:1906.03322 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 082 (2019) doi:10.1007/JHEP11(2019)082 [arXiv:1906.02805 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons," Phys. Lett. B **798**, 134952 (2019) doi:10.1016/j.physletb.2019.134952 [arXiv:1906.00057 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **08**, 150 (2019) doi:10.1007/JHEP08(2019)150 [arXiv:1905.13059 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for vector-like leptons in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **100**, no.5, 052003 (2019) doi:10.1103/PhysRevD.100.052003 [arXiv:1905.10853 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Higgs and Z boson decays to J/ψ or Y pairs in the four-muon final state in proton-proton collisions at s=13TeV," Phys. Lett. B **797**, 134811 (2019) doi:10.1016/j.physletb.2019.134811 [arXiv:1905.10408 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at \sqrt{s} =13 TeV," Phys. Rev. Lett. **123**, no.23, 231803 (2019) doi:10.1103/PhysRevLett.123.231803 [arXiv:1905.10331 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Correlations of azimuthal anisotropy Fourier harmonics with subevent cumulants in pPb collisions at $\sqrt{s_{NN}}$ =8.16TeV," Phys. Rev. C **103**, no.1, 014902 (2021) doi:10.1103/PhysRevC.103.014902 [arXiv:1905.09935 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a light charged Higgs boson decaying to a W boson and a CP-odd Higgs boson in final states with $e\mu\mu$ or $\mu\mu\mu$ in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **123**, no.13, 131802 (2019) doi:10.1103/PhysRevLett.123.131802 [arXiv:1905.07453 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV," Phys. Lett. B 798, 134985 (2019) doi:10.1016/j.physletb.2019.134985 [arXiv:1905.07445 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the production of W $^\pm$ W $^\pm$ W $^\mp$ events at $\sqrt{s}=13$ TeV," Phys. Rev. D **100**, no.1, 012004 (2019) doi:10.1103/PhysRevD.100.012004 [arXiv:1905.04246 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of nuclear modifications in W $^{\pm}$ boson production in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 8.16$ TeV," Phys. Lett. B **800**, 135048 (2020) doi:10.1016/j.physletb.2019.135048 [arXiv:1905.01486 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Multiparticle correlation studies in pPb collisions at $\sqrt{s_{\rm NN}}=8.16$ TeV," Phys. Rev. C **101**, no.1, 014912 (2020) doi:10.1103/PhysRevC.101.014912 [arXiv:1904.11519 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of $t\bar{t}$ normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions," Eur. Phys. J. C **80**, no.7, 658 (2020) doi:10.1140/epjc/s10052-020-7917-7 [arXiv:1904.05237 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonances decaying to a pair of Higgs bosons in the $b\overline{b}q\overline{q}'\ell\nu$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **10**, 125 (2019) doi:10.1007/JHEP10(2019)125 [arXiv:1904.04193 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements," Eur. Phys. J. C 80, no.1, 4 (2020) doi:10.1140/epjc/s10052-019-7499-4 [arXiv:1903.12179 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.11, 886 (2019) doi:10.1140/epjc/s10052-019-7387-y [arXiv:1903.11144 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a low-mass $\tau^+\tau^-$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **05**, 210 (2019) doi:10.1007/JHEP05(2019)210 [arXiv:1903.10228 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV," JHEP **06**, 143 (2019) doi:10.1007/JHEP06(2019)143 [arXiv:1903.07070 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to τ lepton pairs," Phys. Rev. D **100**, no.11, 112002 (2019) doi:10.1103/PhysRevD.100.112002 [arXiv:1903.06973 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s}=13$ TeV using the CMS detector," JINST **14**, no.07, P07004 (2019) doi:10.1088/1748-0221/14/07/P07004 [arXiv:1903.06078 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for charged Higgs bosons in the H $^\pm \to \tau^\pm \nu_\tau$ decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **07**, 142 (2019) doi:10.1007/JHEP07(2019)142 [arXiv:1903.04560 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of electroweak production of a W boson in association with two jets in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **80**, no.1, 43 (2020) doi:10.1140/epjc/s10052-019-7585-7 [arXiv:1903.04040 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "An embedding technique to determine $\tau\tau$ backgrounds in proton-proton collision data," JINST **14**, no.06, P06032 (2019) doi:10.1088/1748-0221/14/06/P06032 [arXiv:1903.01216 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13$ TeV," Eur. Phys. J. C **79**, no.7, 564 (2019) doi:10.1140/epjc/s10052-019-7058-z [arXiv:1903.00941 [hep-ex]].
- M. Aaboud *et al.* [ATLAS and CMS], "Combinations of single-top-quark production cross-section measurements and $|f_{LV}V_{tb}|$ determinations at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS experiments," JHEP **05**, 088 (2019) doi:10.1007/JHEP05(2019)088 [arXiv:1902.07158 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.9, 773 (2019) doi:10.1140/epjc/s10052-019-7276-4 [arXiv:1902.04374 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{\mathrm{NN}}}=5.44$ TeV," Phys. Lett. B **799**, 135049 (2019) doi:10.1016/j.physletb.2019.135049 [arXiv:1902.03603 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of exclusive $\rho(770)^0$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV," Eur. Phys. J. C **79**, no.8, 702 (2019) doi:10.1140/epjc/s10052-019-7202-9 [arXiv:1902.01339 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of Two Excited B_c⁺ States and Measurement of the B_c⁺(2S) Mass in pp Collisions at $\sqrt{s} = 13$ TeV," Phys. Rev. Lett. **122**, no.13, 132001 (2019) doi:10.1103/PhysRevLett.122.132001 [arXiv:1902.00571 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Search for W boson decays to three charged pions," Phys. Rev. Lett. **122**, no.15, 151802 (2019) doi:10.1103/PhysRevLett.122.151802 [arXiv:1901.11201 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{\rm NN}} = 5.44$ TeV," Phys. Rev. C **100**, no.4, 044902 (2019) doi:10.1103/PhysRevC.100.044902 [arXiv:1901.07997 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with a photon, jets, b-jets, and missing transverse momentum in proton–proton collisions at 13 TeV," Eur. Phys. J. C **79**, no.5, 444 (2019) doi:10.1140/epjc/s10052-019-6926-x [arXiv:1901.06726 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **795**, 281-307 (2019) doi:10.1016/j.physletb.2019.05.042 [arXiv:1901.04060 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the pp \to WZ inclusive and differential production cross section and constraints on charged anomalous triple gauge couplings at $\sqrt{s}=13$ TeV," JHEP **04**, 122 (2019) doi:10.1007/JHEP04(2019)122 [arXiv:1901.03428 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 141 (2019) doi:10.1007/JHEP03(2019)141 [arXiv:1901.01553 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the pair production of light top squarks in the $e^{\pm}\mu^{\mp}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 101 (2019) doi:10.1007/JHEP03(2019)101 [arXiv:1901.01288 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state," Phys. Rev. D **99**, no.11, 112003 (2019) doi:10.1103/PhysRevD.99.112003 [arXiv:1901.00174 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the $\rm t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.5, 368 (2019) doi:10.1140/epjc/s10052-019-6863-8 [arXiv:1812.10505 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **12**, 059 (2019) doi:10.1007/JHEP12(2019)059 [arXiv:1812.10529 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark mass in the all-jets final state at $\sqrt{s}=13$ TeV and combination with the lepton+jets channel," Eur. Phys. J. C **79**, no.4, 313 (2019) doi:10.1140/epjc/s10052-019-6788-2 [arXiv:1812.10534 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **800**, 135042 (2020) doi:10.1016/j.physletb.2019.135042 [arXiv:1812.10514 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **04**, 114 (2019) doi:10.1007/JHEP04(2019)114 [arXiv:1812.10443 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.4, 364 (2019) doi:10.1140/epjc/s10052-019-6855-8 [arXiv:1812.09768 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton+jets final state in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.3, 208 (2019) doi:10.1140/epjc/s10052-019-6688-5 [arXiv:1812.06489 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s}=13$ TeV," Phys. Lett. B **792**, 369-396 (2019) doi:10.1016/j.physletb.2019.03.059 [arXiv:1812.06504 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Inclusive search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV using razor variables and boosted object identification in zero and one lepton final states," JHEP **03**, 031 (2019) doi:10.1007/JHEP03(2019)031 [arXiv:1812.06302 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV," Phys. Lett. B **795**, 398-423 (2019) doi:10.1016/j.physletb.2019.06.021 [arXiv:1812.06359 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at \sqrt{s} =13 TeV," Phys. Rev. Lett. **122**, no.13, 132003 (2019) doi:10.1103/PhysRevLett.122.132003 [arXiv:1812.05900 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **01**, 154 (2019) doi:10.1007/JHEP01(2019)154 [arXiv:1812.04066 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.5, 391 (2019) doi:10.1140/epjc/s10052-019-6861-x [arXiv:1812.04095 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of inclusive very forward jet cross sections in proton-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV," JHEP **05**, 043 (2019) doi:10.1007/JHEP05(2019)043 [arXiv:1812.01691 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV," Phys. Lett. B **796**, 131-154 (2019) doi:10.1016/j.physletb.2019.07.013 [arXiv:1812.00380 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.3, 269 (2019) doi:10.1140/epjc/s10052-019-6752-1 [arXiv:1811.10021 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV," Phys. Lett. B **795**, 76-99 (2019) doi:10.1016/j.physletb.2019.05.046 [arXiv:1811.10151 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combination of searches for Higgs boson pair production in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **122**, no.12, 121803 (2019) doi:10.1103/PhysRevLett.122.121803 [arXiv:1811.09689 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **99**, no.9, 092005 (2019) doi:10.1103/PhysRevD.99.092005 [arXiv:1811.09696 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.4, 305 (2019) doi:10.1140/epjc/s10052-019-6800-x [arXiv:1811.09760 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV," Phys. Lett. B **793**, 320-347 (2019) doi:10.1016/j.physletb.2019.03.064 [arXiv:1811.08459 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for long-lived particles decaying into displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **99**, no.3, 032011 (2019) doi:10.1103/PhysRevD.99.032011 [arXiv:1811.07991 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state," JHEP **03**, 127 (2019) doi:10.1007/JHEP03(2019)127 [arXiv:1811.07010 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **79**, no.3, 280 (2019) doi:10.1140/epjc/s10052-019-6730-7 [arXiv:1811.06562 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of $t\bar{t}$ differential cross sections in proton-proton collisions at $\sqrt{s}=13$ TeV using events containing two leptons," JHEP **02**, 149 (2019) doi:10.1007/JHEP02(2019)149 [arXiv:1811.06625 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for excited leptons in $\ell\ell\gamma$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **04**, 015 (2019) doi:10.1007/JHEP04(2019)015 [arXiv:1811.03052 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of first-generation scalar leptoquarks at $\sqrt{s} = 13$ TeV," Phys. Rev. D **99**, no.5, 052002 (2019) doi:10.1103/PhysRevD.99.052002 [arXiv:1811.01197 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two τ leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 170 (2019) doi:10.1007/JHEP03(2019)170 [arXiv:1811.00806 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **12**, 117 (2018) doi:10.1007/JHEP12(2018)117 [arXiv:1811.00588 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for nonresonant Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state at $\sqrt{s}=13$ TeV," JHEP **04**, 112 (2019) doi:10.1007/JHEP04(2019)112 [arXiv:1810.11854 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **99**, no.1, 012005 (2019) doi:10.1103/PhysRevD.99.012005 [arXiv:1810.11822 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $Q^2=4~{\rm GeV^2}$," Phys. Rev. Lett. **123**, no.2, 022001 (2019) doi:10.1103/PhysRevLett.123.022001 [arXiv:1810.11102 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for rare decays of Z and Higgs bosons to J/ ψ and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.2, 94 (2019) doi:10.1140/epjc/s10052-019-6562-5 [arXiv:1810.10056 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new particles decaying to a jet and an emerging jet," JHEP **02**, 179 (2019) doi:10.1007/JHEP02(2019)179 [arXiv:1810.10069 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair-produced three-jet resonances in proton-proton collisions at \sqrt{s} =13 TeV," Phys. Rev. D **99**, no.1, 012010 (2019) doi:10.1103/PhysRevD.99.012010 [arXiv:1810.10092 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **04**, 031 (2019) doi:10.1007/JHEP04(2019)031 [arXiv:1810.05905 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV," Phys. Rev. C **100**, no.2, 024902 (2019) doi:10.1103/PhysRevC.100.024902 [arXiv:1810.05745 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV," Phys. Lett. B **797**, 134826 (2019) doi:10.1016/j.physletb.2019.134826 [arXiv:1810.04602 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 082 (2019) doi:10.1007/JHEP03(2019)082 [arXiv:1810.03188 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of B_s^0 meson production in pp and PbPb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV," Phys. Lett. B **796**, 168-190 (2019) doi:10.1016/j.physletb.2019.07.014 [arXiv:1810.03022 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of prompt J/ ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{\mathrm{NN}}}=8.16$ TeV," Phys. Lett. B **791**, 172-194 (2019) doi:10.1016/j.physletb.2019.02.018 [arXiv:1810.01473 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **02**, 074 (2019) doi:10.1007/JHEP02(2019)074 [arXiv:1810.00196 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of exclusive Υ photoproduction from protons in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV," Eur. Phys. J. C **79**, no.3, 277 (2019) doi:10.1140/epjc/s10052-019-6774-8 [arXiv:1809.11080 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combined measurements of Higgs boson couplings in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **79**, no.5, 421 (2019) doi:10.1140/epjc/s10052-019-6909-y [arXiv:1809.10733 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, 90 (2019) doi:10.1140/epjc/s10052-019-6556-3 [arXiv:1809.08597 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Rev. Lett. **122**, no.15, 152001 (2019) doi:10.1103/PhysRevLett.122.152001 [arXiv:1809.08602 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **793**, 520-551 (2019) doi:10.1016/j.physletb.2019.04.025 [arXiv:1809.05937 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for leptoquarks coupled to third-generation quarks in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **121**, no.24, 241802 (2018) doi:10.1103/PhysRevLett.121.241802 [arXiv:1809.05558 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s}=13$ TeV via Higgs boson decays to τ leptons," JHEP **06**, 093 (2019) doi:10.1007/JHEP06(2019)093 [arXiv:1809.03590 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Studies of $B_{s2}^*(5840)^0$ and $B_{s1}(5830)^0$ mesons including the observation of the $B_{s2}^*(5840)^0 \to B^0 K_S^0$ decay in proton-proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **78**, no.11, 939 (2018) doi:10.1140/epjc/s10052-018-6390-z [arXiv:1809.03578 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Performance of reconstruction and identification of τ leptons decaying to hadrons and ν_{τ} in pp collisions at $\sqrt{s}=13$ TeV," JINST **13**, no.10, P10005 (2018) doi:10.1088/1748-0221/13/10/P10005 [arXiv:1809.02816 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **98**, no.9, 092001 (2018) doi:10.1103/PhysRevD.98.092001 [arXiv:1809.00327 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\mathrm{NN}}} = 5.44$ TeV," JHEP **10**, 138 (2018) doi:10.1007/JHEP10(2018)138 [arXiv:1809.00201 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of Higgs boson decay to bottom quarks," Phys. Rev. Lett. **121**, no.12, 121801 (2018) doi:10.1103/PhysRevLett.121.121801 [arXiv:1808.08242 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of jet substructure observables in $t\bar{t}$ events from proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **98**, no.9, 092014 (2018) doi:10.1103/PhysRevD.98.092014 [arXiv:1808.07340 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 115 (2018) doi:10.1007/JHEP11(2018)115 [arXiv:1808.06575 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of second-generation leptoquarks at $\sqrt{s}=13$ TeV," Phys. Rev. D **99**, no.3, 032014 (2019) doi:10.1103/PhysRevD.99.032014 [arXiv:1808.05082 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for an $L_{\mu}-L_{\tau}$ gauge boson using Z $\rightarrow 4\mu$ events in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **792**, 345-368 (2019) doi:10.1016/j.physletb.2019.01.072 [arXiv:1808.03684 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at \sqrt{s} =13 TeV," Phys. Rev. D **98**, no.9, 092011 (2018) doi:10.1103/PhysRevD.98.092011 [arXiv:1808.03078 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **98**, no.11, 112014 (2018) doi:10.1103/PhysRevD.98.112014 [arXiv:1808.03124 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Evidence for the associated production of a single top quark and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **121**, no.22, 221802 (2018) doi:10.1103/PhysRevLett.121.221802 [arXiv:1808.02913 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV," JHEP **11**, 161 (2018) doi:10.1007/JHEP11(2018)161 [arXiv:1808.01890 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **01**, 040 (2019) doi:10.1007/JHEP01(2019)040

- [arXiv:1808.01473 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV," JHEP **01**, 051 (2019) doi:10.1007/JHEP01(2019)051 [arXiv:1808.01365 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for narrow H γ resonances in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **122**, no.8, 081804 (2019) doi:10.1103/PhysRevLett.122.081804 [arXiv:1808.01257 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a W' boson decaying to a τ lepton and a neutrino in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **792**, 107-131 (2019) doi:10.1016/j.physletb.2019.01.069 [arXiv:1807.11421 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 079 (2018) doi:10.1007/JHEP11(2018)079 [arXiv:1807.07799 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter particles produced in association with a top quark pair at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **122**, no.1, 011803 (2019) doi:10.1103/PhysRevLett.122.011803 [arXiv:1807.06522 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the Higgs boson decaying to two muons in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **122**, no.2, 021801 (2019) doi:10.1103/PhysRevLett.122.021801 [arXiv:1807.06325 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 113 (2018) doi:10.1007/JHEP11(2018)113 [arXiv:1807.05974 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **01**, 183 (2019) doi:10.1007/JHEP01(2019)183 [arXiv:1807.03825 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Precision measurement of the structure of the CMS inner tracking system using nuclear interactions," JINST **13**, no.10, P10034 (2018) doi:10.1088/1748-0221/13/10/P10034 [arXiv:1807.03289 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of the underlying event in top quark pair production in pp collisions at 13 TeV," Eur. Phys. J. C **79**, no.2, 123 (2019) doi:10.1140/epjc/s10052-019-6620-z [arXiv:1807.02810 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV," JHEP **11**, 172 (2018) doi:10.1007/JHEP11(2018)172 [arXiv:1807.02826 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with a τ lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP $\bf 11$, 151 (2018) doi:10.1007/JHEP11(2018)151 [arXiv:1807.02048 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections for inclusive isolated-photon and photon+jets production in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **79**, no.1, 20 (2019) doi:10.1140/epjc/s10052-018-6482-9 [arXiv:1807.00782 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **78**, no.9, 697 (2018) doi:10.1140/epjc/s10052-018-6144-y [arXiv:1806.11245 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV," Phys. Lett. B **789**, 19-44 (2019) doi:10.1016/j.physletb.2018.11.007 [arXiv:1806.11073 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **01**, 122 (2019) doi:10.1007/JHEP01(2019)122 [arXiv:1806.10905 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the decay of a Higgs boson in the $\ell\ell\gamma$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 152 (2018) doi:10.1007/JHEP11(2018)152 [arXiv:1806.05996 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **791**, 96 (2019) doi:10.1016/j.physletb.2018.12.073 [arXiv:1806.05246 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetric partners of electrons and muons in proton-proton collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **790**, 140-166 (2019) doi:10.1016/j.physletb.2019.01.005 [arXiv:1806.05264 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter produced in association with a Higgs boson decaying to $\gamma\gamma$ or $\tau^+\tau^-$ at $\sqrt{s}=13$ TeV," JHEP **09**, 046 (2018) doi:10.1007/JHEP09(2018)046 [arXiv:1806.04771 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of the Z \rightarrow $\psi\ell^+\ell^-$ decay in pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **121**, no.14, 141801 (2018) doi:10.1103/PhysRevLett.121.141801 [arXiv:1806.04213 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a singly produced third-generation scalar leptoquark decaying to a τ lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **07**, 115 (2018) doi:10.1007/JHEP07(2018)115 [arXiv:1806.03472 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV," JHEP $\bf 08$, 152 (2018) doi:10.1007/JHEP08(2018)152 [arXiv:1806.03548 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair-produced resonances each decaying into at least four quarks in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **121**, no.14, 141802 (2018) doi:10.1103/PhysRevLett.121.141802 [arXiv:1806.01058 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter mediators and other new particles," JHEP **08**, 130 (2018) doi:10.1007/JHEP08(2018)130 [arXiv:1806.00843 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in pp collisions at 8 TeV," Eur. Phys. J. C **78**, no.9, 701 (2018) doi:10.1140/epjc/s10052-018-6148-7 [arXiv:1806.00863 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Angular analysis of the decay $B^+ \to K^+ \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s} = 8$ TeV," Phys. Rev. D **98**, no.11, 112011 (2018) doi:10.1103/PhysRevD.98.112011 [arXiv:1806.00636 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Higgs boson pair production in the $\gamma\gamma b\overline{b}$ final state in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **788**, 7-36 (2019) doi:10.1016/j.physletb.2018.10.056 [arXiv:1806.00408 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for beyond the standard model Higgs bosons decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV," JHEP **08**, 113 (2018) doi:10.1007/JHEP08(2018)113 [arXiv:1805.12191]

[hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and measurement of their masses," Phys. Rev. Lett. **121**, 092002 (2018) doi:10.1103/PhysRevLett.121.092002 [arXiv:1805.11192 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s}=13$ TeV," Phys. Rev. D **98**, no.3, 032005 (2018) doi:10.1103/PhysRevD.98.032005 [arXiv:1805.10228 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **785**, 462 (2018) doi:10.1016/j.physletb.2018.08.057 [arXiv:1805.10191 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of nuclear modification factors of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ mesons in PbPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Lett. B **790**, 270-293 (2019) doi:10.1016/j.physletb.2019.01.006 [arXiv:1805.09215 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **10**, 117 (2018) doi:10.1007/JHEP10(2018)117 [arXiv:1805.07399 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 042 (2018) doi:10.1007/JHEP11(2018)042 [arXiv:1805.06013 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **09**, 065 (2018) doi:10.1007/JHEP09(2018)065 [arXiv:1805.05784 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV," JHEP **10**, 161 (2018) doi:10.1007/JHEP10(2018)161 [arXiv:1805.05145 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 018 (2018) doi:10.1007/JHEP11(2018)018 [arXiv:1805.04865 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraining gluon distributions in nuclei using dijets in proton-proton and proton-lead collisions at $\sqrt{s_{_{\mathrm{NN}}}} = 5.02$ TeV," Phys. Rev. Lett. **121**, no.6, 062002 (2018) doi:10.1103/PhysRevLett.121.062002 [arXiv:1805.04736 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13$ TeV," JHEP **08**, 177 (2018) doi:10.1007/JHEP08(2018)177 [arXiv:1805.04758 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of prompt $\psi(2S)$ production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{_{\mathrm{NN}}}} = 5.02$ TeV," Phys. Lett. B **790**, 509-532 (2019) doi:10.1016/j.physletb.2019.01.058 [arXiv:1805.02248 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark mass with lepton+jets final states using p p collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **78**, no.11, 891 (2018) doi:10.1140/epjc/s10052-018-6332-9 [arXiv:1805.01428 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Elliptic flow of charm and strange hadrons in high-multiplicity pPb collisions at $\sqrt{s_{\rm NN}}=8.16$ TeV," Phys. Rev. Lett. **121**, no.8, 082301 (2018) doi:10.1103/PhysRevLett.121.082301 [arXiv:1804.09767 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Search for disappearing tracks as a signature of new long-lived particles in

- proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **08**, 016 (2018) doi:10.1007/JHEP08(2018)016 [arXiv:1804.07321 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **78**, no.11, 965 (2018) doi:10.1140/epjc/s10052-018-6373-0 [arXiv:1804.05252 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13$ TeV," JINST **13**, no.06, P06015 (2018) doi:10.1088/1748-0221/13/06/P06015 [arXiv:1804.04528 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for $t\bar{t}H$ production in the $H\to b\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 026 (2019) doi:10.1007/JHEP03(2019)026 [arXiv:1804.03682 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 185 (2018) doi:10.1007/JHEP11(2018)185 [arXiv:1804.02716 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of $t\bar{t}H$ production," Phys. Rev. Lett. **120**, no.23, 231801 (2018) doi:10.1103/PhysRevLett.120.231801 [arXiv:1804.02610 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **06**, 127 (2018) [erratum: JHEP **03**, 128 (2019)] doi:10.1007/JHEP06(2018)127 [arXiv:1804.01939 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV," JHEP **06**, 128 (2018) doi:10.1007/JHEP06(2018)128 [arXiv:1803.11133 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13$ TeV," JHEP **05**, 148 (2018) doi:10.1007/JHEP05(2018)148 [arXiv:1803.11116 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2ℓ 2q final states at $\sqrt{s}=13$ TeV," JHEP **09**, 101 (2018) doi:10.1007/JHEP09(2018)101 [arXiv:1803.10093 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $\sqrt{s} = 13$ TeV," Phys. Rev. D **97**, no.11, 112003 (2018) doi:10.1103/PhysRevD.97.112003 [arXiv:1803.08856 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in dijet angular distributions using proton–proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models," Eur. Phys. J. C **78**, no.9, 789 (2018) doi:10.1140/epjc/s10052-018-6242-x [arXiv:1803.08030 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for $t\bar{t}H$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **06**, 101 (2018) doi:10.1007/JHEP06(2018)101 [arXiv:1803.06986 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **09**, 007 (2018) doi:10.1007/JHEP09(2018)007 [arXiv:1803.06553 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **06**, 120 (2018) doi:10.1007/JHEP06(2018)120 [arXiv:1803.06292 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at $\sqrt{s}=13$ TeV," JHEP **08**, 066 (2018) doi:10.1007/JHEP08(2018)066 [arXiv:1803.05485 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS and TOTEM], "Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer," JHEP **07**, 153 (2018) doi:10.1007/JHEP07(2018)153 [arXiv:1803.04496 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **06**, 002 (2018) doi:10.1007/JHEP06(2018)002 [arXiv:1803.03991 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy resonance decaying into a Z boson and a vector boson in the $\nu \overline{\nu} q \overline{q}$ final state," JHEP **07**, 075 (2018) doi:10.1007/JHEP07(2018)075 [arXiv:1803.03838 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **78**, 707 (2018) doi:10.1140/epjc/s10052-018-6143-z [arXiv:1803.02864 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Jet properties in PbPb and pp collisions at $\sqrt{s_{\rm N~N}}=5.02$ TeV," JHEP **05**, 006 (2018) doi:10.1007/JHEP05(2018)006 [arXiv:1803.00042 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s}=13$ TeV," JHEP **05**, 088 (2018) doi:10.1007/JHEP05(2018)088 [arXiv:1802.09407 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for narrow resonances in the b-tagged dijet mass spectrum in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **120**, no.20, 201801 (2018) doi:10.1103/PhysRevLett.120.201801 [arXiv:1802.06149 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the Λ_b polarization and angular parameters in $\Lambda_b \to J/\psi \, \Lambda$ decays from pp collisions at $\sqrt{s}=7$ and 8 TeV," Phys. Rev. D **97**, no.7, 072010 (2018) doi:10.1103/PhysRevD.97.072010 [arXiv:1802.04867 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy neutral leptons in events with three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV," Phys. Rev. Lett. **120**, no.22, 221801 (2018) doi:10.1103/PhysRevLett.120.221801 [arXiv:1802.02965 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV," JHEP **07**, 161 (2018) doi:10.1007/JHEP07(2018)161 [arXiv:1802.02613 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum," JHEP **05**, 025 (2018) doi:10.1007/JHEP05(2018)025 [arXiv:1802.02110 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for single production of vector-like quarks decaying to a b quark and a Higgs boson," JHEP **06**, 031 (2018) doi:10.1007/JHEP06(2018)031 [arXiv:1802.01486 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e μ final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **04**, 073 (2018) doi:10.1007/JHEP04(2018)073 [arXiv:1802.01122 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV," JHEP **03**, 181 (2018) doi:10.1007/JHEP03(2018)181 [arXiv:1802.00707 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV," JHEP **06**, 027 (2018) doi:10.1007/JHEP06(2018)027 [arXiv:1801.08427 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Isolated Photon-Tagged Jets," Phys. Rev. Lett. **121**, no.24, 242301 (2018) doi:10.1103/PhysRevLett.121.242301 [arXiv:1801.04895 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 160 (2018) doi:10.1007/JHEP03(2018)160 [arXiv:1801.03957 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the $Z\gamma^* \to \tau\tau$ cross section in pp collisions at $\sqrt{s}=13$ TeV and validation of τ lepton analysis techniques," Eur. Phys. J. C **78**, no.9, 708 (2018) doi:10.1140/epjc/s10052-018-6146-9 [arXiv:1801.03535 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **782**, 440-467 (2018) doi:10.1016/j.physletb.2018.05.062 [arXiv:1801.01846 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **05**, 127 (2018) doi:10.1007/JHEP05(2018)127 [arXiv:1801.00359 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Electroweak production of two jets in association with a Z boson in proton–proton collisions at $\sqrt{s}=13\,$ TeV," Eur. Phys. J. C **78**, no.7, 589 (2018) doi:10.1140/epjc/s10052-018-6049-9 [arXiv:1712.09814 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02 TeV," Eur. Phys. J. C **78**, no.6, 509 (2018) doi:10.1140/epjc/s10052-018-5950-6 [arXiv:1712.08959 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s}=13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses," Phys. Lett. B **783**, 114-139 (2018) doi:10.1016/j.physletb.2018.06.028 [arXiv:1712.08920 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13 TeV," Phys. Rev. Lett. **120**, no.24, 241801 (2018) doi:10.1103/PhysRevLett.120.241801 [arXiv:1712.08501 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV," JINST **13**, no.05, P05011 (2018) doi:10.1088/1748-0221/13/05/P05011 [arXiv:1712.07158 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of the Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **06**, 001 (2018) doi:10.1007/JHEP06(2018)001 [arXiv:1712.07173 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Bose-Einstein correlations in pp, pPb, and PbPb collisions at $\sqrt{s_{NN}} = 0.9-7$ TeV," Phys. Rev. C **97**, no.6, 064912 (2018) doi:10.1103/PhysRevC.97.064912 [arXiv:1712.07198 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the X(5568) state decaying into $B_s^0\pi^\pm$ in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **120**, no.20, 202005 (2018) doi:10.1103/PhysRevLett.120.202005 [arXiv:1712.06144 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **78**, no.7, 566 (2018) doi:10.1140/epjc/s10052-018-6033-4

- [arXiv:1712.05471 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Z γ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **09**, 148 (2018) doi:10.1007/JHEP09(2018)148 [arXiv:1712.03143 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **779**, 358-384 (2018) doi:10.1016/j.physletb.2018.02.025 [arXiv:1712.02825 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 032 (2018) doi:10.1007/JHEP02(2018)032 [arXiv:1712.02280 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $\sqrt{s}=13~{\rm TeV}$," Phys. Rev. D **97**, no.9, 092005 (2018) doi:10.1103/PhysRevD.97.092005 [arXiv:1712.02345 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s}=13$ TeV," JHEP **06**, 102 (2018) doi:10.1007/JHEP06(2018)102 [arXiv:1712.02399 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of excited top quarks in the lepton + jets final state," Phys. Lett. B **778**, 349-370 (2018) doi:10.1016/j.physletb.2018.01.049 [arXiv:1711.10949 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV," Phys. Lett. B **785**, 14-39 (2018) doi:10.1016/j.physletb.2018.07.061 [arXiv:1711.09738 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new long-lived particles at $\sqrt{s}=13$ TeV," Phys. Lett. B **780**, 432-454 (2018) doi:10.1016/j.physletb.2018.03.019 [arXiv:1711.09120 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **780**, 118-143 (2018) doi:10.1016/j.physletb.2018.02.045 [arXiv:1711.08008 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Lett. B **789**, 643-665 (2019) doi:10.1016/j.physletb.2018.11.063 [arXiv:1711.05594 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for excited quarks of light and heavy flavor in $\gamma+$ jet final states in proton–proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **781**, 390-411 (2018) doi:10.1016/j.physletb.2018.04.007 [arXiv:1711.04652 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for ZZ resonances in the $2\ell 2\nu$ final state in proton-proton collisions at 13 TeV," JHEP **03**, 003 (2018) doi:10.1007/JHEP03(2018)003 [arXiv:1711.04370 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **07**, 032 (2018) doi:10.1007/JHEP07(2018)032 [arXiv:1711.04299 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton," JHEP **03**, 115 (2018) doi:10.1007/JHEP03(2018)115 [arXiv:1711.03143 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **08**, 011 (2018) doi:10.1007/JHEP08(2018)011

- [arXiv:1711.02547 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8$ TeV," Eur. Phys. J. C **78**, no.4, 287 (2018) doi:10.1140/epjc/s10052-018-5752-x [arXiv:1711.02143 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s}=13$ TeV," Phys. Rev. D **97**, no.3, 032009 (2018) doi:10.1103/PhysRevD.97.032009 [arXiv:1711.00752 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at $\sqrt{s}=13\,$ TeV," Eur. Phys. J. C **78**, no.4, 291 (2018) doi:10.1140/epjc/s10052-018-5740-1 [arXiv:1711.00431 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks," Phys. Rev. D **97**, no.1, 012007 (2018) doi:10.1103/PhysRevD.97.012007 [arXiv:1710.11188 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **780**, 251-272 (2018) doi:10.1016/j.physletb.2018.02.033 [arXiv:1710.11002 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **78**, no.2, 140 (2018) doi:10.1140/epjc/s10052-018-5607-5 [arXiv:1710.10614 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **02**, 067 (2018) doi:10.1007/JHEP02(2018)067 [arXiv:1710.09154 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Pseudorapidity distributions of charged hadrons in proton-lead collisions at $\sqrt{s_{_{\mathrm{NN}}}}=5.02$ and 8.16 TeV," JHEP **01**, 045 (2018) doi:10.1007/JHEP01(2018)045 [arXiv:1710.09355 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of b hadron lifetimes in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **78**, no.6, 457 (2018) [erratum: Eur. Phys. J. C **78**, no.7, 561 (2018)] doi:10.1140/epjc/s10052-018-5929-3 [arXiv:1710.08949 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 172 (2018) doi:10.1007/JHEP03(2018)172 [arXiv:1710.07955 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions," Phys. Rev. C **98**, no.4, 044902 (2018) doi:10.1103/PhysRevC.98.044902 [arXiv:1710.07864 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **781**, 244-269 (2018) doi:10.1016/j.physletb.2018.03.084 [arXiv:1710.04960 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of angular parameters from the decay ${\rm B}^0 \to {\rm K}^{*0} \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **781**, 517-541 (2018) doi:10.1016/j.physletb.2018.04.030 [arXiv:1710.02846 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **78**, no.3, 242 (2018) [erratum: Eur. Phys. J. C **80**, no.5, 441 (2020)] doi:10.1140/epjc/s10052-018-5691-6 [arXiv:1710.02586 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of vector-like quarks in the bW $\overline{\rm b}$ W channel from proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **779**, 82-106 (2018) doi:10.1016/j.physletb.2018.01.077 [arXiv:1710.01539 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **01**, 097 (2018) doi:10.1007/JHEP01(2018)097 [arXiv:1710.00159 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **780**, 384-409 (2018) doi:10.1016/j.physletb.2018.03.028 [arXiv:1709.09814 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 076 (2018) doi:10.1007/s13130-018-7845-2 [arXiv:1709.08908 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC," Phys. Rev. Lett. **120**, no.9, 092301 (2018) doi:10.1103/PhysRevLett.120.092301 [arXiv:1709.09189 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the $pp \to ZZ$ production cross section and the $Z \to 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **78**, 165 (2018) [erratum: Eur. Phys. J. C **78**, no.6, 515 (2018)] doi:10.1140/epjc/s10052-018-5567-9 [arXiv:1709.08601 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Evidence for the Higgs boson decay to a bottom quark–antiquark pair," Phys. Lett. B **780**, 501-532 (2018) doi:10.1016/j.physletb.2018.02.050 [arXiv:1709.07497 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of top quark production in proton-nucleus collisions," Phys. Rev. Lett. **119**, no.24, 242001 (2017) doi:10.1103/PhysRevLett.119.242001 [arXiv:1709.07411 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of electroweak production of same-sign W boson pairs in the two jet and two same-sign lepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **120**, no.8, 081801 (2018) doi:10.1103/PhysRevLett.120.081801 [arXiv:1709.05822 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Inclusive search for a highly boosted Higgs boson decaying to a bottom quark-antiquark pair," Phys. Rev. Lett. **120**, no.7, 071802 (2018) doi:10.1103/PhysRevLett.120.071802 [arXiv:1709.05543 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 166 (2018) doi:10.1007/JHEP03(2018)166 [arXiv:1709.05406 [hep-ex]].
- M. Aaboud *et al.* [ATLAS and CMS], "Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV," JHEP **04**, 033 (2018) doi:10.1007/JHEP04(2018)033 [arXiv:1709.05327 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Higgsino pair production in pp collisions at $\sqrt{s}=13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H\to b\bar b$," Phys. Rev. D **97**, no.3, 032007 (2018) doi:10.1103/PhysRevD.97.032007 [arXiv:1709.04896 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s}=13$ TeV," Phys. Lett. B **779**, 166-190 (2018) doi:10.1016/j.physletb.2017.12.069 [arXiv:1709.00384 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Rev. Lett. **120**, no.14, 142302 (2018) doi:10.1103/PhysRevLett.120.142302 [arXiv:1708.09429 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}$ =5.02TeV using charge-dependent azimuthal anisotropies," Phys. Rev. C **100**, no.6, 064908 (2019) doi:10.1103/PhysRevC.100.0 [arXiv:1708.08901 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV," Phys. Lett. B **777**, 39-63 (2018) doi:10.1016/j.physletb.2017.12.006 [arXiv:1708.08539 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Evidence of the Type-III Seesaw Mechanism in Multi-lepton Final States in Proton-Proton Collisions at $\sqrt{s}=13~{\rm TeV}$," Phys. Rev. Lett. **119**, no.22, 221802 (2017) doi:10.1103/PhysRevLett.119.221802 [arXiv:1708.07962 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of normalized differential $t\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV," JHEP **04**, 060 (2018) doi:10.1007/JHEP04(2018)060 [arXiv:1708.07638 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS," Phys. Rev. C **96**, no.6, 064902 (2017) doi:10.1103/PhysRevC.96.064902 [arXiv:1708.07113 [nucl-ex]].
- W. Adam *et al.* [Tracker Group], "Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade," Eur. Phys. J. C **77**, no.8, 567 (2017) doi:10.1140/epjc/s10052-017-5115-z
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $\sqrt{s}=13~{\rm TeV}$," Phys. Rev. D **97**, no.7, 072006 (2018) doi:10.1103/PhysRevD.97.072006 [arXiv:1708.05379 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Nuclear modification factor of D⁰ mesons in PbPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Lett. B **782**, 474-496 (2018) doi:10.1016/j.physletb.2018.05.074 [arXiv:1708.04962 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\ell\nu\ell\nu$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **01**, 054 (2018) doi:10.1007/JHEP01(2018)054 [arXiv:1708.04188 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of prompt D^0 meson azimuthal anisotropy in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Rev. Lett. **120**, no.20, 202301 (2018) doi:10.1103/PhysRevLett.120.202301 [arXiv:1708.03497 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton–proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **774**, 682-705 (2017) doi:10.1016/j.physletb.2017.10.020 [arXiv:1708.02812 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for vectorlike light-flavor quark partners in proton-proton collisions at \sqrt{s} =8 TeV," Phys. Rev. D **97**, 072008 (2018) doi:10.1103/PhysRevD.97.072008 [arXiv:1708.02510 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in $p{\rm Pb}$ and PbPb collisions at the CERN Large Hadron Collider," Phys. Rev. C **97**, no.4, 044912 (2018) doi:10.1103/PhysRevC.97.044912 [arXiv:1708.01602 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **781**, 574-600 (2018)

- doi:10.1016/j.physletb.2018.04.036 [arXiv:1708.01062 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector," Phys. Lett. B **779**, 283-316 (2018) doi:10.1016/j.physletb.2018.02.004 [arXiv:1708.00373 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 010 (2017) doi:10.1007/JHEP11(2017)010 [arXiv:1707.07283 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton–proton collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **778**, 263-291 (2018) doi:10.1016/j.physletb.2018.01.012 [arXiv:1707.07274 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **12**, 142 (2017) doi:10.1007/JHEP12(2017)142 [arXiv:1707.06193 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **96**, no.7, 072005 (2017) doi:10.1103/PhysRevD.96.072005 [arXiv:1707.05979 [hep-ex]].
- R. Gonzalez Suarez, "Recent CMS results in top and Higgs physics," Mod. Phys. Lett. A **32**, no.29, 1730026 (2017) doi:10.1142/S0217732317300269 [arXiv:1707.05054 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 167 (2018) doi:10.1007/JHEP03(2018)167 [arXiv:1707.03325 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **10**, 005 (2017) doi:10.1007/JHEP10(2017)005 [arXiv:1707.03316 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton–proton collisions at \sqrt{s} =13TeV," Phys. Lett. B **778**, 101-127 (2018) doi:10.1016/j.physletb.2018.01.001 [arXiv:1707.02909 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s}=13\,$ TeV," Eur. Phys. J. C **77**, no.9, 636 (2017) doi:10.1140/epjc/s10052-017-5192-z [arXiv:1707.01303 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state," Phys. Lett. B **775**, 1-24 (2017) doi:10.1016/j.physletb.2017.10.021 [arXiv:1707.00541 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Higgs boson pair production in the $bb\tau\tau$ final state in proton-proton collisions at $\sqrt(s)=8$ TeV," Phys. Rev. D **96**, no.7, 072004 (2017) doi:10.1103/PhysRevD.96.072004 [arXiv:1707.00350 [hep-ex]].
- K. Klein et al. [CMS Collaboration], "The Phase-2 Upgrade of the CMS Tracker," CERN-LHCC-2017-009.
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of charged pion, kaon, and proton production in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **96**, no.11, 112003 (2017) doi:10.1103/PhysRevD.96.112003 [arXiv:1706.10194 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 029 (2017) doi:10.1007/JHEP11(2017)029

- [arXiv:1706.09933 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 047 (2017) doi:10.1007/JHEP11(2017)047 [arXiv:1706.09936 [hep-ex]].
- W. Adam et al. [CMS Collaboration], "P-Type Silicon Strip Sensors for the new CMS Tracker at HL-LHC," JINST $\mathbf{12}$, no.06, P06018 (2017) doi:10.1088/1748-0221/12/06/P06018
- V. Khachatryan *et al.* [CMS Collaboration], "Exclusive and semi-exclusive pi+pi- production in proton-proton collisions at sqrt(s) = 7 TeV," [arXiv:1706.08310 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s}=13$ TeV," Phys. Lett. B **775**, 315-337 (2017) doi:10.1016/j.physletb.2017.11.001 [arXiv:1706.08578 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the semileptonic $t\bar{t}+\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV," JHEP **10**, 006 (2017) doi:10.1007/JHEP10(2017)006 [arXiv:1706.08128 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Suppression of Excited Υ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{\mathrm{NN}}}$ =5.02 TeV," Phys. Rev. Lett. **120**, no.14, 142301 (2018) doi:10.1103/PhysRevLett.120.142301 [arXiv:1706.05984 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of jet charge with dijet events in pp collisions at $\sqrt{s}=8$ TeV," JHEP **10**, 131 (2017) doi:10.1007/JHEP10(2017)131 [arXiv:1706.05868 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Particle-flow reconstruction and global event description with the CMS detector," JINST **12**, no.10, P10003 (2017) doi:10.1088/1748-0221/12/10/P10003 [arXiv:1706.04965 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for top squark pair production in pp collisions at $\sqrt{s}=13$ TeV using single lepton events," JHEP **10**, 019 (2017) doi:10.1007/JHEP10(2017)019 [arXiv:1706.04402 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Searches for W' bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV," JHEP **08**, 029 (2017) doi:10.1007/JHEP08(2017)029 [arXiv:1706.04260 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **10**, 073 (2017) doi:10.1007/JHEP10(2017)073 [arXiv:1706.03794 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **11**, 085 (2017) doi:10.1007/JHEP11(2017)085 [arXiv:1706.03408 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **77**, no.12, 845 (2017) doi:10.1140/epjc/s10052-017-5317-4 [arXiv:1706.02581 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for top quark partners with charge 5/3 in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **08**, 073 (2017) doi:10.1007/JHEP08(2017)073 [arXiv:1705.10967 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13~{\rm TeV}$," Phys. Rev. Lett. **119**, no.11, 111802 (2017) doi:10.1103/PhysRevLett.119.111802 [arXiv:1705.10532 [hep-ex]].
- M. Dragicevic, M. Friedl, J. Hrubec, H. Steininger, A. Gädda, J. Härkönen, T. Lampén, P. Luukka, T. Peltola and E. Tuominen, et al. "Test Beam Performance Measurements for the Phase I Upgrade of the CMS Pixel Detector,"

- JINST 12, no.05, P05022 (2017) doi:10.1088/1748-0221/12/05/P05022 [arXiv:1706.00222 [physics.ins-det]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **776**, 355-378 (2018) doi:10.1016/j.physletb.2017.11.043 [arXiv:1705.10141 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton–proton collisions at $\sqrt{s}=8$ and 13 TeV," Phys. Lett. B **774**, 533-558 (2017) doi:10.1016/j.physletb.2017.09.083 [arXiv:1705.09171 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the B^{\pm} Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02~{\rm TeV}$," Phys. Rev. Lett. **119**, no.15, 152301 (2017) doi:10.1103/PhysRevLett.119.152301 [arXiv:1705.04727 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Supersymmetry in pp Collisions at $\sqrt{s}=13~{\rm TeV}$ in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets," Phys. Rev. Lett. **119**, no.15, 151802 (2017) doi:10.1103/PhysRevLett.119.151802 [arXiv:1705.04673 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new phenomena with the $M_{\rm T2}$ variable in the all-hadronic final state produced in proton–proton collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **77**, no.10, 710 (2017) doi:10.1140/epjc/s10052-017-5267-x [arXiv:1705.04650 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13~{\rm TeV}$," Phys. Rev. Lett. **119**, no.14, 141802 (2017) doi:10.1103/PhysRevLett.119.141802 [arXiv:1705.02942 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s}=8$ TeV and constraints on parton distribution functions," Eur. Phys. J. C **77**, no.11, 746 (2017) doi:10.1140/epjc/s10052-017-5286-7 [arXiv:1705.02628 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for black holes in high-multiplicity final states in proton-proton collisions at \sqrt{s} =13 TeV," Phys. Lett. B **774**, 279-307 (2017) doi:10.1016/j.physletb.2017.09.053 [arXiv:1705.01403 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV," Phys. Rev. D **96**, no.3, 032003 (2017) doi:10.1103/PhysRevD.96.032003 [arXiv:1704.07781 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at $\sqrt{s} = 13$ TeV," Eur. Phys. J. C **77**, no.9, 578 (2017) doi:10.1140/epjc/s10052-017-5079-z [arXiv:1704.07323 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{b\ell}$, M_{T2} , and $M_{b\ell\nu}$ in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **96**, no.3, 032002 (2017) doi:10.1103/PhysRevD.96.032002 [arXiv:1704.06142 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **07**, 001 (2017) doi:10.1007/JHEP07(2017)001 [arXiv:1704.03366 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the pp $\to W\gamma\gamma$ and pp $\to Z\gamma\gamma$ cross sections and limits on anomalous quartic gauge couplings at $\sqrt{s}=8$ TeV," JHEP **10**, 072 (2017) doi:10.1007/JHEP10(2017)072 [arXiv:1704.00366 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for new physics with dijet angular distributions in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **07**, 013 (2017) doi:10.1007/JHEP07(2017)013 [arXiv:1703.09986 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s} = 13$ TeV," JHEP **09**, 053 (2017) doi:10.1007/JHEP09(2017)053 [arXiv:1703.06352 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **77**, no.7, 467 (2017) doi:10.1140/epjc/s10052-017-5030-3 [arXiv:1703.06330 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for anomalous couplings in boosted $WW/WZ \rightarrow \ell\nu q\bar{q}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **772**, 21-42 (2017) doi:10.1016/j.physletb.2017.06.009 [arXiv:1703.06095 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\gamma\gamma$ at $\sqrt{s}=13$ TeV," JHEP **10**, 180 (2017) doi:10.1007/JHEP10(2017)180 [arXiv:1703.05236 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **07**, 121 (2017) doi:10.1007/JHEP07(2017)121 [arXiv:1703.03995 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **77**, no.5, 354 (2017) doi:10.1140/epjc/s10052-017-4912-8 [arXiv:1703.02530 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s}=8$ TeV and impact on parton distribution functions," Eur. Phys. J. C **77**, no.7, 459 (2017) doi:10.1140/epjc/s10052-017-4984-5 [arXiv:1703.01630 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV," JHEP **07**, 014 (2017) doi:10.1007/JHEP07(2017)014 [arXiv:1703.01651 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **772**, 336-358 (2017) doi:10.1016/j.physletb.2017.06.064 [arXiv:1702.06164 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the cross section for electroweak production of $Z\gamma$ in association with two jets and constraints on anomalous quartic gauge couplings in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **770**, 380-402 (2017) doi:10.1016/j.physletb.2017.04.071 [arXiv:1702.03025 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $\sqrt{s}=8$ TeV," JHEP **07**, 003 (2017) doi:10.1007/JHEP07(2017)003 [arXiv:1702.01404 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of prompt and nonprompt J/ψ production in pp and pPb collisions at $\sqrt{s_{NN}}=5.02\,\text{TeV}$," Eur. Phys. J. C **77**, no.4, 269 (2017) doi:10.1140/epjc/s10052-017-4828-3 [arXiv:1702.01462 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Study of Jet Quenching with Z + jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s}_{NN}=5.02~{\rm TeV}$," Phys. Rev. Lett. **119**, no.8, 082301 (2017) doi:10.1103/PhysRevLett.119.082301 [arXiv:1702.01060 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Azimuthal anisotropy of charged particles with transverse momentum up to 100 GeV/c in PbPb collisions at $\sqrt{s_{NN}}$ =5.02 TeV," Phys. Lett. B **776**, 195-216 (2018) doi:10.1016/j.physletb.2017.11.041 [arXiv:1702.00630 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **08**, 046 (2017) doi:10.1007/JHEP08(2017)046 [arXiv:1701.08695]

[hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **772**, 634-656 (2017) doi:10.1016/j.physletb.2017.07.022 [arXiv:1701.08328 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **05**, 029 (2017) doi:10.1007/JHEP05(2017)029 [arXiv:1701.07409 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new phenomena with multiple charged leptons in proton–proton collisions at $\sqrt{s}=13\,$ TeV," Eur. Phys. J. C **77**, no.9, 635 (2017) doi:10.1140/epjc/s10052-017-5182-1 [arXiv:1701.06940 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s}=13$ TeV," JHEP **09**, 051 (2017) doi:10.1007/JHEP09(2017)051 [arXiv:1701.06228 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **96**, no.1, 012004 (2017) doi:10.1103/PhysRevD.96.012004 [arXiv:1701.01954 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **03**, 061 (2017) [erratum: JHEP **09**, 106 (2017)] doi:10.1007/JHEP03(2017)061 [arXiv:1701.02042 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Mechanical stability of the CMS strip tracker measured with a laser alignment system," JINST 12, no.04, P04023 (2017) doi:10.1088/1748-0221/12/04/P04023 [arXiv:1701.02022 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **10**, 076 (2017) doi:10.1007/JHEP10(2017)076 [arXiv:1701.02032 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for leptophobic Z' bosons decaying into four-lepton final states in proton–proton collisions at \sqrt{s} =8TeV," Phys. Lett. B **773**, 563-584 (2017) doi:10.1016/j.physletb.2017.08.069 [arXiv:1701.01345 [hep-ex]].
- W. Adam *et al.* [CMS Tracker], "Test beam demonstration of silicon microstrip modules with transverse momentum discrimination for the future CMS tracking detector," JINST $\bf 13$, no.03, P03003 (2018) doi:10.1088/1748-0221/13/03/P03003
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for high-mass $Z\gamma$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques," Phys. Lett. B **772**, 363-387 (2017) doi:10.1016/j.physletb.2017.06.062 [arXiv:1612.09516 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy gauge W' boson in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV," Phys. Lett. B **770**, 278-301 (2017) doi:10.1016/j.physletb.2017.04.043 [arXiv:1612.09274 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of electroweak-induced production of W γ with two jets in pp collisions at $\sqrt{s}=8$ TeV and constraints on anomalous quartic gauge couplings," JHEP **06**, 106 (2017) doi:10.1007/JHEP06(2017)106 [arXiv:1612.09256 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 162 (2017) doi:10.1007/JHEP03(2017)162 [arXiv:1612.09159 [hep-ex]].

- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Lett. B **772**, 306-329 (2017) doi:10.1016/j.physletb.2017.06.053 [arXiv:1612.08972 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states," JHEP **04**, 136 (2017) doi:10.1007/JHEP04(2017)136 [arXiv:1612.05336 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions," Eur. Phys. J. C **77**, no.5, 327 (2017) doi:10.1140/epjc/s10052-017-4853-2 [arXiv:1612.03877 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 077 (2017) doi:10.1007/JHEP03(2017)077 [arXiv:1612.01190 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state," Phys. Lett. B **771**, 80-105 (2017) doi:10.1016/j.physletb.2017.05.019 [arXiv:1612.00999 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 101 (2017) doi:10.1007/JHEP03(2017)101 [arXiv:1611.08931 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV," Phys. Lett. B **769**, 391-412 (2017) doi:10.1016/j.physletb.2017.04.005 [arXiv:1611.06604 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s}=8\,\text{TeV}$," Eur. Phys. J. C **77**, no.11, 751 (2017) doi:10.1140/epjc/s10052-017-5140-y [arXiv:1611.06507 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **02**, 048 (2017) doi:10.1007/JHEP02(2017)048 [arXiv:1611.06594 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ production cross section using events in the e μ final state in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **77**, 172 (2017) doi:10.1140/epjc/s10052-017-4718-8 [arXiv:1611.04040 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 022 (2017) doi:10.1007/JHEP04(2017)022 [arXiv:1611.03844 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for dijet resonances in proton–proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models," Phys. Lett. B **769**, 520-542 (2017) [erratum: Phys. Lett. B **772**, 882-883 (2017)] doi:10.1016/j.physletb.2017.02.012 [arXiv:1611.03568 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{\mathrm{N}\,\mathrm{N}}} = 5.02$ TeV," JHEP **04**, 039 (2017) doi:10.1007/JHEP04(2017)039 [arXiv:1611.01664 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Suppression of $\Upsilon(1S), \Upsilon(2S)$ and $\Upsilon(3S)$ production in PbPb collisions at $\sqrt{s_{\mathrm{NN}}} = 2.76$ TeV," Phys. Lett. B **770**, 357-379 (2017) doi:10.1016/j.physletb.2017.04.031 [arXiv:1611.01510 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Relative Modification of Prompt $\psi(2S)$ and J/ ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Rev. Lett. **118**, no.16, 162301 (2017) doi:10.1103/PhysRevLett.118.162301 [arXiv:1611.01438 [nucl-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "A search for new phenomena in pp collisions at $\sqrt{s}=13\,\text{TeV}$ in final states with missing transverse momentum and at least one jet using the $\alpha_{\rm T}$ variable," Eur. Phys. J. C **77**, no.5, 294 (2017) doi:10.1140/epjc/s10052-017-4787-8 [arXiv:1611.00338 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **770**, 50-71 (2017) doi:10.1016/j.physletb.2017.04.028 [arXiv:1610.09551 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7$, 8, and 13 TeV," JHEP **02**, 135 (2017) doi:10.1007/JHEP02(2017)135 [arXiv:1610.09218 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks," Phys. Lett. B **768**, 137-162 (2017) doi:10.1016/j.physletb.2017.02.040 [arXiv:1610.08066 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **05**, 013 (2017) doi:10.1007/JHEP05(2017)013 [arXiv:1610.07095 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **95**, no.1, 012009 (2017) doi:10.1103/PhysRevD.95.012009 [arXiv:1610.05133 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for electroweak production of charginos in final states with two τ leptons in pp collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 018 (2017) doi:10.1007/JHEP04(2017)018 [arXiv:1610.04870 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 079 (2017) doi:10.1007/JHEP02(2017)079 [arXiv:1610.04857 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **95**, 052002 (2017) doi:10.1103/PhysRevD.95.052002 [arXiv:1610.04222 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV," Phys. Rev. D **95**, no.9, 092001 (2017) doi:10.1103/PhysRevD.95.092001 [arXiv:1610.04191 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **02**, 028 (2017) doi:10.1007/JHEP02(2017)028 [arXiv:1610.03545 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for high-mass Z γ resonances in $e^+e^-\gamma$ and $\mu^+\mu^-\gamma$ final states in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV," JHEP **01**, 076 (2017) doi:10.1007/JHEP01(2017)076 [arXiv:1610.02960 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **772**, 752-776 (2017) doi:10.1016/j.physletb.2017.07.047 [arXiv:1610.00678 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{\rm NN}}=2.76~{\rm TeV}$," Eur. Phys. J. C **77**, no.4, 252 (2017) doi:10.1140/epjc/s10052-017-4781-1 [arXiv:1610.00613 [nucl-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Observation of charge-dependent azimuthal correlations in p-Pb collisions and its implication for the search for the chiral magnetic effect," Phys. Rev. Lett. **118**, no.12, 122301 (2017)

- doi:10.1103/PhysRevLett.118.122301 [arXiv:1610.00263 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **95**, no.1, 012011 (2017) doi:10.1103/PhysRevD.95.012011 [arXiv:1609.09386 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **94**, no.11, 112004 (2016) doi:10.1103/PhysRevD.94.112004 [arXiv:1609.08382 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13$ TeV," Phys. Rev. D **95**, no.1, 012003 (2017) doi:10.1103/PhysRevD.95.012003 [arXiv:1609.07658 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **77**, no.4, 236 (2017) doi:10.1140/epjc/s10052-017-4730-z [arXiv:1609.05721 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data," Phys. Lett. B **768**, 57-80 (2017) doi:10.1016/j.physletb.2017.02.010 [arXiv:1609.05391 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. C **96**, no.1, 015202 (2017) doi:10.1103/PhysRevC.96.015202 [arXiv:1609.05383 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s}=8$ TeV and cross section ratios to 2.76 and 7 TeV," JHEP **03**, 156 (2017) doi:10.1007/JHEP03(2017)156 [arXiv:1609.05331 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV," Phys. Rev. D **94**, no.11, 112005 (2016) doi:10.1103/PhysRevD.94.112005 [arXiv:1609.03489 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{\mathrm{N}\;\mathrm{N}}}=2.76$ TeV," JHEP **11**, 055 (2016) doi:10.1007/JHEP11(2016)055 [arXiv:1609.02466 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for high-mass diphoton resonances in proton–proton collisions at 13 TeV and combination with 8 TeV search," Phys. Lett. B **767**, 147-170 (2017) doi:10.1016/j.physletb.2017.01.027 [arXiv:1609.02507 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "The CMS trigger system," JINST $\bf 12$, no.01, P01020 (2017) doi:10.1088/1748-0221/12/01/P01020 [arXiv:1609.02366 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the total and differential inclusive B^+ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **771**, 435-456 (2017) doi:10.1016/j.physletb.2017.05.074 [arXiv:1609.00873 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $\sqrt{s}=8\,\mathrm{TeV}$," Eur. Phys. J. C **77**, no.2, 92 (2017) doi:10.1140/epjc/s10052-016-4573-z [arXiv:1608.07561 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV," JHEP **12**, 123 (2016) doi:10.1007/JHEP12(2016)123 [arXiv:1608.03560 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Search for new phenomena in events with high jet multiplicity and

- low missing transverse momentum in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **770**, 257-267 (2017) doi:10.1016/j.physletb.2017.01.073 [arXiv:1608.01224 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the ZZ production cross section and Z $\rightarrow \ell^+\ell^-\ell'^+\ell'^-$ branching fraction in pp collisions at \sqrt{s} =13 TeV," Phys. Lett. B **763**, 280-303 (2016) [erratum: Phys. Lett. B **772**, 884-884 (2017)] doi:10.1016/j.physletb.2016.10.054 [arXiv:1607.08834 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 147 (2016) doi:10.1007/JHEP11(2016)147 [arXiv:1607.06975 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **766**, 268-290 (2017) doi:10.1016/j.physletb.2017.01.011 [arXiv:1607.06943 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets," JHEP **12**, 083 (2016) [erratum: JHEP **08**, 035 (2017)] doi:10.1007/JHEP12(2016)083 [arXiv:1607.05764 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV," JINST **12**, no.02, P02014 (2017) doi:10.1088/1748-0221/12/02/P02014 [arXiv:1607.03663 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of the Higgs boson to $e\tau$ and $e\mu$ in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **763**, 472-500 (2016) doi:10.1016/j.physletb.2016.09.062 [arXiv:1607.03561 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of the decay $B^+ \to \psi(2S)\phi(1020)K^+$ in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **764**, 66-86 (2017) doi:10.1016/j.physletb.2016.11.001 [arXiv:1607.02638 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at sqrt(s) = 13 TeV," JHEP **12**, 013 (2016) doi:10.1007/JHEP12(2016)013 [arXiv:1607.00915 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at \sqrt{s} =7 and 8 TeV," Phys. Rev. D **94**, no.5, 052006 (2016) doi:10.1103/PhysRevD.94.052006 [arXiv:1607.00837 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with 0-4 leptons," Phys. Rev. D **94**, no.11, 112009 (2016) doi:10.1103/PhysRevD.94.112009 [arXiv:1606.08076 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for collectivity in pp collisions at the LHC," Phys. Lett. B **765**, 193-220 (2017) doi:10.1016/j.physletb.2016.12.009 [arXiv:1606.06198 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 096 (2017) doi:10.1007/JHEP02(2017)096 [arXiv:1606.05864 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at \sqrt{s} =8 and 13 TeV," Phys. Rev. Lett. **117**, no.5, 051802 (2016) doi:10.1103/PhysRevLett.117.051802 [arXiv:1606.04093 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Phenomenological MSSM interpretation of CMS searches in pp collisions at sqrt(s) = 7 and 8 TeV," JHEP **10**, 129 (2016) doi:10.1007/JHEP10(2016)129 [arXiv:1606.03577 [hep-ex]].
- G. Aad *et al.* [ATLAS and CMS], "Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV," JHEP **08**,

- 045 (2016) doi:10.1007/JHEP08(2016)045 [arXiv:1606.02266 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s}=8$ TeV using $H\to WW$ decays," JHEP **03**, 032 (2017) doi:10.1007/JHEP03(2017)032 [arXiv:1606.01522 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **118**, no.2, 021802 (2017) doi:10.1103/PhysRevLett.118.021802 [arXiv:1605.09305 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **762**, 512-534 (2016) doi:10.1016/j.physletb.2016.10.007 [arXiv:1605.09047 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the α_T variable," Phys. Lett. B **767**, 403-430 (2017) doi:10.1016/j.physletb.2017.02.007 [arXiv:1605.08993 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the CMS experiment," Phys. Lett. B **772**, 489-511 (2017) doi:10.1016/j.physletb.2017.07.001 [arXiv:1605.06966 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC," Phys. Lett. B **768**, 103-129 (2017) doi:10.1016/j.physletb.2017.01.075 [arXiv:1605.06699 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV in the single-lepton final state using the sum of masses of large-radius jets," JHEP **08**, 122 (2016) doi:10.1007/JHEP08(2016)122 [arXiv:1605.04608 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the double-differential inclusive jet cross section in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **76**, no.8, 451 (2016) doi:10.1140/epjc/s10052-016-4286-3 [arXiv:1605.04436 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics in same-sign dilepton events in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **76**, no.8, 439 (2016) doi:10.1140/epjc/s10052-016-4261-z [arXiv:1605.03171 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width," JHEP **09**, 051 (2016) doi:10.1007/JHEP09(2016)051 [arXiv:1605.02329 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the integrated and differential $t\bar{t}$ production cross sections for high- p_t top quarks in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **94**, no.7, 072002 (2016) doi:10.1103/PhysRevD.94.072002 [arXiv:1605.00116 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for narrow resonances in dijet final states at $\sqrt{s}=8$ TeV with the novel CMS technique of data scouting," Phys. Rev. Lett. **117**, no.3, 031802 (2016) doi:10.1103/PhysRevLett.117.031802 [arXiv:1604.08907 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.6, 317 (2016) doi:10.1140/epjc/s10052-016-4149-y [arXiv:1604.05239 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV," Phys. Rev. C **96**, no.1, 014915 (2017) doi:10.1103/PhysRevC.96.014915

- [arXiv:1604.05347 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for exclusive $\gamma\gamma \to W^+W^-$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **08**, 119 (2016) doi:10.1007/JHEP08(2016)119 [arXiv:1604.04464 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter particles in proton-proton collisions at $\sqrt{s} = 8$ TeV using the razor variables," JHEP **12**, 088 (2016) doi:10.1007/JHEP12(2016)088 [arXiv:1603.08914 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV," Phys. Rev. D **94**, no.5, 052012 (2016) doi:10.1103/PhysRevD.94.052012 [arXiv:1603.06896 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **93**, no.9, 092006 (2016) doi:10.1103/PhysRevD.93.092006 [arXiv:1603.06536 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **760**, 365-386 (2016) doi:10.1016/j.physletb.2016.07.006 [arXiv:1603.06221 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $\sqrt{s}=13$ TeV," JHEP **10**, 006 (2016) doi:10.1007/JHEP10(2016)006 [arXiv:1603.04053 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], " $\Upsilon(nS)$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **761**, 31-52 (2016) doi:10.1016/j.physletb.2016.07.065 [arXiv:1603.02913 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for neutral resonances decaying into a Z boson and a pair of b jets or τ leptons," Phys. Lett. B **759**, 369-394 (2016) doi:10.1016/j.physletb.2016.05.087 [arXiv:1603.02991 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for s channel single top quark production in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **09**, 027 (2016) doi:10.1007/JHEP09(2016)027 [arXiv:1603.02555 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy Majorana neutrinos in $e^{\hat{A}\hat{s}}e^{\hat{A}\hat{s}}+$ jets and $e^{\hat{A}\hat{s}}+$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 169 (2016) doi:10.1007/JHEP04(2016)169 [arXiv:1603.02248 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the t-tbar production cross section in the e-mu channel in proton-proton collisions at sqrt(s) = 7 and 8 TeV," JHEP **08**, 029 (2016) doi:10.1007/JHEP08(2016)029 [arXiv:1603.02303 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the differential cross section and charge asymmetry for inclusive $pp \to W^{\pm} + X$ production at $\sqrt{s} = 8$ TeV," Eur. Phys. J. C **76**, no.8, 469 (2016) doi:10.1140/epjc/s10052-016-4293-4 [arXiv:1603.01803 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.8, 460 (2016) doi:10.1140/epjc/s10052-016-4292-5 [arXiv:1603.00765 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the $\rm t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections," Eur. Phys. J. C **77**, no.1, 15 (2017) doi:10.1140/epjc/s10052-016-4504-z [arXiv:1602.09024 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Search for supersymmetry in electroweak production with photons

- and large missing transverse energy in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **759**, 479-500 (2016) doi:10.1016/j.physletb.2016.05.088 [arXiv:1602.08772 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks," Eur. Phys. J. C **76**, no.7, 371 (2016) doi:10.1140/epjc/s10052-016-4206-6 [arXiv:1602.08762 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $Z\gamma \to \nu\bar{\nu}\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ trilinear gauge boson couplings," Phys. Lett. B **760**, 448-468 (2016) doi:10.1016/j.physletb.2016.06.080 [arXiv:1602.07152 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV," Phys. Lett. B **758**, 152-180 (2016) doi:10.1016/j.physletb.2016.05.002 [arXiv:1602.06581 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s}=8\,\mathrm{TeV}$," Eur. Phys. J. C **76**, no.10, 536 (2016) doi:10.1140/epjc/s10052-016-4346-8 [arXiv:1602.04384 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Combined search for anomalous pseudoscalar HVV couplings in VH(H $\rightarrow b\bar{b}$) production and H \rightarrow VV decay," Phys. Lett. B **759**, 672-696 (2016) doi:10.1016/j.physletb.2016.06.004 [arXiv:1602.04305 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **760**, 178-201 (2016) doi:10.1016/j.physletb.2016.06.039 [arXiv:1602.04334 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in pp collisions at sqrt(s) = 8 TeV in final states with boosted W bosons and b jets using razor variables," Phys. Rev. D **93**, no.9, 092009 (2016) doi:10.1103/PhysRevD.93.092009 [arXiv:1602.02917 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **07**, 027 (2016) [erratum: JHEP **09**, 056 (2016)] doi:10.1007/JHEP07(2016)027 [arXiv:1602.03169 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s} = 7$ TeV," JHEP **08**, 139 (2016) doi:10.1007/JHEP08(2016)139 [arXiv:1601.06713 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for massive WH resonances decaying into the $\ell\nu b\overline{b}$ final state at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.5, 237 (2016) doi:10.1140/epjc/s10052-016-4067-z [arXiv:1601.06431 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at $\sqrt{s}=8~{\rm TeV}$," Eur. Phys. J. C **76**, no.6, 325 (2016) doi:10.1140/epjc/s10052-016-4156-z [arXiv:1601.04768 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Eur. Phys. J. C **76**, no.7, 372 (2016) doi:10.1140/epjc/s10052-016-4205-7 [arXiv:1601.02001 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of t t-bar spin correlations and top quark polarization using dilepton final states in pp collisions at sqrt(s) = 8 TeV," Phys. Rev. D **93**, no.5, 052007 (2016) doi:10.1103/PhysRevD.93.052007 [arXiv:1601.01107 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=2.76$ TeV," JHEP **02**, 156 (2016) doi:10.1007/JHEP02(2016)156 [arXiv:1601.00079 [nucl-ex]]. A. M. Sirunyan *et al.* [CMS Collaboration], "Search for high-mass $\mathrm{Z}\gamma$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques," Phys. Lett. B **772**, 363-387 (2017) doi:10.1016/j.physletb.2017.06.062

- [arXiv:1612.09516 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy gauge W' boson in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV," Phys. Lett. B **770**, 278-301 (2017) doi:10.1016/j.physletb.2017.04.043 [arXiv:1612.09274 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of electroweak-induced production of W γ with two jets in pp collisions at $\sqrt{s}=8$ TeV and constraints on anomalous quartic gauge couplings," JHEP **06**, 106 (2017) doi:10.1007/JHEP06(2017)106 [arXiv:1612.09256 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 162 (2017) doi:10.1007/JHEP03(2017)162 [arXiv:1612.09159 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Lett. B **772**, 306-329 (2017) doi:10.1016/j.physletb.2017.06.053 [arXiv:1612.08972 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states," JHEP **04**, 136 (2017) doi:10.1007/JHEP04(2017)136 [arXiv:1612.05336 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Searches for pair production of third-generation squarks in $\sqrt{s} = 13$ TeV pp collisions," Eur. Phys. J. C **77**, no.5, 327 (2017) doi:10.1140/epjc/s10052-017-4853-2 [arXiv:1612.03877 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV," JHEP **03**, 077 (2017) doi:10.1007/JHEP03(2017)077 [arXiv:1612.01190 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state," Phys. Lett. B **771**, 80-105 (2017) doi:10.1016/j.physletb.2017.05.019 [arXiv:1612.00999 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 101 (2017) doi:10.1007/JHEP03(2017)101 [arXiv:1611.08931 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV," Phys. Lett. B **769**, 391-412 (2017) doi:10.1016/j.physletb.2017.04.005 [arXiv:1611.06604 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **77**, no.11, 751 (2017) doi:10.1140/epjc/s10052-017-5140-y [arXiv:1611.06507 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV," JHEP **02**, 048 (2017) doi:10.1007/JHEP02(2017)048 [arXiv:1611.06594 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ production cross section using events in the e μ final state in pp collisions at $\sqrt{s}=13$ TeV," Eur. Phys. J. C **77**, 172 (2017) doi:10.1140/epjc/s10052-017-4718-8 [arXiv:1611.04040 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 022 (2017) doi:10.1007/JHEP04(2017)022 [arXiv:1611.03844 [hep-ex]].
- A. M. Sirunyan et al. [CMS Collaboration], "Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13$

- TeV and constraints on dark matter and other models," Phys. Lett. B **769**, 520-542 (2017) [erratum: Phys. Lett. B **772**, 882-883 (2017)] doi:10.1016/j.physletb.2017.02.012 [arXiv:1611.03568 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{\mathrm{N}\,\mathrm{N}}} = 5.02$ TeV," JHEP **04**, 039 (2017) doi:10.1007/JHEP04(2017)039 [arXiv:1611.01664 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Suppression of $\Upsilon(1S), \Upsilon(2S)$ and $\Upsilon(3S)$ production in PbPb collisions at $\sqrt{s_{\mathrm{NN}}} = 2.76$ TeV," Phys. Lett. B **770**, 357-379 (2017) doi:10.1016/j.physletb.2017.04.031 [arXiv:1611.01510 [nucl-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Relative Modification of Prompt $\psi(2S)$ and J/ ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Rev. Lett. **118**, no.16, 162301 (2017) doi:10.1103/PhysRevLett.118.162301 [arXiv:1611.01438 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "A search for new phenomena in pp collisions at $\sqrt{s}=13\,\text{TeV}$ in final states with missing transverse momentum and at least one jet using the $\alpha_{\rm T}$ variable," Eur. Phys. J. C **77**, no.5, 294 (2017) doi:10.1140/epjc/s10052-017-4787-8 [arXiv:1611.00338 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **770**, 50-71 (2017) doi:10.1016/j.physletb.2017.04.028 [arXiv:1610.09551 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7$, 8, and 13 TeV," JHEP **02**, 135 (2017) doi:10.1007/JHEP02(2017)135 [arXiv:1610.09218 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks," Phys. Lett. B **768**, 137-162 (2017) doi:10.1016/j.physletb.2017.02.040 [arXiv:1610.08066 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **05**, 013 (2017) doi:10.1007/JHEP05(2017)013 [arXiv:1610.07095 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **95**, no.1, 012009 (2017) doi:10.1103/PhysRevD.95.012009 [arXiv:1610.05133 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for electroweak production of charginos in final states with two τ leptons in pp collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 018 (2017) doi:10.1007/JHEP04(2017)018 [arXiv:1610.04870 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 079 (2017) doi:10.1007/JHEP02(2017)079 [arXiv:1610.04857 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **95**, 052002 (2017) doi:10.1103/PhysRevD.95.052002 [arXiv:1610.04222 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV," Phys. Rev. D **95**, no.9, 092001 (2017) doi:10.1103/PhysRevD.95.092001 [arXiv:1610.04191 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **02**, 028 (2017) doi:10.1007/JHEP02(2017)028 [arXiv:1610.03545 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Search for high-mass $Z\gamma$ resonances in $e^+e^-\gamma$ and $\mu^+\mu^-\gamma$ final states in

- proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV," JHEP **01**, 076 (2017) doi:10.1007/JHEP01(2017)076 [arXiv:1610.02960 [hep-ex]].
- A. M. Sirunyan *et al.* [CMS Collaboration], "Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **772**, 752-776 (2017) doi:10.1016/j.physletb.2017.07.047 [arXiv:1610.00678 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{\rm NN}}=2.76~{\rm TeV}$," Eur. Phys. J. C **77**, no.4, 252 (2017) doi:10.1140/epjc/s10052-017-4781-1 [arXiv:1610.00613 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of charge-dependent azimuthal correlations in p-Pb collisions and its implication for the search for the chiral magnetic effect," Phys. Rev. Lett. **118**, no.12, 122301 (2017) doi:10.1103/PhysRevLett.118.122301 [arXiv:1610.00263 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **95**, no.1, 012011 (2017) doi:10.1103/PhysRevD.95.012011 [arXiv:1609.09386 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **94**, no.11, 112004 (2016) doi:10.1103/PhysRevD.94.112004 [arXiv:1609.08382 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13$ TeV," Phys. Rev. D **95**, no.1, 012003 (2017) doi:10.1103/PhysRevD.95.012003 [arXiv:1609.07658 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **77**, no.4, 236 (2017) doi:10.1140/epjc/s10052-017-4730-z [arXiv:1609.05721 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data," Phys. Lett. B **768**, 57-80 (2017) doi:10.1016/j.physletb.2017.02.010 [arXiv:1609.05391 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. C **96**, no.1, 015202 (2017) doi:10.1103/PhysRevC.96.015202 [arXiv:1609.05383 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s}=8$ TeV and cross section ratios to 2.76 and 7 TeV," JHEP **03**, 156 (2017) doi:10.1007/JHEP03(2017)156 [arXiv:1609.05331 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV," Phys. Rev. D **94**, no.11, 112005 (2016) doi:10.1103/PhysRevD.94.112005 [arXiv:1609.03489 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{\mathrm{N~N}}} = 2.76$ TeV," JHEP **11**, 055 (2016) doi:10.1007/JHEP11(2016)055 [arXiv:1609.02466 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for high-mass diphoton resonances in proton–proton collisions at 13 TeV and combination with 8 TeV search," Phys. Lett. B **767**, 147-170 (2017) doi:10.1016/j.physletb.2017.01.027 [arXiv:1609.02507 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "The CMS trigger system," JINST $\mathbf{12}$, no.01, P01020 (2017) doi:10.1088/1748-0221/12/01/P01020 [arXiv:1609.02366 [physics.ins-det]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the total and differential inclusive B^+ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV," Phys. Lett. B **771**, 435-456 (2017) doi:10.1016/j.physletb.2017.05.074 [arXiv:1609.00873 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $\sqrt{s}=8\,\mathrm{TeV}$," Eur. Phys. J. C **77**, no.2, 92 (2017) doi:10.1140/epjc/s10052-016-4573-z [arXiv:1608.07561 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV," JHEP **12**, 123 (2016) doi:10.1007/JHEP12(2016)123 [arXiv:1608.03560 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new phenomena in events with high jet multiplicity and low missing transverse momentum in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **770**, 257-267 (2017) doi:10.1016/j.physletb.2017.01.073 [arXiv:1608.01224 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the ZZ production cross section and Z $\rightarrow \ell^+\ell^-\ell'^+\ell'^-$ branching fraction in pp collisions at \sqrt{s} =13 TeV," Phys. Lett. B **763**, 280-303 (2016) [erratum: Phys. Lett. B **772**, 884-884 (2017)] doi:10.1016/j.physletb.2016.10.054 [arXiv:1607.08834 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 147 (2016) doi:10.1007/JHEP11(2016)147 [arXiv:1607.06975 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **766**, 268-290 (2017) doi:10.1016/j.physletb.2017.01.011 [arXiv:1607.06943 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets," JHEP **12**, 083 (2016) [erratum: JHEP **08**, 035 (2017)] doi:10.1007/JHEP12(2016)083 [arXiv:1607.05764 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV," JINST **12**, no.02, P02014 (2017) doi:10.1088/1748-0221/12/02/P02014 [arXiv:1607.03663 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of the Higgs boson to $e\tau$ and $e\mu$ in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **763**, 472-500 (2016) doi:10.1016/j.physletb.2016.09.062 [arXiv:1607.03561 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of the decay $B^+ \to \psi(2S)\phi(1020)K^+$ in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **764**, 66-86 (2017) doi:10.1016/j.physletb.2016.11.001 [arXiv:1607.02638 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at sqrt(s) = 13 TeV," JHEP $\bf 12$, 013 (2016) doi:10.1007/JHEP12(2016)013 [arXiv:1607.00915 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at \sqrt{s} =7 and 8 TeV," Phys. Rev. D **94**, no.5, 052006 (2016) doi:10.1103/PhysRevD.94.052006 [arXiv:1607.00837 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with 0-4 leptons," Phys. Rev. D **94**, no.11, 112009 (2016) doi:10.1103/PhysRevD.94.112009 [arXiv:1606.08076 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for collectivity in pp collisions at the LHC," Phys. Lett. B **765**, 193-220 (2017) doi:10.1016/j.physletb.2016.12.009 [arXiv:1606.06198 [nucl-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 096 (2017) doi:10.1007/JHEP02(2017)096 [arXiv:1606.05864 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at \sqrt{s} =8 and 13 TeV," Phys. Rev. Lett. **117**, no.5, 051802 (2016) doi:10.1103/PhysRevLett.117.051802 [arXiv:1606.04093 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Phenomenological MSSM interpretation of CMS searches in pp collisions at sqrt(s) = 7 and 8 TeV," JHEP **10**, 129 (2016) doi:10.1007/JHEP10(2016)129 [arXiv:1606.03577 [hep-ex]].
- G. Aad *et al.* [ATLAS and CMS], "Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s}=7$ and 8 TeV," JHEP **08**, 045 (2016) doi:10.1007/JHEP08(2016)045 [arXiv:1606.02266 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s}=8$ TeV using $H\to WW$ decays," JHEP **03**, 032 (2017) doi:10.1007/JHEP03(2017)032 [arXiv:1606.01522 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV," Phys. Rev. Lett. **118**, no.2, 021802 (2017) doi:10.1103/PhysRevLett.118.021802 [arXiv:1605.09305 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **762**, 512-534 (2016) doi:10.1016/j.physletb.2016.10.007 [arXiv:1605.09047 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the α_T variable," Phys. Lett. B **767**, 403-430 (2017) doi:10.1016/j.physletb.2017.02.007 [arXiv:1605.08993 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the CMS experiment," Phys. Lett. B **772**, 489-511 (2017) doi:10.1016/j.physletb.2017.07.001 [arXiv:1605.06966 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC," Phys. Lett. B **768**, 103-129 (2017) doi:10.1016/j.physletb.2017.01.075 [arXiv:1605.06699 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV in the single-lepton final state using the sum of masses of large-radius jets," JHEP **08**, 122 (2016) doi:10.1007/JHEP08(2016)122 [arXiv:1605.04608 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the double-differential inclusive jet cross section in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **76**, no.8, 451 (2016) doi:10.1140/epjc/s10052-016-4286-3 [arXiv:1605.04436 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics in same-sign dilepton events in proton–proton collisions at $\sqrt{s}=13\,\text{TeV}$," Eur. Phys. J. C **76**, no.8, 439 (2016) doi:10.1140/epjc/s10052-016-4261-z [arXiv:1605.03171 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width," JHEP **09**, 051 (2016) doi:10.1007/JHEP09(2016)051 [arXiv:1605.02329 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Measurement of the integrated and differential $t\bar{t}$ production cross sections

- for high- p_t top quarks in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **94**, no.7, 072002 (2016) doi:10.1103/PhysRevD.94.072002 [arXiv:1605.00116 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for narrow resonances in dijet final states at $\sqrt{s}=8$ TeV with the novel CMS technique of data scouting," Phys. Rev. Lett. **117**, no.3, 031802 (2016) doi:10.1103/PhysRevLett.117.031802 [arXiv:1604.08907 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.6, 317 (2016) doi:10.1140/epjc/s10052-016-4149-y [arXiv:1604.05239 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV," Phys. Rev. C **96**, no.1, 014915 (2017) doi:10.1103/PhysRevC.96.014915 [arXiv:1604.05347 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for exclusive $\gamma\gamma \to W^+W^-$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **08**, 119 (2016) doi:10.1007/JHEP08(2016)119 [arXiv:1604.04464 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter particles in proton-proton collisions at $\sqrt{s} = 8$ TeV using the razor variables," JHEP **12**, 088 (2016) doi:10.1007/JHEP12(2016)088 [arXiv:1603.08914 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV," Phys. Rev. D **94**, no.5, 052012 (2016) doi:10.1103/PhysRevD.94.052012 [arXiv:1603.06896 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **93**, no.9, 092006 (2016) doi:10.1103/PhysRevD.93.092006 [arXiv:1603.06536 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **760**, 365-386 (2016) doi:10.1016/j.physletb.2016.07.006 [arXiv:1603.06221 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $\sqrt{s}=13$ TeV," JHEP **10**, 006 (2016) doi:10.1007/JHEP10(2016)006 [arXiv:1603.04053 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], " $\Upsilon(nS)$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **761**, 31-52 (2016) doi:10.1016/j.physletb.2016.07.065 [arXiv:1603.02913 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for neutral resonances decaying into a Z boson and a pair of b jets or τ leptons," Phys. Lett. B **759**, 369-394 (2016) doi:10.1016/j.physletb.2016.05.087 [arXiv:1603.02991 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for s channel single top quark production in pp collisions at $\sqrt{s} = 7$ and 8 TeV," JHEP **09**, 027 (2016) doi:10.1007/JHEP09(2016)027 [arXiv:1603.02555 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy Majorana neutrinos in $e^{\hat{A}\hat{s}}e^{\hat{A}\hat{s}}+$ jets and $e^{\hat{A}\hat{s}}+$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 169 (2016) doi:10.1007/JHEP04(2016)169 [arXiv:1603.02248 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the t-tbar production cross section in the e-mu channel in proton-proton collisions at sqrt(s) = 7 and 8 TeV," JHEP **08**, 029 (2016) doi:10.1007/JHEP08(2016)029 [arXiv:1603.02303 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the differential cross section and charge asymmetry for inclusive $pp \to W^{\pm} + X$ production at $\sqrt{s} = 8$ TeV," Eur. Phys. J. C **76**, no.8, 469 (2016) doi:10.1140/epjc/s10052-016-4293-4 [arXiv:1603.01803 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.8, 460 (2016) doi:10.1140/epjc/s10052-016-4292-5 [arXiv:1603.00765 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the $\rm t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections," Eur. Phys. J. C **77**, no.1, 15 (2017) doi:10.1140/epjc/s10052-016-4504-z [arXiv:1602.09024 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **759**, 479-500 (2016) doi:10.1016/j.physletb.2016.05.088 [arXiv:1602.08772 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks," Eur. Phys. J. C **76**, no.7, 371 (2016) doi:10.1140/epjc/s10052-016-4206-6 [arXiv:1602.08762 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $Z\gamma \to \nu\bar{\nu}\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ trilinear gauge boson couplings," Phys. Lett. B **760**, 448-468 (2016) doi:10.1016/j.physletb.2016.06.080 [arXiv:1602.07152 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV," Phys. Lett. B **758**, 152-180 (2016) doi:10.1016/j.physletb.2016.05.002 [arXiv:1602.06581 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \, \text{TeV}$," Eur. Phys. J. C **76**, no.10, 536 (2016) doi:10.1140/epjc/s10052-016-4346-8 [arXiv:1602.04384 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Combined search for anomalous pseudoscalar HVV couplings in VH(H $\rightarrow b\bar{b}$) production and H \rightarrow VV decay," Phys. Lett. B **759**, 672-696 (2016) doi:10.1016/j.physletb.2016.06.004 [arXiv:1602.04305 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **760**, 178-201 (2016) doi:10.1016/j.physletb.2016.06.039 [arXiv:1602.04334 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in pp collisions at sqrt(s) = 8 TeV in final states with boosted W bosons and b jets using razor variables," Phys. Rev. D **93**, no.9, 092009 (2016) doi:10.1103/PhysRevD.93.092009 [arXiv:1602.02917 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **07**, 027 (2016) [erratum: JHEP **09**, 056 (2016)] doi:10.1007/JHEP07(2016)027 [arXiv:1602.03169 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s} = 7$ TeV," JHEP **08**, 139 (2016) doi:10.1007/JHEP08(2016)139 [arXiv:1601.06713 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for massive WH resonances decaying into the $\ell\nu b\overline{b}$ final state at $\sqrt{s}=8\,$ TeV," Eur. Phys. J. C **76**, no.5, 237 (2016) doi:10.1140/epjc/s10052-016-4067-z [arXiv:1601.06431 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at $\sqrt{s}=8~{\rm TeV}$," Eur. Phys. J. C **76**, no.6, 325 (2016) doi:10.1140/epjc/s10052-016-4156-z [arXiv:1601.04768 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Eur. Phys. J. C **76**, no.7, 372 (2016) doi:10.1140/epjc/s10052-016-4205-7 [arXiv:1601.02001 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of t t-bar spin correlations and top quark polarization using dilepton final states in pp collisions at sqrt(s) = 8 TeV," Phys. Rev. D **93**, no.5, 052007 (2016) doi:10.1103/PhysRevD.93.052007 [arXiv:1601.01107 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}} = 2.76$ TeV," JHEP **02**, 156 (2016) doi:10.1007/JHEP02(2016)156 [arXiv:1601.00079 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **04**, 005 (2016) doi:10.1007/JHEP04(2016)005 [arXiv:1512.08377 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton–proton collisions at \sqrt{s} =8 TeV," Phys. Lett. B **759**, 9-35 (2016) doi:10.1016/j.physletb.2016.05.033 [arXiv:1512.08002 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Lett. B **759**, 36-57 (2016) doi:10.1016/j.physletb.2016.05.044 [arXiv:1512.06461 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s}=2.76\,\text{TeV}$," Eur. Phys. J. C **76**, no.5, 265 (2016) doi:10.1140/epjc/s10052-016-4083-z [arXiv:1512.06212 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for narrow resonances decaying to dijets in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **116**, no.7, 071801 (2016) doi:10.1103/PhysRevLett.116.071801 [arXiv:1512.01224 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Event generator tunes obtained from underlying event and multiparton scattering measurements," Eur. Phys. J. C **76**, no.3, 155 (2016) doi:10.1140/epjc/s10052-016-3988-x [arXiv:1512.00815 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **93**, no.5, 052011 (2016) [erratum: Phys. Rev. D **97**, no.9, 099903 (2018)] doi:10.1103/PhysRevD.93.052011 [arXiv:1511.09375 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Spin Correlations in $t\bar{t}$ Production using the Matrix Element Method in the Muon+Jets Final State in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **758**, 321-346 (2016) doi:10.1016/j.physletb.2016.05.005 [arXiv:1511.06170 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Anomalous Single Top Quark Production in Association with a Photon in pp Collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 035 (2016) doi:10.1007/JHEP04(2016)035 [arXiv:1511.03951 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a Low-Mass Pseudoscalar Higgs Boson Produced in Association with a $b\bar{b}$ Pair in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **758**, 296-320 (2016) doi:10.1016/j.physletb.2016.05.003 [arXiv:1511.03610 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Top Quark Polarisation in T-Channel Single Top Quark Production," JHEP **04**, 073 (2016) doi:10.1007/JHEP04(2016)073 [arXiv:1511.02138 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Excited Leptons in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 125 (2016) doi:10.1007/JHEP03(2016)125 [arXiv:1511.01407 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Reconstruction and identification of τ lepton decays to hadrons and $\nu_{\rm I} \check{\rm D}$ at CMS," JINST **11**, no.01, P01019 (2016) doi:10.1088/1748-0221/11/01/P01019 [arXiv:1510.07488 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at $\sqrt{s}=8$ TeV," JHEP **01**, 079 (2016) doi:10.1007/JHEP01(2016)079 [arXiv:1510.06534 [hep-ex]].
- R. Gonzalez Suarez, "Run-1 Single-top measurements at CMS," [arXiv:1510.05235 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the top quark pair production cross section in proton-proton collisions at $\sqrt{s}=13$ TeV," Phys. Rev. Lett. **116**, no.5, 052002 (2016) doi:10.1103/PhysRevLett.116.052002 [arXiv:1510.05302 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $\sqrt{s}=8$ TeV," JHEP **12**, 178 (2015) doi:10.1007/JHEP12(2015)178 [arXiv:1510.04252 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV," Phys. Lett. B **754**, 59 (2016) doi:10.1016/j.physletb.2016.01.010 [arXiv:1510.03373 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.7, 379 (2016) doi:10.1140/epjc/s10052-016-4105-x [arXiv:1510.03072 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of long-range near-side two-particle angular correlations in pp collisions at \sqrt{s} =13 TeV," Phys. Rev. Lett. **116**, no.17, 172302 (2016) doi:10.1103/PhysRevLett.116.172302 [arXiv:1510.03068 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of top quark pairs produced in association with a vector boson in pp collisions at $\sqrt{s} = 8$ TeV," JHEP **01**, 096 (2016) doi:10.1007/JHEP01(2016)096 [arXiv:1510.01131 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with $h \to \tau \tau$," Phys. Lett. B **755**, 217-244 (2016) doi:10.1016/j.physletb.2016.01.056 [arXiv:1510.01181 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV," JHEP **01**, 006 (2016) doi:10.1007/JHEP01(2016)006 [arXiv:1509.09029 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **01**, 166 (2016) doi:10.1007/JHEP01(2016)166 [arXiv:1509.08141 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **06**, 177 (2016) doi:10.1007/JHEP06(2016)177 [arXiv:1509.08159 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for $W' \to tb$ in proton-proton collisions at $\sqrt{s} = 8$ TeV," JHEP **02**, 122 (2016) doi:10.1007/JHEP02(2016)122 [arXiv:1509.06051 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $\rm t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.3, 128 (2016) doi:10.1140/epjc/s10052-016-3956-5 [arXiv:1509.06076 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the top quark mass using proton-proton data at $\sqrt{(s)}=7$ and 8 TeV," Phys. Rev. D **93**, no.7, 072004 (2016) doi:10.1103/PhysRevD.93.072004 [arXiv:1509.04044]

[hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Search for vector-like charge 2/3 T quarks in proton-proton collisions at sqrt(s) = 8 TeV," Phys. Rev. D **93**, no.1, 012003 (2016) doi:10.1103/PhysRevD.93.012003 [arXiv:1509.04177 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the inelastic cross section in proton–lead collisions at $\sqrt{s_{NN}}=5.02$ TeV," Phys. Lett. B **759**, 641-662 (2016) doi:10.1016/j.physletb.2016.06.027 [arXiv:1509.03893 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s}=8~TeV$," Phys. Rev. D **93**, no.3, 032005 (2016) [erratum: Phys. Rev. D **95**, no.3, 039906 (2017)] doi:10.1103/PhysRevD.93.032005 [arXiv:1509.03750 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **93**, no.3, 032004 (2016) doi:10.1103/PhysRevD.93.032004 [arXiv:1509.03744 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **76**, no.1, 13 (2016) doi:10.1140/epjc/s10052-015-3853-3 [arXiv:1508.07819 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8$ TeV," JHEP 11, 018 (2015) doi:10.1007/JHEP11(2015)018 [arXiv:1508.07774 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 189 (2015) doi:10.1007/JHEP11(2015)189 [arXiv:1508.07628 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays," Phys. Rev. Lett. **116**, no.3, 032301 (2016) doi:10.1103/PhysRevLett.116.032301 [arXiv:1508.06678 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for W' decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **755**, 196-216 (2016) doi:10.1016/j.physletb.2016.02.002 [arXiv:1508.04308 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s}=8$ TeV using a template method," Phys. Rev. D **93**, no.3, 034014 (2016) doi:10.1103/PhysRevD.93.034014 [arXiv:1508.03862 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for neutral MSSM Higgs bosons decaying to $\mu^+\mu^-$ in pp collisions at $\sqrt{s}=7$ and 8 TeV," Phys. Lett. B **752**, 221-246 (2016) doi:10.1016/j.physletb.2015.11.042 [arXiv:1508.01437 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **757**, 6-31 (2016) doi:10.1016/j.physletb.2016.03.039 [arXiv:1508.01218 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Angular analysis of the decay $B^0 \to K^{*0} \mu^+ \mu^-$ from pp collisions at $\sqrt{s} = 8$ TeV," Phys. Lett. B **753**, 424-448 (2016) doi:10.1016/j.physletb.2015.12.020 [arXiv:1507.08126 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma_s$ using the B $_s^0 \to J/\psi\phi(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **757**, 97-120 (2016) doi:10.1016/j.physletb.2016.03.046 [arXiv:1507.07527 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at sqrt(s) = 2.76 TeV," JHEP **09**, 137 (2015) doi:10.1007/JHEP09(2015)137 [arXiv:1507.07229]

[hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Search for pair-produced vectorlike B quarks in proton-proton collisions at \sqrt{s} =8 TeV," Phys. Rev. D **93**, no.11, 112009 (2016) doi:10.1103/PhysRevD.93.112009 [arXiv:1507.07129 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Limits on the Higgs boson lifetime and width from its decay to four charged leptons," Phys. Rev. D **92**, no.7, 072010 (2015) doi:10.1103/PhysRevD.92.072010 [arXiv:1507.06656 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV," Phys. Lett. B **751**, 143-163 (2015) doi:10.1016/j.physletb.2015.10.004 [arXiv:1507.05915 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the W^+W^- cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous gauge couplings," Eur. Phys. J. C **76**, no.7, 401 (2016) doi:10.1140/epjc/s10052-016-4219-1 [arXiv:1507.03268 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **757**, 154-179 (2016) doi:10.1016/j.physletb.2016.03.060 [arXiv:1507.03119 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for supersymmetry with photons in pp collisions at \sqrt{s} =8 TeV," Phys. Rev. D **92**, no.7, 072006 (2015) doi:10.1103/PhysRevD.92.072006 [arXiv:1507.02898 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a Higgs boson decaying into $\gamma^*\gamma \to \ell\ell\gamma$ with low dilepton mass in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **753**, 341-362 (2016) doi:10.1016/j.physletb.2015.12.039 [arXiv:1507.03031 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for exotic decays of a Higgs boson into undetectable particles and one or more photons," Phys. Lett. B **753**, 363-388 (2016) doi:10.1016/j.physletb.2015.12.017 [arXiv:1507.00359 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at sqrt(s) = 8 TeV," Phys. Rev. D **92**, no.11, 112001 (2015) doi:10.1103/PhysRevD.92.112001 [arXiv:1507.00233 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks," JHEP **11**, 071 (2015) doi:10.1007/JHEP11(2015)071 [arXiv:1506.08329 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **93**, no.1, 012001 (2016) doi:10.1103/PhysRevD.93.012001 [arXiv:1506.03062 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **750**, 494-519 (2015) doi:10.1016/j.physletb.2015.09.062 [arXiv:1506.02301 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 145 (2016) doi:10.1007/JHEP02(2016)145 [arXiv:1506.01443 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson produced through vector boson fusion and decaying to $b\bar{b}$," Phys. Rev. D **92**, no.3, 032008 (2015) doi:10.1103/PhysRevD.92.032008 [arXiv:1506.01010 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "A search for pair production of new light bosons decaying into muons," Phys. Lett. B **752**, 146-168 (2016) doi:10.1016/j.physletb.2015.10.067 [arXiv:1506.00424 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **09**, 201 (2015) doi:10.1007/JHEP09(2015)201 [arXiv:1505.08118 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Comparison of the $Z/\gamma^{\hat{a}\hat{L}\hat{U}}$ + jets to γ + jets cross sections in pp collisions at $\sqrt{s}=8$ TeV," JHEP **10**, 128 (2015) [erratum: JHEP **04**, 010 (2016)] doi:10.1007/JHEP04(2016)010 [arXiv:1505.06520 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s}=8\,\text{TeV}$," Eur. Phys. J. C **75**, no.11, 542 (2015) doi:10.1140/epjc/s10052-015-3709-x [arXiv:1505.04480 [hep-ex]].
- W. Adam *et al.* [CMS Tracker Group], "Impact of low-dose electron irradiation on n^+p silicon strip sensors," Nucl. Instrum. Meth. A **803**, 100-112 (2015) doi:10.1016/j.nima.2015.08.026 [arXiv:1505.02672 [physics.ins-det]].
- W. Adam *et al.* [CMS Tracker Group], "Trapping in proton irradiated p^+ -n-n $^+$ silicon sensors at fluences anticipated at the HL-LHC outer tracker," JINST **11**, no.04, P04023 (2016) doi:10.1088/1748-0221/11/04/P04023 [arXiv:1505.01824 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $\hat{a}\check{D}\S^+\hat{a}\check{D}\S^{\hat{a}}\check{L}\check{S}b\bar{b}$ final states," Phys. Lett. B **748**, 221-243 (2015) doi:10.1016/j.physletb.2015.07.010 [arXiv:1504.04710 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton–proton collisions at 8 TeV," Phys. Lett. B **749**, 187-209 (2015) doi:10.1016/j.physletb.2015.07.065 [arXiv:1504.03511 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Angular coefficients of Z bosons produced in pp collisions at \sqrt{s} = 8 TeV and decaying to $\mu^+\mu^-$ as a function of transverse momentum and rapidity," Phys. Lett. B **750**, 154-175 (2015) doi:10.1016/j.physletb.2015.08.061 [arXiv:1504.03512 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at sqrt(s) = 8 TeV," JHEP **06**, 121 (2015) doi:10.1007/JHEP06(2015)121 [arXiv:1504.03198 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons," JHEP 10, 144 (2015) doi:10.1007/JHEP10(2015)144 [arXiv:1504.00936 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Third-Generation Scalar Leptoquarks in the $t\tau$ Channel in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," JHEP **07**, 042 (2015) [erratum: JHEP **11**, 056 (2016)] doi:10.1007/JHEP11(2016)056 [arXiv:1503.09049 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of diffraction dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **92**, no.1, 012003 (2015) doi:10.1103/PhysRevD.92.012003 [arXiv:1503.08689 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **06**, 116 (2015) doi:10.1007/JHEP06(2015)116 [arXiv:1503.08037 [hep-ex]].
- G. Aad *et al.* [ATLAS and CMS], "Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments," Phys. Rev. Lett. **114**, 191803 (2015) doi:10.1103/PhysRevLett.114.191803 [arXiv:1503.07589 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of W boson production in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Phys. Lett. B **750**, 565-586 (2015) doi:10.1016/j.physletb.2015.09.057 [arXiv:1503.05825 [nucl-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the Z Z production cross sections in the $2l2\nu$ channel in proton–proton collisions at $\sqrt{s}=7$ and 8 TeV and combined constraints on triple gauge couplings," Eur. Phys. J. C **75**, no.10, 511 (2015) doi:10.1140/epjc/s10052-015-3706-0 [arXiv:1503.05467 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for resonant pair production of Higgs bosons decaying to two bottom quark—antiquark pairs in proton—proton collisions at 8 TeV," Phys. Lett. B **749**, 560-582 (2015) doi:10.1016/j.physletb.2015.08.047 [arXiv:1503.04114 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure," JHEP **06**, 080 (2015) doi:10.1007/JHEP06(2015)080 [arXiv:1503.01952 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for transverse momentum and pseudorapidity dependent event plane fluctuations in PbPb and pPb collisions," Phys. Rev. C **92**, no.3, 034911 (2015) doi:10.1103/PhysRevC.92.034911 [arXiv:1503.01692 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of Final-State Radiation in Decays of Z Bosons Produced in pp Collisions at 7 TeV," Phys. Rev. D **91**, no.9, 092012 (2015) doi:10.1103/PhysRevD.91.092012 [arXiv:1502.07940 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Lepton-Flavour-Violating Decays of the Higgs Boson," Phys. Lett. B **749**, 337-362 (2015) doi:10.1016/j.physletb.2015.07.053 [arXiv:1502.07400 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Physics Beyond the Standard Model in Events with Two Leptons, Jets, and Missing Transverse Momentum in pp Collisions at sqrt(s) = 8 TeV," JHEP **04**, 124 (2015) doi:10.1007/JHEP04(2015)124 [arXiv:1502.06031 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $Z\gamma$ Production Cross Section in pp Collisions at 8 TeV and Search for Anomalous Triple Gauge Boson Couplings," JHEP **04**, 164 (2015) doi:10.1007/JHEP04(2015)164 [arXiv:1502.05664 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Nuclear Effects on the Transverse Momentum Spectra of Charged Particles in pPb Collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV," Eur. Phys. J. C **75**, no.5, 237 (2015) doi:10.1140/epjc/s10052-015-3435-4 [arXiv:1502.05387 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Evidence for Collective Multiparticle Correlations in p-Pb Collisions," Phys. Rev. Lett. **115**, no.1, 012301 (2015) doi:10.1103/PhysRevLett.115.012301 [arXiv:1502.05382 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Narrow High-Mass Resonances in Proton–Proton Collisions at \sqrt{s} = 8 TeV Decaying to a Z and a Higgs Boson," Phys. Lett. B **748**, 255-277 (2015) doi:10.1016/j.physletb.2015.07.011 [arXiv:1502.04994 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Distributions of Topological Observables in Inclusive Three- and Four-Jet Events in pp Collisions at sqrt(s) = 7 TeV," Eur. Phys. J. C **75**, no.7, 302 (2015) doi:10.1140/epjc/s10052-015-3491-9 [arXiv:1502.04785 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for Supersymmetry using the M_{T2} Variable in Hadronic Events Produced in pp Collisions at 8 TeV," JHEP **05**, 078 (2015) doi:10.1007/JHEP05(2015)078 [arXiv:1502.04358 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of J/ ψ and ψ (2S) Prompt Double-Differential Cross Sections in pp Collisions at \sqrt{s} =7 TeV," Phys. Rev. Lett. **114**, no.19, 191802 (2015) doi:10.1103/PhysRevLett.114.191802 [arXiv:1502.04155 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Constraints on the pMSSM, AMSB model and on other models

- from the search for long-lived charged particles in proton-proton collisions at sqrt(s) = 8 TeV," Eur. Phys. J. C **75**, no.7, 325 (2015) doi:10.1140/epjc/s10052-015-3533-3 [arXiv:1502.02522 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Performance of Electron Reconstruction and Selection with the CMS Detector in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV," JINST **10**, no.06, P06005 (2015) doi:10.1088/1748-0221/10/06/P06005 [arXiv:1502.02701 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a Standard Model Higgs Boson Produced in Association with a Top-Quark Pair and Decaying to Bottom Quarks Using a Matrix Element Method," Eur. Phys. J. C **75**, no.6, 251 (2015) doi:10.1140/epjc/s10052-015-3454-1 [arXiv:1502.02485 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Performance of Photon Reconstruction and Identification with the CMS Detector in Proton-Proton Collisions at sqrt(s) = 8 TeV," JINST $\bf 10$, no.08, P08010 (2015) doi:10.1088/1748-0221/10/08/P08010 [arXiv:1502.02702 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Supersymmetry Using Razor Variables in Events with b-Tagged Jets in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **91**, 052018 (2015) doi:10.1103/PhysRevD.91.052018 [arXiv:1502.00300 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **749**, 14-34 (2015) doi:10.1016/j.physletb.2015.07.037 [arXiv:1501.07750 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the ratio $B(B_s^0 \to J/\psi f_0(980)) / B(B_s^0 \to J/\psi \phi(1020))$ in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **756**, 84-102 (2016) doi:10.1016/j.physletb.2016.02.047 [arXiv:1501.06089 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for heavy Majorana neutrinos in $\mu^{\pm}\mu^{\pm}+$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **748**, 144-166 (2015) doi:10.1016/j.physletb.2015.06.070 [arXiv:1501.05566 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Decays of Stopped Long-Lived Particles Produced in Proton–Proton Collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **75**, no.4, 151 (2015) doi:10.1140/epjc/s10052-015-3367-z [arXiv:1501.05603 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **91**, no.5, 052009 (2015) doi:10.1103/PhysRevD.91.052009 [arXiv:1501.04198 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV," Eur. Phys. J. C **75**, no.5, 212 (2015) doi:10.1140/epjc/s10052-015-3351-7 [arXiv:1412.8662 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for pair-produced resonances decaying to jet pairs in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **747**, 98-119 (2015) doi:10.1016/j.physletb.2015.04.045 [arXiv:1412.7706 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **04**, 025 (2015) doi:10.1007/JHEP04(2015)025 [arXiv:1412.6302 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV," Phys. Lett. B **745**, 5-28 (2015) doi:10.1016/j.physletb.2015.04.002 [arXiv:1412.4109 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range," Eur. Phys. J. C

- **75**, no.5, 186 (2015) doi:10.1140/epjc/s10052-015-3376-y [arXiv:1412.1633 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at 8 TeV," Eur. Phys. J. C **75**, no.4, 147 (2015) doi:10.1140/epjc/s10052-015-3364-2 [arXiv:1412.1115 [hep-ex]].
- R. Gonzalez Suarez [ATLAS and CMS], "Inclusive single top cross section at the LHC," doi:10.3204/DESY-PROC-2014-02/16
- V. Khachatryan *et al.* [CMS Collaboration], "Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV," Phys. Lett. B **743**, 503-525 (2015) doi:10.1016/j.physletb.2015.03.017 [arXiv:1411.7255 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **91**, no.5, 052012 (2015) doi:10.1103/PhysRevD.91.052012 [arXiv:1411.6977 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Long-Lived Neutral Particles Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **91**, no.1, 012007 (2015) doi:10.1103/PhysRevD.91.012007 [arXiv:1411.6530 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for disappearing tracks in proton-proton collisions at $\sqrt{s} = 8$ TeV," JHEP **01**, 096 (2015) doi:10.1007/JHEP01(2015)096 [arXiv:1411.6006 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the cross section ratio $\sigma_{t\bar{t}b\bar{b}}/\sigma_{t\bar{t}j\bar{j}}$ in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **746**, 132-153 (2015) doi:10.1016/j.physletb.2015.04.060 [arXiv:1411.5621 [hep-ex]].
- V. Khachatryan et al. [CMS and LHCb], "Observation of the rare $B_s^0 \to \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data," Nature **522**, 68-72 (2015) doi:10.1038/nature14474 [arXiv:1411.4413 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV," Phys. Rev. D **92**, no.1, 012004 (2015) doi:10.1103/PhysRevD.92.012004 [arXiv:1411.3441 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton–proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **746**, 79-99 (2015) doi:10.1016/j.physletb.2015.04.042 [arXiv:1411.2646 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s}=8$ TeV," JINST **10**, no.02, P02006 (2015) doi:10.1088/1748-0221/10/02/P02006 [arXiv:1411.0511 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **755**, 102-124 (2016) doi:10.1016/j.physletb.2016.01.057 [arXiv:1410.8812 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV," Eur. Phys. J. C **75**, no.6, 288 (2015) doi:10.1140/epjc/s10052-015-3499-1 [arXiv:1410.6765 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a standard model-like Higgs boson in the $\hat{I}ij^{+}\hat{I}ij^{\hat{a}}\hat{L}\check{S}$ and $e^{+}e^{\hat{a}}\hat{L}\check{S}$ decay channels at the LHC," Phys. Lett. B **744**, 184-207 (2015) doi:10.1016/j.physletb.2015.03.048 [arXiv:1410.6679 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets," Phys. Rev. Lett. **114**, no.5, 051801 (2015) doi:10.1103/PhysRevLett.114.051801

- [arXiv:1410.6315 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the ratio of the production cross sections times branching fractions of $B_c^\pm \to J/\psi \pi^\pm$ and $B^\pm \to J/\psi K^\pm$ and $\mathcal{B}(B_c^\pm \to J/\psi \pi^\pm \pi^\pm \pi^\mp)/\mathcal{B}(B_c^\pm \to J/\psi \pi^\pm)$ in pp collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 063 (2015) doi:10.1007/JHEP01(2015)063 [arXiv:1410.5729 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of Z production in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV in the dimuon and dielectron decay channels," JHEP **03**, 022 (2015) doi:10.1007/JHEP03(2015)022 [arXiv:1410.4825 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Identification techniques for highly boosted W bosons that decay into hadrons," JHEP **12**, 017 (2014) doi:10.1007/JHEP12(2014)017 [arXiv:1410.4227 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **75**, no.2, 66 (2015) doi:10.1140/epjc/s10052-014-3232-5 [arXiv:1410.3153 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t\hat{a}E\check{S}ch$ decay using multilepton and diphoton final states in pp collisions at 8 TeV," Phys. Rev. D **90**, 112013 (2014) doi:10.1103/PhysRevD.90.112013 [arXiv:1410.2751 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Prompt $\psi(2S) \to J/\psi$ Yield Ratios in Pb-Pb and p-p Collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. Lett. **113**, no.26, 262301 (2014) doi:10.1103/PhysRevLett.113.262301 [arXiv:1410.1804 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $\sqrt{s}=8$ TeV," JHEP **01**, 053 (2015) doi:10.1007/JHEP01(2015)053 [arXiv:1410.1154 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Monotop Signatures in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **114**, no.10, 101801 (2015) doi:10.1103/PhysRevLett.114.101801 [arXiv:1410.1149 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Standard Model Production of Four Top Quarks in the Lepton + Jets Channel in pp Collisions at $\sqrt{s}=8$ TeV," JHEP **11**, 154 (2014) doi:10.1007/JHEP11(2014)154 [arXiv:1409.7339 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the production cross section ratio $\sigma(Xb2(1P))$ / $\sigma(Xb1(1P))$ in pp collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **743**, 383-402 (2015) doi:10.1016/j.physletb.2015.02.048 [arXiv:1409.5761 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Displaced Supersymmetry in events with an electron and a muon with large impact parameters," Phys. Rev. Lett. **114**, no.6, 061801 (2015) doi:10.1103/PhysRevLett.114.061801 [arXiv:1409.4789 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies," Phys. Lett. B **742**, 200-224 (2015) doi:10.1016/j.physletb.2015.01.034 [arXiv:1409.3392 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV," Phys. Rev. D **90**, no.9, 092007 (2014) doi:10.1103/PhysRevD.90.092007 [arXiv:1409.3168 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **75**, no.5, 235 (2015) doi:10.1140/epjc/s10052-015-3451-4 [arXiv:1408.3583 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Search for neutral MSSM Higgs bosons decaying to a pair of tau

- leptons in pp collisions," JHEP 10, 160 (2014) doi:10.1007/JHEP10(2014)160 [arXiv:1408.3316 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of jet multiplicity and differential production cross sections of Z+ jets events in proton-proton collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **91**, no.5, 052008 (2015) doi:10.1103/PhysRevD.91.052008 [arXiv:1408.3104 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at sqrt(s) = 8 TeV," Phys. Rev. D **91**, no.9, 092005 (2015) doi:10.1103/PhysRevD.91.092005 [arXiv:1408.2745 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for the associated production of the Higgs boson with a top-quark pair," JHEP **09**, 087 (2014) [erratum: JHEP **10**, 106 (2014)] doi:10.1007/JHEP09(2014)087 [arXiv:1408.1682 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for pair production of third-generation scalar leptoquarks and top squarks in proton–proton collisions at \sqrt{s} =8 TeV," Phys. Lett. B **739**, 229-249 (2014) doi:10.1016/j.physletb.2014.10.063 [arXiv:1408.0806 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at $\sqrt{s}=8$ TeV in Dilepton Final States Containing One τ Lepton," Phys. Lett. B **739**, 23-43 (2014) doi:10.1016/j.physletb.2014.10.032 [arXiv:1407.6643 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Heavy Neutrinos and W Bosons with Right-Handed Couplings in Proton-Proton Collisions at $\sqrt{s}=8\,\text{TeV}$," Eur. Phys. J. C **74**, no.11, 3149 (2014) doi:10.1140/epjc/s10052-014-3149-z [arXiv:1407.3683 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for New Resonances Decaying via WZ to Leptons in Proton-Proton Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **740**, 83-104 (2015) doi:10.1016/j.physletb.2014.11.026 [arXiv:1407.3476 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Study of Hadronic Event-Shape Variables in Multijet Final States in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **10**, 087 (2014) doi:10.1007/JHEP10(2014)087 [arXiv:1407.2856 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of the Diphoton Decay of the Higgs Boson and Measurement of Its Properties," Eur. Phys. J. C **74**, no.10, 3076 (2014) doi:10.1140/epjc/s10052-014-3076-z [arXiv:1407.0558 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Top Quark-Antiquark Pair Production in Association with a W or Z Boson in pp Collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **74**, no.9, 3060 (2014) doi:10.1140/epjc/s10052-014-3060-7 [arXiv:1406.7830 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Differential Cross Section Measurements for the Production of a W Boson in Association with Jets in Proton–Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **741**, 12-37 (2015) doi:10.1016/j.physletb.2014.12.003 [arXiv:1406.7533 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Excited Quarks in the $\gamma+$ Jet Final State in Proton–Proton Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **738**, 274-293 (2014) doi:10.1016/j.physletb.2014.09.048 [arXiv:1406.5171 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Jet Fragmentation in PbPb and pp Collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. C **90**, no.2, 024908 (2014) doi:10.1103/PhysRevC.90.024908 [arXiv:1406.0932 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Ratio of Inclusive Jet Cross Sections using the Anti- k_T Algorithm with Radius Parameters R=0.5 and 0.7 in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **90**, no.7, 072006 (2014) doi:10.1103/PhysRevD.90.072006 [arXiv:1406.0324 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Prompt J/ψ Pair Production in pp Collisions at $\sqrt{s}=7$ Tev," JHEP **09**, 094 (2014) doi:10.1007/JHEP09(2014)094 [arXiv:1406.0484 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the $pp \to ZZ$ Production Cross Section and Constraints on Anomalous Triple Gauge Couplings in Four-Lepton Final States at $\sqrt{s}=8$ TeV," Phys. Lett. B **740**, 250-272 (2015) [erratum: Phys. Lett. B **757**, 569-569 (2016)] doi:10.1016/j.physletb.2016.04.010 [arXiv:1406.0113 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV," Eur. Phys. J. C **74**, no.9, 3036 (2014) doi:10.1140/epjc/s10052-014-3036-7 [arXiv:1405.7570 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for jet extinction in the inclusive jet- p_t spectrum from proton-proton collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **90**, no.3, 032005 (2014) doi:10.1103/PhysRevD.90.032005 [arXiv:1405.7653 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s}=7\,\text{TeV}$," Eur. Phys. J. C **74**, no.11, 3129 (2014) doi:10.1140/epjc/s10052-014-3129-3 [arXiv:1405.7225 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Description and performance of track and primary-vertex reconstruction with the CMS tracker," JINST **9**, no.10, P10009 (2014) doi:10.1088/1748-0221/9/10/P10009 [arXiv:1405.6569 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for supersymmetry with razor variables in pp collisions at \sqrt{s} =7 TeV," Phys. Rev. D **90**, no.11, 112001 (2014) doi:10.1103/PhysRevD.90.112001 [arXiv:1405.3961 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at \sqrt{s} =8 TeV," Phys. Lett. B **736**, 371-397 (2014) doi:10.1016/j.physletb.2014.07.053 [arXiv:1405.3886 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs," Phys. Lett. B **736**, 64-85 (2014) doi:10.1016/j.physletb.2014.06.077 [arXiv:1405.3455 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s}=8$ TeV," JHEP **08**, 174 (2014) doi:10.1007/JHEP08(2014)174 [arXiv:1405.3447 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s}=8$ TeV," JHEP **08**, 173 (2014) doi:10.1007/JHEP08(2014)173 [arXiv:1405.1994 [hep-ex]].
- S. Chatrchyan *et al.* [CMS and TOTEM], "Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s}=8$ TeV by the CMS and TOTEM experiments," Eur. Phys. J. C **74**, no.10, 3053 (2014) doi:10.1140/epjc/s10052-014-3053-6 [arXiv:1405.0722 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **90**, 032006 (2014) doi:10.1103/PhysRevD.90.032006 [arXiv:1404.5801 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for $WW\gamma$ and $WZ\gamma$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. D **90**, no.3, 032008 (2014) doi:10.1103/PhysRevD.90.032008 [arXiv:1404.4619 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of jet multiplicity distributions in $\rm t\bar t$ production in pp collisions at $\sqrt s=7\, {\rm TeV}$," Eur. Phys. J. C **74**, 3014 (2015) [erratum: Eur. Phys. J. C **75**, no.5, 216 (2015)] doi:10.1140/epjc/s10052-014-3014-0 [arXiv:1404.3171 [hep-ex]].

- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the ratio $\mathcal{B}(t \to Wb)/\mathcal{B}(t \to Wq)$ in pp collisions at $\sqrt{s} = 8$ TeV," Phys. Lett. B **736**, 33-57 (2014) doi:10.1016/j.physletb.2014.06.076 [arXiv:1404.2292 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes," Eur. Phys. J. C **74**, 2980 (2014) doi:10.1140/epjc/s10052-014-2980-6 [arXiv:1404.1344 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the t-channel single-top-quark production cross section and of the $\mid V_{tb} \mid$ CKM matrix element in pp collisions at $\sqrt{s}=8$ TeV," JHEP **06**, 090 (2014) doi:10.1007/JHEP06(2014)090 [arXiv:1403.7366 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of WZ and ZZ production in pp collisions at $\sqrt{s}=8\,\text{TeV}$ in final states with b-tagged jets," Eur. Phys. J. C **74**, no.8, 2973 (2014) doi:10.1140/epjc/s10052-014-2973-5 [arXiv:1403.3047 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Alignment of the CMS tracker with LHC and cosmic ray data," JINST **9**, P06009 (2014) doi:10.1088/1748-0221/9/06/P06009 [arXiv:1403.2286 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s}=8$ TeV," JHEP **06**, 055 (2014) doi:10.1007/JHEP06(2014)055 [arXiv:1402.4770 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 191 (2014) doi:10.1007/JHEP04(2014)191 [arXiv:1402.3803 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for W' \rightarrow tb decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV," JHEP **05**, 108 (2014) doi:10.1007/JHEP05(2014)108 [arXiv:1402.2176 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at sqrt(s) = 7 TeV," JHEP **06**, 120 (2014) doi:10.1007/JHEP06(2014)120 [arXiv:1402.1521 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **112**, 191802 (2014) doi:10.1103/PhysRevLett.112.191802 [arXiv:1402.0923 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Evidence for the direct decay of the 125 GeV Higgs boson to fermions," Nature Phys. **10**, 557-560 (2014) doi:10.1038/nphys3005 [arXiv:1401.6527 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons," JHEP **05**, 104 (2014) doi:10.1007/JHEP05(2014)104 [arXiv:1401.5041 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Determination of the Top-Quark Pole Mass and Strong Coupling Constant from the $t\bar{t}$ Production Cross Section in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **728**, 496-517 (2014) [erratum: Phys. Lett. B **738**, 526-528 (2014)] doi:10.1016/j.physletb.2013.12.009 [arXiv:1307.1907 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\rm NN}}=5.02\,$ TeV," Eur. Phys. J. C **74**, no.7, 2951 (2014) doi:10.1140/epjc/s10052-014-2951-y [arXiv:1401.4433 [nucl-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Observation of the associated production of a single top quark and a W boson in pp collisions at \sqrt{s} =8 TeV," Phys. Rev. Lett. **112**, no.23, 231802 (2014) doi:10.1103/PhysRevLett.112.231802 [arXiv:1401.2942 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the $t\bar{t}$ production cross section in the dilepton channel in

- pp collisions at $\sqrt{s}=8$ TeV," JHEP **02**, 024 (2014) [erratum: JHEP **02**, 102 (2014)] doi:10.1007/JHEP02(2014)024 [arXiv:1312.7582 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Production Cross Section for a W Boson and Two b Jets in pp Collisions at \sqrt{s} =7 TeV," Phys. Lett. B **735**, 204-225 (2014) doi:10.1016/j.physletb.2014.06.041 [arXiv:1312.6608 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Four-Jet Production in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV," Phys. Rev. D **89**, no.9, 092010 (2014) doi:10.1103/PhysRevD.89.092010 [arXiv:1312.6440 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Event Activity Dependence of Y(nS) Production in $\sqrt{s_{NN}}$ =5.02 TeV pPb and \sqrt{s} =2.76 TeV pp Collisions," JHEP **04**, 103 (2014) doi:10.1007/JHEP04(2014)103 [arXiv:1312.6300 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Muon Charge Asymmetry in Inclusive $pp \to W + X$ Production at $\sqrt{s} = 7$ TeV and an Improved Determination of Light Parton Distribution Functions," Phys. Rev. D **90**, no.3, 032004 (2014) doi:10.1103/PhysRevD.90.032004 [arXiv:1312.6283 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of Double Parton Scattering Using W + 2-Jet Events in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV," JHEP **03**, 032 (2014) doi:10.1007/JHEP03(2014)032 [arXiv:1312.5729 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Properties of a Higgs Boson in the Four-Lepton Final State," Phys. Rev. D **89**, no.9, 092007 (2014) doi:10.1103/PhysRevD.89.092007 [arXiv:1312.5353 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for Flavor-Changing Neutral Currents in Top-Quark Decays $t\to Zq$ in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Rev. Lett. **112**, no.17, 171802 (2014) doi:10.1103/PhysRevLett.112.171802 [arXiv:1312.4194 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Evidence of b-Jet Quenching in PbPb Collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. Lett. **113**, no.13, 132301 (2014) [erratum: Phys. Rev. Lett. **115**, no.2, 029903 (2015)] doi:10.1103/PhysRevLett.113.132301 [arXiv:1312.4198 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Top Squark and Higgsino Production using Diphoton Higgs Boson Decays," Phys. Rev. Lett. **112**, 161802 (2014) doi:10.1103/PhysRevLett.112.161802 [arXiv:1312.3310 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Top-Quark Partners with Charge 5/3 in the Same-Sign Dilepton Final State," Phys. Rev. Lett. **112**, no.17, 171801 (2014) doi:10.1103/PhysRevLett.112.171801 [arXiv:1312.2391 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Studies of Azimuthal Dihadron Correlations in Ultra-Central PbPb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV," JHEP **02**, 088 (2014) doi:10.1007/JHEP02(2014)088 [arXiv:1312.1845 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Higgs Boson Production and Properties in the WW Decay Channel with Leptonic Final States," JHEP **01**, 096 (2014) doi:10.1007/JHEP01(2014)096 [arXiv:1312.1129 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Inclusive Search for a Vector-Like T Quark with Charge $\frac{2}{3}$ in pp Collisions at $\sqrt{s} = 8$ TeV," Phys. Lett. B **729**, 149-171 (2014) doi:10.1016/j.physletb.2014.01.006 [arXiv:1311.7667 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in Events with Same-Sign Dileptons and Jets in pp Collisions at $\sqrt{s}=8$ TeV," JHEP **01**, 163 (2014) [erratum: JHEP **01**, 014 (2015)] doi:10.1007/JHEP01(2014)163 [arXiv:1311.6736 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Triple-Differential Cross Section for Photon+Jets Production in Proton-Proton Collisions at \sqrt{s} =7 TeV," JHEP **06**, 009 (2014) doi:10.1007/JHEP06(2014)009 [arXiv:1311.6141 [hep-ex]].
- S. Chatrchyan et~al.~ [CMS Collaboration], "Probing Color Coherence Effects in pp Collisions at $\sqrt{s}=7\,\mathrm{TeV}$,"

- Eur. Phys. J. C **74**, no.6, 2901 (2014) doi:10.1140/epjc/s10052-014-2901-8 [arXiv:1311.5815 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Pair Production of Excited Top Quarks in the Lepton + Jets Final State," JHEP **06**, 125 (2014) doi:10.1007/JHEP06(2014)125 [arXiv:1311.5357 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in pp Collisions at \sqrt{s} =8 TeV in Events with a Single Lepton, Large Jet Multiplicity, and Multiple b Jets," Phys. Lett. B **733**, 328-353 (2014) doi:10.1016/j.physletb.2014.04.023 [arXiv:1311.4937 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurements of $t\bar{t}$ Spin Correlations and Top-Quark Polarization Using Dilepton Final States in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **112**, no.18, 182001 (2014) doi:10.1103/PhysRevLett.112.182001 [arXiv:1311.3924 [hep-ex]].
- K. Agashe et al. [Top Quark Working Group], "Working Group Report: Top Quark," [arXiv:1311.2028 [hep-ph]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Searches for Light- and Heavy-Flavour Three-Jet Resonances in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **730**, 193-214 (2014) doi:10.1016/j.physletb.2014.01.049 [arXiv:1311.1799 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Higher-Order Harmonic Azimuthal Anisotropy in PbPb Collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. C **89**, no.4, 044906 (2014) doi:10.1103/PhysRevC.89.044906 [arXiv:1310.8651 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Differential and Double-Differential Drell-Yan Cross Sections in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," JHEP **12**, 030 (2013) doi:10.1007/JHEP12(2013)030 [arXiv:1310.7291 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Jet and Underlying Event Properties as a Function of Charged-Particle Multiplicity in Proton–Proton Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, no.12, 2674 (2013) doi:10.1140/epjc/s10052-013-2674-5 [arXiv:1310.4554 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the Standard Model Higgs Boson Produced in Association with a W or a Z Boson and Decaying to Bottom Quarks," Phys. Rev. D 89, no.1, 012003 (2014) doi:10.1103/PhysRevD.89.012003 [arXiv:1310.3687 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Rapidity Distributions in Exclusive Z + Jet and γ + Jet Events in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **88**, no.11, 112009 (2013) doi:10.1103/PhysRevD.88.112009 [arXiv:1310.3082 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Baryon Number Violation in Top-Quark Decays," Phys. Lett. B **731**, 173-196 (2014) doi:10.1016/j.physletb.2014.02.033 [arXiv:1310.1618 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Cross Section and Angular Correlations for Associated Production of a Z Boson with b Hadrons in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **12**, 039 (2013) doi:10.1007/JHEP12(2013)039 [arXiv:1310.1349 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Associated W + Charm Production in pp Collisions at \sqrt{s} = 7 TeV," JHEP **02**, 013 (2014) doi:10.1007/JHEP02(2014)013 [arXiv:1310.1138 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Modification of Jet Shapes in PbPb Collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Lett. B **730**, 243-263 (2014) doi:10.1016/j.physletb.2014.01.042 [arXiv:1310.0878 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of a Peaking Structure in the $J/\psi\phi$ Mass Spectrum from $B^\pm \to J/\psi\phi K^\pm$ Decays," Phys. Lett. B **734**, 261-281 (2014) doi:10.1016/j.physletb.2014.05.055 [arXiv:1309.6920 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Searches for New Physics using the $t\bar{t}$ Invariant Mass Distribution in pp Collisions at \sqrt{s} =8 TeV," Phys. Rev. Lett. **111**, no.21, 211804 (2013) [erratum: Phys. Rev. Lett. **112**, no.11, 119903 (2014)] doi:10.1103/PhysRevLett.111.211804 [arXiv:1309.2030 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Production Cross Section for $Z\gamma \to \nu\bar{\nu}\gamma$ in pp Collisions at $\sqrt{s}=7$ TeV and Limits on $ZZ\gamma$ and $Z\gamma\gamma$ Triple Gauge Boson Couplings," JHEP **10**, 164 (2013) doi:10.1007/JHEP10(2013)164 [arXiv:1309.1117 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a New Bottomonium State Decaying to $\Upsilon(1S)\pi^+\pi^-$ in pp Collisions at $\sqrt{s}=8$ TeV," Phys. Lett. B **727**, 57-76 (2013) doi:10.1016/j.physletb.2013.10.016 [arXiv:1309.0250 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $W\gamma$ and $Z\gamma$ Inclusive Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV and Limits on Anomalous Triple Gauge Boson Couplings," Phys. Rev. D **89**, no.9, 092005 (2014) doi:10.1103/PhysRevD.89.092005 [arXiv:1308.6832 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the W-Boson Helicity in Top-Quark decays from $t\bar{t}$ Production in Lepton + Jets Events in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **10**, 167 (2013) doi:10.1007/JHEP10(2013)167 [arXiv:1308.3879 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Angular Analysis and Branching Fraction Measurement of the Decay $B^0 \to K^{*0} \mu^+ \mu^-$," Phys. Lett. B **727**, 77-100 (2013) doi:10.1016/j.physletb.2013.10.017 [arXiv:1308.3409 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Top-Squark Pair Production in the Single-Lepton Final State in pp Collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **73**, no.12, 2677 (2013) doi:10.1140/epjc/s10052-013-2677-2 [arXiv:1308.1586 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Prompt J/ψ and $\psi(2S)$ Polarizations in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **727**, 381-402 (2013) doi:10.1016/j.physletb.2013.10.055 [arXiv:1307.6070 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Higgs Boson Decaying into a Z and a Photon in pp Collisions at $\sqrt{s} = 7$ and 8 TeV," Phys. Lett. B **726**, 587-609 (2013) doi:10.1016/j.physletb.2013.09.057 [arXiv:1307.5515 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $B^0_s \to \mu^+\mu^-$ Branching Fraction and Search for $B^0 \to \mu^+\mu^-$ with the CMS Experiment," Phys. Rev. Lett. **111**, 101804 (2013) doi:10.1103/PhysRevLett.111.101804 [arXiv:1307.5025 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Top-Quark Mass in All-Jets $t\bar{t}$ Events in pp Collisions at \sqrt{s} =7 TeV," Eur. Phys. J. C **74**, no.4, 2758 (2014) doi:10.1140/epjc/s10052-014-2758-x [arXiv:1307.4617 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of the Production of Charged Pions, Kaons, and Protons in pPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV," Eur. Phys. J. C **74**, no.6, 2847 (2014) doi:10.1140/epjc/s10052-014-2847-x [arXiv:1307.3442 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "The Performance of the CMS Muon Detector in Proton-Proton Collisions at $\sqrt{s}=7$ TeV at the LHC," JINST **8**, P11002 (2013) doi:10.1088/1748-0221/8/11/P11002 [arXiv:1306.6905 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Top Squarks in *R*-Parity-Violating Supersymmetry using Three or More Leptons and B-Tagged Jets," Phys. Rev. Lett. **111**, no.22, 221801 (2013) doi:10.1103/PhysRevLett.111.221801 [arXiv:1306.6643 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Energy Calibration and Resolution of the CMS Electromagnetic Calorimeter in pp Collisions at $\sqrt{s}=7$ TeV," JINST **8**, P09009 (2013) doi:10.1088/1748-0221/8/09/P09009 [arXiv:1306.2016 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the W^+W^- Cross Section in pp Collisions at $\sqrt{s}=7$ TeV and

- Limits on Anomalous $WW\gamma$ and WWZ Couplings," Eur. Phys. J. C **73**, no.10, 2610 (2013) doi:10.1140/epjc/s10052-013-2610-8 [arXiv:1306.1126 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Hadronic Activity in Events with a Z and Two Jets and Extraction of the Cross Section for the Electroweak Production of a Z with Two Jets in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **10**, 062 (2013) doi:10.1007/JHEP10(2013)062 [arXiv:1305.7389 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Neutral Strange Particle Production in the Underlying Event in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **88**, 052001 (2013) doi:10.1103/PhysRevD.88.052001 [arXiv:1305.6016 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of Exclusive Two-Photon Production of W^+W^- in pp Collisions at $\sqrt{s}=7$ TeV and Constraints on Anomalous Quartic Gauge Couplings," JHEP **07**, 116 (2013) doi:10.1007/JHEP07(2013)116 [arXiv:1305.5596 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Gluino Mediated Bottom- and Top-Squark Production in Multijet Final States in pp Collisions at 8 TeV," Phys. Lett. B **725**, 243-270 (2013) doi:10.1016/j.physletb.2013.06.058 [arXiv:1305.2390 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Multiplicity and Transverse Momentum Dependence of Two- and Four-Particle Correlations in pPb and PbPb Collisions," Phys. Lett. B **724**, 213-240 (2013) doi:10.1016/j.physletb.2013.06.028 [arXiv:1305.0609 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Searches for Long-Lived Charged Particles in pp Collisions at \sqrt{s} =7 and 8 TeV," JHEP **07**, 122 (2013) doi:10.1007/JHEP07(2013)122 [arXiv:1305.0491 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Ratio of the Inclusive 3-Jet Cross Section to the Inclusive 2-Jet Cross Section in pp Collisions at $\sqrt{s}=7$ TeV and First Determination of the Strong Coupling Constant in the TeV Range," Eur. Phys. J. C **73**, no.10, 2604 (2013) doi:10.1140/epjc/s10052-013-2604-6 [arXiv:1304.7498 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Λ_b^0 Lifetime in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **07**, 163 (2013) doi:10.1007/JHEP07(2013)163 [arXiv:1304.7495 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Masses in the $t\bar{t}$ System by Kinematic Endpoints in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, 2494 (2013) doi:10.1140/epjc/s10052-013-2494-7 [arXiv:1304.5783 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Standard-Model-Like Higgs Boson with a Mass in the Range 145 to 1000 GeV at the LHC," Eur. Phys. J. C 73, 2469 (2013) doi:10.1140/epjc/s10052-013-2469-8 [arXiv:1304.0213 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $\Upsilon(1S), \Upsilon(2S)$, and $\Upsilon(3S)$ Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **727**, 101-125 (2013) doi:10.1016/j.physletb.2013.10.033 [arXiv:1303.5900 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Microscopic Black Holes in pp Collisions at $\sqrt{s}=8$ TeV," JHEP **07**, 178 (2013) doi:10.1007/JHEP07(2013)178 [arXiv:1303.5338 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of a New Boson with Mass Near 125 GeV in pp Collisions at $\sqrt{s}=7$ and 8 TeV," JHEP **06**, 081 (2013) doi:10.1007/JHEP06(2013)081 [arXiv:1303.4571 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Studies of Jet Mass in Dijet and W/Z + Jet Events," JHEP **05**, 090 (2013) doi:10.1007/JHEP05(2013)090 [arXiv:1303.4811 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of associated production of vector bosons and top quark-antiquark pairs at sqrt(s) = 7 TeV," Phys. Rev. Lett. **110**, 172002 (2013) doi:10.1103/PhysRevLett.110.172002 [arXiv:1303.3239 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Hadronic Final States with Missing Transverse Energy Using the Variables α_T and b-Quark Multiplicity in pp collisions at $\sqrt{s}=8$ TeV," Eur. Phys. J. C **73**, no.9, 2568 (2013) doi:10.1140/epjc/s10052-013-2568-6 [arXiv:1303.2985 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the Standard Model Higgs Boson Produced in Association with a Top-Quark Pair in pp Collisions at the LHC," JHEP **05**, 145 (2013) doi:10.1007/JHEP05(2013)145 [arXiv:1303.0763 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Narrow Resonances Using the Dijet Mass Spectrum in pp Collisions at \sqrt{s} =8 TeV," Phys. Rev. D **87**, no.11, 114015 (2013) doi:10.1103/PhysRevD.87.114015 [arXiv:1302.4794 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the X(3872) Production Cross Section Via Decays to $J/\psi\pi^+\pi^-$ in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 154 (2013) doi:10.1007/JHEP04(2013)154 [arXiv:1302.3968 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Higgs Boson Decaying into a b-Quark Pair and Produced in Association with b Quarks in Proton–Proton Collisions at 7 TeV," Phys. Lett. B **722**, 207-232 (2013) doi:10.1016/j.physletb.2013.04.017 [arXiv:1302.2892 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in Final States with a Lepton and Missing Transverse Energy in pp Collisions at the LHC," Phys. Rev. D **87**, no.7, 072005 (2013) doi:10.1103/PhysRevD.87.072005 [arXiv:1302.2812 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of the Underlying Event at Forward Rapidity in pp Collisions at $\sqrt{s} = 0.9$, 2.76, and 7 TeV," JHEP **04**, 072 (2013) doi:10.1007/JHEP04(2013)072 [arXiv:1302.2394 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Searches for Higgs Bosons in pp Collisions at $\sqrt{s}=7$ and 8 TeV in the Context of Four-Generation and Fermiophobic Models," Phys. Lett. B **725**, 36-59 (2013) doi:10.1016/j.physletb.2013.06.043 [arXiv:1302.1764 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in the All-Jet Final State in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **05**, 065 (2013) doi:10.1007/JHEP05(2013)065 [arXiv:1302.0508 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Pair-Produced Dijet Resonances in Four-Jet Final States in pp Collisions at \sqrt{s} =7 TeV," Phys. Rev. Lett. **110**, no.14, 141802 (2013) doi:10.1103/PhysRevLett.110.141802 [arXiv:1302.0531 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in the τ +Jets Channel in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, no.4, 2386 (2013) doi:10.1140/epjc/s10052-013-2386-x [arXiv:1301.5755 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Contact Interactions Using the Inclusive Jet p_T Spectrum in p_T Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.5, 052017 (2013) doi:10.1103/PhysRevD.87.052017 [arXiv:1301.5023 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of W^+W^- and ZZ Production Cross Sections in pp Collisions at $\sqrt{s}=8TeV$," Phys. Lett. B **721**, 190-211 (2013) doi:10.1016/j.physletb.2013.03.027 [arXiv:1301.4698 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Physics Beyond the Standard Model in Events with τ Leptons, Jets, and Large Transverse Momentum Imbalance in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, 2493 (2013) doi:10.1140/epjc/s10052-013-2493-8 [arXiv:1301.3792 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Events with Opposite-Sign Dileptons and Missing Transverse Energy Using an Artificial Neural Network," Phys. Rev. D **87**, no.7, 072001 (2013) doi:10.1103/PhysRevD.87.072001 [arXiv:1301.0916 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Event Shapes and Azimuthal Correlations in Z + Jets Events in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **722**, 238-261 (2013) doi:10.1016/j.physletb.2013.04.025 [arXiv:1301.1646 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Interpretation of Searches for Supersymmetry with Simplified Models," Phys. Rev. D **88**, no.5, 052017 (2013) doi:10.1103/PhysRevD.88.052017 [arXiv:1301.2175 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at $\sqrt{s}=7$ TeV with Lepton + Jets Final States," Phys. Lett. B **720**, 83-104 (2013) doi:10.1016/j.physletb.2013.02.021 [arXiv:1212.6682 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of the Mass and Spin-Parity of the Higgs Boson Candidate Via Its Decays to Z Boson Pairs," Phys. Rev. Lett. **110**, no.8, 081803 (2013) doi:10.1103/PhysRevLett.110.081803 [arXiv:1212.6639 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Contact Interactions in $\mu^+\mu^-$ Events in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.3, 032001 (2013) doi:10.1103/PhysRevD.87.032001 [arXiv:1212.4563 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in pp Collisions at $\sqrt{s}=7$ TeV in Events with a Single Lepton, Jets, and Missing Transverse Momentum," Eur. Phys. J. C **73**, 2404 (2013) doi:10.1140/epjc/s10052-013-2404-z [arXiv:1212.6428 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Heavy Resonances in the W/Z-Tagged Dijet Mass Spectrum in pp Collisions at 7 TeV," Phys. Lett. B **723**, 280-301 (2013) doi:10.1016/j.physletb.2013.05.040 [arXiv:1212.1910 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Heavy Narrow Dilepton Resonances in pp Collisions at $\sqrt{s}=7$ TeV and $\sqrt{s}=8$ TeV," Phys. Lett. B **720**, 63-82 (2013) doi:10.1016/j.physletb.2013.02.003 [arXiv:1212.6175 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Inclusive Search for Supersymmetry Using the Razor Variables in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **111**, no.8, 081802 (2013) doi:10.1103/PhysRevLett.111.081802 [arXiv:1212.6961 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurements of Differential Jet Cross Sections in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the CMS Detector," Phys. Rev. D **87**, no.11, 112002 (2013) [erratum: Phys. Rev. D **87**, no.11, 119902 (2013)] doi:10.1103/PhysRevD.87.112002 [arXiv:1212.6660 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Long-Lived Particles Decaying to Photons and Missing Energy in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **722**, 273-294 (2013) doi:10.1016/j.physletb.2013.04.027 [arXiv:1212.1838 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in Events with Same-Sign Dileptons and b Jets in pp Collisions at $\sqrt{s}=8$ TeV," JHEP **03**, 037 (2013) [erratum: JHEP **07**, 041 (2013)] doi:10.1007/JHEP03(2013)037 [arXiv:1212.6194 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in Events with Photons, Jets, and Missing Transverse Energy in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **03**, 111 (2013) doi:10.1007/JHEP03(2013)111 [arXiv:1211.4784 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the ZZ Production Cross Section and Search for Anomalous Couplings in 2 I2I ' Final States in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 063 (2013) doi:10.1007/JHEP01(2013)063 [arXiv:1211.4890 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of Differential Top-Quark Pair Production Cross Sections in pp collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, no.3, 2339 (2013) doi:10.1140/epjc/s10052-013-2339-4 [arXiv:1211.2220 [hep-ex]].
- S. Chatrchyan et~al. [CMS Collaboration], "Search for Z ' Resonances Decaying to $t\bar{t}$ in Dilepton + Jets Final States in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.7, 072002 (2013) doi:10.1103/PhysRevD.87.072002 [arXiv:1211.3338 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Final States with a Single Lepton, b-Quark Jets, and Missing Transverse Energy in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.5, 052006 (2013) doi:10.1103/PhysRevD.87.052006 [arXiv:1211.3143 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Identification of b-Quark Jets with the CMS Experiment," JINST $\bf 8$, P04013 (2013) doi:10.1088/1748-0221/8/04/P04013 [arXiv:1211.4462 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Exotic Resonances Decaying into WZ/ZZ in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **02**, 036 (2013) doi:10.1007/JHEP02(2013)036 [arXiv:1211.5779 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search in Leptonic Channels for Heavy Resonances Decaying to Long-Lived Neutral Particles," JHEP **02**, 085 (2013) doi:10.1007/JHEP02(2013)085 [arXiv:1211.2472 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the Sum of WW and WZ Production with W+Dijet Events in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **73**, no.2, 2283 (2013) doi:10.1140/epjc/s10052-013-2283-3 [arXiv:1210.7544 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Heavy Lepton Partners of Neutrinos in Proton-Proton Collisions in the Context of the Type III Seesaw Mechanism," Phys. Lett. B **718**, 348-368 (2012) doi:10.1016/j.physletb.2012.10.070 [arXiv:1210.1797 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Third-Generation Leptoquarks and Scalar Bottom Quarks in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **12**, 055 (2012) doi:10.1007/JHEP12(2012)055 [arXiv:1210.5627 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Non-Standard-Model Higgs Boson Decaying to a Pair of New Light Bosons in Four-Muon Final States," Phys. Lett. B **726**, 564-586 (2013) doi:10.1016/j.physletb.2013.09.009 [arXiv:1210.7619 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Anomalous Production of Highly Boosted Z Bosons Decaying to $\mu^+\mu^-$ in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **722**, 28-47 (2013) doi:10.1016/j.physletb.2013.03.037 [arXiv:1210.0867 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of Z Decays to Four Leptons with the CMS Detector at the LHC," JHEP **12**, 034 (2012) doi:10.1007/JHEP12(2012)034 [arXiv:1210.3844 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Pair Production of Third-Generation Leptoquarks and Top Squarks in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **110**, no.8, 081801 (2013) doi:10.1103/PhysRevLett.110.081801 [arXiv:1210.5629 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Fractionally Charged Particles in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.9, 092008 (2013) doi:10.1103/PhysRevD.87.092008 [arXiv:1210.2311 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Heavy Quarks Decaying into a Top Quark and a W or Z Boson using Lepton + Jets Events in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 154 (2013) doi:10.1007/JHEP01(2013)154 [arXiv:1210.7471 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 7$ TeV,"

- Phys. Lett. B **722**, 5-27 (2013) doi:10.1016/j.physletb.2013.03.024 [arXiv:1210.6718 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of Long-Range Near-Side Angular Correlations in Proton-Lead Collisions at the LHC," Phys. Lett. B **718**, 795-814 (2013) doi:10.1016/j.physletb.2012.11.025 [arXiv:1210.5482 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Heavy Neutrinos and W_R Bosons with Right-Handed Couplings in a Left-Right Symmetric Model in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 261802 (2012) doi:10.1103/PhysRevLett.109.261802 [arXiv:1210.2402 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Events with Photons and Low Missing Transverse Energy in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **719**, 42-61 (2013) doi:10.1016/j.physletb.2012.12.055 [arXiv:1210.2052 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Relative Prompt Production Rate of χ_{c2} and χ_{c1} in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 2251 (2012) doi:10.1140/epjc/s10052-012-2251-3 [arXiv:1210.0875 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Narrow Resonances and Quantum Black Holes in Inclusive and b-Tagged Dijet Mass Spectra from pp Collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 013 (2013) doi:10.1007/JHEP01(2013)013 [arXiv:1210.2387 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for excited leptons in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **720**, 309-329 (2013) doi:10.1016/j.physletb.2013.02.031 [arXiv:1210.2422 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Final States with Missing Transverse Energy and 0, 1, 2, or at Least 3 b-Quark Jets in 7 TeV pp Collisions using the Variable α_T ," JHEP **01**, 077 (2013) doi:10.1007/JHEP01(2013)077 [arXiv:1210.8115 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Y(1S), Y(2S) and Y(3S) Polarizations in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **110**, no.8, 081802 (2013) doi:10.1103/PhysRevLett.110.081802 [arXiv:1209.2922 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Evidence for Associated Production of a Single Top Quark and W Boson in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **110**, 022003 (2013) doi:10.1103/PhysRevLett.110.022003 [arXiv:1209.3489 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the Top-Quark Mass in $t\bar{t}$ Events with Lepton+Jets Final States in pp Collisions at $\sqrt{s}=7$ TeV," JHEP 12, 105 (2012) doi:10.1007/JHEP12(2012)105 [arXiv:1209.2319 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Pair Produced Fourth-Generation Up-Type Quarks in pp Collisions at $\sqrt{s}=7$ TeV with a Lepton in the Final State," Phys. Lett. B **718**, 307-328 (2012) doi:10.1016/j.physletb.2012.10.038 [arXiv:1209.0471 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Resonant $t\bar{t}$ Production in Lepton+Jets Events in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **12**, 015 (2012) doi:10.1007/JHEP12(2012)015 [arXiv:1209.4397 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of a Diffractive Contribution to Dijet Production in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **87**, no.1, 012006 (2013) doi:10.1103/PhysRevD.87.012006 [arXiv:1209.1805 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the Top-Quark Mass in $t\bar{t}$ Events with Dilepton Final States in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 2202 (2012) doi:10.1140/epjc/s10052-012-2202-z [arXiv:1209.2393 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for the Standard Model Higgs Boson Produced in Associa-

- tion with W and Z Bosons in pp Collisions at $\sqrt{s}=7$ TeV," JHEP $\bf 11$, 088 (2012) doi:10.1007/JHEP11(2012)088 [arXiv:1209.3937 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Combined Search for the Quarks of a Sequential Fourth Generation," Phys. Rev. D **86**, 112003 (2012) doi:10.1103/PhysRevD.86.112003 [arXiv:1209.1062 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Single-Top-Quark t-Channel Cross Section in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **12**, 035 (2012) doi:10.1007/JHEP12(2012)035 [arXiv:1209.4533 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a narrow spin-2 resonance decaying to a pair of Z vector bosons in the semileptonic final state," Phys. Lett. B **718**, 1208-1228 (2013) doi:10.1016/j.physletb.2012.11.063 [arXiv:1209.3807 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Exclusive or Semi-Exclusive Photon Pair Production and Observation of Exclusive and Semi-Exclusive Electron Pair Production in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **11**, 080 (2012) doi:10.1007/JHEP11(2012)080 [arXiv:1209.1666 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7$ TeV," JHEP **11**, 147 (2012) doi:10.1007/JHEP11(2012)147 [arXiv:1209.6620 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Flavor Changing Neutral Currents in Top Quark Decays in pp Collisions at 7 TeV," Phys. Lett. B **718**, 1252-1272 (2013) doi:10.1016/j.physletb.2012.12.045 [arXiv:1208.0957 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of Sequential Upsilon Suppression in PbPb Collisions," Phys. Rev. Lett. **109**, 222301 (2012) [erratum: Phys. Rev. Lett. **120**, no.19, 199903 (2018)] doi:10.1103/PhysRevLett.109.222301 [arXiv:1208.2826 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Events with b-Quark Jets and Missing Transverse Energy in pp Collisions at 7 TeV," Phys. Rev. D **86**, 072010 (2012) doi:10.1103/PhysRevD.86.072010 [arXiv:1208.4859 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Azimuthal Anisotropy of Neutral Pions in PbPb cCllisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. Lett. **110**, no.4, 042301 (2013) doi:10.1103/PhysRevLett.110.042301 [arXiv:1208.2470 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of the Dijet Mass Spectrum in $pp \to W+$ Jets Events at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 251801 (2012) doi:10.1103/PhysRevLett.109.251801 [arXiv:1208.3477 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in the Dilepton Channel in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **11**, 067 (2012) doi:10.1007/JHEP11(2012)067 [arXiv:1208.2671 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Three-Jet Resonances in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **718**, 329-347 (2012) doi:10.1016/j.physletb.2012.10.048 [arXiv:1208.2931 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a W ' Boson Decaying to a Bottom Quark and a Top Quark in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **718**, 1229-1251 (2013) doi:10.1016/j.physletb.2012.12.008 [arXiv:1208.0956 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in the Multijet and Missing Transverse Momentum Final State in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 171803 (2012) doi:10.1103/PhysRevLett.109.17180 [arXiv:1207.1898 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Pair Production of First- and Second-Generation Scalar Leptoquarks in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **86**, 052013 (2012) doi:10.1103/PhysRevD.86.052013

[arXiv:1207.5406 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics with Long-Lived Particles Decaying to Photons and Missing Energy in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **11**, 172 (2012) doi:10.1007/JHEP11(2012)172 [arXiv:1207.0627 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Inclusive and Differential Measurements of the $t\bar{t}$ Charge Asymmetry in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **717**, 129-150 (2012) doi:10.1016/j.physletb.2012.09.028 [arXiv:1207.0065 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of a New Boson at a Mass of 125 GeV with the CMS Experiment at the LHC," Phys. Lett. B **716**, 30-61 (2012) doi:10.1016/j.physletb.2012.08.021 [arXiv:1207.7235 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Stopped Long-Lived Particles Produced in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **08**, 026 (2012) doi:10.1007/JHEP08(2012)026 [arXiv:1207.0106 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Hadronic Final States using MT2 in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **10**, 018 (2012) doi:10.1007/JHEP10(2012)018 [arXiv:1207.1798 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "A Search for a Doubly-Charged Higgs Boson in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 2189 (2012) doi:10.1140/epjc/s10052-012-2189-5 [arXiv:1207.2666 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of the Inclusive Production of Charged Pions, Kaons, and Protons in pp Collisions at $\sqrt{s}=0.9$, 2.76, and 7 TeV," Eur. Phys. J. C **72**, 2164 (2012) doi:10.1140/epjc/s10052-012-2164-1 [arXiv:1207.4724 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Fermiophobic Higgs Boson in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **09**, 111 (2012) doi:10.1007/JHEP09(2012)111 [arXiv:1207.1130 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for heavy Majorana Neutrinos in $\mu^{\pm}\mu^{\pm}+$ Jets and $e^{\pm}e^{\pm}+$ Jets Events in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **717**, 109-128 (2012) doi:10.1016/j.physletb.2012.09.012 [arXiv:1207.6079 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Forward-Backward Asymmetry of Drell-Yan Lepton Pairs in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **718**, 752-772 (2013) doi:10.1016/j.physletb.2012.10.082 [arXiv:1207.3973 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Underlying Event Activity in pp Collisions at $\sqrt{s}=0.9$ and 7 TeV with the Novel Jet-Area/Median Approach," JHEP **08**, 130 (2012) doi:10.1007/JHEP08(2012)130 [arXiv:1207.2392 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a W' or Techni- ρ Decaying into WZ in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 141801 (2012) doi:10.1103/PhysRevLett.109.141801 [arXiv:1206.0433 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Electron Charge Asymmetry in Inclusive W Production in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 111806 (2012) doi:10.1103/PhysRevLett.109.111806 [arXiv:1206.2598 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **109**, 121801 (2012) doi:10.1103/PhysRevLett.109.121801 [arXiv:1206.6326 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of CMS Muon Reconstruction in pp Collision Events at $\sqrt{s}=7$ TeV," JINST **7**, P10002 (2012) doi:10.1088/1748-0221/7/10/P10002 [arXiv:1206.4071 [physics.ins-det]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Narrow Resonances in Dilepton Mass Spectra in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **714**, 158-179 (2012) doi:10.1016/j.physletb.2012.06.051 [arXiv:1206.1849 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Charge-Asymmetric Production of WâĂš Bosons in $t\bar{t}+$ Jet Events from pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **717**, 351-370 (2012) doi:10.1016/j.physletb.2012.09.048 [arXiv:1206.3921 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for High-Mass Resonances Decaying into τ -Lepton Pairs in pp Collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **716**, 82-102 (2012) doi:10.1016/j.physletb.2012.07.062 [arXiv:1206.1725 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics in Events with Opposite-Sign Leptons, Jets, and Missing Transverse Energy in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **718**, 815-840 (2013) doi:10.1016/j.physletb.2012.11.036 [arXiv:1206.3949 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Dark Matter and Large Extra Dimensions in Monojet Events in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **09**, 094 (2012) doi:10.1007/JHEP09(2012)094 [arXiv:1206.5663 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy," Phys. Rev. Lett. **109**, 071803 (2012) doi:10.1103/PhysRevLett.109.071803 [arXiv:1205.6615 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Lett. B **718**, 773-794 (2013) doi:10.1016/j.physletb.2012.11.003 [arXiv:1205.0206 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. Lett. **109**, 152303 (2012) doi:10.1103/PhysRevLett.109.152303 [arXiv:1205.2488 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for new physics in events with same-sign dileptons and *b*-tagged jets in pp collisions at $\sqrt{s} = 7$ TeV," JHEP **08**, 110 (2012) doi:10.1007/JHEP08(2012)110 [arXiv:1205.3933 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Lett. B **715**, 66-87 (2012) doi:10.1016/j.physletb.2012.07.025 [arXiv:1205.6334 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for heavy long-lived charged particles in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **713**, 408-433 (2012) doi:10.1016/j.physletb.2012.06.023 [arXiv:1205.0272 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV," JHEP **07**, 143 (2012) doi:10.1007/JHEP07(2012)143 [arXiv:1205.5736 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," JHEP **10**, 087 (2012) doi:10.1007/JHEP10(2012)087 [arXiv:1205.5872 [nuclex]].
- R. Gonzalez Suarez [ATLAS and CMS], "Single top Production at $\sqrt{s} = 7$ TeV," [arXiv:1205.2786 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Λ_b cross section and the $\bar{\Lambda}_b$ to Λ_b ratio with $J/\Psi\Lambda$ decays in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **714**, 136-157 (2012) doi:10.1016/j.physletb.2012.05.063 [arXiv:1205.0594 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the mass difference between top and antitop quarks," JHEP **06**, 109 (2012) doi:10.1007/JHEP06(2012)109 [arXiv:1204.2807 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for anomalous production of multilepton events in pp colli-

- sions at $\sqrt{s} = 7$ TeV," JHEP **06**, 169 (2012) doi:10.1007/JHEP06(2012)169 [arXiv:1204.5341 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for leptonic decays of W ' bosons in pp collisions at $\sqrt{s}=7$ TeV," JHEP **08**, 023 (2012) doi:10.1007/JHEP08(2012)023 [arXiv:1204.4764 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Anomalous $t\bar{t}$ Production in the Highly-Boosted All-Hadronic Final State," JHEP **09**, 029 (2012) [erratum: JHEP **03**, 132 (2014)] doi:10.1007/JHEP09(2012)029 [arXiv:1204.2488 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 2080 (2012) doi:10.1140/epjc/s10052-012-2080-4 [arXiv:1204.1411 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}}$ =2.76 TeV," Phys. Rev. C **87**, no.1, 014902 (2013) doi:10.1103/PhysRevC.87.014902 [arXiv:1204.1409 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," Phys. Rev. Lett. **109**, 022301 (2012) doi:10.1103/PhysRevLett.109.022301 [arXiv:1204.1850 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s}=7$ TeV," JHEP **05**, 123 (2012) doi:10.1007/JHEP05(2012)123 [arXiv:1204.1088 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation of a new Xi(b) baryon," Phys. Rev. Lett. **108**, 252002 (2012) doi:10.1103/PhysRevLett.108.252002 [arXiv:1204.5955 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **716**, 260-284 (2012) doi:10.1016/j.physletb.2012.08.026 [arXiv:1204.3774 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 2216 (2012) doi:10.1140/epjc/s10052-012-2216-6 [arXiv:1204.0696 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Shape, Transverse Size, and Charged Hadron Multiplicity of Jets in pp Collisions at 7 TeV," JHEP **06**, 160 (2012) doi:10.1007/JHEP06(2012)160 [arXiv:1204.3170 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy," Phys. Rev. Lett. **108**, 261803 (2012) doi:10.1103/PhysRevLett.108.261803 [arXiv:1204.0821 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Z/γ^*+b -jet cross section in pp collisions at $\sqrt{s}=7$ TeV," JHEP **06**, 126 (2012) doi:10.1007/JHEP06(2012)126 [arXiv:1204.1643 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the cross section for production of bb^- bar X, decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV," JHEP **06**, 110 (2012) doi:10.1007/JHEP06(2012)110 [arXiv:1203.3458 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s}=7$ TeV in dilepton final states containing a τ ," Phys. Rev. D **85**, 112007 (2012) doi:10.1103/PhysRevD.85.112007 [arXiv:1203.6810 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$ decays," JHEP **04**, 033 (2012) doi:10.1007/JHEP04(2012)033 [arXiv:1203.3976 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for heavy, top-like quark pair production in the dilepton fi-

- nal state in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **716**, 103-121 (2012) doi:10.1016/j.physletb.2012.07.059 [arXiv:1203.5410 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **710**, 26-48 (2012) doi:10.1016/j.physletb.2012.02.064 [arXiv:1202.1488 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for microscopic black holes in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 061 (2012) doi:10.1007/JHEP04(2012)061 [arXiv:1202.6396 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **710**, 403-425 (2012) doi:10.1016/j.physletb.2012.03.003 [arXiv:1202.1487 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV," Phys. Lett. B **712**, 176-197 (2012) doi:10.1016/j.physletb.2012.04.058 [arXiv:1202.5022 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson decaying to $W^+W^{\hat{a}}L\check{S}$ in the fully leptonic final state in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **710**, 91-113 (2012) doi:10.1016/j.physletb.2012.02.076 [arXiv:1202.1489 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson in the H to ZZ to $\ell\ell\tau\tau$ decay channel in pp collisions at $\sqrt{s}=7$ TeV," JHEP **03**, 081 (2012) doi:10.1007/JHEP03(2012)081 [arXiv:1202.3617 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s}=7$ TeV," JHEP **05**, 055 (2012) doi:10.1007/JHEP05(2012)055 [arXiv:1202.5535 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **710**, 284-306 (2012) doi:10.1016/j.physletb.2012.02.085 [arXiv:1202.4195 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Higgs boson in the decay channel H to ZZ(*) to q qbar ℓ^- I+ in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 036 (2012) doi:10.1007/JHEP04(2012)036 [arXiv:1202.1416 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson in the H to ZZ to 2 $\ell 2\nu$ channel in pp collisions at $\sqrt{s}=7$ TeV," JHEP **03**, 040 (2012) doi:10.1007/JHEP03(2012)040 [arXiv:1202.3478 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Study of high-pT charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}}=2.76$ TeV," Eur. Phys. J. C **72**, 1945 (2012) doi:10.1140/epjc/s10052-012-1945-x [arXiv:1202.2554 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s}=7$ TeV," JHEP **06**, 036 (2012) doi:10.1007/JHEP06(2012)036 [arXiv:1202.0704 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for the standard model Higgs boson in the decay channel H to ZZ to 4 leptons in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **108**, 111804 (2012) doi:10.1103/PhysRevLett.108.111804 [arXiv:1202.1997 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **713**, 68-90 (2012) doi:10.1016/j.physletb.2012.05.028 [arXiv:1202.4083 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **711**, 15-34 (2012) doi:10.1016/j.physletb.2012.03.029 [arXiv:1202.3827]

[hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Inclusive *b*-jet production in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 084 (2012) doi:10.1007/JHEP04(2012)084 [arXiv:1202.4617 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," Eur. Phys. J. C **72**, 2012 (2012) doi:10.1140/epjc/s10052-012-2012-3 [arXiv:1201.3158 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV," Phys. Lett. B **710**, 256-277 (2012) doi:10.1016/j.physletb.2012.02.077 [arXiv:1201.3093 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider," Science **338**, 1569-1575 (2012) doi:10.1126/science.1230816
- S. Chatrchyan *et al.* [CMS Collaboration], "Suppression of non-prompt J/ψ , prompt J/ψ , and Y(1S) in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV," JHEP **05**, 063 (2012) doi:10.1007/JHEP05(2012)063 [arXiv:1201.5069 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **709**, 28-49 (2012) doi:10.1016/j.physletb.2012.01.078 [arXiv:1112.5100 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider," Phys. Rev. Lett. **108**, 111801 (2012) doi:10.1103/PhysRevLett.108.111801 [arXiv:1112.0688 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Exclusive photon-photon production of muon pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV," JHEP **01**, 052 (2012) doi:10.1007/JHEP01(2012)052 [arXiv:1111.5536 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], " J/ψ and ψ_{2S} production in pp collisions at $\sqrt{s}=7$ TeV," JHEP **02**, 011 (2012) doi:10.1007/JHEP02(2012)011 [arXiv:1111.1557 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s}=0.9$ and 7 TeV," JHEP **11**, 148 (2011) [erratum: JHEP **02**, 055 (2012)] doi:10.1007/JHEP11(2011)148 [arXiv:1110.0211 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **72**, 1839 (2012) doi:10.1140/epjc/s10052-011-1839-3 [arXiv:1110.0181 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Rapidity and Transverse Momentum Distributions of Z Bosons in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **85**, 032002 (2012) doi:10.1103/PhysRevD.85.032002 [arXiv:1110.4973 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC," Phys. Rev. D **84**, 112002 (2011) doi:10.1103/PhysRevD.84.112002 [arXiv:1110.2682 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Production Cross Section for Pairs of Isolated Photons in pp collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 133 (2012) doi:10.1007/JHEP01(2012)133 [arXiv:1110.6461 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Jet Production Rates in Association with W and Z Bosons in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **01**, 010 (2012) doi:10.1007/JHEP01(2012)010 [arXiv:1110.3226 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Performance of tau-lepton reconstruction and identification in CMS," JINST

- 7, P01001 (2012) doi:10.1088/1748-0221/7/01/P01001 [arXiv:1109.6034 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy," Phys. Rev. Lett. **107**, 221804 (2011) doi:10.1103/PhysRevLett.107.221804 [arXiv:1109.2352 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Vector-like Quark with Charge 2/3 in t+Z Events from pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **107**, 271802 (2011) doi:10.1103/PhysRevLett.107.271802 [arXiv:1109.4985 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Differential Cross Section for Isolated Prompt Photon Production in pp Collisions at 7 TeV," Phys. Rev. D **84**, 052011 (2011) doi:10.1103/PhysRevD.84.052011 [arXiv:1108.2044 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at 7 TeV in Lepton + Jets Events Using b-quark Jet Identification," Phys. Rev. D **84**, 092004 (2011) doi:10.1103/PhysRevD.84.092004 [arXiv:1108.3773 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Measurement of the Drell-Yan Cross Section in pp Collisions at $\sqrt{s}=7$ TeV," JHEP 10, 007 (2011) doi:10.1007/JHEP10(2011)007 [arXiv:1108.0566 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Underlying Event Activity at the LHC with $\sqrt{s} = 7$ TeV and Comparison with $\sqrt{s} = 0.9$ TeV," JHEP **09**, 109 (2011) doi:10.1007/JHEP09(2011)109 [arXiv:1107.0330 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Determination of Jet Energy Calibration and Transverse Momentum Resolution in CMS," JINST **6**, P11002 (2011) doi:10.1088/1748-0221/6/11/P11002 [arXiv:1107.4277 [physics.ins-det]].
- S. Chatrchyan et al. [CMS Collaboration], "Search for Three-Jet Resonances in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. 107, 101801 (2011) doi:10.1103/PhysRevLett.107.101801 [arXiv:1107.3084 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "A search for excited leptons in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **704**, 143-162 (2011) doi:10.1016/j.physletb.2011.09.021 [arXiv:1107.1773 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for B(s) and B to dimuon decays in pp collisions at 7 TeV," Phys. Rev. Lett. **107**, 191802 (2011) doi:10.1103/PhysRevLett.107.191802 [arXiv:1107.5834 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum," JHEP **08**, 156 (2011) doi:10.1007/JHEP08(2011)156 [arXiv:1107.1870 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Inclusive W and Z Production Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **10**, 132 (2011) doi:10.1007/JHEP10(2011)132 [arXiv:1107.4789 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **85**, 012004 (2012) doi:10.1103/PhysRevD.85.012004 [arXiv:1107.1279 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS," Phys. Lett. B **704**, 123-142 (2011) doi:10.1016/j.physletb.2011.09.015 [arXiv:1107.4771 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Dependence on pseudorapidity and centrality of charged hadron production in PbPb collisions at a nucleon-nucleon centre-of-mass energy of 2.76 TeV," JHEP **08**, 141 (2011) doi:10.1007/JHEP08(2011)141 [arXiv:1107.4800 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **702**, 336-354 (2011) doi:10.1016/j.physletb.2011.07.067 [arXiv:1106.0647 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **107**, 091802 (2011) doi:10.1103/PhysRevLett.107.091802 [arXiv:1106.3052 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics with Jets and Missing Transverse Momentum in pp collisions at $\sqrt{s}=7$ TeV," JHEP **08**, 155 (2011) doi:10.1007/JHEP08(2011)155 [arXiv:1106.4503 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Light Resonances Decaying into Pairs of Muons as a Signal of New Physics," JHEP **07**, 098 (2011) doi:10.1007/JHEP07(2011)098 [arXiv:1106.2375 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in Events with b Jets and Missing Transverse Momentum at the LHC," JHEP **07**, 113 (2011) doi:10.1007/JHEP07(2011)113 [arXiv:1106.3272 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Inclusive Jet Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV," Phys. Rev. Lett. **107**, 132001 (2011) doi:10.1103/PhysRevLett.107.132001 [arXiv:1106.0208 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Strange B Meson Production Cross Section with J/Psi ϕ Decays in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. D **84**, 052008 (2011) doi:10.1103/PhysRevD.84.052008 [arXiv:1106.4048 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Same-Sign Top-Quark Pair Production at $\sqrt{s}=7$ TeV and Limits on Flavour Changing Neutral Currents in the Top Sector," JHEP **08**, 005 (2011) doi:10.1007/JHEP08(2011)005 [arXiv:1106.2142 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Top-antitop Production Cross Section in pp Collisions at $\sqrt{s}=7$ TeV using the Kinematic Properties of Events with Leptons and Jets," Eur. Phys. J. C **71**, 1721 (2011) doi:10.1140/epjc/s10052-011-1721-3 [arXiv:1106.0902 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Missing transverse energy performance of the CMS detector," JINST $\bf 6$, P09001 (2011) doi:10.1088/1748-0221/6/09/P09001 [arXiv:1106.5048 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for physics beyond the standard model using multilepton signatures in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **704**, 411-433 (2011) doi:10.1016/j.physletb.2011.09.047 [arXiv:1106.0933 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for New Physics with a Mono-Jet and Missing Transverse Energy in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **107**, 201804 (2011) doi:10.1103/PhysRevLett.107.201804 [arXiv:1106.4775 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for First Generation Scalar Leptoquarks in the e ν jj channel in pp collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **703**, 246-266 (2011) doi:10.1016/j.physletb.2011.07.089 [arXiv:1105.5237 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of $W\gamma$ and $Z\gamma$ production in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **701**, 535-555 (2011) doi:10.1016/j.physletb.2011.06.034 [arXiv:1105.2758 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Long-range and short-range dihadron angular correlations in central PbPb collisions at a nucleon-nucleon center of mass energy of 2.76 TeV," JHEP **07**, 076 (2011) doi:10.1007/JHEP07(2011)076 [arXiv:1105.2438 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Indications of suppression of excited Υ states in PbPb collisions at $\sqrt{S_{NN}}=2.76$ TeV," Phys. Rev. Lett. **107**, 052302 (2011) doi:10.1103/PhysRevLett.107.052302 [arXiv:1105.4894 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV," JHEP **06**, 093 (2011) doi:10.1007/JHEP06(2011)093

[arXiv:1105.3152 [hep-ex]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s}=7$ TeV," JHEP **07**, 049 (2011) doi:10.1007/JHEP07(2011)049 [arXiv:1105.5661 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Inclusive Z Cross Section via Decays to Tau Pairs in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **08**, 117 (2011) doi:10.1007/JHEP08(2011)117 [arXiv:1104.1617 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Neutral MSSM Higgs Bosons Decaying to Tau Pairs in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **106**, 231801 (2011) doi:10.1103/PhysRevLett.106.231801 [arXiv:1104.1619 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC," JHEP $\bf 06$, 077 (2011) doi:10.1007/JHEP06(2011)077 [arXiv:1104.3168 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the B^0 production cross section in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **106**, 252001 (2011) doi:10.1103/PhysRevLett.106.252001 [arXiv:1104.2892 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Polarization of W Bosons with Large Transverse Momenta in W+Jets Events at the LHC," Phys. Rev. Lett. **107**, 021802 (2011) doi:10.1103/PhysRevLett.107.021802 [arXiv:1104.3829 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Charged particle transverse momentum spectra in pp collisions at $\sqrt{s}=0.9$ and 7 TeV," JHEP **08**, 086 (2011) doi:10.1007/JHEP08(2011)086 [arXiv:1104.3547 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **700**, 187-206 (2011) doi:10.1016/j.physletb.2011.05.027 [arXiv:1104.1693 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **701**, 160-179 (2011) doi:10.1016/j.physletb.2011.05.048 [arXiv:1103.0030 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Physics Beyond the Standard Model in Opposite-Sign Dilepton Events at $\sqrt{s}=7$ TeV," JHEP **06**, 026 (2011) doi:10.1007/JHEP06(2011)026 [arXiv:1103.1348 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Large Extra Dimensions in the Diphoton Final State at the Large Hadron Collider," JHEP **05**, 085 (2011) doi:10.1007/JHEP05(2011)085 [arXiv:1103.4279 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s}=7$ TeV," JHEP **04**, 050 (2011) doi:10.1007/JHEP04(2011)050 [arXiv:1103.3470 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Resonances in the Dilepton Mass Distribution in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **05**, 093 (2011) doi:10.1007/JHEP05(2011)093 [arXiv:1103.0981 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for Supersymmetry in pp Collisions at $\sqrt{s}=7$ TeV in Events with Two Photons and Missing Transverse Energy," Phys. Rev. Lett. **106**, 211802 (2011) doi:10.1103/PhysRevLett.106.211802 [arXiv:1103.0953 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of W^+W^- production and search for the Higgs boson in pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **699**, 25-47 (2011) doi:10.1016/j.physletb.2011.03.056 [arXiv:1102.5429 [hep-ex]].
- S. Chatrchyan et al. [CMS Collaboration], "Study of Z boson production in PbPb collisions at $\sqrt{s_{NN}}=2.76$

- TeV," Phys. Rev. Lett. 106, 212301 (2011) doi:10.1103/PhysRevLett.106.212301 [arXiv:1102.5435 [nucl-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Search for a Heavy Bottom-like Quark in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **701**, 204-223 (2011) doi:10.1016/j.physletb.2011.05.074 [arXiv:1102.4746 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Observation and studies of jet quenching in PbPb collisions at nucleon-nucleon center-of-mass energy = 2.76 TeV," Phys. Rev. C **84**, 024906 (2011) doi:10.1103/PhysRevC.84.024906 [arXiv:1102.1957 [nucl-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Strange Particle Production in pp Collisions at $\sqrt{s}=0.9$ and 7 TeV," JHEP **05**, 064 (2011) doi:10.1007/JHEP05(2011)064 [arXiv:1102.4282 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "First Measurement of Hadronic Event Shapes in pp Collisions at $\sqrt{s} = 7$ TeV," Phys. Lett. B **699**, 48-67 (2011) doi:10.1016/j.physletb.2011.03.060 [arXiv:1102.0068 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of $B\bar{B}$ Angular Correlations based on Secondary Vertex Reconstruction at $\sqrt{s}=7$ TeV," JHEP **03**, 136 (2011) doi:10.1007/JHEP03(2011)136 [arXiv:1102.3194 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Dijet Angular Distributions and Search for Quark Compositeness in pp Collisions at sqrts=7 TeV," Phys. Rev. Lett. **106**, 201804 (2011) doi:10.1103/PhysRevLett.106.201804 [arXiv:1102.2020 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of Bose-Einstein Correlations in pp Collisions at $\sqrt{s}=0.9$ and 7 TeV," JHEP **05**, 029 (2011) doi:10.1007/JHEP05(2011)029 [arXiv:1101.3518 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Heavy Stable Charged Particles in pp collisions at $\sqrt{s}=7$ TeV," JHEP **03**, 024 (2011) doi:10.1007/JHEP03(2011)024 [arXiv:1101.1645 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Supersymmetry in pp Collisions at 7 TeV in Events with Jets and Missing Transverse Energy," Phys. Lett. B **698**, 196-218 (2011) doi:10.1016/j.physletb.2011.03.021 [arXiv:1101.1628 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the B^+ Production Cross Section in pp Collisions at $\sqrt{s}=7$ ~TeV," Phys. Rev. Lett. **106**, 112001 (2011) doi:10.1103/PhysRevLett.106.112001 [arXiv:1101.0131 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Inclusive b-Hadron Production Cross Section with Muons in pp Collisions at $\sqrt{s}=7$ TeV," JHEP **03**, 090 (2011) doi:10.1007/JHEP03(2011)090 [arXiv:1101.3512 [hep-ex]].
- R. Gonzalez Suarez, "Higgs search prospects at the LHC," Nucl. Phys. B Proc. Suppl. **210-211**, 283-288 (2011) doi:10.1016/j.nuclphysbps.2010.12.092
- V. Khachatryan *et al.* [CMS Collaboration], "Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s}=7\sim \text{TeV}$," Phys. Rev. Lett. **106**, 122003 (2011) doi:10.1103/PhysRevLett.106.122003 [arXiv:1101.5029 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Microscopic Black Hole Signatures at the Large Hadron Collider," Phys. Lett. B **697**, 434-453 (2011) doi:10.1016/j.physletb.2011.02.032 [arXiv:1012.3375 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurements of Inclusive W and Z Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV," JHEP **01**, 080 (2011) doi:10.1007/JHEP01(2011)080 [arXiv:1012.2466 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Pair Production of Second-Generation Scalar Leptoquarks in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **106**, 201803 (2011) doi:10.1103/PhysRevLett.106.201803 [arXiv:1012.4033 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "Search for Pair Production of First-Generation Scalar Leptoquarks

- in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **106**, 201802 (2011) doi:10.1103/PhysRevLett.106.201802 [arXiv:1012.4031 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Upsilon Production Cross-Section in pp Collisions at \sqrt{s} =7 TeV," Phys. Rev. D **83**, 112004 (2011) doi:10.1103/PhysRevD.83.112004 [arXiv:1012.5545 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the Isolated Prompt Photon Production Cross Section in pp Collisions at $\sqrt{s}=7$ ~TeV," Phys. Rev. Lett. **106**, 082001 (2011) doi:10.1103/PhysRevLett.106.082001 [arXiv:1012.0799 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for a Heavy Gauge Boson W ' in the Final State with an Electron and Large Missing Transverse Energy in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **698**, 21-39 (2011) doi:10.1016/j.physletb.2011.02.048 [arXiv:1012.5945 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Charged Particle Multiplicities in pp Interactions at $\sqrt{s} = 0.9$, 2.36, and 7 TeV," JHEP **01**, 079 (2011) doi:10.1007/JHEP01(2011)079 [arXiv:1011.5531 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Stopped Gluinos in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **106**, 011801 (2011) doi:10.1103/PhysRevLett.106.011801 [arXiv:1011.5861 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Prompt and Non-Prompt J/ψ Production in pp Collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **71**, 1575 (2011) doi:10.1140/epjc/s10052-011-1575-8 [arXiv:1011.4193 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "First Measurement of the Cross Section for Top-Quark Pair Production in Proton-Proton Collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **695**, 424-443 (2011) doi:10.1016/j.physletb.2010.11.058 [arXiv:1010.5994 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Dijet Resonances in 7 TeV pp Collisions at CMS," Phys. Rev. Lett. **105**, 211801 (2010) doi:10.1103/PhysRevLett.105.211801 [arXiv:1010.0203 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Search for Quark Compositeness with the Dijet Centrality Ratio in pp Collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **105**, 262001 (2010) doi:10.1103/PhysRevLett.105.262001 [arXiv:1010.4439 [hep-ex]].
- R. Gonzalez Suarez, "Search for a SM Higgs Boson in the LHC with the CMS experiment using the $H\to WW^*\to 2\mu2\nu$ decay channel," CERN-THESIS-2010-121.
- V. Khachatryan *et al.* [CMS Collaboration], "Observation of Long-Range Near-Side Angular Correlations in Proton-Proton Collisions at the LHC," JHEP **09**, 091 (2010) doi:10.1007/JHEP09(2010)091 [arXiv:1009.4122 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at \sqrt{s} =0.9 and 2.36 TeV at the LHC," Phys. Rev. Lett. **105**, 032001 (2010) doi:10.1103/PhysRevLett.105.032001 [arXiv:1005.3294 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s}=7$ TeV," Phys. Rev. Lett. **105**, 022002 (2010) doi:10.1103/PhysRevLett.105.022002 [arXiv:1005.3299 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Measurement of the Charge Ratio of Atmospheric Muons with the CMS Detector," Phys. Lett. B **692**, 83-104 (2010) doi:10.1016/j.physletb.2010.07.033 [arXiv:1005.5332 [hep-ex]].
- V. Khachatryan *et al.* [CMS Collaboration], "Transverse Momentum and Pseudorapidity Distributions of Charged Hadrons in pp Collisions at $\sqrt{s}=0.9$ and 2.36 TeV," JHEP **02**, 041 (2010) doi:10.1007/JHEP02(2010)041 [arXiv:1002.0621 [hep-ex]].
- V. Khachatryan et al. [CMS Collaboration], "CMS Tracking Performance Results from Early LHC Operation," Eur.

- Phys. J. C **70**, 1165-1192 (2010) doi:10.1140/epjc/s10052-010-1491-3 [arXiv:1007.1988 [physics.ins-det]].
- V. Khachatryan *et al.* [CMS Collaboration], "First Measurement of the Underlying Event Activity at the LHC with $\sqrt{s}=0.9$ TeV," Eur. Phys. J. C **70**, 555-572 (2010) doi:10.1140/epjc/s10052-010-1453-9 [arXiv:1006.2083 [hep-ex]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance Study of the CMS Barrel Resistive Plate Chambers with Cosmic Rays," JINST **5**, T03017 (2010) doi:10.1088/1748-0221/5/03/T03017 [arXiv:0911.4045 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Commissioning and Performance of the CMS Pixel Tracker with Cosmic Ray Muons," JINST **5**, T03007 (2010) doi:10.1088/1748-0221/5/03/T03007 [arXiv:0911.5434 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "CMS Data Processing Workflows during an Extended Cosmic Ray Run," JINST **5**, T03006 (2010) doi:10.1088/1748-0221/5/03/T03006 [arXiv:0911.4842 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of the CMS Hadron Calorimeter with Cosmic Ray Muons and LHC Beam Data," JINST **5**, T03012 (2010) doi:10.1088/1748-0221/5/03/T03012 [arXiv:0911.4991 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Alignment of the CMS Muon System with Cosmic-Ray and Beam-Halo Muons," JINST **5**, T03020 (2010) doi:10.1088/1748-0221/5/03/T03020 [arXiv:0911.4022 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of CMS Muon Reconstruction in Cosmic-Ray Events," JINST **5**, T03022 (2010) doi:10.1088/1748-0221/5/03/T03022 [arXiv:0911.4994 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Fine Synchronization of the CMS Muon Drift-Tube Local Trigger using Cosmic Rays," JINST **5**, T03004 (2010) doi:10.1088/1748-0221/5/03/T03004 [arXiv:0911.4904 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of the CMS Drift-Tube Local Trigger with Cosmic Rays," JINST **5**, T03003 (2010) doi:10.1088/1748-0221/5/03/T03003 [arXiv:0911.4893 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of CMS Hadron Calorimeter Timing and Synchronization using Test Beam, Cosmic Ray, and LHC Beam Data," JINST **5**, T03013 (2010) doi:10.1088/1748-0221/5/03/T03013 [arXiv:0911.4877 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Identification and Filtering of Uncharacteristic Noise in the CMS Hadron Calorimeter," JINST **5**, T03014 (2010) doi:10.1088/1748-0221/5/03/T03014 [arXiv:0911.4881 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Calibration of the CMS Drift Tube Chambers and Measurement of the Drift Velocity with Cosmic Rays," JINST **5**, T03016 (2010) doi:10.1088/1748-0221/5/03/T03016 [arXiv:0911.4895 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Commissioning of the CMS High-Level Trigger with Cosmic Rays," JINST **5**, T03005 (2010) doi:10.1088/1748-0221/5/03/T03005 [arXiv:0911.4889 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of the CMS Drift Tube Chambers with Cosmic Rays," JINST **5**, T03015 (2010) doi:10.1088/1748-0221/5/03/T03015 [arXiv:0911.4855 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of the CMS Level-1 Trigger during Commissioning with Cosmic Ray Muons," JINST **5**, T03002 (2010) doi:10.1088/1748-0221/5/03/T03002 [arXiv:0911.5422 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Aligning the CMS Muon Chambers with the Muon Alignment System during an Extended Cosmic Ray Run," JINST **5**, T03019 (2010) doi:10.1088/1748-0221/5/03/T03019 [arXiv:0911.4770 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Commissioning and Performance of the CMS Silicon Strip Tracker with Cosmic Ray Muons," JINST **5**, T03008 (2010) doi:10.1088/1748-0221/5/03/T03008 [arXiv:0911.4996 [physics.ins-det]].

- S. Chatrchyan *et al.* [CMS Collaboration], "Time Reconstruction and Performance of the CMS Electromagnetic Calorimeter," JINST **5**, T03011 (2010) doi:10.1088/1748-0221/5/03/T03011 [arXiv:0911.4044 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance of the CMS Cathode Strip Chambers with Cosmic Rays," JINST **5**, T03018 (2010) doi:10.1088/1748-0221/5/03/T03018 [arXiv:0911.4992 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Commissioning of the CMS Experiment and the Cosmic Run at Four Tesla," JINST **5**, T03001 (2010) doi:10.1088/1748-0221/5/03/T03001 [arXiv:0911.4845 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Measurement of the Muon Stopping Power in Lead Tungstate," JINST **5**, P03007 (2010) doi:10.1088/1748-0221/5/03/P03007 [arXiv:0911.5397 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Alignment of the CMS Silicon Tracker during Commissioning with Cosmic Rays," JINST **5**, T03009 (2010) doi:10.1088/1748-0221/5/03/T03009 [arXiv:0910.2505 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Precise Mapping of the Magnetic Field in the CMS Barrel Yoke using Cosmic Rays," JINST **5**, T03021 (2010) doi:10.1088/1748-0221/5/03/T03021 [arXiv:0910.5530 [physics.ins-det]].
- S. Chatrchyan *et al.* [CMS Collaboration], "Performance and Operation of the CMS Electromagnetic Calorimeter," JINST **5**, T03010 (2010) doi:10.1088/1748-0221/5/03/T03010 [arXiv:0910.3423 [physics.ins-det]].
- R. Gonzalez Suarez [CMS Collaboration], "Discovery Potential for the SM Higgs Boson in the H -> W * -- > 2 I 2 nu channel at LHC," [arXiv:0810.1468 [hep-ph]].
- S. Chatrchyan et~al.~ [CMS Collaboration], "The CMS Experiment at the CERN LHC," JINST $\bf 3$, S08004 (2008) doi:10.1088/1748-0221/3/08/S08004
- I. Cabrillo, I. Gonzalez Caballero, R. Gonzalez, J. Fernandez, R. Marco, P. Martinez Ruiz del Arbol, F. Matorras and A. Sznajder, "A software and computing prototype for CMS muon system alignment," J. Phys. Conf. Ser. **119**, 072008 (2008) doi:10.1088/1742-6596/119/7/072008

Public Analysis Summaries

CMS Public Analysis Summaries in which I had a relevant contribution in reverse chronological order. This kind of document is reviewed by a board of four referees and circulated to the Collaboration before being made public:

'Higgs to WW measurements with 15.2 fb^{-1} of 13 TeV proton-proton collisions' - HIG-16-021 - [C - Higgs to WW]

'Search for Higgs boson pair production in the $b\bar{b}l\nu l\nu$ final state at $\sqrt{s}=13$ TeV' - HIG-16-024 - [R - Higgs to WW]

'Search for high mass Higgs to WW with fully leptonic decays using 2015 data' - HIG-16-023 [R - Higgs to WW]

'Search for associated production of Higgs bosons and top quarks in multilepton final states at $\sqrt{s}=13$ TeV' - HIG-16-022 [R - Higgs to WW]

'Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at sqrt(s) = 8 TeV' - TOP-12-039 [R - Single top]

'Measurement of the top quark mass in the dileptonic ttbar decay channel using the Mbl, MT2, and MAOS Mblv observables'- TOP-15-008 [R-ARC] [Chair of the review]

'First results on Higgs to WW at $\sqrt{s}=13$ TeV' - HIG-15-003 [ED- HWW]

'Combination of cross-section measurements of associated production of a single top quark and a W boson at $\sqrt{s}=8$ TeV with the ATLAS and CMS experiments' - TOP-15-019 [C]

'Search for resonant Higgs boson pair production in the bar b l
u l
u final state at $\sqrt s=13$ TeV' - HIG-16-011 [R - Higgs to WW]

'Search for ttH production in multilepton final states at $\sqrt{s}=13$ TeV' - HIG-15-008 [C, R - HWW]

'Measurement of the top quark mass from single-top production events' - TOP-15-001 [R-ARC] [Chair of the review]

'Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s}=8$ TeV using the $H\to WW$ decays ' (CMS-PAS-HIG-15-010) [R - Higgs to WW]

'Measurement of the top-quark mass from the b jet energy spectrum' (CMS-PAS-TOP-15-002) [R-ARC] [Chair of the review]

'Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s}=$ 7 and 8 TeV' (CMS-PAS-HIG-15-002) [C]

'Measurement of the W boson helicity using $t\bar{t}$ events in the dilepton final state at $\sqrt{s}=8$ TeV' CMS-PAS-TOP-14-017 [R-ARC] [Chair of the review]

'Measurements of the differential cross section of single top-quark production in the t channel in proton-proton collisions at $\sqrt{s}=8$ TeV' (CMS-PAS-TOP-14-004) [R - Single top]

'Search for $H \to b \bar b$ in association with single top quarks as a test of Higgs boson couplings' (CMS-PAS-HIG-14-015) [C]

'Combination of cross-section measurements of associated production of a single top-quark and a W boson at $\sqrt{s}=8$ TeV with the ATLAS and CMS experiments' (CMS-PAS-TOP-14-009) [C, R - Single top]

'Constraints on Anomalous HWW Interactions using Higgs boson decays to W+W- in the fully leptonic final state' (CMS-PAS-HIG-14-012) [PA, ED]

- 'Constraints on anomalous HVV interactions using H to 4I decays' (CMS-PAS-HIG-14-014) [C]
- 'Search for $t\bar{t}H$ events in the $H\to b\bar{b}$ final state using the Matrix Element Method' (CMS-PAS- HIG-14-010) [R-ARC]
- 'Search for anomalous Wtb couplings and top FCNC in t-channel single-top-quark events' (CMS-PAS-TOP-14-007) [R-Single top]
- 'Search for anomalous single top quark production in association with a photon' (CMS-PAS-TOP-14-003) [R Single top]
- 'Search for new physics with monotop final states in pp collisions at $\sqrt{s}=8$ TeV' (CMS-PAS- B2G-12-022) [R-ARC] [Chair of the review]
- 'Search for associated production of a single top quark and a Higgs boson in events where the Higgs boson decays to two photons at $\sqrt{s}=8$ TeV' (CMS-PAS-HIG-14-001) [R-ARC]
- 'Projections for Top FCNC Searches in $3000fb^{-1}$ at the LHC' (CMS-PAS-FTR-13-016) [R-ARC]
- 'Sensitivity study of the prospects for searching for heavy vector-like charge 2/3 quarks at $\sqrt{s}=14$ TeV with the upgraded CMS detector' (CMS-PAS-FTR-13-026) [R-ARC]
- 'Projected improvement of the accuracy of top-quark mass measurements at the upgraded LHC' (CMS-PAS-FTR-13-017) [R-ARC]
- 'CMS reach in $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$ branching fractions for the new LHC runs' (CMS-PAS-FTR-13-022) [R-ARC]
- 'Search for s-channel single top-quark production in pp collisions at $\sqrt{s}=8$ TeV' (CMS-PAS-TOP-13-009) [R Single top]
- 'Measurement of top quark polarization in t-channel single-top production' (CMS-PAS-TOP-13-001) [R Single top]
- 'Combination of single top-quark cross-sections measurements in the t-channel at $\sqrt{s}=8$ TeV with the ATLAS and CMS experiments' (CMS-PAS-TOP-12-002) [R Single top]
- 'Search for electroweak production of charginos and neutralinos using leptonic final states' (CMS-PAS-SUS-13-006) [R-ARC]
- 'Observation of Associated Production of a Single Top Quark and W Boson in pp Collisions at $\sqrt{s}=8$ TeV' (CMS-PAS-TOP-12-040) [PA]
- 'Search for Flavor-Changing Neutral Currents in tZ events in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ ' (CMS-PAS-TOP-12-021) [R Single top]
- 'Search for electroweak production of charginos, neutralinos and sleptons using leptonic final states in pp collisions at $\sqrt(s)=8$ TeV' (CMS-PAS-SUS-12-022) [R-ARC]
- 'Measurement of the single-top t-channel charge ratio at 8 TeV' (CMS-PAS-TOP-12-038) [R Single top]
- 'Measurement of W-helicity fractions in single top events topology' (CMS-PAS-TOP-12-020) [R Single top]
- 'Search for single top tW associated production in the dilepton decay channel in pp collisions at $\sqrt{s}=7$ TeV' (CMS-PAS-TOP-11-022) [PA, ED]
- 'Search for Physics Beyond the Standard Model in Z+MET+Jets events at the LHC' (CMS-PAS-SUS-11-019) [R-ARC]

'Measurement of the top-quark pair-production cross section in the lepton+jets channel with the use of b-tagging' (CMS-PAS-TOP-10-003) [C]

'Measurement of the top-quark pair-production cross section in the di-lepton channel at 7 TeV' (CMS-PAS-TOP-10-005) [C]

'Search for H ightarrow WW ightarrow 2l 2nu' (CMS-PAS-HIG-10-003) [C]

'Observation of WW final state' (CMS-PAS-EWK-009) [C]

'Performance of muon identification in pp collisions at $\sqrt{s}=7$ TeV' (CMS-PAS-MUO-10-002) [PA]

'Search Strategy for a Standard Model Higgs Boson Decaying to Two W Bosons in the Fully Leptonic Final State' (CMS-PAS-HIG-08-006) [PA]

'Search for the Higgs boson in the WW decay channel with the CMS experiment' (CMS-PAS-HIG-07-001) [PA]

Public top results

Public analysis summaries made public during my convenership of the top quark physics analysis group in CMS, in reverse chronological order:

'Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in pp collisions at $\sqrt{s}=13$ TeV' TOP-17-011

'Measurement of the top quark mass in the all-jets final state at $\sqrt{s}=13$ TeV' TOP-17-008

'Measurements of differential cross sections for $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=13$ TeV using events containing two leptons' TOP-17-014

'Search for top+photon production in pp collisions at 13 TeV in the muon+jets channel' TOP-17-016

'Study of the underlying event in top quark pair production at $\sqrt{s}=13$ TeV' TOP-17-015

'Measurement of jet substructure observables in $t\bar{t}$ events from pp collisions at $\sqrt{s}=13$ TeV' TOP-17-013

'Search for the flavor-changing interactions of the top quark with the Higgs boson in $H\to b\bar b$ channel at $\sqrt s=13$ TeV' TOP-17-003

'Evidence for the standard model production of a Z boson with a single top quark in pp collisions at $\sqrt{s}=13$ TeV' TOP-16-020

'Measurement of the production cross section for single top quarks in association with W bosons in pp collisions at $\sqrt{s}=13$ TeV' TOP-17-018

'Measurement of the top quark mass with lepton+jets final states in pp collisions at $\sqrt{s}=13$ TeV' TOP-17-007

'Measurement of differential cross sections for top quark pair production and associated jets using the lepton+jets final state in proton-proton collisions at 13 TeV' TOP-17-002

'Search for the standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV ' TOP-17-009

'Measurement of the differential $t\bar{t}$ cross section with high- p_T top-quark jets in the all-hadronic channel at $\sqrt{s}=8$ TeV ' TOP-16-018

'Measurement of the differential cross sections of top quark pair production as a function of kinematic event variables in pp collisions at $\sqrt{s}=13$ TeV' TOP-16-014

'Measurement of top quark pair-production in association with a W or Z boson in pp collisions at 13 TeV' TOP-17-005

'Measurement of the inclusive $t\bar{t}$ cross section at $\sqrt{s}=5.02$ TeV' TOP-16-023

'Measurement of the top quark mass with muon+jets final states in pp collisions at $\sqrt{s}=13$ TeV' (TOP-16-022)

'Investigations of the impact of the parton shower tuning in Pythia 8 in the modelling of $t\bar{t}$ at \sqrt{s} =8 and 13 TeV' (TOP-16-021)

'Combinations of the CMS alternative technique measurements of the top quark mass' (TOP-15-012)

'Bounding the top quark width using final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV ' (TOP-16-019)

'Measurement of the $t\bar{t}+\gamma$ production cross-section in pp collisions at $\sqrt{s}=8$ TeV' (TOP-14-008)

'Measurement of the jet mass distribution in boosted $t\bar{t}$ production at $\sqrt{s}=8$ TeV' (TOP-15-015)

Internal Analysis Notes

Internal notes that I am an author of in reverse chronological order:

CMS AN-2015/300 - 'Higgs Boson decaying to WW in the leptonic final state at 13 TeV' (HWW team) [ED]

CMS AN-2015/299 - 'Common analysis object definitions and triggers efficiencies for the H \rightarrow WW Run-2 analysis' (HWW team) [ED]

CMS AN-2015/321 - 'Search for ttH in multilepton final states at 13 TeV' (Anne-Catherine Le Bihan et al.) [C]

CMS AN-2013/113 - 'Search for $H \rightarrow bb$ in association with single top quarks as a test of Higgs boson couplings' (*A. Anuar, A. Bean et al.*) [C]

CMS AN-2014/083 - 'Spin Parity of the Higgs Boson and Tensor Structure of the HWW interaction in the $H\rightarrow WW$ dileptonic decay channel' (*Rebeca Gonzalez Suarez et al.*) [PA-ED]

CMS AN-2013/096 - 'Study of associated Higgs boson (ZH) production in the three leptons, two jets final state at 7 and 8 TeV' (*Rebeca Gonzalez Suarez et al.*) [PA-ED]

CMS AN-2012/458 - 'Single top associated tW production at 8 TeV' (Rebeca Gonzalez Suarez et al.) [PA-ED]

CMS AN-2012/060 - 'Search for single top tW production using a boosted decision tree method in the dilepton channel' (*Rebeca Gonzalez Suarez et al.*) [C]

CMS AN-2011/465 - 'Search for the Single top tW associated production in the dilepton decay channel with the full 2011 dataset' (*Rebeca Gonzalez Suarez et al.*) [PA-ED]

CMS AN-2011/253 - 'Search for the Single top tW associated production in the dilepton decay channel' (Rebeca Gonzalez Suarez et al.) [PA-ED]

CMS AN2010/281 - 'A measurement of $t\bar{t}$ cross section in early 7 TeV data using the semileptonic topology: electron plus jets with one or more b-tags, using 36 pb^{-1} of CMS data.' (M. Barrett, F. Blekman et al.) [C-ED]

CMS AN2010/411 - 'Search for Higgs Boson Decays to Two W Bosons in the Fully Leptonic Final State at $\sqrt(s) = 7$ TeV' (*G. Bauer, J. Bendavid et al.*) [C]

CMS AN2010/344 - 'First Measurement of pp \to WW Production Cross-Section at $\sqrt(s)=7$ TeV' (*W. Andrews, D. Barge et al.*) [C]

CMS AN2010/406 - 'Measurement of the $t\bar{t}$ cross section in the dilepton final state using b-tagging at $\sqrt{s}=7~TeV$ ' (J.~Brochero,~A.~Calder'on~et~al.) [C-ED]

CMS AN 2010/008 - 'The CMS physics reach for searches at 7 TeV' (CMS Collaboration) [PA]

CMS AN 2009/139 - 'Search Strategy for a Standard Model Higgs Boson Decaying to Two W Bosons in the Fully Leptonic Final State at $\sqrt{s}=10$ TeV' (*G. Bauer, J. Bendavid et al.*)

CMS AN-2009/185 - 'Analysis strategy for the measurement of the $WW \to \mu\nu\mu\nu$ cross-section with 200 pb^{-1} at center of mass energy of 10 TeV' (*C.Jorda, R. Villar et al.*) [C]

CMS AN-2009/025 - 'Analysis strategy for the measurement of the $WW \to \mu\nu\mu\nu$ cross-section' (*C.Jorda, R. Villar et al.*) [C]

CMS AN-2009/020 - 'Projected exclusion limits on the SM Higgs boson cross sections obtained by combining

the H ightarrow WW and ZZ decay channels' (S. Baffioni, C. Botta et al.) [PA]

CMS AN-2008/074 - 'Measurement of muon charge asymmetry in the $W \to \mu\nu$ channel' (*J. Alcaraz, M.I. Josa et al.*) [C]

CMS AN-2008/039 - 'Search Strategy for a Standard Model Higgs Boson Decaying to Two W Bosons in the Fully Leptonic Final State' (*C. Charlot, J. Cuevas et al.*) [PA]

CMS AN-2007/037 - 'Search for the Higgs boson in the WW decay channel with the CMS experiment' (C. Charlot, J. Cuevas et al.) [PA]

June 30, 2021