# National Immunization Survey -- Teen

## A Codebook for the
## 2017 Public-Use Data File

**Centers for Disease Control and Prevention**

**National Center for Immunization and Respiratory Diseases**

**and**

**National Center for Health Statistics**

**Presented by:**
**NORC at the University of Chicago**

**October 2018**

# TABLE OF CONTENTS


Section Index of Variables ..... 1

Section 1: ID, Weight, and Flag Variables ..... 32

Section 2: Household-Reported Vaccination and Health Information ..... 35

Section 3: Demographic, Socio-Economic and Other Household/Teen Information ..... 84

Section 4: Geographic Variables ..... 96

Section 5: Number of Providers Identified and Consent Variables ..... 102

Section 6: Number of Responding Provider Variables ..... 104

Section 7: Characteristics of Provider Variables ..... 105

Section 8: Provider-Reported Up-to-Date Vaccination Variables ..... 107

Section 9: Provider-Reported Age-at-Vaccination Variables ..... 191

Section 10: Health Insurance Module Variables ..... 368

Alphabetic Index of Variables ..... 370

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don’t know, and refused) for each variable.

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| SEQNUMT | 1 | 5 | 1 | UNIQUE TEEN IDENTIFIER |
| PDAT2 | 6 | 6 | 1 | ADEQUATE PROVIDER DATA FLAG |
| RDDWT_D | 7 | 26 | 1 | FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| PROVWT_D | 27 | 46 | 1 | FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| STRATUM | 47 | 50 | 1 | STRATUM VARIABLE FOR VARIANCE ESTIMATION |
| YEAR | 51 | 54 | 1 | SAMPLING YEAR |
| ASTHMA | 55 | 56 | 2 | HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA? |
| CKUP_11_12 | 57 | 58 | 2 | DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP? |
| CKUP_AGE | 59 | 60 | 2 | AGE IN YEARS AT LAST CHECK-UP |
| CKUP_LAST | 61 | 62 | 2 | WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO? |
| CPOX_AGE | 63 | 64 | 2 | AGE IN YEARS WHEN HAD CHICKEN POX DISEASE |
| CPOX_AGER | 65 | 66 | 2 | AGE RANGE WHEN HAD CHICKEN POX DISEASE |
| CPOX_HAD | 67 | 68 | 2 | TEEN EVER HAD CHICKEN POX DISEASE? |
| HPVI_ANY | 69 | 70 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILLOMAVIRUS SHOTS? |
| HPVI_INTENTR | 71 | 72 | 2 | HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS? |
| HPVI_NUM_TOT | 73 | 74 | 2 | NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL) |
| HPVI_REAS_1 | 75 | 76 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED |
| HPVI_REAS_10 | 77 | 78 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS |
| HPVI_REAS_11 | 79 | 80 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS |
| HPVI_REAS_12 | 81 | 82 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN |
| HPVI_REAS_13 | 83 | 84 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL |
| HPVI_REAS_14 | 85 | 86 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION |
| HPVI_REAS_15 | 87 | 88 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT |
| HPVI_REAS_16 | 89 | 90 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS |
| HPVI_REAS_17 | 91 | 92 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION |
| HPVI_REAS_18 | 93 | 94 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HPVI_REAS_19 | 95 | 96 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX |
| HPVI_REAS_2 | 97 | 98 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY |
| HPVI_REAS_20 | 99 | 100 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME |
| HPVI_REAS_21 | 101 | 102 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE |
| HPVI_REAS_22 | 103 | 104 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE |
| HPVI_REAS_23 | 105 | 106 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE |
| HPVI_REAS_24 | 107 | 108 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT |
| HPVI_REAS_25 | 109 | 110 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN |
| HPVI_REAS_26 | 111 | 112 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN |
| HPVI_REAS_27 | 113 | 114 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE |
| HPVI_REAS_28 | 115 | 116 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| HPVI_REAS_29 | 117 | 118 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE |
| HPVI_REAS_3 | 119 | 120 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE |
| HPVI_REAS_30 | 121 | 122 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| HPVI_REAS_31 | 123 | 124 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| HPVI_REAS_5 | 125 | 126 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HPVI_REAS_6 | 127 | 128 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE |
| HPVI_REAS_9 | 129 | 130 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON |
| HPVI_RECOM | 131 | 132 | 2 | HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS? |
| IMM_ANY | 133 | 134 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS? |
| MEN_ANY | 135 | 136 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS? |
| MEN_NUM_TOT | 137 | 138 | 2 | NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL) |
| MEN_REAS_1 | 139 | 140 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED |
| MEN_REAS_10 | 141 | 142 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS |
| MEN_REAS_11 | 143 | 144 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| MEN_REAS_12 | 145 | 146 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN |
| MEN_REAS_13 | 147 | 148 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL |
| MEN_REAS_14 | 149 | 150 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION |
| MEN_REAS_15 | 151 | 152 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT |
| MEN_REAS_16 | 153 | 154 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS |
| MEN_REAS_17 | 155 | 156 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION |
| MEN_REAS_18 | 157 | 158 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| MEN_REAS_19 | 159 | 160 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX |
| MEN_REAS_2 | 161 | 162 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE |
| MEN_REAS_20 | 163 | 164 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME |
| MEN_REAS_21 | 165 | 166 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE |
| MEN_REAS_22 | 167 | 168 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE |
| MEN_REAS_23 | 169 | 170 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MEN_REAS_24 | 171 | 172 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| MEN_REAS_25 | 173 | 174 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| MEN_REAS_3 | 175 | 176 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT NECESSARY |
| MEN_REAS_4 | 177 | 178 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT |
| MEN_REAS_5 | 179 | 180 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE |
| MEN_REAS_6 | 181 | 182 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE |
| MEN_REAS_7 | 183 | 184 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON |
| NOSCHOOLR | 185 | 186 | 2 | DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE) |
| RISK_EVER | 187 | 188 | 2 | HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_HH | 189 | 190 | 2 | DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_NOW | 191 | 192 | 2 | DOES TEEN STILL HAVE ANY OF THESE CONDITIONS? |
| TET_ANY | 193 | 194 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS? |
| TET_REAS_1 | 195 | 196 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED |
| TET_REAS_10 | 197 | 198 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS |
| TET_REAS_11 | 199 | 200 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| TET_REAS_12 | 201 | 202 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN |
| TET_REAS_13 | 203 | 204 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL |
| TET_REAS_14 | 205 | 206 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION |
| TET_REAS_15 | 207 | 208 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT |
| TET_REAS_16 | 209 | 210 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS |
| TET_REAS_17 | 211 | 212 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION |
| TET_REAS_18 | 213 | 214 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| TET_REAS_19 | 215 | 216 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX |
| TET_REAS_2 | 217 | 218 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE |
| TET_REAS_20 | 219 | 220 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME |
| TET_REAS_21 | 221 | 222 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE |
| TET_REAS_22 | 223 | 224 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE |
| TET_REAS_23 | 225 | 226 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE |
| TET_REAS_24 | 227 | 228 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT |
| TET_REAS_25 | 229 | 230 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| TET_REAS_26 | 231 | 232 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| TET_REAS_3 | 233 | 234 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT NECESSARY |
| TET_REAS_4 | 235 | 236 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| TET_REAS_5 | 237 | 238 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE AGE |
| TET_REAS_7 | 239 | 240 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON |
| VISITS | 241 | 242 | 2 | IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL |
| AGE | 243 | 244 | 3 | AGE IN YEARS OF SELECTED TEEN |
| AGEGRP_M_I | 245 | 245 | 3 | MOTHER'S AGE CATEGORIES: IMPUTED (RECODE) |
| C1R | 246 | 246 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (RECODE) |
| C5R | 247 | 248 | 3 | RELATIONSHIP OF RESPONDENT TO TEEN (RECODE) |
| CEN_REG | 249 | 249 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 250 | 250 | 3 | NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE) |
| EDUC1 | 251 | 251 | 3 | EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES: IMPUTED (RECODE) |
| EDUC_TR | 252 | 253 | 3 | TEEN'S CURRENT GRADE IN SCHOOL (RECODE) |
| INCPORAR | 254 | 269 | 3 | INCOME TO POVERTY RATIO (RECODE) |
| INCPORAR_I | 270 | 285 | 3 | INCOME TO POVERTY RATIO: IMPUTED (RECODE) |
| INCPOV1 | 286 | 286 | 3 | POVERTY STATUS |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| INCQ298A | 287 | 288 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| I_HISP_K | 289 | 289 | 3 | IS TEEN HISPANIC OR LATINO?: IMPUTED |
| LANGUAGE | 290 | 290 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL2 | 291 | 291 | 3 | MARITAL STATUS OF MOTHER: IMPUTED (RECODE) |
| MOBIL_I | 292 | 292 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE: IMPUTED |
| NUM_PHONE | 293 | 294 | 3 | NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES) |
| NUM_CELLS_HH | 295 | 296 | 3 | NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE |
| NUM_CELLS_PARENTS | 297 | 298 | 3 | NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS |
| RACEETHK | 299 | 299 | 3 | RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE) |
| RACE_K | 300 | 300 | 3 | RACE OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE) |
| RENT_OWN | 301 | 302 | 3 | IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT? |
| SEX | 303 | 303 | 3 | SEX OF TEEN: IMPUTED |
| ESTIAPT17 | 304 | 306 | 4 | ESTIMATION AREA OF RESIDENCE |
| EST_GRANT | 307 | 308 | 4 | AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS |
| STATE | 309 | 310 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| D6R | 311 | 311 | 5 | NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE) |
| D7 | 312 | 312 | 5 | CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS |
| NUM_PROVR | 313 | 313 | 5 | NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE) |
| N_PRVR | 314 | 314 | 6 | NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE) |
| FACILITY | 315 | 315 | 7 | FACILITY TYPES FOR TEEN'S PROVIDERS |
| REGISTRY | 316 | 316 | 7 | DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY? |
| VFC_ORDER | 317 | 317 | 7 | DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| P_N13FLU | 318 | 318 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FL | 319 | 319 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13FLU_FM | 320 | 320 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FN | 321 | 321 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FV | 322 | 322 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FZ | 323 | 323 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA | 324 | 324 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HA | 325 | 325 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HO | 326 | 326 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB | 327 | 327 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_43 | 328 | 328 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_61 | 329 | 329 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_62 | 330 | 330 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_63 | 331 | 331 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_64 | 332 | 332 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_HB | 333 | 333 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13HPV | 334 | 334 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_4V | 335 | 335 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_9V | 336 | 336 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_CV | 337 | 337 | 8 | NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_HP | 338 | 338 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_UV | 339 | 339 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV | 340 | 340 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_30 | 341 | 341 | 8 | NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_31 | 342 | 342 | 8 | NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_32 | 343 | 343 | 8 | NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_33 | 344 | 344 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_MM | 345 | 345 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_VM | 346 | 346 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN | 347 | 347 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_80 | 348 | 348 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13MEN_81 | 349 | 349 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_82 | 350 | 350 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB | 351 | 351 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BB | 352 | 352 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BT | 353 | 353 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BU | 354 | 354 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENU | 355 | 355 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MMR | 356 | 356 | 8 | NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13PPS | 357 | 357 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST10 | 358 | 358 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST7 | 359 | 359 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP | 360 | 360 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_11 | 361 | 361 | 8 | NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_14 | 362 | 362 | 8 | NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_15 | 363 | 363 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13TDP_POST10 | 364 | 364 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC | 365 | 365 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_POST1 | 366 | 366 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VA | 367 | 367 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VM | 368 | 368 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VO | 369 | 369 | 8 | NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 370 | 370 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FL | 371 | 371 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FM | 372 | 372 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FN | 373 | 373 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FV | 374 | 374 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FZ | 375 | 375 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA | 376 | 376 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HA | 377 | 377 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMHEPA_HO | 378 | 378 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB | 379 | 379 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_43 | 380 | 380 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_61 | 381 | 381 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_62 | 382 | 382 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_63 | 383 | 383 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_64 | 384 | 384 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_HB | 385 | 385 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV | 386 | 386 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_4V | 387 | 387 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_9V | 388 | 388 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_CV | 389 | 389 | 8 | NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_HP | 390 | 390 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_UV | 391 | 391 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV | 392 | 392 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_30 | 393 | 393 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMMCV_31 | 394 | 394 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_32 | 395 | 395 | 8 | NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_33 | 396 | 396 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_MM | 397 | 397 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_VM | 398 | 398 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN | 399 | 399 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_80 | 400 | 400 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_81 | 401 | 401 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_82 | 402 | 402 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB | 403 | 403 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BB | 404 | 404 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BT | 405 | 405 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BU | 406 | 406 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENU | 407 | 407 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 408 | 408 | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMPPS | 409 | 409 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST10 | 410 | 410 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST7 | 411 | 411 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP | 412 | 412 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_11 | 413 | 413 | 8 | NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_14 | 414 | 414 | 8 | NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_15 | 415 | 415 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_POST10 | 416 | 416 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 417 | 417 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_POST1 | 418 | 418 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VA | 419 | 419 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VM | 420 | 420 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VO | 421 | 421 | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U131321 | 422 | 422 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U1313212 | 423 | 423 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1516 | 424 | 424 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_U13FLU1617 | 425 | 425 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1718 | 426 | 426 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPA | 427 | 427 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPB | 428 | 428 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV | 429 | 429 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV3 | 430 | 430 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13113 | 431 | 431 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MCV | 432 | 432 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MEN | 433 | 433 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MMR | 434 | 434 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13PPS | 435 | 435 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TD | 436 | 436 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP | 437 | 437 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP7 | 438 | 438 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_U13VRC | 439 | 439 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC2 | 440 | 440 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD1321 | 441 | 441 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD13212 | 442 | 442 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1516 | 443 | 443 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1617 | 444 | 444 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1718 | 445 | 445 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA | 446 | 446 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA1 | 447 | 447 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPB | 448 | 448 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV | 449 | 449 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15 | 450 | 450 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15INT | 451 | 451 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_9V | 452 | 452 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_UTDHPV11 | 453 | 453 | 8 | UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV12 | 454 | 454 | 8 | UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV13 | 455 | 455 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2 | 456 | 456 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2_9V | 457 | 457 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3 | 458 | 458 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3_9V | 459 | 459 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C | 460 | 460 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_15INT | 461 | 461 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_9V | 462 | 462 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMCV | 463 | 463 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMEN | 464 | 464 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMENACWY | 465 | 465 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMMR | 466 | 466 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDPPS | 467 | 467 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_UTDTD | 468 | 468 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP | 469 | 469 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP7 | 470 | 470 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDP_POST10 | 471 | 471 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD_POST10 | 472 | 472 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC | 473 | 473 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2 | 474 | 474 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC_NOHIST4 | 475 | 475 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2_NOHIST4 | 476 | 476 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| VRC_HIST | 477 | 477 | 8 | HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER |
| FLU_AGE1 | 478 | 479 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_AGE2 | 480 | 481 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_AGE3 | 482 | 483 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_AGE4 | 484 | 485 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_AGE5 | 486 | 487 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_AGE6 | 488 | 489 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_AGE7 | 490 | 491 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_AGE8 | 492 | 493 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| FLU_AGE9 | 494 | 494 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_DAGE1 | 495 | 498 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_DAGE2 | 499 | 502 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_DAGE3 | 503 | 506 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_DAGE4 | 507 | 510 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_DAGE5 | 511 | 514 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_DAGE6 | 515 | 518 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_DAGE7 | 519 | 522 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_DAGE8 | 523 | 526 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_DAGE9 | 527 | 527 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MAGE1 | 528 | 530 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MAGE2 | 531 | 533 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MAGE3 | 534 | 536 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MAGE4 | 537 | 539 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MAGE5 | 540 | 542 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MAGE6 | 543 | 545 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MAGE7 | 546 | 548 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MAGE8 | 549 | 551 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MAGE9 | 552 | 552 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MONTH1 | 553 | 554 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MONTH2 | 555 | 556 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MONTH3 | 557 | 558 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| FLU_MONTH4 | 559 | 560 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MONTH5 | 561 | 562 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MONTH6 | 563 | 564 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MONTH7 | 565 | 566 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MONTH8 | 567 | 568 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MONTH9 | 569 | 569 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_YEAR1 | 570 | 573 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_YEAR2 | 574 | 577 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_YEAR3 | 578 | 581 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_YEAR4 | 582 | 585 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_YEAR5 | 586 | 589 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_YEAR6 | 590 | 593 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_YEAR7 | 594 | 597 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_YEAR8 | 598 | 601 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_YEAR9 | 602 | 602 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| HEPA_AGE1 | 603 | 604 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_AGE2 | 605 | 606 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_AGE3 | 607 | 608 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_AGE4 | 609 | 610 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_AGE5 | 611 | 612 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_AGE6 | 613 | 614 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_AGE7 | 615 | 615 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_AGE8 | 616 | 616 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_AGE9 | 617 | 617 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_DAGE1 | 618 | 621 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_DAGE2 | 622 | 625 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_DAGE3 | 626 | 629 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HEPA_DAGE4 | 630 | 633 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_DAGE5 | 634 | 637 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_DAGE6 | 638 | 641 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_DAGE7 | 642 | 642 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_DAGE8 | 643 | 643 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_DAGE9 | 644 | 644 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_MAGE1 | 645 | 647 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_MAGE2 | 648 | 650 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_MAGE3 | 651 | 653 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_MAGE4 | 654 | 656 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_MAGE5 | 657 | 659 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_MAGE6 | 660 | 662 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_MAGE7 | 663 | 663 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_MAGE8 | 664 | 664 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_MAGE9 | 665 | 665 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPB_AGE1 | 666 | 667 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_AGE2 | 668 | 669 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_AGE3 | 670 | 671 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_AGE4 | 672 | 673 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_AGE5 | 674 | 675 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_AGE6 | 676 | 677 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_AGE7 | 678 | 679 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_AGE8 | 680 | 680 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_AGE9 | 681 | 681 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_DAGE1 | 682 | 685 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_DAGE2 | 686 | 689 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_DAGE3 | 690 | 693 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_DAGE4 | 694 | 697 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_DAGE5 | 698 | 701 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_DAGE6 | 702 | 705 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_DAGE7 | 706 | 709 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_DAGE8 | 710 | 713 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_DAGE9 | 714 | 714 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_MAGE1 | 715 | 717 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_MAGE2 | 718 | 720 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_MAGE3 | 721 | 723 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_MAGE4 | 724 | 726 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HEPB_MAGE5 | 727 | 729 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_MAGE6 | 730 | 732 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_MAGE7 | 733 | 735 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_MAGE8 | 736 | 737 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_MAGE9 | 738 | 738 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HPV_AGE1 | 739 | 740 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_AGE2 | 741 | 742 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_AGE3 | 743 | 744 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_AGE4 | 745 | 746 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_AGE5 | 747 | 748 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_AGE6 | 749 | 750 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_AGE7 | 751 | 751 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_AGE8 | 752 | 752 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_AGE9 | 753 | 753 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_DAGE1 | 754 | 757 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_DAGE2 | 758 | 761 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_DAGE3 | 762 | 765 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_DAGE4 | 766 | 769 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_DAGE5 | 770 | 773 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_DAGE6 | 774 | 777 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_DAGE7 | 778 | 778 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_DAGE8 | 779 | 779 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_DAGE9 | 780 | 780 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_MAGE1 | 781 | 783 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_MAGE2 | 784 | 786 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_MAGE3 | 787 | 789 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_MAGE4 | 790 | 792 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_MAGE5 | 793 | 795 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_MAGE6 | 796 | 798 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_MAGE7 | 799 | 799 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_MAGE8 | 800 | 800 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_MAGE9 | 801 | 801 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| MCV_AGE1 | 802 | 803 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_AGE2 | 804 | 805 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_AGE3 | 806 | 807 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_AGE4 | 808 | 809 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_AGE5 | 810 | 810 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MCV_AGE6 | 811 | 811 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_AGE7 | 812 | 812 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_AGE8 | 813 | 813 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_AGE9 | 814 | 814 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_DAGE1 | 815 | 818 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_DAGE2 | 819 | 822 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_DAGE3 | 823 | 826 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_DAGE4 | 827 | 830 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_DAGE5 | 831 | 834 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_DAGE6 | 835 | 835 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_DAGE7 | 836 | 836 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_DAGE8 | 837 | 837 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_DAGE9 | 838 | 838 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_MAGE1 | 839 | 841 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_MAGE2 | 842 | 844 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_MAGE3 | 845 | 847 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_MAGE4 | 848 | 850 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_MAGE5 | 851 | 853 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_MAGE6 | 854 | 854 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_MAGE7 | 855 | 855 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_MAGE8 | 856 | 856 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_MAGE9 | 857 | 857 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MEN_AGE1 | 858 | 859 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_AGE2 | 860 | 861 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_AGE3 | 862 | 863 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_AGE4 | 864 | 865 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_AGE5 | 866 | 867 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_AGE6 | 868 | 869 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_AGE7 | 870 | 870 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_AGE8 | 871 | 871 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_AGE9 | 872 | 872 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MEN_DAGE1 | 873 | 876 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_DAGE2 | 877 | 880 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_DAGE3 | 881 | 884 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_DAGE4 | 885 | 888 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_DAGE5 | 889 | 892 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_DAGE6 | 893 | 896 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_DAGE7 | 897 | 897 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_DAGE8 | 898 | 898 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_DAGE9 | 899 | 899 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_MAGE1 | 900 | 902 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_MAGE2 | 903 | 905 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_MAGE3 | 906 | 908 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_MAGE4 | 909 | 911 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_MAGE5 | 912 | 914 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_MAGE6 | 915 | 917 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_MAGE7 | 918 | 918 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_MAGE8 | 919 | 919 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_MAGE9 | 920 | 920 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MENB_AGE1 | 921 | 922 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_AGE2 | 923 | 924 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_AGE3 | 925 | 926 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_AGE4 | 927 | 928 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENB_AGE5 | 929 | 930 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_AGE6 | 931 | 931 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_AGE7 | 932 | 932 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_AGE8 | 933 | 933 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_AGE9 | 934 | 934 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_DAGE1 | 935 | 938 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_DAGE2 | 939 | 942 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_DAGE3 | 943 | 946 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_DAGE4 | 947 | 950 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_DAGE5 | 951 | 954 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_DAGE6 | 955 | 955 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_DAGE7 | 956 | 956 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_DAGE8 | 957 | 957 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_DAGE9 | 958 | 958 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_MAGE1 | 959 | 961 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_MAGE2 | 962 | 964 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_MAGE3 | 965 | 967 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_MAGE4 | 968 | 970 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_MAGE5 | 971 | 973 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_MAGE6 | 974 | 974 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_MAGE7 | 975 | 975 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_MAGE8 | 976 | 976 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENB_MAGE9 | 977 | 977 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENU_AGE1 | 978 | 979 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_AGE2 | 980 | 981 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_AGE3 | 982 | 982 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_AGE4 | 983 | 983 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_AGE5 | 984 | 984 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_AGE6 | 985 | 985 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_AGE7 | 986 | 986 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_AGE8 | 987 | 987 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_AGE9 | 988 | 988 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_DAGE1 | 989 | 992 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_DAGE2 | 993 | 996 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_DAGE3 | 997 | 1000 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_DAGE4 | 1001 | 1001 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_DAGE5 | 1002 | 1002 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_DAGE6 | 1003 | 1003 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_DAGE7 | 1004 | 1004 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_DAGE8 | 1005 | 1005 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_DAGE9 | 1006 | 1006 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_MAGE1 | 1007 | 1009 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_MAGE2 | 1010 | 1012 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_MAGE3 | 1013 | 1014 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENU_MAGE4 | 1015 | 1015 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_MAGE5 | 1016 | 1016 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_MAGE6 | 1017 | 1017 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_MAGE7 | 1018 | 1018 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_MAGE8 | 1019 | 1019 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_MAGE9 | 1020 | 1020 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| PPS_AGE1 | 1021 | 1022 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_AGE2 | 1023 | 1024 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_AGE3 | 1025 | 1026 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_AGE4 | 1027 | 1028 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_AGE5 | 1029 | 1029 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_AGE6 | 1030 | 1030 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_AGE7 | 1031 | 1031 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_AGE8 | 1032 | 1032 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_AGE9 | 1033 | 1033 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_DAGE1 | 1034 | 1037 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_DAGE2 | 1038 | 1041 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_DAGE3 | 1042 | 1045 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_DAGE4 | 1046 | 1049 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_DAGE5 | 1050 | 1053 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_DAGE6 | 1054 | 1054 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_DAGE7 | 1055 | 1055 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| PPS_DAGE8 | 1056 | 1056 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_DAGE9 | 1057 | 1057 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_MAGE1 | 1058 | 1060 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_MAGE2 | 1061 | 1063 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_MAGE3 | 1064 | 1066 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_MAGE4 | 1067 | 1069 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_MAGE5 | 1070 | 1071 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_MAGE6 | 1072 | 1072 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_MAGE7 | 1073 | 1073 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_MAGE8 | 1074 | 1074 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_MAGE9 | 1075 | 1075 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| TDP_AGE1 | 1076 | 1077 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_AGE2 | 1078 | 1079 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_AGE3 | 1080 | 1081 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_AGE4 | 1082 | 1083 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_AGE5 | 1084 | 1085 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_AGE6 | 1086 | 1087 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_AGE7 | 1088 | 1088 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_AGE8 | 1089 | 1089 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_AGE9 | 1090 | 1090 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_DAGE1 | 1091 | 1094 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_DAGE2 | 1095 | 1098 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_DAGE3 | 1099 | 1102 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_DAGE4 | 1103 | 1106 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_DAGE5 | 1107 | 1110 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_DAGE6 | 1111 | 1114 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_DAGE7 | 1115 | 1115 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_DAGE8 | 1116 | 1116 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_DAGE9 | 1117 | 1117 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_MAGE1 | 1118 | 1120 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| TDP_MAGE2 | 1121 | 1123 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_MAGE3 | 1124 | 1126 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_MAGE4 | 1127 | 1129 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_MAGE5 | 1130 | 1132 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_MAGE6 | 1133 | 1135 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_MAGE7 | 1136 | 1136 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_MAGE8 | 1137 | 1137 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_MAGE9 | 1138 | 1138 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| VRC_AGE1 | 1139 | 1140 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_AGE2 | 1141 | 1142 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_AGE3 | 1143 | 1144 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_AGE4 | 1145 | 1146 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_AGE5 | 1147 | 1148 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_AGE6 | 1149 | 1150 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_AGE7 | 1151 | 1151 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_AGE8 | 1152 | 1152 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_AGE9 | 1153 | 1153 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_DAGE1 | 1154 | 1157 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_DAGE2 | 1158 | 1161 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_DAGE3 | 1162 | 1165 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_DAGE4 | 1166 | 1169 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_DAGE5 | 1170 | 1173 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_DAGE6 | 1174 | 1177 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_DAGE7 | 1178 | 1178 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_DAGE8 | 1179 | 1179 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_DAGE9 | 1180 | 1180 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_MAGE1 | 1181 | 1183 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_MAGE2 | 1184 | 1186 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_MAGE3 | 1187 | 1189 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_MAGE4 | 1190 | 1192 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_MAGE5 | 1193 | 1195 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_MAGE6 | 1196 | 1198 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_MAGE7 | 1199 | 1199 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_MAGE8 | 1200 | 1200 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_MAGE9 | 1201 | 1201 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| XFLUTY1 | 1202 | 1203 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XFLUTY2 | 1204 | 1205 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE |
| XFLUTY3 | 1206 | 1207 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE |
| XFLUTY4 | 1208 | 1209 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE |
| XFLUTY5 | 1210 | 1211 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE |
| XFLUTY6 | 1212 | 1213 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE |
| XFLUTY7 | 1214 | 1215 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE |
| XFLUTY8 | 1216 | 1217 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE |
| XFLUTY9 | 1218 | 1218 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE |
| XHEPATY1 | 1219 | 1220 | 9 | HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPATY2 | 1221 | 1222 | 9 | HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPATY3 | 1223 | 1224 | 9 | HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPATY4 | 1225 | 1226 | 9 | HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPATY5 | 1227 | 1228 | 9 | HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPATY6 | 1229 | 1230 | 9 | HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPATY7 | 1231 | 1231 | 9 | HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPATY8 | 1232 | 1232 | 9 | HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPATY9 | 1233 | 1233 | 9 | HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPBTY1 | 1234 | 1235 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPBTY2 | 1236 | 1237 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPBTY3 | 1238 | 1239 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPBTY4 | 1240 | 1241 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPBTY5 | 1242 | 1243 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPBTY6 | 1244 | 1245 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPBTY7 | 1246 | 1247 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPBTY8 | 1248 | 1249 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPBTY9 | 1250 | 1250 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHPVTY1 | 1251 | 1252 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE |
| XHPVTY2 | 1253 | 1254 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE |
| XHPVTY3 | 1255 | 1256 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE |
| XHPVTY4 | 1257 | 1258 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE |
| XHPVTY5 | 1259 | 1260 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE |
| XHPVTY6 | 1261 | 1262 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XHPVTY7 | 1263 | 1263 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE |
| XHPVTY8 | 1264 | 1264 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE |
| XHPVTY9 | 1265 | 1265 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE |
| XMCVTY1 | 1266 | 1267 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMCVTY2 | 1268 | 1269 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMCVTY3 | 1270 | 1271 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMCVTY4 | 1272 | 1273 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMCVTY5 | 1274 | 1275 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMCVTY6 | 1276 | 1276 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMCVTY7 | 1277 | 1277 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMCVTY8 | 1278 | 1278 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMCVTY9 | 1279 | 1279 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XMENBTY1 | 1280 | 1281 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE |
| XMENBTY2 | 1282 | 1283 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE |
| XMENBTY3 | 1284 | 1285 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE |
| XMENBTY4 | 1286 | 1287 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE |
| XMENBTY5 | 1288 | 1289 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE |
| XMENBTY6 | 1290 | 1290 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE |
| XMENBTY7 | 1291 | 1291 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE |
| XMENBTY8 | 1292 | 1292 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE |
| XMENBTY9 | 1293 | 1293 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE |
| XMENTY1 | 1294 | 1295 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE |
| XMENTY2 | 1296 | 1297 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE |
| XMENTY3 | 1298 | 1299 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE |
| XMENTY4 | 1300 | 1301 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE |
| XMENTY5 | 1302 | 1303 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE |
| XMENTY6 | 1304 | 1305 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE |
| XMENTY7 | 1306 | 1306 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE |
| XMENTY8 | 1307 | 1307 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE |
| XMENTY9 | 1308 | 1308 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE |
| XTDPTY1 | 1309 | 1310 | 9 | TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE |
| XTDPTY2 | 1311 | 1312 | 9 | TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE |
| XTDPTY3 | 1313 | 1314 | 9 | TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE |
| XTDPTY4 | 1315 | 1316 | 9 | TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE |
| XTDPTY5 | 1317 | 1318 | 9 | TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE |
| XTDPTY6 | 1319 | 1320 | 9 | TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE |
| XTDPTY7 | 1321 | 1321 | 9 | TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XTDPTY8 | 1322 | 1322 | 9 | TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE |
| XTDPTY9 | 1323 | 1323 | 9 | TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 1324 | 1325 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 1326 | 1327 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 1328 | 1329 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 1330 | 1331 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 1332 | 1333 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 1334 | 1335 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 1336 | 1336 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 1337 | 1337 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 1338 | 1338 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |
| INS_STAT2_I | 1339 | 1339 | 10 | INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED |
| INS_BREAK_I | 1340 | 1340 | 10 | CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: SEQNUMT Type: Character Position: 1-5 Source:**

**Label: UNIQUE TEEN IDENTIFIER**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PDAT2 Type: Numeric Position: 6-6 Source:**

**Label: ADEQUATE PROVIDER DATA FLAG**

**Notes: Use PDAT2 = 1 to identify teens with adequate provider data (includes unvaccinated teens). In 2014, the defintion of adequate provider data changed. See the Data Users Guide for more information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TEEN HAS ADEQUATE PROVIDER DATA | 1 | 20949 | 48.1% | 48.1% | 20949 | 100.0% | 100.0% |
| TEEN DOES NOT HAVE ADEQUATE PROVIDER DATA | 2 | 22642 | 51.9% | 51.9% | 0 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RDDWT_D Type: Numeric Position: 7-26 Source:**

**Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)**

**Notes: Final dual-frame household interview weight for teen. Use this weight for estimates based on teens with completed household interviews in the U.S. proper; it is missing for cases sampled from territories.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: RDDWT_D Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 477.9 | 272.7 | 2.3 | 12727.9 | 708.8 |
| Adequate Provider Data | 456.1 | 262.3 | 3.6 | 12727.9 | 659.3 |

**Variable: PROVWT_D Type: Numeric Position: 27-46 Source:**

**Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)**

**Notes: Final dual-frame provider-phase interview weight for teen. Use this weight for estimates based on teens with adequate provider data in the U.S. proper; it is missing for cases sampled from territories.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PROVWT_D Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 994.5 | 525.7 | 5.9 | 31753.0 | 1609.1 |
| Adequate Provider Data | 994.5 | 525.7 | 5.9 | 31753.0 | 1609.1 |

**Variable: STRATUM Type: Numeric Position: 47-50 Source:**

**Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION**

**Notes: Use STRATUM as the stratum variable for variance estimation when calculating all estimates.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: YEAR Type: Numeric Position: 51-54 Source:**

**Label: SAMPLING YEAR**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 2017 | 2017 | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: ASTHMA Type: Numeric Position: 55-56 Source: TIS_HealthASTHMA_A**

**Label: HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 8442 | 19.4% | 19.4% | 4288 | 20.5% | 20.5% |
| NO | 2 | 35039 | 80.4% | 80.6% | 16613 | 79.3% | 79.5% |
| **SUBTOTALS:** | | 43481 | 99.7% | 100.0% | 20901 | 99.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 101 | 0.2% | n/a | 47 | 0.2% | n/a |
| REFUSED | 99 | 9 | 0.0% | n/a | 1 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: CKUP_11_12 Type: Numeric Position: 57-58 Source: TIS_Health_CHECKUP2A**

**Label: DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 34442 | 79.0% | 95.0% | 16805 | 80.2% | 95.3% |
| NO | 2 | 1831 | 4.2% | 5.0% | 836 | 4.0% | 4.7% |
| **SUBTOTALS:** | | 36273 | 83.2% | 100.0% | 17641 | 84.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1636 | 3.8% | n/a | 603 | 2.9% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 3 | 0.0% | n/a |
| MISSING | . | 5674 | 13.0% | n/a | 2702 | 12.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: CKUP_AGE Type: Numeric Position: 59-60 Source: TIS_Health_CHECKUPA**

**Label: AGE IN YEARS AT LAST CHECK-UP**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 42513 | 97.5% | 100.0% | 20537 | 98.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1055 | 2.4% | n/a | 404 | 1.9% | n/a |
| REFUSED | 99 | 23 | 0.1% | n/a | 8 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: CKUP_AGE Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.2 | 14.0 | 0.0 | 18.0 | 2.1 |
| Adequate Provider Data | 14.2 | 14.0 | 0.0 | 17.0 | 2.0 |

**Variable: CKUP_LAST Type: Numeric Position: 61-62 Source: TIS_Health_CHECKUP3A**

**Label: WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MORE THAN (AGE - 12) YEARS AGO | 1 | 91 | 0.2% | 5.9% | 37 | 0.2% | 6.4% |
| EXACTLY (AGE - 12) YEARS AGO | 2 | 23 | 0.1% | 1.5% | 8 | 0.0% | 1.4% |
| LESS THAN (AGE - 12) YEARS AGO | 3 | 1441 | 3.3% | 92.7% | 529 | 2.5% | 92.2% |
| **SUBTOTALS:** | | 1555 | 3.6% | 100.0% | 574 | 2.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 83 | 0.2% | n/a | 31 | 0.1% | n/a |
| REFUSED | 99 | 6 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41947 | 96.2% | n/a | 20343 | 97.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: CPOX_AGE Type: Numeric Position: 63-64 Source: TIS_Health_Var_Age**

**Label: AGE IN YEARS WHEN HAD CHICKEN POX DISEASE**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 5718 | 13.1% | 100.0% | 2501 | 11.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 485 | 1.1% | n/a | 194 | 0.9% | n/a |
| REFUSED | 99 | 4 | 0.0% | n/a | 3 | 0.0% | n/a |
| MISSING | . | 37384 | 85.8% | n/a | 18251 | 87.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: CPOX_AGE Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4.7 | 4.0 | 0.0 | 17.0 | 3.0 |
| Adequate Provider Data | 4.5 | 4.0 | 0.0 | 16.0 | 2.9 |

**Variable: CPOX_AGER Type: Numeric Position: 65-66 Source: TIS_Health_Var_Age2**

**Label: AGE RANGE WHEN HAD CHICKEN POX DISEASE**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| LESS THAN 1 YEAR OLD | 1 | 23 | 0.1% | 6.2% | 8 | 0.0% | 5.4% |
| 1 TO 5 YEARS OLD | 2 | 196 | 0.4% | 52.7% | 81 | 0.4% | 54.4% |
| 5 TO 10 YEARS OLD | 3 | 139 | 0.3% | 37.4% | 56 | 0.3% | 37.6% |
| MORE THAN 10 YEARS OLD | 4 | 14 | 0.0% | 3.8% | 4 | 0.0% | 2.7% |
| **SUBTOTALS:** | | 372 | 0.9% | 100.0% | 149 | 0.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 111 | 0.3% | n/a | 45 | 0.2% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 43106 | 98.9% | n/a | 20755 | 99.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: CPOX_HAD Type: Numeric Position: 67-68 Source: TIS_Health_Var**

**Label: TEEN EVER HAD CHICKEN POX DISEASE?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 6207 | 14.2% | 14.4% | 2698 | 12.9% | 13.0% |
| NO | 2 | 36860 | 84.6% | 85.6% | 18037 | 86.1% | 87.0% |
| **SUBTOTALS:** | | 43067 | 98.8% | 100.0% | 20735 | 99.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 516 | 1.2% | n/a | 214 | 1.0% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_ANY Type: Numeric Position: 69-70 Source: TIS_BHPV2**

**Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILLOMAVIRUS SHOTS?**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 22763 | 52.2% | 58.0% | 12132 | 57.9% | 63.4% |
| NO | 2 | 16474 | 37.8% | 42.0% | 6999 | 33.4% | 36.6% |
| **SUBTOTALS:** | | 39237 | 90.0% | 100.0% | 19131 | 91.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 4321 | 9.9% | n/a | 1811 | 8.6% | n/a |
| REFUSED | 99 | 33 | 0.1% | n/a | 7 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_INTENTR Type: Numeric Position: 71-72 Source: TIS_BHPV_Intent**

**Label: HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS?**

**Notes: Valid only for teens reported by the household respondent to have received less than three doses of HPV vaccine.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VERY LIKELY | 1 | 7647 | 17.5% | 24.7% | 3999 | 19.1% | 28.3% |
| SOMEWHAT LIKELY | 2 | 6315 | 14.5% | 20.4% | 2885 | 13.8% | 20.4% |
| NOT TOO LIKELY | 3 | 4810 | 11.0% | 15.5% | 2065 | 9.9% | 14.6% |
| NOT LIKELY AT ALL | 4 | 8802 | 20.2% | 28.4% | 3680 | 17.6% | 26.0% |
| NOT SURE/DON'T KNOW | 77 | 3427 | 7.9% | 11.1% | 1526 | 7.3% | 10.8% |
| **SUBTOTALS:** | | 31001 | 71.1% | 100.0% | 14155 | 67.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| REFUSED | 99 | 15 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 12575 | 28.8% | n/a | 6790 | 32.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_NUM_TOT Type: Numeric Position: 73-74 Source: TIS_BHPV_Dose**

**Label: NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL)**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 16474 | 37.8% | 53.5% | 6999 | 33.4% | 47.5% |
| 1 | 1 | 4650 | 10.7% | 15.1% | 2316 | 11.1% | 15.7% |
| 2 | 2 | 4441 | 10.2% | 14.4% | 2434 | 11.6% | 16.5% |
| 3 | 3 | 5096 | 11.7% | 16.6% | 2913 | 13.9% | 19.8% |
| 4 | 4 | 92 | 0.2% | 0.3% | 53 | 0.3% | 0.4% |
| 5 | 5 | 19 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 6 | 6 | 6 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 7 | 7 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 0 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 30781 | 70.6% | 100.0% | 14733 | 70.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| ALL SHOTS | 50 | 6428 | 14.7% | n/a | 3450 | 16.5% | n/a |

**Variable: HPVI_NUM_TOT Type: Numeric Position: 73-74 Source: TIS_BHPV_Dose**

**Label: NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL)**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| DON'T KNOW | 77 | 6348 | 14.6% | n/a | 2759 | 13.2% | n/a |
| REFUSED | 99 | 34 | 0.1% | n/a | 7 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_1 Type: Numeric Position: 75-76 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2311 | 5.3% | 15.4% | 1027 | 4.9% | 16.1% |
| NO | 2 | 12648 | 29.0% | 84.6% | 5370 | 25.6% | 83.9% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_10 Type: Numeric Position: 77-78 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 121 | 0.3% | 0.8% | 57 | 0.3% | 0.9% |
| NO | 2 | 14838 | 34.0% | 99.2% | 6340 | 30.3% | 99.1% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_11 Type: Numeric Position: 79-80 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2518 | 5.8% | 16.8% | 1044 | 5.0% | 16.3% |
| NO | 2 | 12441 | 28.5% | 83.2% | 5353 | 25.6% | 83.7% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_12 Type: Numeric Position: 81-82 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 33 | 0.1% | 0.2% | 19 | 0.1% | 0.3% |
| NO | 2 | 14926 | 34.2% | 99.8% | 6378 | 30.4% | 99.7% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_13 Type: Numeric Position: 83-84 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 179 | 0.4% | 1.2% | 85 | 0.4% | 1.3% |
| NO | 2 | 14780 | 33.9% | 98.8% | 6312 | 30.1% | 98.7% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_14 Type: Numeric Position: 85-86 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 152 | 0.3% | 1.0% | 64 | 0.3% | 1.0% |
| NO | 2 | 14807 | 34.0% | 99.0% | 6333 | 30.2% | 99.0% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_15 Type: Numeric Position: 87-88 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 11 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| NO | 2 | 14948 | 34.3% | 99.9% | 6392 | 30.5% | 99.9% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: HPVI_REAS_16 Type: Numeric Position: 89-90 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 153 | 0.4% | 1.0% | 59 | 0.3% | 0.9% |
| NO | 2 | 14806 | 34.0% | 99.0% | 6338 | 30.3% | 99.1% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_17 Type: Numeric Position: 91-92 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 378 | 0.9% | 2.5% | 139 | 0.7% | 2.2% |
| NO | 2 | 14581 | 33.4% | 97.5% | 6258 | 29.9% | 97.8% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_18 Type: Numeric Position: 93-94 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 128 | 0.3% | 0.9% | 67 | 0.3% | 1.0% |
| NO | 2 | 14831 | 34.0% | 99.1% | 6330 | 30.2% | 99.0% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_19 Type: Numeric Position: 95-96 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 72 | 0.2% | 0.5% | 24 | 0.1% | 0.4% |
| NO | 2 | 14887 | 34.2% | 99.5% | 6373 | 30.4% | 99.6% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_2 Type: Numeric Position: 97-98 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2148 | 4.9% | 14.4% | 881 | 4.2% | 13.8% |
| NO | 2 | 12811 | 29.4% | 85.6% | 5516 | 26.3% | 86.2% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_20 Type: Numeric Position: 99-100 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 29 | 0.1% | 0.2% | 8 | 0.0% | 0.1% |
| NO | 2 | 14930 | 34.3% | 99.8% | 6389 | 30.5% | 99.9% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_21 Type: Numeric Position: 101-102 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 254 | 0.6% | 1.7% | 106 | 0.5% | 1.7% |
| NO | 2 | 14705 | 33.7% | 98.3% | 6291 | 30.0% | 98.3% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_22 Type: Numeric Position: 103-104 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2444 | 5.6% | 16.3% | 1125 | 5.4% | 17.6% |
| NO | 2 | 12515 | 28.7% | 83.7% | 5272 | 25.2% | 82.4% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_23 Type: Numeric Position: 105-106 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 17 | 0.0% | 0.1% | 9 | 0.0% | 0.1% |
| NO | 2 | 14942 | 34.3% | 99.9% | 6388 | 30.5% | 99.9% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_24 Type: Numeric Position: 107-108 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 477 | 1.1% | 3.2% | 164 | 0.8% | 2.6% |
| NO | 2 | 14482 | 33.2% | 96.8% | 6233 | 29.8% | 97.4% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_25 Type: Numeric Position: 109-110 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 96 | 0.2% | 0.6% | 38 | 0.2% | 0.6% |
| NO | 2 | 14863 | 34.1% | 99.4% | 6359 | 30.4% | 99.4% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_26 Type: Numeric Position: 111-112 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NO | 2 | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_27 Type: Numeric Position: 113-114 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 3 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| NO | 2 | 14956 | 34.3% | 100.0% | 6395 | 30.5% | 100.0% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_28 Type: Numeric Position: 115-116 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 86 | 0.2% | 0.6% | 35 | 0.2% | 0.5% |
| NO | 2 | 14873 | 34.1% | 99.4% | 6362 | 30.4% | 99.5% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_29 Type: Numeric Position: 117-118 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 49 | 0.1% | 0.3% | 25 | 0.1% | 0.4% |
| NO | 2 | 14910 | 34.2% | 99.7% | 6372 | 30.4% | 99.6% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_3 Type: Numeric Position: 119-120 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 1570 | 3.6% | 10.5% | 628 | 3.0% | 9.8% |
| NO | 2 | 13389 | 30.7% | 89.5% | 5769 | 27.5% | 90.2% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_30 Type: Numeric Position: 121-122 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 182 | 0.4% | 1.2% | 98 | 0.5% | 1.5% |
| NO | 2 | 14777 | 33.9% | 98.8% | 6299 | 30.1% | 98.5% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_31 Type: Numeric Position: 123-124 Source: TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 51 | 0.1% | 0.3% | 22 | 0.1% | 0.3% |
| NO | 2 | 14908 | 34.2% | 99.7% | 6375 | 30.4% | 99.7% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_5 Type: Numeric Position: 125-126 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 819 | 1.9% | 5.5% | 375 | 1.8% | 5.9% |
| NO | 2 | 14140 | 32.4% | 94.5% | 6022 | 28.7% | 94.1% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_6 Type: Numeric Position: 127-128 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 458 | 1.1% | 3.1% | 197 | 0.9% | 3.1% |
| NO | 2 | 14501 | 33.3% | 96.9% | 6200 | 29.6% | 96.9% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_REAS_9 Type: Numeric Position: 129-130 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER**

**Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 220 | 0.5% | 1.5% | 94 | 0.4% | 1.5% |
| NO | 2 | 14739 | 33.8% | 98.5% | 6303 | 30.1% | 98.5% |
| **SUBTOTALS:** | | 14959 | 34.3% | 100.0% | 6397 | 30.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 2018 | 4.6% | n/a | 858 | 4.1% | n/a |
| REFUSED | 99 | 62 | 0.1% | n/a | 16 | 0.1% | n/a |
| MISSING | . | 26552 | 60.9% | n/a | 13678 | 65.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPVI_RECOM Type: Numeric Position: 131-132 Source: TIS_BHPV_Recom, TIS_BHPV_Reason**

**Label: HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 28919 | 66.3% | 73.7% | 14906 | 71.2% | 77.6% |
| NO | 2 | 10327 | 23.7% | 26.3% | 4294 | 20.5% | 22.4% |
| **SUBTOTALS:** | | 39246 | 90.0% | 100.0% | 19200 | 91.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 3409 | 7.8% | n/a | 1392 | 6.6% | n/a |
| REFUSED | 99 | 5 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 931 | 2.1% | n/a | 356 | 1.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: IMM_ANY Type: Numeric Position: 133-134 Source: TIS_B1**

**Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS?**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 42660 | 97.9% | 98.3% | 20593 | 98.3% | 98.5% |
| NO | 2 | 752 | 1.7% | 1.7% | 310 | 1.5% | 1.5% |
| **SUBTOTALS:** | | 43412 | 99.6% | 100.0% | 20903 | 99.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 159 | 0.4% | n/a | 41 | 0.2% | n/a |
| REFUSED | 99 | 20 | 0.0% | n/a | 5 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_ANY Type: Numeric Position: 135-136 Source: TIS_BMEN**

**Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS?**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 24825 | 56.9% | 74.9% | 12399 | 59.2% | 77.0% |
| NO | 2 | 8314 | 19.1% | 25.1% | 3713 | 17.7% | 23.0% |
| **SUBTOTALS:** | | 33139 | 76.0% | 100.0% | 16112 | 76.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 10426 | 23.9% | n/a | 4830 | 23.1% | n/a |
| REFUSED | 99 | 26 | 0.1% | n/a | 7 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_NUM_TOT Type: Numeric Position: 137-138 Source: TIS_BMEN_Dose**

**Label: NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL)**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 8314 | 19.1% | 44.8% | 3713 | 17.7% | 41.2% |
| 1 | 1 | 5821 | 13.4% | 31.3% | 3049 | 14.6% | 33.8% |
| 2 | 2 | 3364 | 7.7% | 18.1% | 1681 | 8.0% | 18.7% |
| 3 | 3 | 916 | 2.1% | 4.9% | 482 | 2.3% | 5.3% |
| 4 | 4 | 118 | 0.3% | 0.6% | 68 | 0.3% | 0.8% |
| 5 | 5 | 19 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 6 | 6 | 9 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 7 | 7 | 7 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 0 | 0.0% | 0.0% |
| 9 | 9 | 2 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 18571 | 42.6% | 100.0% | 9013 | 43.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| ALL SHOTS | 50 | 6868 | 15.8% | n/a | 3463 | 16.5% | n/a |
| DON'T KNOW | 77 | 18121 | 41.6% | n/a | 8464 | 40.4% | n/a |
| REFUSED | 99 | 31 | 0.1% | n/a | 9 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_1 Type: Numeric Position: 139-140 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2050 | 4.7% | 33.5% | 1062 | 5.1% | 38.2% |
| NO | 2 | 4076 | 9.4% | 66.5% | 1718 | 8.2% | 61.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |

**Variable: MEN_REAS_1 Type: Numeric Position: 139-140 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_10 Type: Numeric Position: 141-142 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 32 | 0.1% | 0.5% | 15 | 0.1% | 0.5% |
| NO | 2 | 6094 | 14.0% | 99.5% | 2765 | 13.2% | 99.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_11 Type: Numeric Position: 143-144 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 300 | 0.7% | 4.9% | 93 | 0.4% | 3.3% |
| NO | 2 | 5826 | 13.4% | 95.1% | 2687 | 12.8% | 96.7% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_12 Type: Numeric Position: 145-146 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 4 | 0.0% | 0.1% | 1 | 0.0% | 0.0% |
| NO | 2 | 6122 | 14.0% | 99.9% | 2779 | 13.3% | 100.0% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_13 Type: Numeric Position: 147-148 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 27 | 0.1% | 0.4% | 12 | 0.1% | 0.4% |
| NO | 2 | 6099 | 14.0% | 99.6% | 2768 | 13.2% | 99.6% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_14 Type: Numeric Position: 149-150 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 8 | 0.0% | 0.1% | 5 | 0.0% | 0.2% |
| NO | 2 | 6118 | 14.0% | 99.9% | 2775 | 13.2% | 99.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_15 Type: Numeric Position: 151-152 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 39 | 0.1% | 0.6% | 19 | 0.1% | 0.7% |
| NO | 2 | 6087 | 14.0% | 99.4% | 2761 | 13.2% | 99.3% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_16 Type: Numeric Position: 153-154 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 54 | 0.1% | 0.9% | 9 | 0.0% | 0.3% |
| NO | 2 | 6072 | 13.9% | 99.1% | 2771 | 13.2% | 99.7% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_17 Type: Numeric Position: 155-156 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 115 | 0.3% | 1.9% | 42 | 0.2% | 1.5% |
| NO | 2 | 6011 | 13.8% | 98.1% | 2738 | 13.1% | 98.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_18 Type: Numeric Position: 157-158 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 51 | 0.1% | 0.8% | 14 | 0.1% | 0.5% |
| NO | 2 | 6075 | 13.9% | 99.2% | 2766 | 13.2% | 99.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_19 Type: Numeric Position: 159-160 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 17 | 0.0% | 0.3% | 1 | 0.0% | 0.0% |
| NO | 2 | 6109 | 14.0% | 99.7% | 2779 | 13.3% | 100.0% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_2 Type: Numeric Position: 161-162 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 742 | 1.7% | 12.1% | 360 | 1.7% | 12.9% |
| NO | 2 | 5384 | 12.4% | 87.9% | 2420 | 11.6% | 87.1% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_20 Type: Numeric Position: 163-164 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 13 | 0.0% | 0.2% | 5 | 0.0% | 0.2% |
| NO | 2 | 6113 | 14.0% | 99.8% | 2775 | 13.2% | 99.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_21 Type: Numeric Position: 165-166 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 17 | 0.0% | 0.3% | 5 | 0.0% | 0.2% |
| NO | 2 | 6109 | 14.0% | 99.7% | 2775 | 13.2% | 99.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_22 Type: Numeric Position: 167-168 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 12 | 0.0% | 0.2% | 6 | 0.0% | 0.2% |
| NO | 2 | 6114 | 14.0% | 99.8% | 2774 | 13.2% | 99.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_23 Type: Numeric Position: 169-170 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 29 | 0.1% | 0.5% | 10 | 0.0% | 0.4% |
| NO | 2 | 6097 | 14.0% | 99.5% | 2770 | 13.2% | 99.6% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_24 Type: Numeric Position: 171-172 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 254 | 0.6% | 4.1% | 134 | 0.6% | 4.8% |
| NO | 2 | 5872 | 13.5% | 95.9% | 2646 | 12.6% | 95.2% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_25 Type: Numeric Position: 173-174 Source: TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 38 | 0.1% | 0.6% | 14 | 0.1% | 0.5% |
| NO | 2 | 6088 | 14.0% | 99.4% | 2766 | 13.2% | 99.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_3 Type: Numeric Position: 175-176 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT NECESSARY**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 973 | 2.2% | 15.9% | 339 | 1.6% | 12.2% |
| NO | 2 | 5153 | 11.8% | 84.1% | 2441 | 11.7% | 87.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_4 Type: Numeric Position: 177-178 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 691 | 1.6% | 11.3% | 322 | 1.5% | 11.6% |
| NO | 2 | 5435 | 12.5% | 88.7% | 2458 | 11.7% | 88.4% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_5 Type: Numeric Position: 179-180 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 71 | 0.2% | 1.2% | 34 | 0.2% | 1.2% |
| NO | 2 | 6055 | 13.9% | 98.8% | 2746 | 13.1% | 98.8% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_6 Type: Numeric Position: 181-182 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 491 | 1.1% | 8.0% | 236 | 1.1% | 8.5% |
| NO | 2 | 5635 | 12.9% | 92.0% | 2544 | 12.1% | 91.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_REAS_7 Type: Numeric Position: 183-184 Source: TIS_BMEN_Reason, TIS_BMEN_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 98 | 0.2% | 1.6% | 42 | 0.2% | 1.5% |
| NO | 2 | 6028 | 13.8% | 98.4% | 2738 | 13.1% | 98.5% |
| **SUBTOTALS:** | | 6126 | 14.1% | 100.0% | 2780 | 13.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1421 | 3.3% | n/a | 622 | 3.0% | n/a |
| REFUSED | 99 | 15 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 36029 | 82.7% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: NOSCHOOLR Type: Numeric Position: 185-186 Source: TIS_NOSCHOOL**

**Label: DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ZERO | 0 | 12770 | 29.3% | 29.7% | 5562 | 26.6% | 26.9% |
| ONE | 1 | 4962 | 11.4% | 11.5% | 2368 | 11.3% | 11.4% |
| TWO | 2 | 7113 | 16.3% | 16.5% | 3472 | 16.6% | 16.8% |
| THREE | 3 | 4936 | 11.3% | 11.5% | 2438 | 11.6% | 11.8% |
| FOUR | 4 | 2951 | 6.8% | 6.9% | 1471 | 7.0% | 7.1% |
| FIVE | 5 | 3347 | 7.7% | 7.8% | 1654 | 7.9% | 8.0% |
| 6 TO 9 | 6 | 2962 | 6.8% | 6.9% | 1618 | 7.7% | 7.8% |
| 10 TO 19 | 7 | 2685 | 6.2% | 6.2% | 1431 | 6.8% | 6.9% |
| 20 TO 29 | 8 | 511 | 1.2% | 1.2% | 273 | 1.3% | 1.3% |
| 30 OR MORE | 9 | 555 | 1.3% | 1.3% | 305 | 1.5% | 1.5% |
| DID NOT GO TO SCHOOL | 96 | 238 | 0.5% | 0.6% | 107 | 0.5% | 0.5% |
| **SUBTOTALS:** | | 43030 | 98.7% | 100.0% | 20699 | 98.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: NOSCHOOLR Type: Numeric Position: 185-186 Source: TIS_NOSCHOOL**

**Label: DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| DON'T KNOW | 77 | 543 | 1.2% | n/a | 245 | 1.2% | n/a |
| REFUSED | 99 | 18 | 0.0% | n/a | 5 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RISK_EVER Type: Numeric Position: 187-188 Source: TIS_HIRISK**

**Label: HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS?**

**Notes: See questionnaire for list of conditions.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2993 | 6.9% | 6.9% | 1608 | 7.7% | 7.7% |
| NO | 2 | 40524 | 93.0% | 93.1% | 19320 | 92.2% | 92.3% |
| **SUBTOTALS:** | | 43517 | 99.8% | 100.0% | 20928 | 99.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 53 | 0.1% | n/a | 18 | 0.1% | n/a |
| REFUSED | 99 | 21 | 0.0% | n/a | 3 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RISK_HH Type: Numeric Position: 189-190 Source: TIS_HIRISK_ANY**

**Label: DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS?**

**Notes: See questionnaire for list of conditions.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 14947 | 34.3% | 34.4% | 7899 | 37.7% | 37.8% |
| NO | 2 | 28533 | 65.5% | 65.6% | 13016 | 62.1% | 62.2% |
| **SUBTOTALS:** | | 43480 | 99.7% | 100.0% | 20915 | 99.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 77 | 0.2% | n/a | 29 | 0.1% | n/a |
| REFUSED | 99 | 34 | 0.1% | n/a | 5 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RISK_NOW Type: Numeric Position: 191-192 Source: TIS_HIRISK_NOW**

**Label: DOES TEEN STILL HAVE ANY OF THESE CONDITIONS?**

**Notes: See questionnaire for list of conditions.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 1845 | 4.2% | 62.9% | 986 | 4.7% | 62.6% |
| NO | 2 | 1086 | 2.5% | 37.1% | 590 | 2.8% | 37.4% |
| **SUBTOTALS:** | | 2931 | 6.7% | 100.0% | 1576 | 7.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 62 | 0.1% | n/a | 32 | 0.2% | n/a |
| MISSING | . | 40598 | 93.1% | n/a | 19341 | 92.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_ANY Type: Numeric Position: 193-194 Source: TIS_BTET**

**Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS?**

**Notes: Reporting error exists in household report of vaccinations received.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 37886 | 86.9% | 94.3% | 18586 | 88.7% | 95.5% |
| NO | 2 | 2290 | 5.3% | 5.7% | 872 | 4.2% | 4.5% |
| **SUBTOTALS:** | | 40176 | 92.2% | 100.0% | 19458 | 92.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 3392 | 7.8% | n/a | 1485 | 7.1% | n/a |
| REFUSED | 99 | 23 | 0.1% | n/a | 6 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_1 Type: Numeric Position: 195-196 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 289 | 0.7% | 24.0% | 133 | 0.6% | 30.2% |
| NO | 2 | 913 | 2.1% | 76.0% | 307 | 1.5% | 69.8% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_10 Type: Numeric Position: 197-198 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 12 | 0.0% | 1.0% | 3 | 0.0% | 0.7% |
| NO | 2 | 1190 | 2.7% | 99.0% | 437 | 2.1% | 99.3% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_11 Type: Numeric Position: 199-200 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 78 | 0.2% | 6.5% | 19 | 0.1% | 4.3% |
| NO | 2 | 1124 | 2.6% | 93.5% | 421 | 2.0% | 95.7% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_12 Type: Numeric Position: 201-202 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 2 | 0.0% | 0.2% | 0 | 0.0% | 0.0% |
| NO | 2 | 1200 | 2.8% | 99.8% | 440 | 2.1% | 100.0% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_13 Type: Numeric Position: 203-204 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 9 | 0.0% | 0.7% | 3 | 0.0% | 0.7% |
| NO | 2 | 1193 | 2.7% | 99.3% | 437 | 2.1% | 99.3% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_14 Type: Numeric Position: 205-206 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 1 | 0.0% | 0.1% | 1 | 0.0% | 0.2% |
| NO | 2 | 1201 | 2.8% | 99.9% | 439 | 2.1% | 99.8% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_15 Type: Numeric Position: 207-208 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 3 | 0.0% | 0.2% | 0 | 0.0% | 0.0% |
| NO | 2 | 1199 | 2.8% | 99.8% | 440 | 2.1% | 100.0% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_16 Type: Numeric Position: 209-210 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 22 | 0.1% | 1.8% | 3 | 0.0% | 0.7% |
| NO | 2 | 1180 | 2.7% | 98.2% | 437 | 2.1% | 99.3% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_17 Type: Numeric Position: 211-212 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 22 | 0.1% | 1.8% | 10 | 0.0% | 2.3% |
| NO | 2 | 1180 | 2.7% | 98.2% | 430 | 2.1% | 97.7% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_18 Type: Numeric Position: 213-214 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 20 | 0.0% | 1.7% | 8 | 0.0% | 1.8% |
| NO | 2 | 1182 | 2.7% | 98.3% | 432 | 2.1% | 98.2% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_19 Type: Numeric Position: 215-216 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 6 | 0.0% | 0.5% | 0 | 0.0% | 0.0% |
| NO | 2 | 1196 | 2.7% | 99.5% | 440 | 2.1% | 100.0% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_2 Type: Numeric Position: 217-218 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 105 | 0.2% | 8.7% | 36 | 0.2% | 8.2% |
| NO | 2 | 1097 | 2.5% | 91.3% | 404 | 1.9% | 91.8% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_20 Type: Numeric Position: 219-220 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 7 | 0.0% | 0.6% | 3 | 0.0% | 0.7% |
| NO | 2 | 1195 | 2.7% | 99.4% | 437 | 2.1% | 99.3% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: TET_REAS_21 Type: Numeric Position: 221-222 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NO | 2 | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_22 Type: Numeric Position: 223-224 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 12 | 0.0% | 1.0% | 4 | 0.0% | 0.9% |
| NO | 2 | 1190 | 2.7% | 99.0% | 436 | 2.1% | 99.1% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_23 Type: Numeric Position: 225-226 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 11 | 0.0% | 0.9% | 6 | 0.0% | 1.4% |
| NO | 2 | 1191 | 2.7% | 99.1% | 434 | 2.1% | 98.6% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_24 Type: Numeric Position: 227-228 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 90 | 0.2% | 7.5% | 35 | 0.2% | 8.0% |
| NO | 2 | 1112 | 2.6% | 92.5% | 405 | 1.9% | 92.0% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_25 Type: Numeric Position: 229-230 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 43 | 0.1% | 3.6% | 16 | 0.1% | 3.6% |
| NO | 2 | 1159 | 2.7% | 96.4% | 424 | 2.0% | 96.4% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_26 Type: Numeric Position: 231-232 Source: TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS**

**Notes: New variable created based on coding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 17 | 0.0% | 1.4% | 6 | 0.0% | 1.4% |
| NO | 2 | 1185 | 2.7% | 98.6% | 434 | 2.1% | 98.6% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_3 Type: Numeric Position: 233-234 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT NECESSARY**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 357 | 0.8% | 29.7% | 124 | 0.6% | 28.2% |
| NO | 2 | 845 | 1.9% | 70.3% | 316 | 1.5% | 71.8% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_4 Type: Numeric Position: 235-236 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 7 | 0.0% | 0.6% | 3 | 0.0% | 0.7% |
| NO | 2 | 1195 | 2.7% | 99.4% | 437 | 2.1% | 99.3% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_5 Type: Numeric Position: 237-238 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE AGE**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 47 | 0.1% | 3.9% | 20 | 0.1% | 4.5% |
| NO | 2 | 1155 | 2.6% | 96.1% | 420 | 2.0% | 95.5% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TET_REAS_7 Type: Numeric Position: 239-240 Source: TIS_BTET_Reason, TIS_BTET_OTHER**

**Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON**

**Notes: Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 42 | 0.1% | 3.5% | 7 | 0.0% | 1.6% |
| NO | 2 | 1160 | 2.7% | 96.5% | 433 | 2.1% | 98.4% |
| **SUBTOTALS:** | | 1202 | 2.8% | 100.0% | 440 | 2.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 328 | 0.8% | n/a | 122 | 0.6% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 42053 | 96.5% | n/a | 20387 | 97.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

**Variable: VISITS Type: Numeric Position: 241-242 Source: TIS_HEALTH_VISITS**

**Label: IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NONE | 1 | 6268 | 14.4% | 14.6% | 2816 | 13.4% | 13.6% |
| 1 | 2 | 12554 | 28.8% | 29.2% | 5798 | 27.7% | 28.0% |
| 2 - 3 | 3 | 15573 | 35.7% | 36.2% | 7600 | 36.3% | 36.6% |
| 4 - 5 | 4 | 4822 | 11.1% | 11.2% | 2516 | 12.0% | 12.1% |
| 6 - 7 | 5 | 1594 | 3.7% | 3.7% | 827 | 3.9% | 4.0% |
| 8 - 9 | 6 | 503 | 1.2% | 1.2% | 266 | 1.3% | 1.3% |
| 10 - 12 | 7 | 918 | 2.1% | 2.1% | 487 | 2.3% | 2.3% |
| 13 - 15 | 8 | 211 | 0.5% | 0.5% | 104 | 0.5% | 0.5% |
| 16+ | 9 | 597 | 1.4% | 1.4% | 324 | 1.5% | 1.6% |
| **SUBTOTALS:** | | 43040 | 98.7% | 100.0% | 20738 | 99.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 540 | 1.2% | n/a | 210 | 1.0% | n/a |
| REFUSED | 99 | 11 | 0.0% | n/a | 1 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: AGE Type: Numeric Position: 243-244 Source: IHQ2, TIS_S3, TIS_DNEWDOB, eligibility date**

**Label: AGE IN YEARS OF SELECTED TEEN**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 13 | 13 | 8543 | 19.6% | 19.6% | 4283 | 20.4% | 20.4% |
| 14 | 14 | 8960 | 20.6% | 20.6% | 4429 | 21.1% | 21.1% |
| 15 | 15 | 8652 | 19.8% | 19.8% | 4212 | 20.1% | 20.1% |
| 16 | 16 | 9041 | 20.7% | 20.7% | 4218 | 20.1% | 20.1% |
| 17 | 17 | 8395 | 19.3% | 19.3% | 3807 | 18.2% | 18.2% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: AGEGRP_M_I Type: Numeric Position: 245-245 Source: TIS_C10A, TIS_C10B**

**Label: MOTHER'S AGE CATEGORIES: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| <= 34 YEARS | 1 | 3450 | 7.9% | 7.9% | 1599 | 7.6% | 7.6% |
| 35 TO 44 YEARS | 2 | 17755 | 40.7% | 40.7% | 8447 | 40.3% | 40.3% |
| >= 45 YEARS | 3 | 22386 | 51.4% | 51.4% | 10903 | 52.0% | 52.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: C1R Type: Numeric Position: 246-246 Source: TIS_C1**

**Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: C1R Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4.3 | 4.0 | 2.0 | 8.0 | 1.3 |
| Adequate Provider Data | 4.3 | 4.0 | 2.0 | 8.0 | 1.3 |

**Variable: C5R Type: Numeric Position: 247-248 Source: TIS_C5**

**Label: RELATIONSHIP OF RESPONDENT TO TEEN (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN | 1 | 28423 | 65.2% | 65.2% | 14882 | 71.0% | 71.0% |
| FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN | 2 | 12178 | 27.9% | 28.0% | 5026 | 24.0% | 24.0% |
| GRANDPARENT | 3 | 1434 | 3.3% | 3.3% | 633 | 3.0% | 3.0% |
| OTHER FAMILY MEMBER/FRIEND | 4 | 1533 | 3.5% | 3.5% | 405 | 1.9% | 1.9% |
| **SUBTOTALS:** | | 43568 | 99.9% | 100.0% | 20946 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 7 | 0.0% | n/a | 3 | 0.0% | n/a |
| REFUSED | 99 | 16 | 0.0% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: CEN_REG Type: Numeric Position: 249-249 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE**

**Notes: Cases sampled in territories are not assigned a census region.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NORTHEAST | 1 | 8105 | 18.6% | 18.6% | 3975 | 19.0% | 19.0% |
| MIDWEST | 2 | 8830 | 20.3% | 20.3% | 4485 | 21.4% | 21.4% |
| SOUTH | 3 | 17489 | 40.1% | 40.1% | 8032 | 38.3% | 38.3% |
| WEST | 4 | 9167 | 21.0% | 21.0% | 4457 | 21.3% | 21.3% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: CHILDNM Type: Numeric Position: 250-250 Source: TIS_UNDER18**

**Label: NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ONE | 1 | 17070 | 39.2% | 39.2% | 7859 | 37.5% | 37.5% |
| TWO OR THREE | 2 | 22199 | 50.9% | 50.9% | 10857 | 51.8% | 51.8% |
| FOUR OR MORE | 3 | 4322 | 9.9% | 9.9% | 2233 | 10.7% | 10.7% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: EDUC1 Type: Numeric Position: 251-251 Source: TIS_C6**

**Label: EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| LESS THAN 12 YEARS | 1 | 5078 | 11.6% | 11.6% | 2559 | 12.2% | 12.2% |
| 12 YEARS | 2 | 6834 | 15.7% | 15.7% | 3139 | 15.0% | 15.0% |
| MORE THAN 12 YEARS, NON-COLLEGE GRAD | 3 | 11102 | 25.5% | 25.5% | 5173 | 24.7% | 24.7% |
| COLLEGE GRADUATE | 4 | 20577 | 47.2% | 47.2% | 10078 | 48.1% | 48.1% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: EDUC_TR Type: Numeric Position: 252-253 Source: TIS_GRADE**

**Label: TEEN'S CURRENT GRADE IN SCHOOL (RECODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 6TH TO 8TH GRADE | 1 | 11714 | 26.9% | 26.9% | 5906 | 28.2% | 28.2% |
| 9TH TO 12TH GRADE | 2 | 31112 | 71.4% | 71.5% | 14747 | 70.4% | 70.5% |
| HS GRAD/GED COMPLETED/ENROLLED IN GED PROGRAM | 3 | 437 | 1.0% | 1.0% | 189 | 0.9% | 0.9% |
| NOT IN SCHOOL/OTHER | 4 | 225 | 0.5% | 0.5% | 85 | 0.4% | 0.4% |
| **SUBTOTALS:** | | 43488 | 99.8% | 100.0% | 20927 | 99.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 65 | 0.1% | n/a | 21 | 0.1% | n/a |
| REFUSED | 99 | 38 | 0.1% | n/a | 1 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: INCPORAR Type: Numeric Position: 254-269 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE**

**Label: INCOME TO POVERTY RATIO (RECODE)**

**Notes: Based on the 2016 Census poverty thresholds. Based on exact income if given or midpoint of income bounds if entire income cascade was completed. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 39469 | 90.5% | 100.0% | 19811 | 94.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 4122 | 9.5% | n/a | 1138 | 5.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: INCPORAR Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2.3 | 3.0 | 0.5 | 3.0 | 0.9 |
| Adequate Provider Data | 2.3 | 3.0 | 0.5 | 3.0 | 0.9 |

**Variable: INCPORAR_I Type: Numeric Position: 270-285 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE**

**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)**

**Notes: Based on the 2016 Census poverty thresholds. Based on exact income if given or midpoint of income bounds if entire income cascade was completed. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: INCPORAR_I Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2.3 | 3.0 | 0.5 | 3.0 | 0.9 |
| Adequate Provider Data | 2.2 | 3.0 | 0.5 | 3.0 | 1.0 |

**Variable: INCPOV1 Type: Numeric Position: 286-286 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE**

**Label: POVERTY STATUS**

**Notes: Based on the 2016 Census poverty thresholds. Based on exact income if given or any established income bounds. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ABOVE POVERTY > $75K | 1 | 20504 | 47.0% | 50.4% | 10300 | 49.2% | 51.1% |
| ABOVE POVERTY <= $75K | 2 | 13386 | 30.7% | 32.9% | 6291 | 30.0% | 31.2% |
| BELOW POVERTY | 3 | 6784 | 15.6% | 16.7% | 3579 | 17.1% | 17.7% |
| **SUBTOTALS:** | | 40674 | 93.3% | 100.0% | 20170 | 96.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| UNKNOWN | 4 | 2917 | 6.7% | n/a | 779 | 3.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: INCQ298A Type: Numeric Position: 287-288 Source: TIS_CFAMINC, TIS_C12 - TIS_C18**

**Label: FAMILY INCOME CATEGORIES (RECODE)**

**Notes: Total combined family income earned during 2016.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| $0 - $7500 | 3 | 1048 | 2.4% | 2.7% | 570 | 2.7% | 2.9% |
| $7501 - $10000 | 4 | 971 | 2.2% | 2.5% | 530 | 2.5% | 2.7% |
| $10001 - $17500 | 5 | 1647 | 3.8% | 4.2% | 906 | 4.3% | 4.6% |
| $17501 - $20000 | 6 | 1532 | 3.5% | 3.9% | 749 | 3.6% | 3.8% |
| $20001 - $25000 | 7 | 1473 | 3.4% | 3.7% | 801 | 3.8% | 4.0% |
| $25001 - $30000 | 8 | 1675 | 3.8% | 4.2% | 862 | 4.1% | 4.4% |
| $30001 - $35000 | 9 | 1161 | 2.7% | 2.9% | 595 | 2.8% | 3.0% |
| $35001 - $40000 | 10 | 1572 | 3.6% | 4.0% | 762 | 3.6% | 3.8% |
| $40001 - $50000 | 11 | 2424 | 5.6% | 6.1% | 1160 | 5.5% | 5.9% |
| $50001 - $60000 | 12 | 2268 | 5.2% | 5.7% | 1113 | 5.3% | 5.6% |
| $60001 - $75000 | 13 | 3194 | 7.3% | 8.1% | 1463 | 7.0% | 7.4% |
| $75001+ | 14 | 20504 | 47.0% | 51.9% | 10300 | 49.2% | 52.0% |

**Variable: INCQ298A Type: Numeric Position: 287-288 Source: TIS_CFAMINC, TIS_C12 - TIS_C18**

**Label: FAMILY INCOME CATEGORIES (RECODE)**

**Notes: Total combined family income earned during 2016.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 39469 | 90.5% | 100.0% | 19811 | 94.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 1467 | 3.4% | n/a | 568 | 2.7% | n/a |
| REFUSED | 99 | 2655 | 6.1% | n/a | 570 | 2.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: I_HISP_K Type: Numeric Position: 289-289 Source: TIS_C2, TIS_C4_OTHR**

**Label: IS TEEN HISPANIC OR LATINO?: IMPUTED**

**Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 8228 | 18.9% | 18.9% | 3882 | 18.5% | 18.5% |
| NO | 2 | 35363 | 81.1% | 81.1% | 17067 | 81.5% | 81.5% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: LANGUAGE Type: Numeric Position: 290-290 Source: Call outcome codes**

**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**

**Notes: Interviews conducted in other languages were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ENGLISH | 1 | 39147 | 89.8% | 89.8% | 18788 | 89.7% | 89.7% |
| SPANISH | 2 | 3661 | 8.4% | 8.4% | 1789 | 8.5% | 8.5% |
| OTHER | 3 | 783 | 1.8% | 1.8% | 372 | 1.8% | 1.8% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MARITAL2 Type: Numeric Position: 291-291 Source: TIS_C7**

**Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MARRIED | 1 | 30798 | 70.7% | 70.7% | 14791 | 70.6% | 70.6% |
| NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER | 2 | 12793 | 29.3% | 29.3% | 6158 | 29.4% | 29.4% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MOBIL_I Type: Numeric Position: 292-292 Source: TIS_C11A2, TIS_C19**

**Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE: IMPUTED**

**Notes: Variable contains some imputed values.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MOVED FROM DIFFERENT STATE | 1 | 11659 | 26.7% | 26.7% | 5344 | 25.5% | 25.5% |
| DID NOT MOVE FROM DIFFERENT STATE | 2 | 31932 | 73.3% | 73.3% | 15605 | 74.5% | 74.5% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: NUM_PHONE Type: Numeric Position: 293-294 Source: TIS_C21, TIS_C_LANDLINE, TEL_INTMODE**

**Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ONE | 1 | 20970 | 48.1% | 48.4% | 10557 | 50.4% | 50.5% |
| TWO | 2 | 630 | 1.4% | 1.5% | 282 | 1.3% | 1.3% |
| THREE OR MORE | 3 | 106 | 0.2% | 0.2% | 41 | 0.2% | 0.2% |
| NONE | 4 | 21582 | 49.5% | 49.9% | 10021 | 47.8% | 47.9% |
| **SUBTOTALS:** | | 43288 | 99.3% | 100.0% | 20901 | 99.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 65 | 0.1% | n/a | 25 | 0.1% | n/a |
| REFUSED | 99 | 238 | 0.5% | n/a | 23 | 0.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: NUM_CELLS_HH Type: Numeric Position: 295-296 Source: TIS_C21_06Q3_CELL**

**Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ONE | 1 | 2835 | 6.5% | 6.6% | 1277 | 6.1% | 6.1% |
| TWO | 2 | 7345 | 16.8% | 17.1% | 3477 | 16.6% | 16.7% |
| THREE OR MORE | 3 | 32529 | 74.6% | 75.8% | 15991 | 76.3% | 76.6% |
| NONE | 4 | 228 | 0.5% | 0.5% | 121 | 0.6% | 0.6% |
| **SUBTOTALS:** | | 42937 | 98.5% | 100.0% | 20866 | 99.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 60 | 0.1% | n/a | 14 | 0.1% | n/a |
| REFUSED | 99 | 594 | 1.4% | n/a | 69 | 0.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: NUM_CELLS_PARENTS Type: Numeric Position: 297-298 Source: TIS_C21_06Q3_CELL, TIS_C_USUAL_USE_CELL**

**Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ONE | 1 | 10853 | 24.9% | 25.3% | 5244 | 25.0% | 25.1% |
| TWO | 2 | 28699 | 65.8% | 66.9% | 14136 | 67.5% | 67.7% |
| THREE OR MORE | 3 | 3068 | 7.0% | 7.1% | 1318 | 6.3% | 6.3% |
| NONE | 4 | 307 | 0.7% | 0.7% | 175 | 0.8% | 0.8% |
| **SUBTOTALS:** | | 42927 | 98.5% | 100.0% | 20873 | 99.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 100 | 0.2% | n/a | 19 | 0.1% | n/a |
| REFUSED | 99 | 505 | 1.2% | n/a | 57 | 0.3% | n/a |
| MISSING | . | 59 | 0.1% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RACEETHK Type: Numeric Position: 299-299 Source: TIS_C2, TIS_C4, TIS_C4_OTHR**

**Label: RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HISPANIC | 1 | 8228 | 18.9% | 18.9% | 3882 | 18.5% | 18.5% |
| NON-HISPANIC WHITE ONLY | 2 | 26449 | 60.7% | 60.7% | 13011 | 62.1% | 62.1% |
| NON-HISPANIC BLACK ONLY | 3 | 4065 | 9.3% | 9.3% | 1742 | 8.3% | 8.3% |
| NON-HISPANIC OTHER + MULTIPLE RACE | 4 | 4849 | 11.1% | 11.1% | 2314 | 11.0% | 11.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RACE_K Type: Numeric Position: 300-300 Source: TIS_C4, TIS_C4_OTHR**

**Label: RACE OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| WHITE ONLY | 1 | 33239 | 76.3% | 76.3% | 16228 | 77.5% | 77.5% |
| BLACK ONLY | 2 | 4648 | 10.7% | 10.7% | 2008 | 9.6% | 9.6% |
| OTHER + MULTIPLE RACE | 3 | 5704 | 13.1% | 13.1% | 2713 | 13.0% | 13.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: RENT_OWN Type: Numeric Position: 301-302 Source: TIS_C19C**

**Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| OWNED OR BEING BOUGHT | 1 | 31228 | 71.6% | 72.4% | 15282 | 72.9% | 73.2% |
| RENTED | 2 | 10958 | 25.1% | 25.4% | 5165 | 24.7% | 24.7% |
| OTHER ARRANGMENT | 3 | 968 | 2.2% | 2.2% | 444 | 2.1% | 2.1% |
| **SUBTOTALS:** | | 43154 | 99.0% | 100.0% | 20891 | 99.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| DON'T KNOW | 77 | 68 | 0.2% | n/a | 18 | 0.1% | n/a |
| REFUSED | 99 | 369 | 0.8% | n/a | 40 | 0.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: SEX Type: Numeric Position: 303-303 Source: TIS_S4**

**Label: SEX OF TEEN: IMPUTED**

**Notes: Variable contains some imputed values.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MALE | 1 | 22912 | 52.6% | 52.6% | 11104 | 53.0% | 53.0% |
| FEMALE | 2 | 20679 | 47.4% | 47.4% | 9845 | 47.0% | 47.0% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: ESTIAPT17 Type: Numeric Position: 304-306 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: ESTIMATION AREA OF RESIDENCE**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| CT | 1 | 704 | 1.6% | 1.6% | 330 | 1.6% | 1.6% |
| MA | 2 | 803 | 1.8% | 1.8% | 412 | 2.0% | 2.0% |
| ME | 4 | 658 | 1.5% | 1.5% | 347 | 1.7% | 1.7% |
| NH | 5 | 682 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| RI | 6 | 579 | 1.3% | 1.3% | 319 | 1.5% | 1.5% |
| VT | 7 | 610 | 1.4% | 1.4% | 366 | 1.7% | 1.7% |
| NJ | 8 | 872 | 2.0% | 2.0% | 366 | 1.7% | 1.7% |
| NY-REST OF STATE | 10 | 811 | 1.9% | 1.9% | 370 | 1.8% | 1.8% |
| NY-CITY OF NEW YORK | 11 | 718 | 1.6% | 1.6% | 281 | 1.3% | 1.3% |
| DC | 12 | 745 | 1.7% | 1.7% | 318 | 1.5% | 1.5% |
| DE | 13 | 692 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| MD | 14 | 1081 | 2.5% | 2.5% | 470 | 2.2% | 2.2% |
| PA-REST OF STATE | 16 | 984 | 2.3% | 2.3% | 489 | 2.3% | 2.3% |
| PA-PHILADELPHIA COUNTY | 17 | 684 | 1.6% | 1.6% | 362 | 1.7% | 1.7% |
| VA | 18 | 961 | 2.2% | 2.2% | 413 | 2.0% | 2.0% |
| WV | 19 | 723 | 1.7% | 1.7% | 343 | 1.6% | 1.6% |
| AL | 20 | 795 | 1.8% | 1.8% | 367 | 1.8% | 1.8% |
| FL | 22 | 968 | 2.2% | 2.2% | 415 | 2.0% | 2.0% |
| GA | 25 | 766 | 1.8% | 1.8% | 343 | 1.6% | 1.6% |
| KY | 27 | 726 | 1.7% | 1.7% | 372 | 1.8% | 1.8% |
| MS | 28 | 726 | 1.7% | 1.7% | 347 | 1.7% | 1.7% |
| NC | 29 | 726 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| SC | 30 | 747 | 1.7% | 1.7% | 328 | 1.6% | 1.6% |
| TN | 31 | 690 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| IL-REST OF STATE | 34 | 1037 | 2.4% | 2.4% | 479 | 2.3% | 2.3% |
| IL-CITY OF CHICAGO | 35 | 400 | 0.9% | 0.9% | 204 | 1.0% | 1.0% |
| IN | 36 | 691 | 1.6% | 1.6% | 334 | 1.6% | 1.6% |
| MI | 38 | 681 | 1.6% | 1.6% | 328 | 1.6% | 1.6% |
| MN | 40 | 722 | 1.7% | 1.7% | 356 | 1.7% | 1.7% |
| OH | 41 | 790 | 1.8% | 1.8% | 408 | 1.9% | 1.9% |
| WI | 44 | 635 | 1.5% | 1.5% | 324 | 1.5% | 1.5% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: ESTIAPT17 Type: Numeric Position: 304-306 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: ESTIMATION AREA OF RESIDENCE**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| AR | 46 | 711 | 1.6% | 1.6% | 357 | 1.7% | 1.7% |
| LA | 47 | 730 | 1.7% | 1.7% | 341 | 1.6% | 1.6% |
| NM | 49 | 688 | 1.6% | 1.6% | 362 | 1.7% | 1.7% |
| OK | 50 | 699 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| TX-REST OF STATE | 51 | 1924 | 4.4% | 4.4% | 846 | 4.0% | 4.0% |
| TX-DALLAS COUNTY | 52 | 632 | 1.4% | 1.4% | 263 | 1.3% | 1.3% |
| TX-EL PASO COUNTY | 53 | 580 | 1.3% | 1.3% | 320 | 1.5% | 1.5% |
| TX-CITY OF HOUSTON | 54 | 485 | 1.1% | 1.1% | 187 | 0.9% | 0.9% |
| TX-BEXAR COUNTY | 55 | 745 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| IA | 56 | 615 | 1.4% | 1.4% | 343 | 1.6% | 1.6% |
| KS | 57 | 652 | 1.5% | 1.5% | 338 | 1.6% | 1.6% |
| MO | 58 | 716 | 1.6% | 1.6% | 335 | 1.6% | 1.6% |
| NE | 59 | 630 | 1.4% | 1.4% | 324 | 1.5% | 1.5% |
| CO | 60 | 703 | 1.6% | 1.6% | 354 | 1.7% | 1.7% |
| MT | 61 | 605 | 1.4% | 1.4% | 326 | 1.6% | 1.6% |
| ND | 62 | 668 | 1.5% | 1.5% | 379 | 1.8% | 1.8% |
| SD | 63 | 593 | 1.4% | 1.4% | 333 | 1.6% | 1.6% |
| UT | 64 | 703 | 1.6% | 1.6% | 356 | 1.7% | 1.7% |
| WY | 65 | 736 | 1.7% | 1.7% | 360 | 1.7% | 1.7% |
| AZ | 66 | 758 | 1.7% | 1.7% | 335 | 1.6% | 1.6% |
| CA | 68 | 779 | 1.8% | 1.8% | 306 | 1.5% | 1.5% |
| HI | 72 | 654 | 1.5% | 1.5% | 314 | 1.5% | 1.5% |
| NV | 73 | 791 | 1.8% | 1.8% | 344 | 1.6% | 1.6% |
| AK | 74 | 673 | 1.5% | 1.5% | 349 | 1.7% | 1.7% |
| ID | 75 | 674 | 1.5% | 1.5% | 353 | 1.7% | 1.7% |
| OR | 76 | 709 | 1.6% | 1.6% | 359 | 1.7% | 1.7% |
| WA | 77 | 694 | 1.6% | 1.6% | 339 | 1.6% | 1.6% |
| TX-TRAVIS COUNTY | 108 | 637 | 1.5% | 1.5% | 304 | 1.5% | 1.5% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: EST_GRANT Type: Numeric Position: 307-308 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS**

**Notes: Includes New York City; Philadelphia County, PA; City of Chicago, IL; District of Columbia; Bexar County, TX; and City of Houston, TX; in addition to the remaining state and rest-of-state areas.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| CT | 1 | 704 | 1.6% | 1.6% | 330 | 1.6% | 1.6% |
| MA | 2 | 803 | 1.8% | 1.8% | 412 | 2.0% | 2.0% |
| ME | 4 | 658 | 1.5% | 1.5% | 347 | 1.7% | 1.7% |
| NH | 5 | 682 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| RI | 6 | 579 | 1.3% | 1.3% | 319 | 1.5% | 1.5% |
| VT | 7 | 610 | 1.4% | 1.4% | 366 | 1.7% | 1.7% |
| NJ | 8 | 872 | 2.0% | 2.0% | 366 | 1.7% | 1.7% |
| NY-REST OF STATE | 10 | 811 | 1.9% | 1.9% | 370 | 1.8% | 1.8% |
| NY-CITY OF NEW YORK | 11 | 718 | 1.6% | 1.6% | 281 | 1.3% | 1.3% |
| DC | 12 | 745 | 1.7% | 1.7% | 318 | 1.5% | 1.5% |
| DE | 13 | 692 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| MD | 14 | 1081 | 2.5% | 2.5% | 470 | 2.2% | 2.2% |
| PA-REST OF STATE | 16 | 984 | 2.3% | 2.3% | 489 | 2.3% | 2.3% |
| PA-PHILADELPHIA COUNTY | 17 | 684 | 1.6% | 1.6% | 362 | 1.7% | 1.7% |
| VA | 18 | 961 | 2.2% | 2.2% | 413 | 2.0% | 2.0% |
| WV | 19 | 723 | 1.7% | 1.7% | 343 | 1.6% | 1.6% |
| AL | 20 | 795 | 1.8% | 1.8% | 367 | 1.8% | 1.8% |
| FL | 22 | 968 | 2.2% | 2.2% | 415 | 2.0% | 2.0% |
| GA | 25 | 766 | 1.8% | 1.8% | 343 | 1.6% | 1.6% |
| KY | 27 | 726 | 1.7% | 1.7% | 372 | 1.8% | 1.8% |
| MS | 28 | 726 | 1.7% | 1.7% | 347 | 1.7% | 1.7% |
| NC | 29 | 726 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| SC | 30 | 747 | 1.7% | 1.7% | 328 | 1.6% | 1.6% |
| TN | 31 | 690 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| IL-REST OF STATE | 34 | 1037 | 2.4% | 2.4% | 479 | 2.3% | 2.3% |
| IL-CITY OF CHICAGO | 35 | 400 | 0.9% | 0.9% | 204 | 1.0% | 1.0% |
| IN | 36 | 691 | 1.6% | 1.6% | 334 | 1.6% | 1.6% |
| MI | 38 | 681 | 1.6% | 1.6% | 328 | 1.6% | 1.6% |
| MN | 40 | 722 | 1.7% | 1.7% | 356 | 1.7% | 1.7% |
| OH | 41 | 790 | 1.8% | 1.8% | 408 | 1.9% | 1.9% |
| WI | 44 | 635 | 1.5% | 1.5% | 324 | 1.5% | 1.5% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: EST_GRANT Type: Numeric Position: 307-308 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS**

**Notes: Includes New York City; Philadelphia County, PA; City of Chicago, IL; District of Columbia; Bexar County, TX; and City of Houston, TX; in addition to the remaining state and rest-of-state areas.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| AR | 46 | 711 | 1.6% | 1.6% | 357 | 1.7% | 1.7% |
| LA | 47 | 730 | 1.7% | 1.7% | 341 | 1.6% | 1.6% |
| NM | 49 | 688 | 1.6% | 1.6% | 362 | 1.7% | 1.7% |
| OK | 50 | 699 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| TX-REST OF STATE | 51 | 3773 | 8.7% | 8.7% | 1733 | 8.3% | 8.3% |
| TX-CITY OF HOUSTON | 54 | 485 | 1.1% | 1.1% | 187 | 0.9% | 0.9% |
| TX-BEXAR COUNTY | 55 | 745 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| IA | 56 | 615 | 1.4% | 1.4% | 343 | 1.6% | 1.6% |
| KS | 57 | 652 | 1.5% | 1.5% | 338 | 1.6% | 1.6% |
| MO | 58 | 716 | 1.6% | 1.6% | 335 | 1.6% | 1.6% |
| NE | 59 | 630 | 1.4% | 1.4% | 324 | 1.5% | 1.5% |
| CO | 60 | 703 | 1.6% | 1.6% | 354 | 1.7% | 1.7% |
| MT | 61 | 605 | 1.4% | 1.4% | 326 | 1.6% | 1.6% |
| ND | 62 | 668 | 1.5% | 1.5% | 379 | 1.8% | 1.8% |
| SD | 63 | 593 | 1.4% | 1.4% | 333 | 1.6% | 1.6% |
| UT | 64 | 703 | 1.6% | 1.6% | 356 | 1.7% | 1.7% |
| WY | 65 | 736 | 1.7% | 1.7% | 360 | 1.7% | 1.7% |
| AZ | 66 | 758 | 1.7% | 1.7% | 335 | 1.6% | 1.6% |
| CA | 68 | 779 | 1.8% | 1.8% | 306 | 1.5% | 1.5% |
| HI | 72 | 654 | 1.5% | 1.5% | 314 | 1.5% | 1.5% |
| NV | 73 | 791 | 1.8% | 1.8% | 344 | 1.6% | 1.6% |
| AK | 74 | 673 | 1.5% | 1.5% | 349 | 1.7% | 1.7% |
| ID | 75 | 674 | 1.5% | 1.5% | 353 | 1.7% | 1.7% |
| OR | 76 | 709 | 1.6% | 1.6% | 359 | 1.7% | 1.7% |
| WA | 77 | 694 | 1.6% | 1.6% | 339 | 1.6% | 1.6% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: STATE Type: Numeric Position: 309-310 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ALABAMA | 1 | 795 | 1.8% | 1.8% | 367 | 1.8% | 1.8% |
| ALASKA | 2 | 673 | 1.5% | 1.5% | 349 | 1.7% | 1.7% |
| ARIZONA | 4 | 758 | 1.7% | 1.7% | 335 | 1.6% | 1.6% |
| ARKANSAS | 5 | 711 | 1.6% | 1.6% | 357 | 1.7% | 1.7% |
| CALIFORNIA | 6 | 779 | 1.8% | 1.8% | 306 | 1.5% | 1.5% |
| COLORADO | 8 | 703 | 1.6% | 1.6% | 354 | 1.7% | 1.7% |
| CONNECTICUT | 9 | 704 | 1.6% | 1.6% | 330 | 1.6% | 1.6% |
| DELAWARE | 10 | 692 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| DISTRICT OF COLUMBIA | 11 | 745 | 1.7% | 1.7% | 318 | 1.5% | 1.5% |
| FLORIDA | 12 | 968 | 2.2% | 2.2% | 415 | 2.0% | 2.0% |
| GEORGIA | 13 | 766 | 1.8% | 1.8% | 343 | 1.6% | 1.6% |
| HAWAII | 15 | 654 | 1.5% | 1.5% | 314 | 1.5% | 1.5% |
| IDAHO | 16 | 674 | 1.5% | 1.5% | 353 | 1.7% | 1.7% |
| ILLINOIS | 17 | 1437 | 3.3% | 3.3% | 683 | 3.3% | 3.3% |
| INDIANA | 18 | 691 | 1.6% | 1.6% | 334 | 1.6% | 1.6% |
| IOWA | 19 | 615 | 1.4% | 1.4% | 343 | 1.6% | 1.6% |
| KANSAS | 20 | 652 | 1.5% | 1.5% | 338 | 1.6% | 1.6% |
| KENTUCKY | 21 | 726 | 1.7% | 1.7% | 372 | 1.8% | 1.8% |
| LOUISIANA | 22 | 730 | 1.7% | 1.7% | 341 | 1.6% | 1.6% |
| MAINE | 23 | 658 | 1.5% | 1.5% | 347 | 1.7% | 1.7% |
| MARYLAND | 24 | 1081 | 2.5% | 2.5% | 470 | 2.2% | 2.2% |
| MASSACHUSETTS | 25 | 803 | 1.8% | 1.8% | 412 | 2.0% | 2.0% |
| MICHIGAN | 26 | 681 | 1.6% | 1.6% | 328 | 1.6% | 1.6% |
| MINNESOTA | 27 | 722 | 1.7% | 1.7% | 356 | 1.7% | 1.7% |
| MISSISSIPPI | 28 | 726 | 1.7% | 1.7% | 347 | 1.7% | 1.7% |
| MISSOURI | 29 | 716 | 1.6% | 1.6% | 335 | 1.6% | 1.6% |
| MONTANA | 30 | 605 | 1.4% | 1.4% | 326 | 1.6% | 1.6% |
| NEBRASKA | 31 | 630 | 1.4% | 1.4% | 324 | 1.5% | 1.5% |
| NEVADA | 32 | 791 | 1.8% | 1.8% | 344 | 1.6% | 1.6% |
| NEW HAMPSHIRE | 33 | 682 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| NEW JERSEY | 34 | 872 | 2.0% | 2.0% | 366 | 1.7% | 1.7% |

SECTION 4: GEOGRAPHIC VARIABLES

**Variable: STATE Type: Numeric Position: 309-310 Source: Sampling Frame, TIS_C19, TIS_C19A**

**Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NEW MEXICO | 35 | 688 | 1.6% | 1.6% | 362 | 1.7% | 1.7% |
| NEW YORK | 36 | 1529 | 3.5% | 3.5% | 651 | 3.1% | 3.1% |
| NORTH CAROLINA | 37 | 726 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| NORTH DAKOTA | 38 | 668 | 1.5% | 1.5% | 379 | 1.8% | 1.8% |
| OHIO | 39 | 790 | 1.8% | 1.8% | 408 | 1.9% | 1.9% |
| OKLAHOMA | 40 | 699 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| OREGON | 41 | 709 | 1.6% | 1.6% | 359 | 1.7% | 1.7% |
| PENNSYLVANIA | 42 | 1668 | 3.8% | 3.8% | 851 | 4.1% | 4.1% |
| RHODE ISLAND | 44 | 579 | 1.3% | 1.3% | 319 | 1.5% | 1.5% |
| SOUTH CAROLINA | 45 | 747 | 1.7% | 1.7% | 328 | 1.6% | 1.6% |
| SOUTH DAKOTA | 46 | 593 | 1.4% | 1.4% | 333 | 1.6% | 1.6% |
| TENNESSEE | 47 | 690 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| TEXAS | 48 | 5003 | 11.5% | 11.5% | 2256 | 10.8% | 10.8% |
| UTAH | 49 | 703 | 1.6% | 1.6% | 356 | 1.7% | 1.7% |
| VERMONT | 50 | 610 | 1.4% | 1.4% | 366 | 1.7% | 1.7% |
| VIRGINIA | 51 | 961 | 2.2% | 2.2% | 413 | 2.0% | 2.0% |
| WASHINGTON | 53 | 694 | 1.6% | 1.6% | 339 | 1.6% | 1.6% |
| WEST VIRGINIA | 54 | 723 | 1.7% | 1.7% | 343 | 1.6% | 1.6% |
| WISCONSIN | 55 | 635 | 1.5% | 1.5% | 324 | 1.5% | 1.5% |
| WYOMING | 56 | 736 | 1.7% | 1.7% | 360 | 1.7% | 1.7% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

**Variable: D6R Type: Numeric Position: 311-311 Source: TIS_D6, TIS_D6AA**

**Label: NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE)**

**Notes: Constructed from questions TIS_D6 and TIS_D6AA of the HH interview.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 132 | 0.3% | 0.4% | 66 | 0.3% | 0.3% |
| 1 | 1 | 19480 | 44.7% | 52.4% | 10959 | 52.3% | 52.3% |
| 2 | 2 | 9175 | 21.0% | 24.7% | 5491 | 26.2% | 26.2% |
| 3+ | 3 | 8355 | 19.2% | 22.5% | 4433 | 21.2% | 21.2% |
| **SUBTOTALS:** | | 37142 | 85.2% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 6449 | 14.8% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: D7 Type: Numeric Position: 312-312 Source: TIS_D7**

**Label: CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS**

**Notes: A blank value indicates consent was not obtained because of an interview break-off.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| CONSENT GIVEN | 1 | 25577 | 58.7% | 99.2% | 20883 | 99.7% | 100.0% |
| CONSENT DENIED | 2 | 198 | 0.5% | 0.8% | 0 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 25775 | 59.1% | 100.0% | 20883 | 99.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 17816 | 40.9% | n/a | 66 | 0.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

**Variable: NUM_PROVR Type: Numeric Position: 313-313 Source: TIS_D6, TIS_D6AA, TIS_D7**

**Label: NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE)**

**Notes: If consent was not given, NUM_PROVR is set to 0.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 18192 | 41.7% | 41.7% | 66 | 0.3% | 0.3% |
| 1 | 1 | 15557 | 35.7% | 35.7% | 12216 | 58.3% | 58.3% |
| 2 | 2 | 6481 | 14.9% | 14.9% | 5617 | 26.8% | 26.8% |
| 3+ | 3 | 3361 | 7.7% | 7.7% | 3050 | 14.6% | 14.6% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

**Variable: N_PRVR Type: Numeric Position: 314-314 Source: IHQ SHOTGRID**

**Label: NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE)**

**Notes: Number of IHQs returned for the teen containing immunization information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 22783 | 52.3% | 52.3% | 141 | 0.7% | 0.7% |
| 1 | 1 | 15846 | 36.4% | 36.4% | 15846 | 75.6% | 75.6% |
| 2 | 2 | 3987 | 9.1% | 9.1% | 3987 | 19.0% | 19.0% |
| 3+ | 3 | 975 | 2.2% | 2.2% | 975 | 4.7% | 4.7% |
| **SUBTOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

**Variable: FACILITY Type: Numeric Position: 315-315 Source: IHQ5C**

**Label: FACILITY TYPES FOR TEEN'S PROVIDERS**

**Notes: Based on IHQ Question 5C across providers returning IHQs with immunization information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ALL PUBLIC FACILITIES | 1 | 2821 | 6.5% | 14.9% | 2821 | 13.5% | 14.9% |
| ALL HOSPITAL FACILITIES | 2 | 2270 | 5.2% | 12.0% | 2270 | 10.8% | 12.0% |
| ALL PRIVATE FACILITIES | 3 | 9495 | 21.8% | 50.2% | 9495 | 45.3% | 50.2% |
| ALL STD/SCHOOL/TEEN CLINICS OR OTHER FACILITIES | 4 | 630 | 1.4% | 3.3% | 630 | 3.0% | 3.3% |
| MIXED | 5 | 3681 | 8.4% | 19.5% | 3681 | 17.6% | 19.5% |
| **SUBTOTALS:** | | 18897 | 43.4% | 100.0% | 18897 | 90.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| UNKNOWN | 6 | 1911 | 4.4% | n/a | 1911 | 9.1% | n/a |
| MISSING | . | 22783 | 52.3% | n/a | 141 | 0.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: REGISTRY Type: Numeric Position: 316-316 Source: IHQ7**

**Label: DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY?**

**Notes: Based on IHQ Question 7 across providers returning IHQs with immunization information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ALL PROVIDERS | 1 | 12723 | 29.2% | 74.2% | 12723 | 60.7% | 74.2% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 2372 | 5.4% | 13.8% | 2372 | 11.3% | 13.8% |
| NO PROVIDERS | 3 | 2045 | 4.7% | 11.9% | 2045 | 9.8% | 11.9% |
| **SUBTOTALS:** | | 17140 | 39.3% | 100.0% | 17140 | 81.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| UNKNOWN/DON'T KNOW | 4 | 3668 | 8.4% | n/a | 3668 | 17.5% | n/a |
| MISSING | . | 22783 | 52.3% | n/a | 141 | 0.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

**Variable: VFC_ORDER Type: Numeric Position: 317-317 Source: IHQ6**

**Label: DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?**

**Notes: Based on IHQ Question 6 across providers returning IHQs with immunization information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| ALL PROVIDERS | 1 | 13638 | 31.3% | 75.1% | 13638 | 65.1% | 75.1% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 2300 | 5.3% | 12.7% | 2300 | 11.0% | 12.7% |
| NO PROVIDERS | 3 | 2219 | 5.1% | 12.2% | 2219 | 10.6% | 12.2% |
| **SUBTOTALS:** | | 18157 | 41.7% | 100.0% | 18157 | 86.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| UNKNOWN/DON'T KNOW | 4 | 2651 | 6.1% | n/a | 2651 | 12.7% | n/a |
| MISSING | . | 22783 | 52.3% | n/a | 141 | 0.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13FLU Type: Numeric Position: 318-318 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FM, FN, FV, FZ, or FL, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 14480 | 33.2% | 69.1% | 14480 | 69.1% | 69.1% |
| 1 | 1 | 3431 | 7.9% | 16.4% | 3431 | 16.4% | 16.4% |
| 2 | 2 | 1894 | 4.3% | 9.0% | 1894 | 9.0% | 9.0% |
| 3 | 3 | 994 | 2.3% | 4.7% | 994 | 4.7% | 4.7% |
| 4 | 4 | 93 | 0.2% | 0.4% | 93 | 0.4% | 0.4% |
| 5 | 5 | 38 | 0.1% | 0.2% | 38 | 0.2% | 0.2% |
| 6 | 6 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 7 | 7 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13FLU_FL Type: Numeric Position: 319-319 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FL, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20277 | 46.5% | 96.8% | 20277 | 96.8% | 96.8% |
| 1 | 1 | 429 | 1.0% | 2.0% | 429 | 2.0% | 2.0% |
| 2 | 2 | 162 | 0.4% | 0.8% | 162 | 0.8% | 0.8% |
| 3 | 3 | 72 | 0.2% | 0.3% | 72 | 0.3% | 0.3% |
| 4 | 4 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13FLU_FL Type: Numeric Position: 319-319 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FL, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13FLU_FM Type: Numeric Position: 320-320 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 18809 | 43.1% | 89.8% | 18809 | 89.8% | 89.8% |
| 1 | 1 | 1559 | 3.6% | 7.4% | 1559 | 7.4% | 7.4% |
| 2 | 2 | 456 | 1.0% | 2.2% | 456 | 2.2% | 2.2% |
| 3 | 3 | 114 | 0.3% | 0.5% | 114 | 0.5% | 0.5% |
| 4 | 4 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13FLU_FN Type: Numeric Position: 321-321 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FN, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 16352 | 37.5% | 78.1% | 16352 | 78.1% | 78.1% |
| 1 | 1 | 2797 | 6.4% | 13.4% | 2797 | 13.4% | 13.4% |
| 2 | 2 | 1260 | 2.9% | 6.0% | 1260 | 6.0% | 6.0% |
| 3 | 3 | 505 | 1.2% | 2.4% | 505 | 2.4% | 2.4% |
| 4 | 4 | 26 | 0.1% | 0.1% | 26 | 0.1% | 0.1% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 6 | 6 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13FLU_FV Type: Numeric Position: 322-322 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FV, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20944 | 48.0% | 100.0% | 20944 | 100.0% | 100.0% |
| 1 | 1 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13FLU_FZ Type: Numeric Position: 323-323 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FZ, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20936 | 48.0% | 99.9% | 20936 | 99.9% | 99.9% |
| 1 | 1 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPA Type: Numeric Position: 324-324 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HO or HA, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 6784 | 15.6% | 32.4% | 6784 | 32.4% | 32.4% |
| 1 | 1 | 2112 | 4.8% | 10.1% | 2112 | 10.1% | 10.1% |
| 2 | 2 | 11561 | 26.5% | 55.2% | 11561 | 55.2% | 55.2% |
| 3 | 3 | 441 | 1.0% | 2.1% | 441 | 2.1% | 2.1% |
| 4 | 4 | 46 | 0.1% | 0.2% | 46 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPA_HA Type: Numeric Position: 325-325 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HA, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20843 | 47.8% | 99.5% | 20843 | 99.5% | 99.5% |
| 1 | 1 | 64 | 0.1% | 0.3% | 64 | 0.3% | 0.3% |
| 2 | 2 | 39 | 0.1% | 0.2% | 39 | 0.2% | 0.2% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPA_HO Type: Numeric Position: 326-326 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HO, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 6836 | 15.7% | 32.6% | 6836 | 32.6% | 32.6% |
| 1 | 1 | 2132 | 4.9% | 10.2% | 2132 | 10.2% | 10.2% |
| 2 | 2 | 11500 | 26.4% | 54.9% | 11500 | 54.9% | 54.9% |
| 3 | 3 | 442 | 1.0% | 2.1% | 442 | 2.1% | 2.1% |
| 4 | 4 | 38 | 0.1% | 0.2% | 38 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPB Type: Numeric Position: 327-327 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43, 61, 62, 63, 64, or HB, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1307 | 3.0% | 6.2% | 1307 | 6.2% | 6.2% |
| 1 | 1 | 276 | 0.6% | 1.3% | 276 | 1.3% | 1.3% |
| 2 | 2 | 412 | 0.9% | 2.0% | 412 | 2.0% | 2.0% |
| 3 | 3 | 16238 | 37.3% | 77.5% | 16238 | 77.5% | 77.5% |
| 4 | 4 | 2459 | 5.6% | 11.7% | 2459 | 11.7% | 11.7% |
| 5 | 5 | 193 | 0.4% | 0.9% | 193 | 0.9% | 0.9% |
| 6 | 6 | 50 | 0.1% | 0.2% | 50 | 0.2% | 0.2% |
| 7 | 7 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPB_43 Type: Numeric Position: 328-328 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17344 | 39.8% | 82.8% | 17344 | 82.8% | 82.8% |
| 1 | 1 | 797 | 1.8% | 3.8% | 797 | 3.8% | 3.8% |
| 2 | 2 | 987 | 2.3% | 4.7% | 987 | 4.7% | 4.7% |
| 3 | 3 | 1755 | 4.0% | 8.4% | 1755 | 8.4% | 8.4% |
| 4 | 4 | 64 | 0.1% | 0.3% | 64 | 0.3% | 0.3% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPB_43 Type: Numeric Position: 328-328 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPB_61 Type: Numeric Position: 329-329 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 61, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19030 | 43.7% | 90.8% | 19030 | 90.8% | 90.8% |
| 1 | 1 | 393 | 0.9% | 1.9% | 393 | 1.9% | 1.9% |
| 2 | 2 | 406 | 0.9% | 1.9% | 406 | 1.9% | 1.9% |
| 3 | 3 | 1062 | 2.4% | 5.1% | 1062 | 5.1% | 5.1% |
| 4 | 4 | 57 | 0.1% | 0.3% | 57 | 0.3% | 0.3% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPB_62 Type: Numeric Position: 330-330 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 62, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20911 | 48.0% | 99.8% | 20911 | 99.8% | 99.8% |
| 1 | 1 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| 2 | 2 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 3 | 3 | 19 | 0.0% | 0.1% | 19 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPB_63 Type: Numeric Position: 331-331 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 63, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19570 | 44.9% | 93.4% | 19570 | 93.4% | 93.4% |
| 1 | 1 | 406 | 0.9% | 1.9% | 406 | 1.9% | 1.9% |
| 2 | 2 | 351 | 0.8% | 1.7% | 351 | 1.7% | 1.7% |
| 3 | 3 | 590 | 1.4% | 2.8% | 590 | 2.8% | 2.8% |
| 4 | 4 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPB_64 Type: Numeric Position: 332-332 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 64, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 5669 | 13.0% | 27.1% | 5669 | 27.1% | 27.1% |
| 1 | 1 | 2367 | 5.4% | 11.3% | 2367 | 11.3% | 11.3% |
| 2 | 2 | 1316 | 3.0% | 6.3% | 1316 | 6.3% | 6.3% |
| 3 | 3 | 10359 | 23.8% | 49.4% | 10359 | 49.4% | 49.4% |
| 4 | 4 | 1162 | 2.7% | 5.5% | 1162 | 5.5% | 5.5% |
| 5 | 5 | 59 | 0.1% | 0.3% | 59 | 0.3% | 0.3% |
| 6 | 6 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 7 | 7 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HEPB_HB Type: Numeric Position: 333-333 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HB, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19277 | 44.2% | 92.0% | 19277 | 92.0% | 92.0% |
| 1 | 1 | 475 | 1.1% | 2.3% | 475 | 2.3% | 2.3% |
| 2 | 2 | 274 | 0.6% | 1.3% | 274 | 1.3% | 1.3% |
| 3 | 3 | 851 | 2.0% | 4.1% | 851 | 4.1% | 4.1% |
| 4 | 4 | 66 | 0.2% | 0.3% | 66 | 0.3% | 0.3% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HEPB_HB Type: Numeric Position: 333-333 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HB, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HPV Type: Numeric Position: 334-334 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 4V, 9V, UV, CV, or HP, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 12050 | 27.6% | 57.5% | 12050 | 57.5% | 57.5% |
| 1 | 1 | 2724 | 6.2% | 13.0% | 2724 | 13.0% | 13.0% |
| 2 | 2 | 2492 | 5.7% | 11.9% | 2492 | 11.9% | 11.9% |
| 3 | 3 | 3646 | 8.4% | 17.4% | 3646 | 17.4% | 17.4% |
| 4 | 4 | 34 | 0.1% | 0.2% | 34 | 0.2% | 0.2% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HPV_4V Type: Numeric Position: 335-335 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 4V, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 15166 | 34.8% | 72.4% | 15166 | 72.4% | 72.4% |
| 1 | 1 | 2018 | 4.6% | 9.6% | 2018 | 9.6% | 9.6% |
| 2 | 2 | 1638 | 3.8% | 7.8% | 1638 | 7.8% | 7.8% |
| 3 | 3 | 2113 | 4.8% | 10.1% | 2113 | 10.1% | 10.1% |
| 4 | 4 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HPV_9V Type: Numeric Position: 336-336 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 9V, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17912 | 41.1% | 85.5% | 17912 | 85.5% | 85.5% |
| 1 | 1 | 1493 | 3.4% | 7.1% | 1493 | 7.1% | 7.1% |
| 2 | 2 | 842 | 1.9% | 4.0% | 842 | 4.0% | 4.0% |
| 3 | 3 | 701 | 1.6% | 3.3% | 701 | 3.3% | 3.3% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HPV_CV Type: Numeric Position: 337-337 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type CV, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20883 | 47.9% | 99.7% | 20883 | 99.7% | 99.7% |
| 1 | 1 | 35 | 0.1% | 0.2% | 35 | 0.2% | 0.2% |
| 2 | 2 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 3 | 3 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13HPV_HP Type: Numeric Position: 338-338 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HP, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20048 | 46.0% | 95.7% | 20048 | 95.7% | 95.7% |
| 1 | 1 | 382 | 0.9% | 1.8% | 382 | 1.8% | 1.8% |
| 2 | 2 | 234 | 0.5% | 1.1% | 234 | 1.1% | 1.1% |
| 3 | 3 | 281 | 0.6% | 1.3% | 281 | 1.3% | 1.3% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13HPV_UV Type: Numeric Position: 339-339 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type UV, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20946 | 48.1% | 100.0% | 20946 | 100.0% | 100.0% |
| 1 | 1 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MCV Type: Numeric Position: 340-340 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30, 31, 32, 33, MM, or VM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1195 | 2.7% | 5.7% | 1195 | 5.7% | 5.7% |
| 1 | 1 | 764 | 1.8% | 3.6% | 764 | 3.6% | 3.6% |
| 2 | 2 | 18370 | 42.1% | 87.7% | 18370 | 87.7% | 87.7% |
| 3 | 3 | 569 | 1.3% | 2.7% | 569 | 2.7% | 2.7% |
| 4 | 4 | 46 | 0.1% | 0.2% | 46 | 0.2% | 0.2% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MCV_30 Type: Numeric Position: 341-341 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2081 | 4.8% | 9.9% | 2081 | 9.9% | 9.9% |
| 1 | 1 | 2440 | 5.6% | 11.6% | 2440 | 11.6% | 11.6% |
| 2 | 2 | 16000 | 36.7% | 76.4% | 16000 | 76.4% | 76.4% |
| 3 | 3 | 396 | 0.9% | 1.9% | 396 | 1.9% | 1.9% |
| 4 | 4 | 28 | 0.1% | 0.1% | 28 | 0.1% | 0.1% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MCV_31 Type: Numeric Position: 342-342 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 31, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20791 | 47.7% | 99.2% | 20791 | 99.2% | 99.2% |
| 1 | 1 | 121 | 0.3% | 0.6% | 121 | 0.6% | 0.6% |
| 2 | 2 | 36 | 0.1% | 0.2% | 36 | 0.2% | 0.2% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MCV_32 Type: Numeric Position: 343-343 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 32, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20947 | 48.1% | 100.0% | 20947 | 100.0% | 100.0% |
| 1 | 1 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MCV_33 Type: Numeric Position: 344-344 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 33, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20945 | 48.0% | 100.0% | 20945 | 100.0% | 100.0% |
| 1 | 1 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MCV_MM Type: Numeric Position: 345-345 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type MM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20063 | 46.0% | 95.8% | 20063 | 95.8% | 95.8% |
| 1 | 1 | 319 | 0.7% | 1.5% | 319 | 1.5% | 1.5% |
| 2 | 2 | 567 | 1.3% | 2.7% | 567 | 2.7% | 2.7% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MCV_VM Type: Numeric Position: 346-346 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19157 | 43.9% | 91.4% | 19157 | 91.4% | 91.4% |
| 1 | 1 | 1590 | 3.6% | 7.6% | 1590 | 7.6% | 7.6% |
| 2 | 2 | 193 | 0.4% | 0.9% | 193 | 0.9% | 0.9% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MEN Type: Numeric Position: 347-347 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 80, 81, or 82, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 5384 | 12.4% | 25.7% | 5384 | 25.7% | 25.7% |
| 1 | 1 | 15329 | 35.2% | 73.2% | 15329 | 73.2% | 73.2% |
| 2 | 2 | 226 | 0.5% | 1.1% | 226 | 1.1% | 1.1% |
| 3 | 3 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MEN_80 Type: Numeric Position: 348-348 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 80, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 6010 | 13.8% | 28.7% | 6010 | 28.7% | 28.7% |
| 1 | 1 | 14750 | 33.8% | 70.4% | 14750 | 70.4% | 70.4% |
| 2 | 2 | 183 | 0.4% | 0.9% | 183 | 0.9% | 0.9% |
| 3 | 3 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MEN_81 Type: Numeric Position: 349-349 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 81, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20748 | 47.6% | 99.0% | 20748 | 99.0% | 99.0% |
| 1 | 1 | 199 | 0.5% | 0.9% | 199 | 0.9% | 0.9% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MEN_82 Type: Numeric Position: 350-350 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 82, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20484 | 47.0% | 97.8% | 20484 | 97.8% | 97.8% |
| 1 | 1 | 456 | 1.0% | 2.2% | 456 | 2.2% | 2.2% |
| 2 | 2 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MENB Type: Numeric Position: 351-351 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BB, BT, or BU, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20860 | 47.9% | 99.6% | 20860 | 99.6% | 99.6% |
| 1 | 1 | 75 | 0.2% | 0.4% | 75 | 0.4% | 0.4% |
| 2 | 2 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| 3 | 3 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MENB_BB Type: Numeric Position: 352-352 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BB, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20926 | 48.0% | 99.9% | 20926 | 99.9% | 99.9% |
| 1 | 1 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| 2 | 2 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MENB_BT Type: Numeric Position: 353-353 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BT, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20931 | 48.0% | 99.9% | 20931 | 99.9% | 99.9% |
| 1 | 1 | 15 | 0.0% | 0.1% | 15 | 0.1% | 0.1% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MENB_BU Type: Numeric Position: 354-354 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BU, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20901 | 47.9% | 99.8% | 20901 | 99.8% | 99.8% |
| 1 | 1 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13MENU Type: Numeric Position: 355-355 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type MU, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20857 | 47.8% | 99.6% | 20857 | 99.6% | 99.6% |
| 1 | 1 | 88 | 0.2% | 0.4% | 88 | 0.4% | 0.4% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13MMR Type: Numeric Position: 356-356 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30, MM, or VM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1242 | 2.8% | 5.9% | 1242 | 5.9% | 5.9% |
| 1 | 1 | 804 | 1.8% | 3.8% | 804 | 3.8% | 3.8% |
| 2 | 2 | 18346 | 42.1% | 87.6% | 18346 | 87.6% | 87.6% |
| 3 | 3 | 512 | 1.2% | 2.4% | 512 | 2.4% | 2.4% |
| 4 | 4 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13PPS Type: Numeric Position: 357-357 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 71, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17417 | 40.0% | 83.1% | 17417 | 83.1% | 83.1% |
| 1 | 1 | 577 | 1.3% | 2.8% | 577 | 2.8% | 2.8% |
| 2 | 2 | 2827 | 6.5% | 13.5% | 2827 | 13.5% | 13.5% |
| 3 | 3 | 77 | 0.2% | 0.4% | 77 | 0.4% | 0.4% |
| 4 | 4 | 49 | 0.1% | 0.2% | 49 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13TDAP_POST10 Type: Numeric Position: 358-358 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14, since age 10, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3940 | 9.0% | 18.8% | 3940 | 18.8% | 18.8% |
| 1 | 1 | 16837 | 38.6% | 80.4% | 16837 | 80.4% | 80.4% |
| 2 | 2 | 164 | 0.4% | 0.8% | 164 | 0.8% | 0.8% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13TDAP_POST7 Type: Numeric Position: 359-359 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14, since age 7, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3710 | 8.5% | 17.7% | 3710 | 17.7% | 17.7% |
| 1 | 1 | 17007 | 39.0% | 81.2% | 17007 | 81.2% | 81.2% |
| 2 | 2 | 216 | 0.5% | 1.0% | 216 | 1.0% | 1.0% |
| 3 | 3 | 15 | 0.0% | 0.1% | 15 | 0.1% | 0.1% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13TDP Type: Numeric Position: 360-360 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11, 14, or 15, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3311 | 7.6% | 15.8% | 3311 | 15.8% | 15.8% |
| 1 | 1 | 17161 | 39.4% | 81.9% | 17161 | 81.9% | 81.9% |
| 2 | 2 | 385 | 0.9% | 1.8% | 385 | 1.8% | 1.8% |
| 3 | 3 | 73 | 0.2% | 0.3% | 73 | 0.3% | 0.3% |
| 4 | 4 | 18 | 0.0% | 0.1% | 18 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13TDP_11 Type: Numeric Position: 361-361 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20525 | 47.1% | 98.0% | 20525 | 98.0% | 98.0% |
| 1 | 1 | 346 | 0.8% | 1.7% | 346 | 1.7% | 1.7% |
| 2 | 2 | 65 | 0.1% | 0.3% | 65 | 0.3% | 0.3% |
| 3 | 3 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13TDP_14 Type: Numeric Position: 362-362 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3707 | 8.5% | 17.7% | 3707 | 17.7% | 17.7% |
| 1 | 1 | 17010 | 39.0% | 81.2% | 17010 | 81.2% | 81.2% |
| 2 | 2 | 216 | 0.5% | 1.0% | 216 | 1.0% | 1.0% |
| 3 | 3 | 15 | 0.0% | 0.1% | 15 | 0.1% | 0.1% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13TDP_15 Type: Numeric Position: 363-363 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 15, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20734 | 47.6% | 99.0% | 20734 | 99.0% | 99.0% |
| 1 | 1 | 211 | 0.5% | 1.0% | 211 | 1.0% | 1.0% |
| 2 | 2 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13TDP_POST10 Type: Numeric Position: 364-364 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11, 14, or 15, since age 10, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3577 | 8.2% | 17.1% | 3577 | 17.1% | 17.1% |
| 1 | 1 | 17081 | 39.2% | 81.5% | 17081 | 81.5% | 81.5% |
| 2 | 2 | 253 | 0.6% | 1.2% | 253 | 1.2% | 1.2% |
| 3 | 3 | 33 | 0.1% | 0.2% | 33 | 0.2% | 0.2% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13VRC Type: Numeric Position: 365-365 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, VA, or VM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1826 | 4.2% | 8.7% | 1826 | 8.7% | 8.7% |
| 1 | 1 | 2298 | 5.3% | 11.0% | 2298 | 11.0% | 11.0% |
| 2 | 2 | 16242 | 37.3% | 77.5% | 16242 | 77.5% | 77.5% |
| 3 | 3 | 537 | 1.2% | 2.6% | 537 | 2.6% | 2.6% |
| 4 | 4 | 45 | 0.1% | 0.2% | 45 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13VRC_POST1 Type: Numeric Position: 366-366 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, VA, or VM at 12+ months of age, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1869 | 4.3% | 8.9% | 1869 | 8.9% | 8.9% |
| 1 | 1 | 2496 | 5.7% | 11.9% | 2496 | 11.9% | 11.9% |
| 2 | 2 | 16035 | 36.8% | 76.5% | 16035 | 76.5% | 76.5% |
| 3 | 3 | 506 | 1.2% | 2.4% | 506 | 2.4% | 2.4% |
| 4 | 4 | 42 | 0.1% | 0.2% | 42 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13VRC_VA Type: Numeric Position: 367-367 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VA, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20007 | 45.9% | 95.5% | 20007 | 95.5% | 95.5% |
| 1 | 1 | 516 | 1.2% | 2.5% | 516 | 2.5% | 2.5% |
| 2 | 2 | 424 | 1.0% | 2.0% | 424 | 2.0% | 2.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_N13VRC_VM Type: Numeric Position: 368-368 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VM, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19157 | 43.9% | 91.4% | 19157 | 91.4% | 91.4% |
| 1 | 1 | 1590 | 3.6% | 7.6% | 1590 | 7.6% | 7.6% |
| 2 | 2 | 193 | 0.4% | 0.9% | 193 | 0.9% | 0.9% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_N13VRC_VO Type: Numeric Position: 369-369 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2635 | 6.0% | 12.6% | 2635 | 12.6% | 12.6% |
| 1 | 1 | 3843 | 8.8% | 18.3% | 3843 | 18.3% | 18.3% |
| 2 | 2 | 14081 | 32.3% | 67.2% | 14081 | 67.2% | 67.2% |
| 3 | 3 | 362 | 0.8% | 1.7% | 362 | 1.7% | 1.7% |
| 4 | 4 | 27 | 0.1% | 0.1% | 27 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMFLU Type: Numeric Position: 370-370 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FM, FN, FV, FZ, or FL**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 9432 | 21.6% | 45.0% | 9432 | 45.0% | 45.0% |
| 1 | 1 | 4526 | 10.4% | 21.6% | 4526 | 21.6% | 21.6% |
| 2 | 2 | 3157 | 7.2% | 15.1% | 3157 | 15.1% | 15.1% |
| 3 | 3 | 3434 | 7.9% | 16.4% | 3434 | 16.4% | 16.4% |
| 4 | 4 | 251 | 0.6% | 1.2% | 251 | 1.2% | 1.2% |
| 5 | 5 | 85 | 0.2% | 0.4% | 85 | 0.4% | 0.4% |
| 6 | 6 | 41 | 0.1% | 0.2% | 41 | 0.2% | 0.2% |
| 7 | 7 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 8 | 8 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMFLU Type: Numeric Position: 370-370 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FM, FN, FV, FZ, or FL**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMFLU_FL Type: Numeric Position: 371-371 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FL**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19896 | 45.6% | 95.0% | 19896 | 95.0% | 95.0% |
| 1 | 1 | 691 | 1.6% | 3.3% | 691 | 3.3% | 3.3% |
| 2 | 2 | 233 | 0.5% | 1.1% | 233 | 1.1% | 1.1% |
| 3 | 3 | 113 | 0.3% | 0.5% | 113 | 0.5% | 0.5% |
| 4 | 4 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMFLU_FM Type: Numeric Position: 372-372 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17683 | 40.6% | 84.4% | 17683 | 84.4% | 84.4% |
| 1 | 1 | 2222 | 5.1% | 10.6% | 2222 | 10.6% | 10.6% |
| 2 | 2 | 807 | 1.9% | 3.9% | 807 | 3.9% | 3.9% |
| 3 | 3 | 223 | 0.5% | 1.1% | 223 | 1.1% | 1.1% |
| 4 | 4 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMFLU_FN Type: Numeric Position: 373-373 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FN**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 11341 | 26.0% | 54.1% | 11341 | 54.1% | 54.1% |
| 1 | 1 | 4726 | 10.8% | 22.6% | 4726 | 22.6% | 22.6% |
| 2 | 2 | 2751 | 6.3% | 13.1% | 2751 | 13.1% | 13.1% |
| 3 | 3 | 1982 | 4.5% | 9.5% | 1982 | 9.5% | 9.5% |
| 4 | 4 | 115 | 0.3% | 0.5% | 115 | 0.5% | 0.5% |
| 5 | 5 | 24 | 0.1% | 0.1% | 24 | 0.1% | 0.1% |
| 6 | 6 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMFLU_FN Type: Numeric Position: 373-373 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FN**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMFLU_FV Type: Numeric Position: 374-374 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FV**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20943 | 48.0% | 100.0% | 20943 | 100.0% | 100.0% |
| 1 | 1 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMFLU_FZ Type: Numeric Position: 375-375 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type FZ**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20931 | 48.0% | 99.9% | 20931 | 99.9% | 99.9% |
| 1 | 1 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPA Type: Numeric Position: 376-376 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HO or HA**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 4952 | 11.4% | 23.6% | 4952 | 23.6% | 23.6% |
| 1 | 1 | 1834 | 4.2% | 8.8% | 1834 | 8.8% | 8.8% |
| 2 | 2 | 13582 | 31.2% | 64.8% | 13582 | 64.8% | 64.8% |
| 3 | 3 | 515 | 1.2% | 2.5% | 515 | 2.5% | 2.5% |
| 4 | 4 | 60 | 0.1% | 0.3% | 60 | 0.3% | 0.3% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPA_HA Type: Numeric Position: 377-377 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HA**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20829 | 47.8% | 99.4% | 20829 | 99.4% | 99.4% |
| 1 | 1 | 71 | 0.2% | 0.3% | 71 | 0.3% | 0.3% |
| 2 | 2 | 46 | 0.1% | 0.2% | 46 | 0.2% | 0.2% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPA_HO Type: Numeric Position: 378-378 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HO**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 5008 | 11.5% | 23.9% | 5008 | 23.9% | 23.9% |
| 1 | 1 | 1864 | 4.3% | 8.9% | 1864 | 8.9% | 8.9% |
| 2 | 2 | 13508 | 31.0% | 64.5% | 13508 | 64.5% | 64.5% |
| 3 | 3 | 516 | 1.2% | 2.5% | 516 | 2.5% | 2.5% |
| 4 | 4 | 51 | 0.1% | 0.2% | 51 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPB Type: Numeric Position: 379-379 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43, 61, 62, 63, 64, or HB**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1068 | 2.5% | 5.1% | 1068 | 5.1% | 5.1% |
| 1 | 1 | 269 | 0.6% | 1.3% | 269 | 1.3% | 1.3% |
| 2 | 2 | 393 | 0.9% | 1.9% | 393 | 1.9% | 1.9% |
| 3 | 3 | 16379 | 37.6% | 78.2% | 16379 | 78.2% | 78.2% |
| 4 | 4 | 2552 | 5.9% | 12.2% | 2552 | 12.2% | 12.2% |
| 5 | 5 | 215 | 0.5% | 1.0% | 215 | 1.0% | 1.0% |
| 6 | 6 | 56 | 0.1% | 0.3% | 56 | 0.3% | 0.3% |
| 7 | 7 | 16 | 0.0% | 0.1% | 16 | 0.1% | 0.1% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPB_43 Type: Numeric Position: 380-380 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17343 | 39.8% | 82.8% | 17343 | 82.8% | 82.8% |
| 1 | 1 | 797 | 1.8% | 3.8% | 797 | 3.8% | 3.8% |
| 2 | 2 | 987 | 2.3% | 4.7% | 987 | 4.7% | 4.7% |
| 3 | 3 | 1753 | 4.0% | 8.4% | 1753 | 8.4% | 8.4% |
| 4 | 4 | 66 | 0.2% | 0.3% | 66 | 0.3% | 0.3% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPB_43 Type: Numeric Position: 380-380 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 43**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPB_61 Type: Numeric Position: 381-381 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 61**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 18955 | 43.5% | 90.5% | 18955 | 90.5% | 90.5% |
| 1 | 1 | 434 | 1.0% | 2.1% | 434 | 2.1% | 2.1% |
| 2 | 2 | 422 | 1.0% | 2.0% | 422 | 2.0% | 2.0% |
| 3 | 3 | 1079 | 2.5% | 5.2% | 1079 | 5.2% | 5.2% |
| 4 | 4 | 58 | 0.1% | 0.3% | 58 | 0.3% | 0.3% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPB_62 Type: Numeric Position: 382-382 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 62**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20905 | 48.0% | 99.8% | 20905 | 99.8% | 99.8% |
| 1 | 1 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 2 | 2 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| 3 | 3 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPB_63 Type: Numeric Position: 383-383 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 63**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19451 | 44.6% | 92.8% | 19451 | 92.8% | 92.8% |
| 1 | 1 | 464 | 1.1% | 2.2% | 464 | 2.2% | 2.2% |
| 2 | 2 | 381 | 0.9% | 1.8% | 381 | 1.8% | 1.8% |
| 3 | 3 | 614 | 1.4% | 2.9% | 614 | 2.9% | 2.9% |
| 4 | 4 | 37 | 0.1% | 0.2% | 37 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPB_64 Type: Numeric Position: 384-384 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 64**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 5502 | 12.6% | 26.3% | 5502 | 26.3% | 26.3% |
| 1 | 1 | 2385 | 5.5% | 11.4% | 2385 | 11.4% | 11.4% |
| 2 | 2 | 1333 | 3.1% | 6.4% | 1333 | 6.4% | 6.4% |
| 3 | 3 | 10436 | 23.9% | 49.8% | 10436 | 49.8% | 49.8% |
| 4 | 4 | 1209 | 2.8% | 5.8% | 1209 | 5.8% | 5.8% |
| 5 | 5 | 65 | 0.1% | 0.3% | 65 | 0.3% | 0.3% |
| 6 | 6 | 16 | 0.0% | 0.1% | 16 | 0.1% | 0.1% |
| 7 | 7 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHEPB_HB Type: Numeric Position: 385-385 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HB**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19257 | 44.2% | 91.9% | 19257 | 91.9% | 91.9% |
| 1 | 1 | 486 | 1.1% | 2.3% | 486 | 2.3% | 2.3% |
| 2 | 2 | 277 | 0.6% | 1.3% | 277 | 1.3% | 1.3% |
| 3 | 3 | 856 | 2.0% | 4.1% | 856 | 4.1% | 4.1% |
| 4 | 4 | 67 | 0.2% | 0.3% | 67 | 0.3% | 0.3% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHEPB_HB Type: Numeric Position: 385-385 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HB**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHPV Type: Numeric Position: 386-386 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 4V, 9V, UV, CV, or HP**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 7156 | 16.4% | 34.2% | 7156 | 34.2% | 34.2% |
| 1 | 1 | 2529 | 5.8% | 12.1% | 2529 | 12.1% | 12.1% |
| 2 | 2 | 2803 | 6.4% | 13.4% | 2803 | 13.4% | 13.4% |
| 3 | 3 | 8298 | 19.0% | 39.6% | 8298 | 39.6% | 39.6% |
| 4 | 4 | 138 | 0.3% | 0.7% | 138 | 0.7% | 0.7% |
| 5 | 5 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| 6 | 6 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHPV_4V Type: Numeric Position: 387-387 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 4V**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 13263 | 30.4% | 63.3% | 13263 | 63.3% | 63.3% |
| 1 | 1 | 1977 | 4.5% | 9.4% | 1977 | 9.4% | 9.4% |
| 2 | 2 | 1762 | 4.0% | 8.4% | 1762 | 8.4% | 8.4% |
| 3 | 3 | 3902 | 9.0% | 18.6% | 3902 | 18.6% | 18.6% |
| 4 | 4 | 43 | 0.1% | 0.2% | 43 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHPV_9V Type: Numeric Position: 388-388 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 9V**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 13333 | 30.6% | 63.6% | 13333 | 63.6% | 63.6% |
| 1 | 1 | 3625 | 8.3% | 17.3% | 3625 | 17.3% | 17.3% |
| 2 | 2 | 2023 | 4.6% | 9.7% | 2023 | 9.7% | 9.7% |
| 3 | 3 | 1955 | 4.5% | 9.3% | 1955 | 9.3% | 9.3% |
| 4 | 4 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHPV_CV Type: Numeric Position: 389-389 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type CV**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20866 | 47.9% | 99.6% | 20866 | 99.6% | 99.6% |
| 1 | 1 | 46 | 0.1% | 0.2% | 46 | 0.2% | 0.2% |
| 2 | 2 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 3 | 3 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMHPV_HP Type: Numeric Position: 390-390 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type HP**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19708 | 45.2% | 94.1% | 19708 | 94.1% | 94.1% |
| 1 | 1 | 431 | 1.0% | 2.1% | 431 | 2.1% | 2.1% |
| 2 | 2 | 292 | 0.7% | 1.4% | 292 | 1.4% | 1.4% |
| 3 | 3 | 512 | 1.2% | 2.4% | 512 | 2.4% | 2.4% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMHPV_UV Type: Numeric Position: 391-391 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type UV**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20941 | 48.0% | 100.0% | 20941 | 100.0% | 100.0% |
| 1 | 1 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMCV Type: Numeric Position: 392-392 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30, 31, 32, 33, MM, or VM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 987 | 2.3% | 4.7% | 987 | 4.7% | 4.7% |
| 1 | 1 | 615 | 1.4% | 2.9% | 615 | 2.9% | 2.9% |
| 2 | 2 | 18658 | 42.8% | 89.1% | 18658 | 89.1% | 89.1% |
| 3 | 3 | 628 | 1.4% | 3.0% | 628 | 3.0% | 3.0% |
| 4 | 4 | 56 | 0.1% | 0.3% | 56 | 0.3% | 0.3% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMCV_30 Type: Numeric Position: 393-393 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1861 | 4.3% | 8.9% | 1861 | 8.9% | 8.9% |
| 1 | 1 | 2350 | 5.4% | 11.2% | 2350 | 11.2% | 11.2% |
| 2 | 2 | 16270 | 37.3% | 77.7% | 16270 | 77.7% | 77.7% |
| 3 | 3 | 430 | 1.0% | 2.1% | 430 | 2.1% | 2.1% |
| 4 | 4 | 34 | 0.1% | 0.2% | 34 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMCV_31 Type: Numeric Position: 394-394 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 31**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20791 | 47.7% | 99.2% | 20791 | 99.2% | 99.2% |
| 1 | 1 | 121 | 0.3% | 0.6% | 121 | 0.6% | 0.6% |
| 2 | 2 | 36 | 0.1% | 0.2% | 36 | 0.2% | 0.2% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMCV_32 Type: Numeric Position: 395-395 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 32**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20947 | 48.1% | 100.0% | 20947 | 100.0% | 100.0% |
| 1 | 1 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMCV_33 Type: Numeric Position: 396-396 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 33**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20944 | 48.0% | 100.0% | 20944 | 100.0% | 100.0% |
| 1 | 1 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMCV_MM Type: Numeric Position: 397-397 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type MM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20058 | 46.0% | 95.7% | 20058 | 95.7% | 95.7% |
| 1 | 1 | 320 | 0.7% | 1.5% | 320 | 1.5% | 1.5% |
| 2 | 2 | 571 | 1.3% | 2.7% | 571 | 2.7% | 2.7% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMCV_VM Type: Numeric Position: 398-398 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19107 | 43.8% | 91.2% | 19107 | 91.2% | 91.2% |
| 1 | 1 | 1632 | 3.7% | 7.8% | 1632 | 7.8% | 7.8% |
| 2 | 2 | 201 | 0.5% | 1.0% | 201 | 1.0% | 1.0% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMEN Type: Numeric Position: 399-399 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 80, 81, or 82**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3083 | 7.1% | 14.7% | 3083 | 14.7% | 14.7% |
| 1 | 1 | 14817 | 34.0% | 70.7% | 14817 | 70.7% | 70.7% |
| 2 | 2 | 2991 | 6.9% | 14.3% | 2991 | 14.3% | 14.3% |
| 3 | 3 | 54 | 0.1% | 0.3% | 54 | 0.3% | 0.3% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMEN_80 Type: Numeric Position: 400-400 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 80**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 3670 | 8.4% | 17.5% | 3670 | 17.5% | 17.5% |
| 1 | 1 | 14450 | 33.1% | 69.0% | 14450 | 69.0% | 69.0% |
| 2 | 2 | 2780 | 6.4% | 13.3% | 2780 | 13.3% | 13.3% |
| 3 | 3 | 47 | 0.1% | 0.2% | 47 | 0.2% | 0.2% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMEN_81 Type: Numeric Position: 401-401 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 81**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20711 | 47.5% | 98.9% | 20711 | 98.9% | 98.9% |
| 1 | 1 | 227 | 0.5% | 1.1% | 227 | 1.1% | 1.1% |
| 2 | 2 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMEN_82 Type: Numeric Position: 402-402 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 82**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20419 | 46.8% | 97.5% | 20419 | 97.5% | 97.5% |
| 1 | 1 | 491 | 1.1% | 2.3% | 491 | 2.3% | 2.3% |
| 2 | 2 | 38 | 0.1% | 0.2% | 38 | 0.2% | 0.2% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMENB Type: Numeric Position: 403-403 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BB, BT, or BU**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20050 | 46.0% | 95.7% | 20050 | 95.7% | 95.7% |
| 1 | 1 | 576 | 1.3% | 2.7% | 576 | 2.7% | 2.7% |
| 2 | 2 | 282 | 0.6% | 1.3% | 282 | 1.3% | 1.3% |
| 3 | 3 | 39 | 0.1% | 0.2% | 39 | 0.2% | 0.2% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMENB_BB Type: Numeric Position: 404-404 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BB**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20417 | 46.8% | 97.5% | 20417 | 97.5% | 97.5% |
| 1 | 1 | 321 | 0.7% | 1.5% | 321 | 1.5% | 1.5% |
| 2 | 2 | 211 | 0.5% | 1.0% | 211 | 1.0% | 1.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMENB_BT Type: Numeric Position: 405-405 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BT**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20669 | 47.4% | 98.7% | 20669 | 98.7% | 98.7% |
| 1 | 1 | 192 | 0.4% | 0.9% | 192 | 0.9% | 0.9% |
| 2 | 2 | 56 | 0.1% | 0.3% | 56 | 0.3% | 0.3% |
| 3 | 3 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMENB_BU Type: Numeric Position: 406-406 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type BU**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20851 | 47.8% | 99.5% | 20851 | 99.5% | 99.5% |
| 1 | 1 | 80 | 0.2% | 0.4% | 80 | 0.4% | 0.4% |
| 2 | 2 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 3 | 3 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMMENU Type: Numeric Position: 407-407 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type MU**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20847 | 47.8% | 99.5% | 20847 | 99.5% | 99.5% |
| 1 | 1 | 90 | 0.2% | 0.4% | 90 | 0.4% | 0.4% |
| 2 | 2 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMMMR Type: Numeric Position: 408-408 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 30, MM, or VM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1020 | 2.3% | 4.9% | 1020 | 4.9% | 4.9% |
| 1 | 1 | 666 | 1.5% | 3.2% | 666 | 3.2% | 3.2% |
| 2 | 2 | 18652 | 42.8% | 89.0% | 18652 | 89.0% | 89.0% |
| 3 | 3 | 559 | 1.3% | 2.7% | 559 | 2.7% | 2.7% |
| 4 | 4 | 47 | 0.1% | 0.2% | 47 | 0.2% | 0.2% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMPPS Type: Numeric Position: 409-409 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 71**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 17381 | 39.9% | 83.0% | 17381 | 83.0% | 83.0% |
| 1 | 1 | 595 | 1.4% | 2.8% | 595 | 2.8% | 2.8% |
| 2 | 2 | 2841 | 6.5% | 13.6% | 2841 | 13.6% | 13.6% |
| 3 | 3 | 79 | 0.2% | 0.4% | 79 | 0.4% | 0.4% |
| 4 | 4 | 51 | 0.1% | 0.2% | 51 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMTDAP_POST10 Type: Numeric Position: 410-410 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14, since age 10**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2340 | 5.4% | 11.2% | 2340 | 11.2% | 11.2% |
| 1 | 1 | 18197 | 41.7% | 86.9% | 18197 | 86.9% | 86.9% |
| 2 | 2 | 389 | 0.9% | 1.9% | 389 | 1.9% | 1.9% |
| 3 | 3 | 21 | 0.0% | 0.1% | 21 | 0.1% | 0.1% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMTDAP_POST7 Type: Numeric Position: 411-411 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14, since age 7**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2128 | 4.9% | 10.2% | 2128 | 10.2% | 10.2% |
| 1 | 1 | 18333 | 42.1% | 87.5% | 18333 | 87.5% | 87.5% |
| 2 | 2 | 456 | 1.0% | 2.2% | 456 | 2.2% | 2.2% |
| 3 | 3 | 28 | 0.1% | 0.1% | 28 | 0.1% | 0.1% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMTDP Type: Numeric Position: 412-412 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11, 14, or 15**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1752 | 4.0% | 8.4% | 1752 | 8.4% | 8.4% |
| 1 | 1 | 18250 | 41.9% | 87.1% | 18250 | 87.1% | 87.1% |
| 2 | 2 | 704 | 1.6% | 3.4% | 704 | 3.4% | 3.4% |
| 3 | 3 | 202 | 0.5% | 1.0% | 202 | 1.0% | 1.0% |
| 4 | 4 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMTDP_11 Type: Numeric Position: 413-413 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20325 | 46.6% | 97.0% | 20325 | 97.0% | 97.0% |
| 1 | 1 | 451 | 1.0% | 2.2% | 451 | 2.2% | 2.2% |
| 2 | 2 | 145 | 0.3% | 0.7% | 145 | 0.7% | 0.7% |
| 3 | 3 | 27 | 0.1% | 0.1% | 27 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMTDP_14 Type: Numeric Position: 414-414 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 14**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2125 | 4.9% | 10.1% | 2125 | 10.1% | 10.1% |
| 1 | 1 | 18336 | 42.1% | 87.5% | 18336 | 87.5% | 87.5% |
| 2 | 2 | 456 | 1.0% | 2.2% | 456 | 2.2% | 2.2% |
| 3 | 3 | 28 | 0.1% | 0.1% | 28 | 0.1% | 0.1% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMTDP_15 Type: Numeric Position: 415-415 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 15**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 20702 | 47.5% | 98.8% | 20702 | 98.8% | 98.8% |
| 1 | 1 | 240 | 0.6% | 1.1% | 240 | 1.1% | 1.1% |
| 2 | 2 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMTDP_POST10 Type: Numeric Position: 416-416 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type 11, 14, or 15, since age 10**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1976 | 4.5% | 9.4% | 1976 | 9.4% | 9.4% |
| 1 | 1 | 18240 | 41.8% | 87.1% | 18240 | 87.1% | 87.1% |
| 2 | 2 | 549 | 1.3% | 2.6% | 549 | 2.6% | 2.6% |
| 3 | 3 | 166 | 0.4% | 0.8% | 166 | 0.8% | 0.8% |
| 4 | 4 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMVRC Type: Numeric Position: 417-417 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, VA, or VM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1474 | 3.4% | 7.0% | 1474 | 7.0% | 7.0% |
| 1 | 1 | 1684 | 3.9% | 8.0% | 1684 | 8.0% | 8.0% |
| 2 | 2 | 17120 | 39.3% | 81.7% | 17120 | 81.7% | 81.7% |
| 3 | 3 | 619 | 1.4% | 3.0% | 619 | 3.0% | 3.0% |
| 4 | 4 | 50 | 0.1% | 0.2% | 50 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMVRC_POST1 Type: Numeric Position: 418-418 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, VA, or VM at 12+ months of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 1507 | 3.5% | 7.2% | 1507 | 7.2% | 7.2% |
| 1 | 1 | 1897 | 4.4% | 9.1% | 1897 | 9.1% | 9.1% |
| 2 | 2 | 16913 | 38.8% | 80.7% | 16913 | 80.7% | 80.7% |
| 3 | 3 | 583 | 1.3% | 2.8% | 583 | 2.8% | 2.8% |
| 4 | 4 | 47 | 0.1% | 0.2% | 47 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMVRC_POST1 Type: Numeric Position: 418-418 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO, VA, or VM at 12+ months of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMVRC_VA Type: Numeric Position: 419-419 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VA**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19992 | 45.9% | 95.4% | 19992 | 95.4% | 95.4% |
| 1 | 1 | 521 | 1.2% | 2.5% | 521 | 2.5% | 2.5% |
| 2 | 2 | 434 | 1.0% | 2.1% | 434 | 2.1% | 2.1% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_NUMVRC_VM Type: Numeric Position: 420-420 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VM**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 19107 | 43.8% | 91.2% | 19107 | 91.2% | 91.2% |
| 1 | 1 | 1632 | 3.7% | 7.8% | 1632 | 7.8% | 7.8% |
| 2 | 2 | 201 | 0.5% | 1.0% | 201 | 1.0% | 1.0% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_NUMVRC_VO Type: Numeric Position: 421-421 Source: SYNTH SHOT HISTORY**

**Label: NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Vaccine type VO**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| 0 | 0 | 2236 | 5.1% | 10.7% | 2236 | 10.7% | 10.7% |
| 1 | 1 | 3373 | 7.7% | 16.1% | 3373 | 16.1% | 16.1% |
| 2 | 2 | 14892 | 34.2% | 71.1% | 14892 | 71.1% | 71.1% |
| 3 | 3 | 416 | 1.0% | 2.0% | 416 | 2.0% | 2.0% |
| 4 | 4 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U131321 Type: Numeric Position: 422-422 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: P_U13TD, P_U13HEPB, P_U13MMR, and either 1+ Varicella-containing (VO,VA,VM) by 13 years of age or a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 4807 | 11.0% | 22.9% | 4807 | 22.9% | 22.9% |
| UTD | 1 | 16142 | 37.0% | 77.1% | 16142 | 77.1% | 77.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U1313212 Type: Numeric Position: 423-423 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: P_U13TD, P_U13HEPB, P_U13MMR, P_U13MEN, and either 2+ Varicella-containing (VO,VA,VM) by 13 years of age or a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 7404 | 17.0% | 35.3% | 7404 | 35.3% | 35.3% |
| UTD | 1 | 13545 | 31.1% | 64.7% | 13545 | 64.7% | 64.7% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13FLU1516 Type: Numeric Position: 424-424 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2015 and Jan 31, 2016 by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 18787 | 43.1% | 89.7% | 18787 | 89.7% | 89.7% |
| UTD | 1 | 2162 | 5.0% | 10.3% | 2162 | 10.3% | 10.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13FLU1617 Type: Numeric Position: 425-425 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2016 and Jan 31, 2017 by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 20114 | 46.1% | 96.0% | 20114 | 96.0% | 96.0% |
| UTD | 1 | 835 | 1.9% | 4.0% | 835 | 4.0% | 4.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13FLU1718 Type: Numeric Position: 426-426 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2017 and Jan 31, 2018 by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 20926 | 48.0% | 99.9% | 20926 | 99.9% | 99.9% |
| UTD | 1 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13HEPA Type: Numeric Position: 427-427 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ HepA-containing (HO,HA) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 8896 | 20.4% | 42.5% | 8896 | 42.5% | 42.5% |
| UTD | 1 | 12053 | 27.7% | 57.5% | 12053 | 57.5% | 57.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13HEPB Type: Numeric Position: 428-428 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ HepB 1.0 ml Recombivax (62) by 13 years of age, or 3+ any HepB-containing (43,61,62,63,64,HB) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1994 | 4.6% | 9.5% | 1994 | 9.5% | 9.5% |
| UTD | 1 | 18955 | 43.5% | 90.5% | 18955 | 90.5% | 90.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13HPV Type: Numeric Position: 429-429 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 12050 | 27.6% | 57.5% | 12050 | 57.5% | 57.5% |
| UTD | 1 | 8899 | 20.4% | 42.5% | 8899 | 42.5% | 42.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13HPV3 Type: Numeric Position: 430-430 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 17266 | 39.6% | 82.4% | 17266 | 82.4% | 82.4% |
| UTD | 1 | 3683 | 8.4% | 17.6% | 3683 | 17.6% | 17.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13113 Type: Numeric Position: 431-431 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Tdap-only (14) since age 10, 1+ Meningococcal-conjugate (80 or 82), and 3+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 17677 | 40.6% | 84.4% | 17677 | 84.4% | 84.4% |
| UTD | 1 | 3272 | 7.5% | 15.6% | 3272 | 15.6% | 15.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13MCV Type: Numeric Position: 432-432 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ Measles-containing (30,31,32,33,MM,VM) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1959 | 4.5% | 9.4% | 1959 | 9.4% | 9.4% |
| UTD | 1 | 18990 | 43.6% | 90.6% | 18990 | 90.6% | 90.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13MEN Type: Numeric Position: 433-433 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Meningococcal serogroup ACWY (80,81,82) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 5384 | 12.4% | 25.7% | 5384 | 25.7% | 25.7% |
| UTD | 1 | 15565 | 35.7% | 74.3% | 15565 | 74.3% | 74.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13MMR Type: Numeric Position: 434-434 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ MMR-containing (30,MM,VM) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 2046 | 4.7% | 9.8% | 2046 | 9.8% | 9.8% |
| UTD | 1 | 18903 | 43.4% | 90.2% | 18903 | 90.2% | 90.2% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13PPS Type: Numeric Position: 435-435 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Pneumococcal polysaccharide (71) by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 17417 | 40.0% | 83.1% | 17417 | 83.1% | 83.1% |
| UTD | 1 | 3532 | 8.1% | 16.9% | 3532 | 16.9% | 16.9% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13TD Type: Numeric Position: 436-436 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Td/Tdap-containing (11,14,15), by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3311 | 7.6% | 15.8% | 3311 | 15.8% | 15.8% |
| UTD | 1 | 17638 | 40.5% | 84.2% | 17638 | 84.2% | 84.2% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13TDAP Type: Numeric Position: 437-437 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Tdap-only (14) since age 10 years, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3940 | 9.0% | 18.8% | 3940 | 18.8% | 18.8% |
| UTD | 1 | 17009 | 39.0% | 81.2% | 17009 | 81.2% | 81.2% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13TDAP7 Type: Numeric Position: 438-438 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Tdap-only (14) since age 7 years, by 13 years of age**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3710 | 8.5% | 17.7% | 3710 | 17.7% | 17.7% |
| UTD | 1 | 17239 | 39.5% | 82.3% | 17239 | 82.3% | 82.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_U13VRC Type: Numeric Position: 439-439 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Code 1 = 1+ Varicella-containing (VO,VA,VM) at 12+ months of age, by 13 years of age; Code 2 = zero Varicella-containing (VO,VA,VM) at 12+ months of age by 13 years of age, but teen has a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 1080 | 2.5% | 5.2% | 1080 | 5.2% | 5.2% |
| UTD | 1 | 19080 | 43.8% | 91.1% | 19080 | 91.1% | 91.1% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 789 | 1.8% | 3.8% | 789 | 3.8% | 3.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_U13VRC2 Type: Numeric Position: 440-440 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Code 1 = 2+ Varicella-containing (VO,VA,VM) at 12+ months of age, by 13 years of age; Code 2 = less than 2 Varicella-containing (VO,VA,VM) at 12+ months of age by 13 years of age, but teen has a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 3013 | 6.9% | 14.4% | 3013 | 14.4% | 14.4% |
| UTD | 1 | 16584 | 38.0% | 79.2% | 16584 | 79.2% | 79.2% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 1352 | 3.1% | 6.5% | 1352 | 6.5% | 6.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTD1321 Type: Numeric Position: 441-441 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: P_UTDTD, P_UTDHEPB, P_UTDMMR, and either 1+ Varicella-containing (VO,VA,VM) or a history of chicken pox disease.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3335 | 7.7% | 15.9% | 3335 | 15.9% | 15.9% |
| UTD | 1 | 17614 | 40.4% | 84.1% | 17614 | 84.1% | 84.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTD13212 Type: Numeric Position: 442-442 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: P_UTDTD, P_UTDHEPB, P_UTDMMR, P_UTDMEN, and either 2+ Varicella-containing (VO,VA,VM) or a history of chicken pox disease.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 5142 | 11.8% | 24.5% | 5142 | 24.5% | 24.5% |
| UTD | 1 | 15807 | 36.3% | 75.5% | 15807 | 75.5% | 75.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDFLU1516 Type: Numeric Position: 443-443 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2015 and Jan 31, 2016**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 15471 | 35.5% | 73.9% | 15471 | 73.9% | 73.9% |
| UTD | 1 | 5478 | 12.6% | 26.1% | 5478 | 26.1% | 26.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDFLU1617 Type: Numeric Position: 444-444 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2016 and Jan 31, 2017**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 15462 | 35.5% | 73.8% | 15462 | 73.8% | 73.8% |
| UTD | 1 | 5487 | 12.6% | 26.2% | 5487 | 26.2% | 26.2% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDFLU1718 Type: Numeric Position: 445-445 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2017 and Jan 31, 2018**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 19988 | 45.9% | 95.4% | 19988 | 95.4% | 95.4% |
| UTD | 1 | 961 | 2.2% | 4.6% | 961 | 4.6% | 4.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHEPA Type: Numeric Position: 446-446 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ HepA-containing (HO,HA)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 6786 | 15.6% | 32.4% | 6786 | 32.4% | 32.4% |
| UTD | 1 | 14163 | 32.5% | 67.6% | 14163 | 67.6% | 67.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHEPA1 Type: Numeric Position: 447-447 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ HepA-containing (HO,HA)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 4952 | 11.4% | 23.6% | 4952 | 23.6% | 23.6% |
| UTD | 1 | 15997 | 36.7% | 76.4% | 15997 | 76.4% | 76.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHEPB Type: Numeric Position: 448-448 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ HepB 1.0 ml Recombivax (62) or 3+ any HepB-containing (43,61,62,63,64,HB)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1728 | 4.0% | 8.2% | 1728 | 8.2% | 8.2% |
| UTD | 1 | 19221 | 44.1% | 91.8% | 19221 | 91.8% | 91.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV Type: Numeric Position: 449-449 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ HPV (4V, 9V, UV, CV, or HP)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 7156 | 16.4% | 34.2% | 7156 | 34.2% | 34.2% |
| UTD | 1 | 13793 | 31.6% | 65.8% | 13793 | 65.8% | 65.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV_15 Type: Numeric Position: 450-450 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (9V,4V,UV,CV,HP), or 2+ HPV with first shot given before age 15.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 10044 | 23.0% | 47.9% | 10044 | 47.9% | 47.9% |
| UTD | 1 | 10905 | 25.0% | 52.1% | 10905 | 52.1% | 52.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV_15INT Type: Numeric Position: 451-451 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (9V, 4V, UV, CV, or HP), or 2+ HPV with first shot given before age 15 and interval between first and second shot at least 5 months (minus 4 days).**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 10611 | 24.3% | 50.7% | 10611 | 50.7% | 50.7% |
| UTD | 1 | 10338 | 23.7% | 49.3% | 10338 | 49.3% | 49.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV_9V Type: Numeric Position: 452-452 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Vaccine type 9V**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 13333 | 30.6% | 63.6% | 13333 | 63.6% | 63.6% |
| UTD | 1 | 7616 | 17.5% | 36.4% | 7616 | 36.4% | 36.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV11 Type: Numeric Position: 453-453 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Exactly 1 HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 11264 | 25.8% | 81.7% | 11264 | 53.8% | 81.7% |
| UTD | 1 | 2529 | 5.8% | 18.3% | 2529 | 12.1% | 18.3% |
| **SUBTOTALS:** | | 13793 | 31.6% | 100.0% | 13793 | 65.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29798 | 68.4% | n/a | 7156 | 34.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV12 Type: Numeric Position: 454-454 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Exactly 2 HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 10990 | 25.2% | 79.7% | 10990 | 52.5% | 79.7% |
| UTD | 1 | 2803 | 6.4% | 20.3% | 2803 | 13.4% | 20.3% |
| **SUBTOTALS:** | | 13793 | 31.6% | 100.0% | 13793 | 65.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29798 | 68.4% | n/a | 7156 | 34.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV13 Type: Numeric Position: 455-455 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 5332 | 12.2% | 38.7% | 5332 | 25.5% | 38.7% |
| UTD | 1 | 8461 | 19.4% | 61.3% | 8461 | 40.4% | 61.3% |
| **SUBTOTALS:** | | 13793 | 31.6% | 100.0% | 13793 | 65.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29798 | 68.4% | n/a | 7156 | 34.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV2 Type: Numeric Position: 456-456 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ HPV (4V, 9V, UV, CV, or HP)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 9685 | 22.2% | 46.2% | 9685 | 46.2% | 46.2% |
| UTD | 1 | 11264 | 25.8% | 53.8% | 11264 | 53.8% | 53.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV2_9V Type: Numeric Position: 457-457 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ Vaccine type 9V**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 16958 | 38.9% | 80.9% | 16958 | 80.9% | 80.9% |
| UTD | 1 | 3991 | 9.2% | 19.1% | 3991 | 19.1% | 19.1% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV3 Type: Numeric Position: 458-458 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (4V, 9V, UV, CV, or HP)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 12488 | 28.6% | 59.6% | 12488 | 59.6% | 59.6% |
| UTD | 1 | 8461 | 19.4% | 40.4% | 8461 | 40.4% | 40.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV3_9V Type: Numeric Position: 459-459 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ Vaccine type 9V**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 18981 | 43.5% | 90.6% | 18981 | 90.6% | 90.6% |
| UTD | 1 | 1968 | 4.5% | 9.4% | 1968 | 9.4% | 9.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV3C Type: Numeric Position: 460-460 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot and at least 6 elapsed months between the date of the first HPV shot and the household interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 4391 | 10.1% | 34.2% | 4391 | 21.0% | 34.2% |
| UTD | 1 | 8456 | 19.4% | 65.8% | 8456 | 40.4% | 65.8% |
| **SUBTOTALS:** | | 12847 | 29.5% | 100.0% | 12847 | 61.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 30744 | 70.5% | n/a | 8102 | 38.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDHPV3C_15INT Type: Numeric Position: 461-461 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ HPV (4V, 9V, UV, CV, or HP), or 2+ HPV with first shot given before age 15 and interval between first and second shot at least 5 months (minus 4 days), given 1+ HPV and at least 6 months between the date of the first HPV shot and the household interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 2514 | 5.8% | 19.6% | 2514 | 12.0% | 19.6% |
| UTD | 1 | 10333 | 23.7% | 80.4% | 10333 | 49.3% | 80.4% |
| **SUBTOTALS:** | | 12847 | 29.5% | 100.0% | 12847 | 61.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 30744 | 70.5% | n/a | 8102 | 38.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDHPV3C_9V Type: Numeric Position: 462-462 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 3+ Vaccine type 9V, limited to teens with at least 1 HPV shot and at least 6 elapsed months between the date of the first HPV shot and the household interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 4533 | 10.4% | 69.8% | 4533 | 21.6% | 69.8% |
| UTD | 1 | 1963 | 4.5% | 30.2% | 1963 | 9.4% | 30.2% |
| **SUBTOTALS:** | | 6496 | 14.9% | 100.0% | 6496 | 31.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 37095 | 85.1% | n/a | 14453 | 69.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDMCV Type: Numeric Position: 463-463 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ Measles-containing (30,31,32,33,MM,VM)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1602 | 3.7% | 7.6% | 1602 | 7.6% | 7.6% |
| UTD | 1 | 19347 | 44.4% | 92.4% | 19347 | 92.4% | 92.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDMEN Type: Numeric Position: 464-464 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Meningococcal serogroup ACWY (80,81,82)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3083 | 7.1% | 14.7% | 3083 | 14.7% | 14.7% |
| UTD | 1 | 17866 | 41.0% | 85.3% | 17866 | 85.3% | 85.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDMENACWY Type: Numeric Position: 465-465 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Meningococcal serogroup ACWY, conjugate or unknown type (80,82)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 3259 | 7.5% | 15.6% | 3259 | 15.6% | 15.6% |
| UTD | 1 | 17690 | 40.6% | 84.4% | 17690 | 84.4% | 84.4% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDMMR Type: Numeric Position: 466-466 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ MMR-containing (30,MM,VM)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1686 | 3.9% | 8.0% | 1686 | 8.0% | 8.0% |
| UTD | 1 | 19263 | 44.2% | 92.0% | 19263 | 92.0% | 92.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDPPS Type: Numeric Position: 467-467 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Pneumococcal polysaccharide (71)**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 17381 | 39.9% | 83.0% | 17381 | 83.0% | 83.0% |
| UTD | 1 | 3568 | 8.2% | 17.0% | 3568 | 17.0% | 17.0% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDTD Type: Numeric Position: 468-468 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Td/Tdap-containing (11,14,15).**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1752 | 4.0% | 8.4% | 1752 | 8.4% | 8.4% |
| UTD | 1 | 19197 | 44.0% | 91.6% | 19197 | 91.6% | 91.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDTDAP Type: Numeric Position: 469-469 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Tdap-only (14) since age 10**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 2340 | 5.4% | 11.2% | 2340 | 11.2% | 11.2% |
| UTD | 1 | 18609 | 42.7% | 88.8% | 18609 | 88.8% | 88.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDTDAP7 Type: Numeric Position: 470-470 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Tdap-only (14) since age 7**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 2128 | 4.9% | 10.2% | 2128 | 10.2% | 10.2% |
| UTD | 1 | 18821 | 43.2% | 89.8% | 18821 | 89.8% | 89.8% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDTDP_POST10 Type: Numeric Position: 471-471 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Td/Tdap-containing (11,14,15) since age 10.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 1976 | 4.5% | 9.4% | 1976 | 9.4% | 9.4% |
| UTD | 1 | 18973 | 43.5% | 90.6% | 18973 | 90.6% | 90.6% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDTD_POST10 Type: Numeric Position: 472-472 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ TD-only (11) since age 10**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 20476 | 47.0% | 97.7% | 20476 | 97.7% | 97.7% |
| UTD | 1 | 473 | 1.1% | 2.3% | 473 | 2.3% | 2.3% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDVRC Type: Numeric Position: 473-473 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Code 1 = 1+ Varicella-containing (VO,VA,VM) at 12+ months of age; Code 2 = zero Varicella-containing (VO,VA,VM) at 12+ months of age, but teen has a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 841 | 1.9% | 4.0% | 841 | 4.0% | 4.0% |
| UTD | 1 | 19442 | 44.6% | 92.8% | 19442 | 92.8% | 92.8% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 666 | 1.5% | 3.2% | 666 | 3.2% | 3.2% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDVRC2 Type: Numeric Position: 474-474 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: Code 1 = 2+ Varicella-containing (VO,VA,VM) at 12+ months of age; Code 2 = less than 2 Varicella-containing (VO,VA,VM) at 12+ months of age, but teen has a history of chicken pox disease**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 2253 | 5.2% | 10.8% | 2253 | 10.8% | 10.8% |
| UTD | 1 | 17545 | 40.2% | 83.8% | 17545 | 83.8% | 83.8% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 1151 | 2.6% | 5.5% | 1151 | 5.5% | 5.5% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: P_UTDVRC_NOHIST4 Type: Numeric Position: 475-475 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 1+ Varicella-containing (VO,VA,VM) at 4+ years of age, limited to teens with no history of chicken pox disease.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 35526 | 81.5% | 95.3% | 16393 | 78.3% | 90.3% |
| UTD | 1 | 1759 | 4.0% | 4.7% | 1759 | 8.4% | 9.7% |
| **SUBTOTALS:** | | 37285 | 85.5% | 100.0% | 18152 | 86.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 6306 | 14.5% | n/a | 2797 | 13.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P_UTDVRC2_NOHIST4 Type: Numeric Position: 476-476 Source: SYNTH SHOT HISTORY**

**Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

**Notes: 2+ Varicella-containing (VO,VA,VM) at 4+ years of age, limited to teens with no history of chicken pox disease.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| NOT UTD | 0 | 35936 | 82.4% | 96.4% | 16803 | 80.2% | 92.6% |
| UTD | 1 | 1349 | 3.1% | 3.6% | 1349 | 6.4% | 7.4% |
| **SUBTOTALS:** | | 37285 | 85.5% | 100.0% | 18152 | 86.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 6306 | 14.5% | n/a | 2797 | 13.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_HIST Type: Numeric Position: 477-477 Source: TIS_HEALTH_VAR, IHQ SHOTGRID**

**Label: HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER**

**Notes:**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| YES | 1 | 6306 | 14.5% | 100.0% | 2797 | 13.4% | 100.0% |
| **SUBTOTALS:** | | 6306 | 14.5% | 100.0% | 2797 | 13.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 37285 | 85.5% | n/a | 18152 | 86.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_AGE1 Type: Numeric Position: 478-479 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 11.6 | 12.0 | 0.0 | 18.0 | 3.3 |
| Adequate Provider Data | 11.6 | 12.0 | 0.0 | 18.0 | 3.3 |

**Variable: FLU_AGE2 Type: Numeric Position: 480-481 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.5 | 13.0 | 0.0 | 18.0 | 3.0 |
| Adequate Provider Data | 12.5 | 13.0 | 0.0 | 18.0 | 3.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_AGE3 Type: Numeric Position: 482-483 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.3 | 14.0 | 0.0 | 18.0 | 2.6 |
| Adequate Provider Data | 13.3 | 14.0 | 0.0 | 18.0 | 2.6 |

**Variable: FLU_AGE4 Type: Numeric Position: 484-485 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.1 | 13.0 | 3.0 | 18.0 | 2.4 |
| Adequate Provider Data | 13.1 | 13.0 | 3.0 | 18.0 | 2.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_AGE5 Type: Numeric Position: 486-487 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.1 | 13.0 | 4.0 | 17.0 | 2.2 |
| Adequate Provider Data | 13.1 | 13.0 | 4.0 | 17.0 | 2.2 |

**Variable: FLU_AGE6 Type: Numeric Position: 488-489 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.7 | 14.0 | 6.0 | 17.0 | 2.0 |
| Adequate Provider Data | 13.7 | 14.0 | 6.0 | 17.0 | 2.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_AGE7 Type: Numeric Position: 490-491 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.3 | 13.0 | 7.0 | 17.0 | 2.0 |
| Adequate Provider Data | 13.3 | 13.0 | 7.0 | 17.0 | 2.0 |

**Variable: FLU_AGE8 Type: Numeric Position: 492-493 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_AGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.1 | 14.5 | 8.0 | 17.0 | 2.4 |
| Adequate Provider Data | 14.1 | 14.5 | 8.0 | 17.0 | 2.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_AGE9 Type: Numeric Position: 494-494 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: FLU_DAGE1 Type: Numeric Position: 495-498 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4424.2 | 4628.0 | 8.0 | 6630.0 | 1199.6 |
| Adequate Provider Data | 4424.2 | 4628.0 | 8.0 | 6630.0 | 1199.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_DAGE2 Type: Numeric Position: 499-502 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4729.6 | 4888.0 | 119.0 | 6630.0 | 1101.9 |
| Adequate Provider Data | 4729.6 | 4888.0 | 119.0 | 6630.0 | 1101.9 |

**Variable: FLU_DAGE3 Type: Numeric Position: 503-506 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5041.2 | 5141.0 | 172.0 | 6622.0 | 952.6 |
| Adequate Provider Data | 5041.2 | 5141.0 | 172.0 | 6622.0 | 952.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_DAGE4 Type: Numeric Position: 507-510 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4966.4 | 5072.0 | 1259.0 | 6669.0 | 887.1 |
| Adequate Provider Data | 4966.4 | 5072.0 | 1259.0 | 6669.0 | 887.1 |

**Variable: FLU_DAGE5 Type: Numeric Position: 511-514 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4952.0 | 4955.5 | 1628.0 | 6478.0 | 798.8 |
| Adequate Provider Data | 4952.0 | 4955.5 | 1628.0 | 6478.0 | 798.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_DAGE6 Type: Numeric Position: 515-518 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5141.5 | 5117.0 | 2344.0 | 6573.0 | 738.1 |
| Adequate Provider Data | 5141.5 | 5117.0 | 2344.0 | 6573.0 | 738.1 |

**Variable: FLU_DAGE7 Type: Numeric Position: 519-522 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5071.0 | 5088.0 | 2749.0 | 6270.0 | 739.5 |
| Adequate Provider Data | 5071.0 | 5088.0 | 2749.0 | 6270.0 | 739.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_DAGE8 Type: Numeric Position: 523-526 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_DAGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5305.5 | 5493.0 | 3068.0 | 6540.0 | 920.4 |
| Adequate Provider Data | 5305.5 | 5493.0 | 3068.0 | 6540.0 | 920.4 |

**Variable: FLU_DAGE9 Type: Numeric Position: 527-527 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MAGE1 Type: Numeric Position: 528-530 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 144.9 | 152.0 | 0.0 | 217.0 | 39.4 |
| Adequate Provider Data | 144.9 | 152.0 | 0.0 | 217.0 | 39.4 |

**Variable: FLU_MAGE2 Type: Numeric Position: 531-533 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 154.9 | 160.0 | 3.0 | 217.0 | 36.2 |
| Adequate Provider Data | 154.9 | 160.0 | 3.0 | 217.0 | 36.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MAGE3 Type: Numeric Position: 534-536 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 165.1 | 168.0 | 5.0 | 217.0 | 31.3 |
| Adequate Provider Data | 165.1 | 168.0 | 5.0 | 217.0 | 31.3 |

**Variable: FLU_MAGE4 Type: Numeric Position: 537-539 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 162.6 | 166.0 | 41.0 | 219.0 | 29.1 |
| Adequate Provider Data | 162.6 | 166.0 | 41.0 | 219.0 | 29.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MAGE5 Type: Numeric Position: 540-542 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 162.2 | 162.0 | 53.0 | 212.0 | 26.2 |
| Adequate Provider Data | 162.2 | 162.0 | 53.0 | 212.0 | 26.2 |

**Variable: FLU_MAGE6 Type: Numeric Position: 543-545 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 168.5 | 168.0 | 77.0 | 215.0 | 24.2 |
| Adequate Provider Data | 168.5 | 168.0 | 77.0 | 215.0 | 24.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MAGE7 Type: Numeric Position: 546-548 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 166.1 | 167.0 | 90.0 | 205.0 | 24.3 |
| Adequate Provider Data | 166.1 | 167.0 | 90.0 | 205.0 | 24.3 |

**Variable: FLU_MAGE8 Type: Numeric Position: 549-551 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MAGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 173.8 | 180.0 | 100.0 | 214.0 | 30.3 |
| Adequate Provider Data | 173.8 | 180.0 | 100.0 | 214.0 | 30.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MAGE9 Type: Numeric Position: 552-552 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: FLU_MONTH1 Type: Numeric Position: 553-554 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MONTH2 Type: Numeric Position: 555-556 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MONTH3 Type: Numeric Position: 557-558 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MONTH4 Type: Numeric Position: 559-560 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MONTH5 Type: Numeric Position: 561-562 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MONTH6 Type: Numeric Position: 563-564 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MONTH7 Type: Numeric Position: 565-566 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_MONTH8 Type: Numeric Position: 567-568 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_MONTH9 Type: Numeric Position: 569-569 Source: SYNTH SHOT HISTORY**

**Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: FLU_YEAR1 Type: Numeric Position: 570-573 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_YEAR2 Type: Numeric Position: 574-577 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_YEAR3 Type: Numeric Position: 578-581 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_YEAR4 Type: Numeric Position: 582-585 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_YEAR5 Type: Numeric Position: 586-589 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_YEAR6 Type: Numeric Position: 590-593 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_YEAR7 Type: Numeric Position: 594-597 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: FLU_YEAR8 Type: Numeric Position: 598-601 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU_YEAR9 Type: Numeric Position: 602-602 Source: SYNTH SHOT HISTORY**

**Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_AGE1 Type: Numeric Position: 603-604 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 16075 | 36.9% | 100.0% | 16075 | 76.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 27516 | 63.1% | n/a | 4874 | 23.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 6.6 | 5.0 | 0.0 | 17.0 | 4.3 |
| Adequate Provider Data | 6.6 | 5.0 | 0.0 | 17.0 | 4.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_AGE2 Type: Numeric Position: 605-606 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 14270 | 32.7% | 100.0% | 14270 | 68.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29321 | 67.3% | n/a | 6679 | 31.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 7.6 | 7.0 | 0.0 | 18.0 | 4.2 |
| Adequate Provider Data | 7.6 | 7.0 | 0.0 | 18.0 | 4.2 |

**Variable: HEPA_AGE3 Type: Numeric Position: 607-608 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 588 | 1.3% | 100.0% | 588 | 2.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43003 | 98.7% | n/a | 20361 | 97.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 7.9 | 7.0 | 0.0 | 17.0 | 4.1 |
| Adequate Provider Data | 7.9 | 7.0 | 0.0 | 17.0 | 4.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_AGE4 Type: Numeric Position: 609-610 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 67 | 0.2% | 100.0% | 67 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43524 | 99.8% | n/a | 20882 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 9.5 | 10.0 | 2.0 | 17.0 | 3.7 |
| Adequate Provider Data | 9.5 | 10.0 | 2.0 | 17.0 | 3.7 |

**Variable: HEPA_AGE5 Type: Numeric Position: 611-612 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 9.7 | 10.5 | 2.0 | 14.0 | 4.0 |
| Adequate Provider Data | 9.7 | 10.5 | 2.0 | 14.0 | 4.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_AGE6 Type: Numeric Position: 613-614 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.0 | 14.0 | 12.0 | 16.0 | 2.8 |
| Adequate Provider Data | 14.0 | 14.0 | 12.0 | 16.0 | 2.8 |

**Variable: HEPA_AGE7 Type: Numeric Position: 615-615 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_AGE8 Type: Numeric Position: 616-616 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_AGE9 Type: Numeric Position: 617-617 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_DAGE1 Type: Numeric Position: 618-621 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 16075 | 36.9% | 100.0% | 16075 | 76.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 27516 | 63.1% | n/a | 4874 | 23.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_DAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 2552.8 | 2177.0 | 0.0 | 6532.0 | 1595.7 |
| Adequate Provider Data | 2552.8 | 2177.0 | 0.0 | 6532.0 | 1595.7 |

**Variable: HEPA_DAGE2 Type: Numeric Position: 622-625 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 14270 | 32.7% | 100.0% | 14270 | 68.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29321 | 67.3% | n/a | 6679 | 31.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_DAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 2920.2 | 2639.0 | 64.0 | 6627.0 | 1523.6 |
| Adequate Provider Data | 2920.2 | 2639.0 | 64.0 | 6627.0 | 1523.6 |

**Variable: HEPA_DAGE3 Type: Numeric Position: 626-629 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 588 | 1.3% | 100.0% | 588 | 2.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43003 | 98.7% | n/a | 20361 | 97.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_DAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 3027.0 | 2702.5 | 196.0 | 6430.0 | 1491.8 |
| Adequate Provider Data | 3027.0 | 2702.5 | 196.0 | 6430.0 | 1491.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_DAGE4 Type: Numeric Position: 630-633 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 67 | 0.2% | 100.0% | 67 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43524 | 99.8% | n/a | 20882 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3634.0 | 3768.0 | 742.0 | 6306.0 | 1362.3 |
| Adequate Provider Data | 3634.0 | 3768.0 | 742.0 | 6306.0 | 1362.3 |

**Variable: HEPA_DAGE5 Type: Numeric Position: 634-637 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3773.2 | 3996.5 | 1044.0 | 5458.0 | 1462.3 |
| Adequate Provider Data | 3773.2 | 3996.5 | 1044.0 | 5458.0 | 1462.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_DAGE6 Type: Numeric Position: 638-641 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5236.0 | 5236.0 | 4523.0 | 5949.0 | 1008.3 |
| Adequate Provider Data | 5236.0 | 5236.0 | 4523.0 | 5949.0 | 1008.3 |

**Variable: HEPA_DAGE7 Type: Numeric Position: 642-642 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_DAGE8 Type: Numeric Position: 643-643 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_DAGE9 Type: Numeric Position: 644-644 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_MAGE1 Type: Numeric Position: 645-647 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 16075 | 36.9% | 100.0% | 16075 | 76.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 27516 | 63.1% | n/a | 4874 | 23.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_MAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 83.4 | 71.0 | 0.0 | 214.0 | 52.4 |
| Adequate Provider Data | 83.4 | 71.0 | 0.0 | 214.0 | 52.4 |

**Variable: HEPA_MAGE2 Type: Numeric Position: 648-650 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 14270 | 32.7% | 100.0% | 14270 | 68.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29321 | 67.3% | n/a | 6679 | 31.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_MAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 95.5 | 86.0 | 2.0 | 217.0 | 50.0 |
| Adequate Provider Data | 95.5 | 86.0 | 2.0 | 217.0 | 50.0 |

**Variable: HEPA_MAGE3 Type: Numeric Position: 651-653 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 588 | 1.3% | 100.0% | 588 | 2.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43003 | 98.7% | n/a | 20361 | 97.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_MAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 99.0 | 88.0 | 6.0 | 211.0 | 49.0 |
| Adequate Provider Data | 99.0 | 88.0 | 6.0 | 211.0 | 49.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_MAGE4 Type: Numeric Position: 654-656 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 67 | 0.2% | 100.0% | 67 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43524 | 99.8% | n/a | 20882 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 118.9 | 123.0 | 24.0 | 207.0 | 44.8 |
| Adequate Provider Data | 118.9 | 123.0 | 24.0 | 207.0 | 44.8 |

**Variable: HEPA_MAGE5 Type: Numeric Position: 657-659 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 123.3 | 130.5 | 34.0 | 179.0 | 48.0 |
| Adequate Provider Data | 123.3 | 130.5 | 34.0 | 179.0 | 48.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_MAGE6 Type: Numeric Position: 660-662 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPA_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 171.5 | 171.5 | 148.0 | 195.0 | 33.2 |
| Adequate Provider Data | 171.5 | 171.5 | 148.0 | 195.0 | 33.2 |

**Variable: HEPA_MAGE7 Type: Numeric Position: 663-663 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPA_MAGE8 Type: Numeric Position: 664-664 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPA_MAGE9 Type: Numeric Position: 665-665 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPB_AGE1 Type: Numeric Position: 666-667 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19888 | 45.6% | 100.0% | 19888 | 94.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23703 | 54.4% | n/a | 1061 | 5.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_AGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 0.4 | 0.0 | 0.0 | 17.0 | 2.0 |
| Adequate Provider Data | 0.4 | 0.0 | 0.0 | 17.0 | 2.0 |

**Variable: HEPB_AGE2 Type: Numeric Position: 668-669 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19622 | 45.0% | 100.0% | 19622 | 93.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23969 | 55.0% | n/a | 1327 | 6.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 0.4 | 0.0 | 0.0 | 18.0 | 2.1 |
| Adequate Provider Data | 0.4 | 0.0 | 0.0 | 18.0 | 2.1 |

**Variable: HEPB_AGE3 Type: Numeric Position: 670-671 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19231 | 44.1% | 100.0% | 19231 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24360 | 55.9% | n/a | 1718 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 0.9 | 0.0 | 0.0 | 17.0 | 2.4 |
| Adequate Provider Data | 0.9 | 0.0 | 0.0 | 17.0 | 2.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_AGE4 Type: Numeric Position: 672-673 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2843 | 6.5% | 100.0% | 2843 | 13.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40748 | 93.5% | n/a | 18106 | 86.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2.6 | 1.0 | 0.0 | 17.0 | 3.9 |
| Adequate Provider Data | 2.6 | 1.0 | 0.0 | 17.0 | 3.9 |

**Variable: HEPB_AGE5 Type: Numeric Position: 674-675 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 291 | 0.7% | 100.0% | 291 | 1.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43300 | 99.3% | n/a | 20658 | 98.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4.9 | 3.0 | 0.0 | 18.0 | 4.8 |
| Adequate Provider Data | 4.9 | 3.0 | 0.0 | 18.0 | 4.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_AGE6 Type: Numeric Position: 676-677 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 74 | 0.2% | 100.0% | 74 | 0.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43517 | 99.8% | n/a | 20875 | 99.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5.9 | 4.0 | 0.0 | 17.0 | 4.9 |
| Adequate Provider Data | 5.9 | 4.0 | 0.0 | 17.0 | 4.9 |

**Variable: HEPB_AGE7 Type: Numeric Position: 678-679 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43574 | 100.0% | n/a | 20932 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 7.2 | 5.0 | 0.0 | 17.0 | 5.1 |
| Adequate Provider Data | 7.2 | 5.0 | 0.0 | 17.0 | 5.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_AGE8 Type: Numeric Position: 680-680 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_AGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5.0 | 5.0 | 5.0 | 5.0 | . |
| Adequate Provider Data | 5.0 | 5.0 | 5.0 | 5.0 | . |

**Variable: HEPB_AGE9 Type: Numeric Position: 681-681 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_DAGE1 Type: Numeric Position: 682-685 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19888 | 45.6% | 100.0% | 19888 | 94.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23703 | 54.4% | n/a | 1061 | 5.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 189.3 | 13.0 | 0.0 | 6568.0 | 771.7 |
| Adequate Provider Data | 189.3 | 13.0 | 0.0 | 6568.0 | 771.7 |

**Variable: HEPB_DAGE2 Type: Numeric Position: 686-689 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19622 | 45.0% | 100.0% | 19622 | 93.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23969 | 55.0% | n/a | 1327 | 6.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 271.7 | 107.0 | 15.0 | 6587.0 | 778.8 |
| Adequate Provider Data | 271.7 | 107.0 | 15.0 | 6587.0 | 778.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_DAGE3 Type: Numeric Position: 690-693 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19231 | 44.1% | 100.0% | 19231 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24360 | 55.9% | n/a | 1718 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 518.2 | 281.0 | 47.0 | 6485.0 | 851.1 |
| Adequate Provider Data | 518.2 | 281.0 | 47.0 | 6485.0 | 851.1 |

**Variable: HEPB_DAGE4 Type: Numeric Position: 694-697 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2843 | 6.5% | 100.0% | 2843 | 13.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40748 | 93.5% | n/a | 18106 | 86.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1114.3 | 406.0 | 116.0 | 6326.0 | 1428.5 |
| Adequate Provider Data | 1114.3 | 406.0 | 116.0 | 6326.0 | 1428.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_DAGE5 Type: Numeric Position: 698-701 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 291 | 0.7% | 100.0% | 291 | 1.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43300 | 99.3% | n/a | 20658 | 98.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1941.2 | 1254.0 | 140.0 | 6580.0 | 1777.0 |
| Adequate Provider Data | 1941.2 | 1254.0 | 140.0 | 6580.0 | 1777.0 |

**Variable: HEPB_DAGE6 Type: Numeric Position: 702-705 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 74 | 0.2% | 100.0% | 74 | 0.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43517 | 99.8% | n/a | 20875 | 99.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2332.7 | 1720.0 | 183.0 | 6260.0 | 1797.4 |
| Adequate Provider Data | 2332.7 | 1720.0 | 183.0 | 6260.0 | 1797.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_DAGE7 Type: Numeric Position: 706-709 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43574 | 100.0% | n/a | 20932 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2804.5 | 1885.0 | 287.0 | 6386.0 | 1872.9 |
| Adequate Provider Data | 2804.5 | 1885.0 | 287.0 | 6386.0 | 1872.9 |

**Variable: HEPB_DAGE8 Type: Numeric Position: 710-713 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_DAGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1965.0 | 1965.0 | 1965.0 | 1965.0 | . |
| Adequate Provider Data | 1965.0 | 1965.0 | 1965.0 | 1965.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_DAGE9 Type: Numeric Position: 714-714 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HEPB_MAGE1 Type: Numeric Position: 715-717 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19888 | 45.6% | 100.0% | 19888 | 94.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23703 | 54.4% | n/a | 1061 | 5.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 6.0 | 0.0 | 0.0 | 215.0 | 25.3 |
| Adequate Provider Data | 6.0 | 0.0 | 0.0 | 215.0 | 25.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_MAGE2 Type: Numeric Position: 718-720 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19622 | 45.0% | 100.0% | 19622 | 93.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23969 | 55.0% | n/a | 1327 | 6.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 8.6 | 3.0 | 0.0 | 216.0 | 25.6 |
| Adequate Provider Data | 8.6 | 3.0 | 0.0 | 216.0 | 25.6 |

**Variable: HEPB_MAGE3 Type: Numeric Position: 721-723 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19231 | 44.1% | 100.0% | 19231 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24360 | 55.9% | n/a | 1718 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 16.6 | 9.0 | 1.0 | 213.0 | 27.9 |
| Adequate Provider Data | 16.6 | 9.0 | 1.0 | 213.0 | 27.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_MAGE4 Type: Numeric Position: 724-726 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2843 | 6.5% | 100.0% | 2843 | 13.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40748 | 93.5% | n/a | 18106 | 86.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 36.2 | 13.0 | 3.0 | 207.0 | 46.9 |
| Adequate Provider Data | 36.2 | 13.0 | 3.0 | 207.0 | 46.9 |

**Variable: HEPB_MAGE5 Type: Numeric Position: 727-729 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 291 | 0.7% | 100.0% | 291 | 1.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43300 | 99.3% | n/a | 20658 | 98.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 63.4 | 41.0 | 4.0 | 216.0 | 58.4 |
| Adequate Provider Data | 63.4 | 41.0 | 4.0 | 216.0 | 58.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_MAGE6 Type: Numeric Position: 730-732 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 74 | 0.2% | 100.0% | 74 | 0.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43517 | 99.8% | n/a | 20875 | 99.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 76.2 | 56.5 | 6.0 | 205.0 | 59.0 |
| Adequate Provider Data | 76.2 | 56.5 | 6.0 | 205.0 | 59.0 |

**Variable: HEPB_MAGE7 Type: Numeric Position: 733-735 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43574 | 100.0% | n/a | 20932 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE7 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 91.6 | 61.0 | 9.0 | 209.0 | 61.5 |
| Adequate Provider Data | 91.6 | 61.0 | 9.0 | 209.0 | 61.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEPB_MAGE8 Type: Numeric Position: 736-737 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HEPB_MAGE8 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 64.0 | 64.0 | 64.0 | 64.0 | . |
| Adequate Provider Data | 64.0 | 64.0 | 64.0 | 64.0 | . |

**Variable: HEPB_MAGE9 Type: Numeric Position: 738-738 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_AGE1 Type: Numeric Position: 739-740 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 14009 | 32.1% | 100.0% | 14009 | 66.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29582 | 67.9% | n/a | 6940 | 33.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.3 | 12.0 | 0.0 | 18.0 | 1.6 |
| Adequate Provider Data | 12.3 | 12.0 | 0.0 | 18.0 | 1.6 |

**Variable: HPV_AGE2 Type: Numeric Position: 741-742 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11514 | 26.4% | 100.0% | 11514 | 55.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 32077 | 73.6% | n/a | 9435 | 45.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.6 | 12.0 | 0.0 | 18.0 | 1.6 |
| Adequate Provider Data | 12.6 | 12.0 | 0.0 | 18.0 | 1.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_AGE3 Type: Numeric Position: 743-744 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 8626 | 19.8% | 100.0% | 8626 | 41.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 34965 | 80.2% | n/a | 12323 | 58.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.0 | 13.0 | 0.0 | 18.0 | 1.5 |
| Adequate Provider Data | 13.0 | 13.0 | 0.0 | 18.0 | 1.5 |

**Variable: HPV_AGE4 Type: Numeric Position: 745-746 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 169 | 0.4% | 100.0% | 169 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43422 | 99.6% | n/a | 20780 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.8 | 14.0 | 1.0 | 17.0 | 1.9 |
| Adequate Provider Data | 13.8 | 14.0 | 1.0 | 17.0 | 1.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_AGE5 Type: Numeric Position: 747-748 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43565 | 99.9% | n/a | 20923 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.6 | 15.0 | 12.0 | 17.0 | 1.5 |
| Adequate Provider Data | 14.6 | 15.0 | 12.0 | 17.0 | 1.5 |

**Variable: HPV_AGE6 Type: Numeric Position: 749-750 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.8 | 15.5 | 13.0 | 16.0 | 1.5 |
| Adequate Provider Data | 14.8 | 15.5 | 13.0 | 16.0 | 1.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_AGE7 Type: Numeric Position: 751-751 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_AGE8 Type: Numeric Position: 752-752 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_AGE9 Type: Numeric Position: 753-753 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_DAGE1 Type: Numeric Position: 754-757 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 14009 | 32.1% | 100.0% | 14009 | 66.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29582 | 67.9% | n/a | 6940 | 33.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4633.8 | 4524.0 | 16.0 | 6575.0 | 589.6 |
| Adequate Provider Data | 4633.8 | 4524.0 | 16.0 | 6575.0 | 589.6 |

**Variable: HPV_DAGE2 Type: Numeric Position: 758-761 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11514 | 26.4% | 100.0% | 11514 | 55.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 32077 | 73.6% | n/a | 9435 | 45.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4782.6 | 4692.0 | 62.0 | 6630.0 | 566.9 |
| Adequate Provider Data | 4782.6 | 4692.0 | 62.0 | 6630.0 | 566.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_DAGE3 Type: Numeric Position: 762-765 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 8626 | 19.8% | 100.0% | 8626 | 41.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 34965 | 80.2% | n/a | 12323 | 58.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4918.5 | 4831.0 | 174.0 | 6624.0 | 548.7 |
| Adequate Provider Data | 4918.5 | 4831.0 | 174.0 | 6624.0 | 548.7 |

**Variable: HPV_DAGE4 Type: Numeric Position: 766-769 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 169 | 0.4% | 100.0% | 169 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43422 | 99.6% | n/a | 20780 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5205.3 | 5232.0 | 369.0 | 6505.0 | 683.2 |
| Adequate Provider Data | 5205.3 | 5232.0 | 369.0 | 6505.0 | 683.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_DAGE5 Type: Numeric Position: 770-773 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43565 | 99.9% | n/a | 20923 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5519.8 | 5637.0 | 4395.0 | 6357.0 | 552.0 |
| Adequate Provider Data | 5519.8 | 5637.0 | 4395.0 | 6357.0 | 552.0 |

**Variable: HPV_DAGE6 Type: Numeric Position: 774-777 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5607.8 | 5712.0 | 5028.0 | 6177.0 | 480.6 |
| Adequate Provider Data | 5607.8 | 5712.0 | 5028.0 | 6177.0 | 480.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_DAGE7 Type: Numeric Position: 778-778 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_DAGE8 Type: Numeric Position: 779-779 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_DAGE9 Type: Numeric Position: 780-780 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_MAGE1 Type: Numeric Position: 781-783 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 14009 | 32.1% | 100.0% | 14009 | 66.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 29582 | 67.9% | n/a | 6940 | 33.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 151.8 | 148.0 | 0.0 | 216.0 | 19.4 |
| Adequate Provider Data | 151.8 | 148.0 | 0.0 | 216.0 | 19.4 |

**Variable: HPV_MAGE2 Type: Numeric Position: 784-786 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 11514 | 26.4% | 100.0% | 11514 | 55.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 32077 | 73.6% | n/a | 9435 | 45.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 156.7 | 154.0 | 2.0 | 217.0 | 18.6 |
| Adequate Provider Data | 156.7 | 154.0 | 2.0 | 217.0 | 18.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_MAGE3 Type: Numeric Position: 787-789 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 8626 | 19.8% | 100.0% | 8626 | 41.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 34965 | 80.2% | n/a | 12323 | 58.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 161.1 | 158.0 | 5.0 | 217.0 | 18.0 |
| Adequate Provider Data | 161.1 | 158.0 | 5.0 | 217.0 | 18.0 |

**Variable: HPV_MAGE4 Type: Numeric Position: 790-792 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 169 | 0.4% | 100.0% | 169 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43422 | 99.6% | n/a | 20780 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 170.5 | 171.0 | 12.0 | 213.0 | 22.4 |
| Adequate Provider Data | 170.5 | 171.0 | 12.0 | 213.0 | 22.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_MAGE5 Type: Numeric Position: 793-795 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43565 | 99.9% | n/a | 20923 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 180.8 | 184.5 | 144.0 | 208.0 | 18.1 |
| Adequate Provider Data | 180.8 | 184.5 | 144.0 | 208.0 | 18.1 |

**Variable: HPV_MAGE6 Type: Numeric Position: 796-798 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: HPV_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 184.0 | 187.5 | 165.0 | 202.0 | 15.6 |
| Adequate Provider Data | 184.0 | 187.5 | 165.0 | 202.0 | 15.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HPV_MAGE7 Type: Numeric Position: 799-799 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_MAGE8 Type: Numeric Position: 800-800 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: HPV_MAGE9 Type: Numeric Position: 801-801 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_AGE1 Type: Numeric Position: 802-803 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19964 | 45.8% | 100.0% | 19964 | 95.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23627 | 54.2% | n/a | 985 | 4.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1.4 | 1.0 | 0.0 | 17.0 | 1.8 |
| Adequate Provider Data | 1.4 | 1.0 | 0.0 | 17.0 | 1.8 |

**Variable: MCV_AGE2 Type: Numeric Position: 804-805 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19360 | 44.4% | 100.0% | 19360 | 92.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24231 | 55.6% | n/a | 1589 | 7.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4.7 | 4.0 | 0.0 | 17.0 | 1.9 |
| Adequate Provider Data | 4.7 | 4.0 | 0.0 | 17.0 | 1.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_AGE3 Type: Numeric Position: 806-807 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 702 | 1.6% | 100.0% | 702 | 3.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42889 | 98.4% | n/a | 20247 | 96.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 7.1 | 5.0 | 0.0 | 17.0 | 3.7 |
| Adequate Provider Data | 7.1 | 5.0 | 0.0 | 17.0 | 3.7 |

**Variable: MCV_AGE4 Type: Numeric Position: 808-809 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 61 | 0.1% | 100.0% | 61 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43530 | 99.9% | n/a | 20888 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 8.1 | 8.0 | 1.0 | 16.0 | 3.8 |
| Adequate Provider Data | 8.1 | 8.0 | 1.0 | 16.0 | 3.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_AGE5 Type: Numeric Position: 810-810 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43586 | 100.0% | n/a | 20944 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 6.8 | 6.0 | 5.0 | 9.0 | 2.0 |
| Adequate Provider Data | 6.8 | 6.0 | 5.0 | 9.0 | 2.0 |

**Variable: MCV_AGE6 Type: Numeric Position: 811-811 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_AGE7 Type: Numeric Position: 812-812 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_AGE8 Type: Numeric Position: 813-813 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_AGE9 Type: Numeric Position: 814-814 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_DAGE1 Type: Numeric Position: 815-818 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19964 | 45.8% | 100.0% | 19964 | 95.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23627 | 54.2% | n/a | 985 | 4.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 593.9 | 402.0 | 0.0 | 6478.0 | 693.2 |
| Adequate Provider Data | 593.9 | 402.0 | 0.0 | 6478.0 | 693.2 |

**Variable: MCV_DAGE2 Type: Numeric Position: 819-822 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19360 | 44.4% | 100.0% | 19360 | 92.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24231 | 55.6% | n/a | 1589 | 7.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1821.5 | 1711.0 | 61.0 | 6568.0 | 699.3 |
| Adequate Provider Data | 1821.5 | 1711.0 | 61.0 | 6568.0 | 699.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_DAGE3 Type: Numeric Position: 823-826 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 702 | 1.6% | 100.0% | 702 | 3.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42889 | 98.4% | n/a | 20247 | 96.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2746.3 | 2070.5 | 270.0 | 6566.0 | 1389.6 |
| Adequate Provider Data | 2746.3 | 2070.5 | 270.0 | 6566.0 | 1389.6 |

**Variable: MCV_DAGE4 Type: Numeric Position: 827-830 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 61 | 0.1% | 100.0% | 61 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43530 | 99.9% | n/a | 20888 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3127.8 | 2931.0 | 375.0 | 6123.0 | 1394.1 |
| Adequate Provider Data | 3127.8 | 2931.0 | 375.0 | 6123.0 | 1394.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_DAGE5 Type: Numeric Position: 831-834 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43586 | 100.0% | n/a | 20944 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 2547.8 | 2191.0 | 1836.0 | 3582.0 | 831.3 |
| Adequate Provider Data | 2547.8 | 2191.0 | 1836.0 | 3582.0 | 831.3 |

**Variable: MCV_DAGE6 Type: Numeric Position: 835-835 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_DAGE7 Type: Numeric Position: 836-836 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_DAGE8 Type: Numeric Position: 837-837 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_DAGE9 Type: Numeric Position: 838-838 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_MAGE1 Type: Numeric Position: 839-841 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19964 | 45.8% | 100.0% | 19964 | 95.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 23627 | 54.2% | n/a | 985 | 4.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 19.1 | 13.0 | 0.0 | 212.0 | 22.7 |
| Adequate Provider Data | 19.1 | 13.0 | 0.0 | 212.0 | 22.7 |

**Variable: MCV_MAGE2 Type: Numeric Position: 842-844 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19360 | 44.4% | 100.0% | 19360 | 92.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24231 | 55.6% | n/a | 1589 | 7.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 59.4 | 56.0 | 2.0 | 215.0 | 23.0 |
| Adequate Provider Data | 59.4 | 56.0 | 2.0 | 215.0 | 23.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_MAGE3 Type: Numeric Position: 845-847 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 702 | 1.6% | 100.0% | 702 | 3.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42889 | 98.4% | n/a | 20247 | 96.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 89.8 | 68.0 | 8.0 | 215.0 | 45.6 |
| Adequate Provider Data | 89.8 | 68.0 | 8.0 | 215.0 | 45.6 |

**Variable: MCV_MAGE4 Type: Numeric Position: 848-850 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 61 | 0.1% | 100.0% | 61 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43530 | 99.9% | n/a | 20888 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 102.3 | 96.0 | 12.0 | 201.0 | 45.8 |
| Adequate Provider Data | 102.3 | 96.0 | 12.0 | 201.0 | 45.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_MAGE5 Type: Numeric Position: 851-853 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43586 | 100.0% | n/a | 20944 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MCV_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 83.4 | 72.0 | 60.0 | 117.0 | 27.2 |
| Adequate Provider Data | 83.4 | 72.0 | 60.0 | 117.0 | 27.2 |

**Variable: MCV_MAGE6 Type: Numeric Position: 854-854 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MCV_MAGE7 Type: Numeric Position: 855-855 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_MAGE8 Type: Numeric Position: 856-856 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MCV_MAGE9 Type: Numeric Position: 857-857 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_AGE1 Type: Numeric Position: 858-859 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17952 | 41.2% | 100.0% | 17952 | 85.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25639 | 58.8% | n/a | 2997 | 14.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 11.5 | 11.0 | 0.0 | 17.0 | 1.4 |
| Adequate Provider Data | 11.5 | 11.0 | 0.0 | 17.0 | 1.4 |

**Variable: MEN_AGE2 Type: Numeric Position: 860-861 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3403 | 7.8% | 100.0% | 3403 | 16.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40188 | 92.2% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 15.6 | 16.0 | 0.0 | 18.0 | 1.6 |
| Adequate Provider Data | 15.6 | 16.0 | 0.0 | 18.0 | 1.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_AGE3 Type: Numeric Position: 862-863 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 68 | 0.2% | 100.0% | 68 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43523 | 99.8% | n/a | 20881 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 15.2 | 16.0 | 6.0 | 18.0 | 2.2 |
| Adequate Provider Data | 15.2 | 16.0 | 6.0 | 18.0 | 2.2 |

**Variable: MEN_AGE4 Type: Numeric Position: 864-865 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43587 | 100.0% | n/a | 20945 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.3 | 16.0 | 8.0 | 17.0 | 4.2 |
| Adequate Provider Data | 14.3 | 16.0 | 8.0 | 17.0 | 4.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_AGE5 Type: Numeric Position: 866-867 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.0 | 12.0 | 12.0 | 12.0 | . |
| Adequate Provider Data | 12.0 | 12.0 | 12.0 | 12.0 | . |

**Variable: MEN_AGE6 Type: Numeric Position: 868-869 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 17.0 | 17.0 | 17.0 | 17.0 | . |
| Adequate Provider Data | 17.0 | 17.0 | 17.0 | 17.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_AGE7 Type: Numeric Position: 870-870 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_AGE8 Type: Numeric Position: 871-871 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_AGE9 Type: Numeric Position: 872-872 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_DAGE1 Type: Numeric Position: 873-876 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17952 | 41.2% | 100.0% | 17952 | 85.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25639 | 58.8% | n/a | 2997 | 14.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4355.3 | 4268.0 | 0.0 | 6557.0 | 534.4 |
| Adequate Provider Data | 4355.3 | 4268.0 | 0.0 | 6557.0 | 534.4 |

**Variable: MEN_DAGE2 Type: Numeric Position: 877-880 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3403 | 7.8% | 100.0% | 3403 | 16.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40188 | 92.2% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5848.9 | 5948.0 | 125.0 | 6606.0 | 574.1 |
| Adequate Provider Data | 5848.9 | 5948.0 | 125.0 | 6606.0 | 574.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_DAGE3 Type: Numeric Position: 881-884 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 68 | 0.2% | 100.0% | 68 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43523 | 99.8% | n/a | 20881 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5697.2 | 5950.0 | 2339.0 | 6639.0 | 786.1 |
| Adequate Provider Data | 5697.2 | 5950.0 | 2339.0 | 6639.0 | 786.1 |

**Variable: MEN_DAGE4 Type: Numeric Position: 885-888 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43587 | 100.0% | n/a | 20945 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5332.5 | 5997.5 | 3076.0 | 6259.0 | 1511.7 |
| Adequate Provider Data | 5332.5 | 5997.5 | 3076.0 | 6259.0 | 1511.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_DAGE5 Type: Numeric Position: 889-892 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4670.0 | 4670.0 | 4670.0 | 4670.0 | . |
| Adequate Provider Data | 4670.0 | 4670.0 | 4670.0 | 4670.0 | . |

**Variable: MEN_DAGE6 Type: Numeric Position: 893-896 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 6508.0 | 6508.0 | 6508.0 | 6508.0 | . |
| Adequate Provider Data | 6508.0 | 6508.0 | 6508.0 | 6508.0 | . |

**Variable: MEN_DAGE7 Type: Numeric Position: 897-897 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_DAGE8 Type: Numeric Position: 898-898 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_DAGE9 Type: Numeric Position: 899-899 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_MAGE1 Type: Numeric Position: 900-902 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 17952 | 41.2% | 100.0% | 17952 | 85.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25639 | 58.8% | n/a | 2997 | 14.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 142.6 | 140.0 | 0.0 | 215.0 | 17.5 |
| Adequate Provider Data | 142.6 | 140.0 | 0.0 | 215.0 | 17.5 |

**Variable: MEN_MAGE2 Type: Numeric Position: 903-905 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3403 | 7.8% | 100.0% | 3403 | 16.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40188 | 92.2% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 191.7 | 195.0 | 4.0 | 217.0 | 18.9 |
| Adequate Provider Data | 191.7 | 195.0 | 4.0 | 217.0 | 18.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_MAGE3 Type: Numeric Position: 906-908 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 68 | 0.2% | 100.0% | 68 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43523 | 99.8% | n/a | 20881 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 186.7 | 195.0 | 76.0 | 218.0 | 25.8 |
| Adequate Provider Data | 186.7 | 195.0 | 76.0 | 218.0 | 25.8 |

**Variable: MEN_MAGE4 Type: Numeric Position: 909-911 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43587 | 100.0% | n/a | 20945 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 174.8 | 196.5 | 101.0 | 205.0 | 49.4 |
| Adequate Provider Data | 174.8 | 196.5 | 101.0 | 205.0 | 49.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_MAGE5 Type: Numeric Position: 912-914 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 153.0 | 153.0 | 153.0 | 153.0 | . |
| Adequate Provider Data | 153.0 | 153.0 | 153.0 | 153.0 | . |

**Variable: MEN_MAGE6 Type: Numeric Position: 915-917 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MEN_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 213.0 | 213.0 | 213.0 | 213.0 | . |
| Adequate Provider Data | 213.0 | 213.0 | 213.0 | 213.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MEN_MAGE7 Type: Numeric Position: 918-918 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_MAGE8 Type: Numeric Position: 919-919 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MEN_MAGE9 Type: Numeric Position: 920-920 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_AGE1 Type: Numeric Position: 921-922 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1030 | 2.4% | 100.0% | 1030 | 4.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42561 | 97.6% | n/a | 19919 | 95.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 15.6 | 16.0 | 0.0 | 18.0 | 1.9 |
| Adequate Provider Data | 15.6 | 16.0 | 0.0 | 18.0 | 1.9 |

**Variable: MENB_AGE2 Type: Numeric Position: 923-924 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 392 | 0.9% | 100.0% | 392 | 1.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43199 | 99.1% | n/a | 20557 | 98.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 16.0 | 16.0 | 0.0 | 18.0 | 1.7 |
| Adequate Provider Data | 16.0 | 16.0 | 0.0 | 18.0 | 1.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_AGE3 Type: Numeric Position: 925-926 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 45 | 0.1% | 100.0% | 45 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43546 | 99.9% | n/a | 20904 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.7 | 16.0 | 0.0 | 18.0 | 3.5 |
| Adequate Provider Data | 14.7 | 16.0 | 0.0 | 18.0 | 3.5 |

**Variable: MENB_AGE4 Type: Numeric Position: 927-928 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 15.0 | 15.0 | 14.0 | 16.0 | 1.4 |
| Adequate Provider Data | 15.0 | 15.0 | 14.0 | 16.0 | 1.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_AGE5 Type: Numeric Position: 929-930 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.0 | 14.0 | 14.0 | 14.0 | . |
| Adequate Provider Data | 14.0 | 14.0 | 14.0 | 14.0 | . |

**Variable: MENB_AGE6 Type: Numeric Position: 931-931 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_AGE7 Type: Numeric Position: 932-932 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_AGE8 Type: Numeric Position: 933-933 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_AGE9 Type: Numeric Position: 934-934 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_DAGE1 Type: Numeric Position: 935-938 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1030 | 2.4% | 100.0% | 1030 | 4.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42561 | 97.6% | n/a | 19919 | 95.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5838.7 | 5982.0 | 52.0 | 6630.0 | 677.9 |
| Adequate Provider Data | 5838.7 | 5982.0 | 52.0 | 6630.0 | 677.9 |

**Variable: MENB_DAGE2 Type: Numeric Position: 939-942 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 392 | 0.9% | 100.0% | 392 | 1.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43199 | 99.1% | n/a | 20557 | 98.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 6005.6 | 6116.5 | 140.0 | 6589.0 | 598.3 |
| Adequate Provider Data | 6005.6 | 6116.5 | 140.0 | 6589.0 | 598.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_DAGE3 Type: Numeric Position: 943-946 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 45 | 0.1% | 100.0% | 45 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43546 | 99.9% | n/a | 20904 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5538.7 | 5975.0 | 196.0 | 6630.0 | 1299.3 |
| Adequate Provider Data | 5538.7 | 5975.0 | 196.0 | 6630.0 | 1299.3 |

**Variable: MENB_DAGE4 Type: Numeric Position: 947-950 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5667.5 | 5667.5 | 5274.0 | 6061.0 | 556.5 |
| Adequate Provider Data | 5667.5 | 5667.5 | 5274.0 | 6061.0 | 556.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_DAGE5 Type: Numeric Position: 951-954 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5424.0 | 5424.0 | 5424.0 | 5424.0 | . |
| Adequate Provider Data | 5424.0 | 5424.0 | 5424.0 | 5424.0 | . |

**Variable: MENB_DAGE6 Type: Numeric Position: 955-955 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_DAGE7 Type: Numeric Position: 956-956 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_DAGE8 Type: Numeric Position: 957-957 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_DAGE9 Type: Numeric Position: 958-958 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_MAGE1 Type: Numeric Position: 959-961 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1030 | 2.4% | 100.0% | 1030 | 4.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42561 | 97.6% | n/a | 19919 | 95.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 191.3 | 196.0 | 1.0 | 217.0 | 22.3 |
| Adequate Provider Data | 191.3 | 196.0 | 1.0 | 217.0 | 22.3 |

**Variable: MENB_MAGE2 Type: Numeric Position: 962-964 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 392 | 0.9% | 100.0% | 392 | 1.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43199 | 99.1% | n/a | 20557 | 98.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 196.8 | 200.0 | 4.0 | 216.0 | 19.7 |
| Adequate Provider Data | 196.8 | 200.0 | 4.0 | 216.0 | 19.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_MAGE3 Type: Numeric Position: 965-967 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 45 | 0.1% | 100.0% | 45 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43546 | 99.9% | n/a | 20904 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 181.5 | 196.0 | 6.0 | 217.0 | 42.7 |
| Adequate Provider Data | 181.5 | 196.0 | 6.0 | 217.0 | 42.7 |

**Variable: MENB_MAGE4 Type: Numeric Position: 968-970 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 186.0 | 186.0 | 173.0 | 199.0 | 18.4 |
| Adequate Provider Data | 186.0 | 186.0 | 173.0 | 199.0 | 18.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_MAGE5 Type: Numeric Position: 971-973 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENB_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 178.0 | 178.0 | 178.0 | 178.0 | . |
| Adequate Provider Data | 178.0 | 178.0 | 178.0 | 178.0 | . |

**Variable: MENB_MAGE6 Type: Numeric Position: 974-974 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENB_MAGE7 Type: Numeric Position: 975-975 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_MAGE8 Type: Numeric Position: 976-976 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENB_MAGE9 Type: Numeric Position: 977-977 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_AGE1 Type: Numeric Position: 978-979 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 104 | 0.2% | 100.0% | 104 | 0.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43487 | 99.8% | n/a | 20845 | 99.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 10.7 | 11.0 | 0.0 | 17.0 | 3.5 |
| Adequate Provider Data | 10.7 | 11.0 | 0.0 | 17.0 | 3.5 |

**Variable: MENU_AGE2 Type: Numeric Position: 980-981 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 13 | 0.0% | 100.0% | 13 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43578 | 100.0% | n/a | 20936 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.2 | 16.0 | 0.0 | 16.0 | 6.5 |
| Adequate Provider Data | 12.2 | 16.0 | 0.0 | 16.0 | 6.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_AGE3 Type: Numeric Position: 982-982 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1.5 | 1.5 | 0.0 | 3.0 | 2.1 |
| Adequate Provider Data | 1.5 | 1.5 | 0.0 | 3.0 | 2.1 |

**Variable: MENU_AGE4 Type: Numeric Position: 983-983 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_AGE5 Type: Numeric Position: 984-984 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_AGE6 Type: Numeric Position: 985-985 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_AGE7 Type: Numeric Position: 986-986 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_AGE8 Type: Numeric Position: 987-987 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_AGE9 Type: Numeric Position: 988-988 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_DAGE1 Type: Numeric Position: 989-992 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 104 | 0.2% | 100.0% | 104 | 0.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43487 | 99.8% | n/a | 20845 | 99.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_DAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4040.2 | 4197.0 | 0.0 | 6467.0 | 1263.2 |
| Adequate Provider Data | 4040.2 | 4197.0 | 0.0 | 6467.0 | 1263.2 |

**Variable: MENU_DAGE2 Type: Numeric Position: 993-996 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 13 | 0.0% | 100.0% | 13 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43578 | 100.0% | n/a | 20936 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_DAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4586.6 | 5933.0 | 88.0 | 6196.0 | 2438.5 |
| Adequate Provider Data | 4586.6 | 5933.0 | 88.0 | 6196.0 | 2438.5 |

**Variable: MENU_DAGE3 Type: Numeric Position: 997-1000 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_DAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 633.5 | 633.5 | 126.0 | 1141.0 | 717.7 |
| Adequate Provider Data | 633.5 | 633.5 | 126.0 | 1141.0 | 717.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_DAGE4 Type: Numeric Position: 1001-1001 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_DAGE5 Type: Numeric Position: 1002-1002 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_DAGE6 Type: Numeric Position: 1003-1003 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_DAGE7 Type: Numeric Position: 1004-1004 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_DAGE8 Type: Numeric Position: 1005-1005 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_DAGE9 Type: Numeric Position: 1006-1006 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_MAGE1 Type: Numeric Position: 1007-1009 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 104 | 0.2% | 100.0% | 104 | 0.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43487 | 99.8% | n/a | 20845 | 99.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 132.3 | 137.5 | 0.0 | 212.0 | 41.5 |
| Adequate Provider Data | 132.3 | 137.5 | 0.0 | 212.0 | 41.5 |

**Variable: MENU_MAGE2 Type: Numeric Position: 1010-1012 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 13 | 0.0% | 100.0% | 13 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43578 | 100.0% | n/a | 20936 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 150.2 | 194.0 | 2.0 | 203.0 | 80.2 |
| Adequate Provider Data | 150.2 | 194.0 | 2.0 | 203.0 | 80.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_MAGE3 Type: Numeric Position: 1013-1014 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: MENU_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 20.5 | 20.5 | 4.0 | 37.0 | 23.3 |
| Adequate Provider Data | 20.5 | 20.5 | 4.0 | 37.0 | 23.3 |

**Variable: MENU_MAGE4 Type: Numeric Position: 1015-1015 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_MAGE5 Type: Numeric Position: 1016-1016 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_MAGE6 Type: Numeric Position: 1017-1017 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_MAGE7 Type: Numeric Position: 1018-1018 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MENU_MAGE8 Type: Numeric Position: 1019-1019 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: MENU_MAGE9 Type: Numeric Position: 1020-1020 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_AGE1 Type: Numeric Position: 1021-1022 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3569 | 8.2% | 100.0% | 3569 | 17.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40022 | 91.8% | n/a | 17380 | 83.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_AGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 0.7 | 0.0 | 0.0 | 16.0 | 2.2 |
| Adequate Provider Data | 0.7 | 0.0 | 0.0 | 16.0 | 2.2 |

**Variable: PPS_AGE2 Type: Numeric Position: 1023-1024 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2973 | 6.8% | 100.0% | 2973 | 14.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40618 | 93.2% | n/a | 17976 | 85.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_AGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 0.8 | 0.0 | 0.0 | 16.0 | 1.7 |
| Adequate Provider Data | 0.8 | 0.0 | 0.0 | 16.0 | 1.7 |

**Variable: PPS_AGE3 Type: Numeric Position: 1025-1026 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43459 | 99.7% | n/a | 20817 | 99.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_AGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 1.5 | 0.0 | 0.0 | 16.0 | 3.3 |
| Adequate Provider Data | 1.5 | 0.0 | 0.0 | 16.0 | 3.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_AGE4 Type: Numeric Position: 1027-1028 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1.8 | 1.0 | 0.0 | 17.0 | 2.8 |
| Adequate Provider Data | 1.8 | 1.0 | 0.0 | 17.0 | 2.8 |

**Variable: PPS_AGE5 Type: Numeric Position: 1029-1029 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3.5 | 3.5 | 1.0 | 6.0 | 3.5 |
| Adequate Provider Data | 3.5 | 3.5 | 1.0 | 6.0 | 3.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_AGE6 Type: Numeric Position: 1030-1030 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_AGE7 Type: Numeric Position: 1031-1031 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_AGE8 Type: Numeric Position: 1032-1032 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_AGE9 Type: Numeric Position: 1033-1033 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_DAGE1 Type: Numeric Position: 1034-1037 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3569 | 8.2% | 100.0% | 3569 | 17.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40022 | 91.8% | n/a | 17380 | 83.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_DAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 387.4 | 149.0 | 0.0 | 6179.0 | 808.5 |
| Adequate Provider Data | 387.4 | 149.0 | 0.0 | 6179.0 | 808.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_DAGE2 Type: Numeric Position: 1038-1041 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2973 | 6.8% | 100.0% | 2973 | 14.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40618 | 93.2% | n/a | 17976 | 85.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_DAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 429.9 | 255.0 | 28.0 | 6201.0 | 625.5 |
| Adequate Provider Data | 429.9 | 255.0 | 28.0 | 6201.0 | 625.5 |

**Variable: PPS_DAGE3 Type: Numeric Position: 1042-1045 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43459 | 99.7% | n/a | 20817 | 99.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_DAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 723.7 | 275.0 | 140.0 | 6018.0 | 1185.3 |
| Adequate Provider Data | 723.7 | 275.0 | 140.0 | 6018.0 | 1185.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_DAGE4 Type: Numeric Position: 1046-1049 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 780.9 | 469.0 | 184.0 | 6277.0 | 1029.4 |
| Adequate Provider Data | 780.9 | 469.0 | 184.0 | 6277.0 | 1029.4 |

**Variable: PPS_DAGE5 Type: Numeric Position: 1050-1053 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 1319.0 | 1319.0 | 416.0 | 2222.0 | 1277.0 |
| Adequate Provider Data | 1319.0 | 1319.0 | 416.0 | 2222.0 | 1277.0 |

**Variable: PPS_DAGE6 Type: Numeric Position: 1054-1054 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_DAGE7 Type: Numeric Position: 1055-1055 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_DAGE8 Type: Numeric Position: 1056-1056 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_DAGE9 Type: Numeric Position: 1057-1057 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_MAGE1 Type: Numeric Position: 1058-1060 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 3569 | 8.2% | 100.0% | 3569 | 17.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40022 | 91.8% | n/a | 17380 | 83.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_MAGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.4 | 4.0 | 0.0 | 203.0 | 26.5 |
| Adequate Provider Data | 12.4 | 4.0 | 0.0 | 203.0 | 26.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_MAGE2 Type: Numeric Position: 1061-1063 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2973 | 6.8% | 100.0% | 2973 | 14.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 40618 | 93.2% | n/a | 17976 | 85.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_MAGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.8 | 8.0 | 1.0 | 203.0 | 20.5 |
| Adequate Provider Data | 13.8 | 8.0 | 1.0 | 203.0 | 20.5 |

**Variable: PPS_MAGE3 Type: Numeric Position: 1064-1066 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43459 | 99.7% | n/a | 20817 | 99.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_MAGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 23.3 | 9.0 | 4.0 | 197.0 | 38.9 |
| Adequate Provider Data | 23.3 | 9.0 | 4.0 | 197.0 | 38.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_MAGE4 Type: Numeric Position: 1067-1069 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 25.3 | 15.0 | 6.0 | 206.0 | 33.8 |
| Adequate Provider Data | 25.3 | 15.0 | 6.0 | 206.0 | 33.8 |

**Variable: PPS_MAGE5 Type: Numeric Position: 1070-1071 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: PPS_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 43.0 | 43.0 | 13.0 | 73.0 | 42.4 |
| Adequate Provider Data | 43.0 | 43.0 | 13.0 | 73.0 | 42.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_MAGE6 Type: Numeric Position: 1072-1072 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_MAGE7 Type: Numeric Position: 1073-1073 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: PPS_MAGE8 Type: Numeric Position: 1074-1074 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PPS_MAGE9 Type: Numeric Position: 1075-1075 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_AGE1 Type: Numeric Position: 1076-1077 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19239 | 44.1% | 100.0% | 19239 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24352 | 55.9% | n/a | 1710 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE1 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 11.3 | 11.0 | 1.0 | 17.0 | 1.1 |
| Adequate Provider Data | 11.3 | 11.0 | 1.0 | 17.0 | 1.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_AGE2 Type: Numeric Position: 1078-1079 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 970 | 2.2% | 100.0% | 970 | 4.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42621 | 97.8% | n/a | 19979 | 95.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE2 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.8 | 13.0 | 7.0 | 18.0 | 2.2 |
| Adequate Provider Data | 12.8 | 13.0 | 7.0 | 18.0 | 2.2 |

**Variable: TDP_AGE3 Type: Numeric Position: 1080-1081 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 252 | 0.6% | 100.0% | 252 | 1.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43339 | 99.4% | n/a | 20697 | 98.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE3 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 13.0 | 13.0 | 7.0 | 17.0 | 2.3 |
| Adequate Provider Data | 13.0 | 13.0 | 7.0 | 17.0 | 2.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_AGE4 Type: Numeric Position: 1082-1083 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 42 | 0.1% | 100.0% | 42 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43549 | 99.9% | n/a | 20907 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.9 | 13.0 | 9.0 | 16.0 | 2.0 |
| Adequate Provider Data | 12.9 | 13.0 | 9.0 | 16.0 | 2.0 |

**Variable: TDP_AGE5 Type: Numeric Position: 1084-1085 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 12.0 | 12.0 | 12.0 | 12.0 | . |
| Adequate Provider Data | 12.0 | 12.0 | 12.0 | 12.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_AGE6 Type: Numeric Position: 1086-1087 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 16.0 | 16.0 | 16.0 | 16.0 | . |
| Adequate Provider Data | 16.0 | 16.0 | 16.0 | 16.0 | . |

**Variable: TDP_AGE7 Type: Numeric Position: 1088-1088 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_AGE8 Type: Numeric Position: 1089-1089 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_AGE9 Type: Numeric Position: 1090-1090 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_DAGE1 Type: Numeric Position: 1091-1094 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19239 | 44.1% | 100.0% | 19239 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24352 | 55.9% | n/a | 1710 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_DAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4279.2 | 4213.0 | 379.0 | 6537.0 | 394.2 |
| Adequate Provider Data | 4279.2 | 4213.0 | 379.0 | 6537.0 | 394.2 |

**Variable: TDP_DAGE2 Type: Numeric Position: 1095-1098 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 970 | 2.2% | 100.0% | 970 | 4.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42621 | 97.8% | n/a | 19979 | 95.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_DAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4842.5 | 4754.5 | 2630.0 | 6626.0 | 797.2 |
| Adequate Provider Data | 4842.5 | 4754.5 | 2630.0 | 6626.0 | 797.2 |

**Variable: TDP_DAGE3 Type: Numeric Position: 1099-1102 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 252 | 0.6% | 100.0% | 252 | 1.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43339 | 99.4% | n/a | 20697 | 98.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_DAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 4922.3 | 5048.5 | 2841.0 | 6452.0 | 851.3 |
| Adequate Provider Data | 4922.3 | 5048.5 | 2841.0 | 6452.0 | 851.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_DAGE4 Type: Numeric Position: 1103-1106 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 42 | 0.1% | 100.0% | 42 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43549 | 99.9% | n/a | 20907 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4861.9 | 4899.5 | 3440.0 | 6109.0 | 714.8 |
| Adequate Provider Data | 4861.9 | 4899.5 | 3440.0 | 6109.0 | 714.8 |

**Variable: TDP_DAGE5 Type: Numeric Position: 1107-1110 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 4471.0 | 4471.0 | 4471.0 | 4471.0 | . |
| Adequate Provider Data | 4471.0 | 4471.0 | 4471.0 | 4471.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_DAGE6 Type: Numeric Position: 1111-1114 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5990.0 | 5990.0 | 5990.0 | 5990.0 | . |
| Adequate Provider Data | 5990.0 | 5990.0 | 5990.0 | 5990.0 | . |

**Variable: TDP_DAGE7 Type: Numeric Position: 1115-1115 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_DAGE8 Type: Numeric Position: 1116-1116 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_DAGE9 Type: Numeric Position: 1117-1117 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_MAGE1 Type: Numeric Position: 1118-1120 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19239 | 44.1% | 100.0% | 19239 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24352 | 55.9% | n/a | 1710 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_MAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 140.1 | 138.0 | 12.0 | 214.0 | 12.9 |
| Adequate Provider Data | 140.1 | 138.0 | 12.0 | 214.0 | 12.9 |

**Variable: TDP_MAGE2 Type: Numeric Position: 1121-1123 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 970 | 2.2% | 100.0% | 970 | 4.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42621 | 97.8% | n/a | 19979 | 95.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_MAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 158.6 | 156.0 | 86.0 | 217.0 | 26.2 |
| Adequate Provider Data | 158.6 | 156.0 | 86.0 | 217.0 | 26.2 |

**Variable: TDP_MAGE3 Type: Numeric Position: 1124-1126 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 252 | 0.6% | 100.0% | 252 | 1.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43339 | 99.4% | n/a | 20697 | 98.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_MAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 161.2 | 165.0 | 93.0 | 211.0 | 28.0 |
| Adequate Provider Data | 161.2 | 165.0 | 93.0 | 211.0 | 28.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_MAGE4 Type: Numeric Position: 1127-1129 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 42 | 0.1% | 100.0% | 42 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43549 | 99.9% | n/a | 20907 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 159.3 | 160.5 | 113.0 | 200.0 | 23.5 |
| Adequate Provider Data | 159.3 | 160.5 | 113.0 | 200.0 | 23.5 |

**Variable: TDP_MAGE5 Type: Numeric Position: 1130-1132 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 146.0 | 146.0 | 146.0 | 146.0 | . |
| Adequate Provider Data | 146.0 | 146.0 | 146.0 | 146.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_MAGE6 Type: Numeric Position: 1133-1135 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: TDP_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 196.0 | 196.0 | 196.0 | 196.0 | . |
| Adequate Provider Data | 196.0 | 196.0 | 196.0 | 196.0 | . |

**Variable: TDP_MAGE7 Type: Numeric Position: 1136-1136 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: TDP_MAGE8 Type: Numeric Position: 1137-1137 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: TDP_MAGE9 Type: Numeric Position: 1138-1138 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_AGE1 Type: Numeric Position: 1139-1140 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19482 | 44.7% | 100.0% | 19482 | 93.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24109 | 55.3% | n/a | 1467 | 7.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_AGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 1.9 | 1.0 | 0.0 | 17.0 | 2.5 |
| Adequate Provider Data | 1.9 | 1.0 | 0.0 | 17.0 | 2.5 |

**Variable: VRC_AGE2 Type: Numeric Position: 1141-1142 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17824 | 40.9% | 100.0% | 17824 | 85.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25767 | 59.1% | n/a | 3125 | 14.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_AGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 6.8 | 6.0 | 0.0 | 17.0 | 3.1 |
| Adequate Provider Data | 6.8 | 6.0 | 0.0 | 17.0 | 3.1 |

**Variable: VRC_AGE3 Type: Numeric Position: 1143-1144 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 676 | 1.6% | 100.0% | 676 | 3.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42915 | 98.4% | n/a | 20273 | 96.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_AGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 8.4 | 8.0 | 1.0 | 17.0 | 3.5 |
| Adequate Provider Data | 8.4 | 8.0 | 1.0 | 17.0 | 3.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_AGE4 Type: Numeric Position: 1145-1146 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_AGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 9.5 | 10.0 | 2.0 | 16.0 | 3.2 |
| Adequate Provider Data | 9.5 | 10.0 | 2.0 | 16.0 | 3.2 |

**Variable: VRC_AGE5 Type: Numeric Position: 1147-1148 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_AGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 10.0 | 10.0 | 7.0 | 13.0 | 4.2 |
| Adequate Provider Data | 10.0 | 10.0 | 7.0 | 13.0 | 4.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_AGE6 Type: Numeric Position: 1149-1150 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_AGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 14.0 | 14.0 | 14.0 | 14.0 | . |
| Adequate Provider Data | 14.0 | 14.0 | 14.0 | 14.0 | . |

**Variable: VRC_AGE7 Type: Numeric Position: 1151-1151 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_AGE8 Type: Numeric Position: 1152-1152 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_AGE9 Type: Numeric Position: 1153-1153 Source: SYNTH SHOT HISTORY**

**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_DAGE1 Type: Numeric Position: 1154-1157 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19482 | 44.7% | 100.0% | 19482 | 93.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24109 | 55.3% | n/a | 1467 | 7.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_DAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 755.0 | 396.0 | 0.0 | 6532.0 | 958.6 |
| Adequate Provider Data | 755.0 | 396.0 | 0.0 | 6532.0 | 958.6 |

**Variable: VRC_DAGE2 Type: Numeric Position: 1158-1161 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17824 | 40.9% | 100.0% | 17824 | 85.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25767 | 59.1% | n/a | 3125 | 14.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_DAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 2632.7 | 2210.0 | 124.0 | 6568.0 | 1139.1 |
| Adequate Provider Data | 2632.7 | 2210.0 | 124.0 | 6568.0 | 1139.1 |

**Variable: VRC_DAGE3 Type: Numeric Position: 1162-1165 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 676 | 1.6% | 100.0% | 676 | 3.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42915 | 98.4% | n/a | 20273 | 96.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_DAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 3239.6 | 3089.5 | 376.0 | 6458.0 | 1274.3 |
| Adequate Provider Data | 3239.6 | 3089.5 | 376.0 | 6458.0 | 1274.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_DAGE4 Type: Numeric Position: 1166-1169 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_DAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3647.6 | 3971.0 | 759.0 | 6047.0 | 1150.6 |
| Adequate Provider Data | 3647.6 | 3971.0 | 759.0 | 6047.0 | 1150.6 |

**Variable: VRC_DAGE5 Type: Numeric Position: 1170-1173 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_DAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 3711.0 | 3711.0 | 2617.0 | 4805.0 | 1547.1 |
| Adequate Provider Data | 3711.0 | 3711.0 | 2617.0 | 4805.0 | 1547.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_DAGE6 Type: Numeric Position: 1174-1177 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_DAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 5114.0 | 5114.0 | 5114.0 | 5114.0 | . |
| Adequate Provider Data | 5114.0 | 5114.0 | 5114.0 | 5114.0 | . |

**Variable: VRC_DAGE7 Type: Numeric Position: 1178-1178 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_DAGE8 Type: Numeric Position: 1179-1179 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_DAGE9 Type: Numeric Position: 1180-1180 Source: SYNTH SHOT HISTORY**

**Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_MAGE1 Type: Numeric Position: 1181-1183 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 19482 | 44.7% | 100.0% | 19482 | 93.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 24109 | 55.3% | n/a | 1467 | 7.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_MAGE1 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 24.4 | 13.0 | 0.0 | 214.0 | 31.5 |
| Adequate Provider Data | 24.4 | 13.0 | 0.0 | 214.0 | 31.5 |

**Variable: VRC_MAGE2 Type: Numeric Position: 1184-1186 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17824 | 40.9% | 100.0% | 17824 | 85.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 25767 | 59.1% | n/a | 3125 | 14.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_MAGE2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 86.0 | 72.0 | 4.0 | 215.0 | 37.4 |
| Adequate Provider Data | 86.0 | 72.0 | 4.0 | 215.0 | 37.4 |

**Variable: VRC_MAGE3 Type: Numeric Position: 1187-1189 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 676 | 1.6% | 100.0% | 676 | 3.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 42915 | 98.4% | n/a | 20273 | 96.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_MAGE3 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|---|---|---|---|---|---|
| Completed Household Interviews | 106.0 | 101.0 | 12.0 | 212.0 | 41.9 |
| Adequate Provider Data | 106.0 | 101.0 | 12.0 | 212.0 | 41.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_MAGE4 Type: Numeric Position: 1190-1192 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_MAGE4 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 119.4 | 130.0 | 24.0 | 198.0 | 37.8 |
| Adequate Provider Data | 119.4 | 130.0 | 24.0 | 198.0 | 37.8 |

**Variable: VRC_MAGE5 Type: Numeric Position: 1193-1195 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_MAGE5 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 121.0 | 121.0 | 85.0 | 157.0 | 50.9 |
| Adequate Provider Data | 121.0 | 121.0 | 85.0 | 157.0 | 50.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_MAGE6 Type: Numeric Position: 1196-1198 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: VRC_MAGE6 Type: Numeric**

| **CASES** | **MEAN** | **MEDIAN** | **MIN** | **MAX** | **STDDev** |
|---|---|---|---|---|---|
| Completed Household Interviews | 168.0 | 168.0 | 168.0 | 168.0 | . |
| Adequate Provider Data | 168.0 | 168.0 | 168.0 | 168.0 | . |

**Variable: VRC_MAGE7 Type: Numeric Position: 1199-1199 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: VRC_MAGE8 Type: Numeric Position: 1200-1200 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: VRC_MAGE9 Type: Numeric Position: 1201-1201 Source: SYNTH SHOT HISTORY**

**Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XFLUTY1 Type: Character Position: 1202-1203 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 910 | 2.1% | 7.8% | 910 | 4.3% | 7.8% |
| SEASONAL FLUMIST | FM | 2765 | 6.3% | 23.6% | 2765 | 13.2% | 23.6% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 8004 | 18.4% | 68.5% | 8004 | 38.2% | 68.5% |
| SEASONAL FLUVIRIN | FV | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XFLUTY1 Type: Character Position: 1202-1203 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLUZONE | FZ | 9 | 0.0% | 0.1% | 9 | 0.0% | 0.1% |
| **SUBTOTALS:** | | 11692 | 26.8% | 100.0% | 11692 | 55.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 31899 | 73.2% | n/a | 9257 | 44.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XFLUTY2 Type: Character Position: 1204-1205 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 452 | 1.0% | 6.3% | 452 | 2.2% | 6.3% |
| SEASONAL FLUMIST | FM | 1279 | 2.9% | 17.7% | 1279 | 6.1% | 17.7% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 5487 | 12.6% | 75.9% | 5487 | 26.2% | 75.9% |
| SEASONAL FLUVIRIN | FV | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SEASONAL FLUZONE | FZ | 5 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| **SUBTOTALS:** | | 7225 | 16.6% | 100.0% | 7225 | 34.5% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 36366 | 83.4% | n/a | 13724 | 65.5% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XFLUTY3 Type: Character Position: 1206-1207 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 210 | 0.5% | 4.9% | 210 | 1.0% | 4.9% |
| SEASONAL FLUMIST | FM | 437 | 1.0% | 10.2% | 437 | 2.1% | 10.2% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 3619 | 8.3% | 84.7% | 3619 | 17.3% | 84.7% |
| SEASONAL FLUZONE | FZ | 5 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| **SUBTOTALS:** | | 4271 | 9.8% | 100.0% | 4271 | 20.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 39320 | 90.2% | n/a | 16678 | 79.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XFLUTY4 Type: Character Position: 1208-1209 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 44 | 0.1% | 9.5% | 44 | 0.2% | 9.5% |
| SEASONAL FLUMIST | FM | 66 | 0.2% | 14.3% | 66 | 0.3% | 14.3% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 346 | 0.8% | 74.7% | 346 | 1.7% | 74.7% |
| SEASONAL FLUVIRIN | FV | 2 | 0.0% | 0.4% | 2 | 0.0% | 0.4% |
| SEASONAL FLUZONE | FZ | 5 | 0.0% | 1.1% | 5 | 0.0% | 1.1% |
| **SUBTOTALS:** | | 463 | 1.1% | 100.0% | 463 | 2.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43128 | 98.9% | n/a | 20486 | 97.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XFLUTY5 Type: Character Position: 1210-1211 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 19 | 0.0% | 11.9% | 19 | 0.1% | 11.9% |
| SEASONAL FLUMIST | FM | 24 | 0.1% | 15.0% | 24 | 0.1% | 15.0% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 113 | 0.3% | 70.6% | 113 | 0.5% | 70.6% |
| SEASONAL FLUVIRIN | FV | 1 | 0.0% | 0.6% | 1 | 0.0% | 0.6% |
| SEASONAL FLUZONE | FZ | 3 | 0.0% | 1.9% | 3 | 0.0% | 1.9% |
| **SUBTOTALS:** | | 160 | 0.4% | 100.0% | 160 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43431 | 99.6% | n/a | 20789 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XFLUTY6 Type: Character Position: 1212-1213 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 9 | 0.0% | 12.7% | 9 | 0.0% | 12.7% |
| SEASONAL FLUMIST | FM | 3 | 0.0% | 4.2% | 3 | 0.0% | 4.2% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 58 | 0.1% | 81.7% | 58 | 0.3% | 81.7% |
| SEASONAL FLUZONE | FZ | 1 | 0.0% | 1.4% | 1 | 0.0% | 1.4% |
| **SUBTOTALS:** | | 71 | 0.2% | 100.0% | 71 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43520 | 99.8% | n/a | 20878 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XFLUTY7 Type: Character Position: 1214-1215 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 4 | 0.0% | 17.4% | 4 | 0.0% | 17.4% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 19 | 0.0% | 82.6% | 19 | 0.1% | 82.6% |
| **SUBTOTALS:** | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43568 | 99.9% | n/a | 20926 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XFLUTY8 Type: Character Position: 1216-1217 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 2 | 0.0% | 20.0% | 2 | 0.0% | 20.0% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 8 | 0.0% | 80.0% | 8 | 0.0% | 80.0% |
| **SUBTOTALS:** | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43581 | 100.0% | n/a | 20939 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XFLUTY9 Type: Character Position: 1218-1218 Source: SYNTH SHOT HISTORY**

**Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XHEPATY1 Type: Character Position: 1219-1220 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 78 | 0.2% | 0.5% | 78 | 0.4% | 0.5% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 15997 | 36.7% | 99.5% | 15997 | 76.4% | 99.5% |
| **SUBTOTALS:** | | 16075 | 36.9% | 100.0% | 16075 | 76.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 27516 | 63.1% | n/a | 4874 | 23.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPATY2 Type: Character Position: 1221-1222 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 78 | 0.2% | 0.5% | 78 | 0.4% | 0.5% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 14192 | 32.6% | 99.5% | 14192 | 67.7% | 99.5% |
| **SUBTOTALS:** | | 14270 | 32.7% | 100.0% | 14270 | 68.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 29321 | 67.3% | n/a | 6679 | 31.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPATY3 Type: Character Position: 1223-1224 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 12 | 0.0% | 2.0% | 12 | 0.1% | 2.0% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 576 | 1.3% | 98.0% | 576 | 2.7% | 98.0% |
| **SUBTOTALS:** | | 588 | 1.3% | 100.0% | 588 | 2.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43003 | 98.7% | n/a | 20361 | 97.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPATY4 Type: Character Position: 1225-1226 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 5 | 0.0% | 7.5% | 5 | 0.0% | 7.5% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 62 | 0.1% | 92.5% | 62 | 0.3% | 92.5% |
| **SUBTOTALS:** | | 67 | 0.2% | 100.0% | 67 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43524 | 99.8% | n/a | 20882 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPATY5 Type: Character Position: 1227-1228 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 1 | 0.0% | 16.7% | 1 | 0.0% | 16.7% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 5 | 0.0% | 83.3% | 5 | 0.0% | 83.3% |
| **SUBTOTALS:** | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPATY6 Type: Character Position: 1229-1230 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPATY7 Type: Character Position: 1231-1231 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XHEPATY8 Type: Character Position: 1232-1232 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPATY9 Type: Character Position: 1233-1233 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XHEPBTY1 Type: Character Position: 1234-1235 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 2040 | 4.7% | 10.3% | 2040 | 9.7% | 10.3% |
| 0.5 ML RECOMBIVAX | 61 | 1371 | 3.1% | 6.9% | 1371 | 6.5% | 6.9% |
| 1.0 ML RECOMBIVAX | 62 | 32 | 0.1% | 0.2% | 32 | 0.2% | 0.2% |
| ENGERIX | 63 | 886 | 2.0% | 4.5% | 886 | 4.2% | 4.5% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 14781 | 33.9% | 74.3% | 14781 | 70.6% | 74.3% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 778 | 1.8% | 3.9% | 778 | 3.7% | 3.9% |
| **SUBTOTALS:** | | 19888 | 45.6% | 100.0% | 19888 | 94.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 23703 | 54.4% | n/a | 1061 | 5.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPBTY2 Type: Character Position: 1236-1237 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 3049 | 7.0% | 15.5% | 3049 | 14.6% | 15.5% |
| 0.5 ML RECOMBIVAX | 61 | 1572 | 3.6% | 8.0% | 1572 | 7.5% | 8.0% |
| 1.0 ML RECOMBIVAX | 62 | 31 | 0.1% | 0.2% | 31 | 0.1% | 0.2% |
| ENGERIX | 63 | 1065 | 2.4% | 5.4% | 1065 | 5.1% | 5.4% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 12701 | 29.1% | 64.7% | 12701 | 60.6% | 64.7% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 1204 | 2.8% | 6.1% | 1204 | 5.7% | 6.1% |
| **SUBTOTALS:** | | 19622 | 45.0% | 100.0% | 19622 | 93.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 23969 | 55.0% | n/a | 1327 | 6.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPBTY3 Type: Character Position: 1238-1239 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 2766 | 6.3% | 14.4% | 2766 | 13.2% | 14.4% |
| 0.5 ML RECOMBIVAX | 61 | 1627 | 3.7% | 8.5% | 1627 | 7.8% | 8.5% |
| 1.0 ML RECOMBIVAX | 62 | 34 | 0.1% | 0.2% | 34 | 0.2% | 0.2% |
| ENGERIX | 63 | 1120 | 2.6% | 5.8% | 1120 | 5.3% | 5.8% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 12397 | 28.4% | 64.5% | 12397 | 59.2% | 64.5% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 1287 | 3.0% | 6.7% | 1287 | 6.1% | 6.7% |
| **SUBTOTALS:** | | 19231 | 44.1% | 100.0% | 19231 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPBTY3 Type: Character Position: 1238-1239 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | | 24360 | 55.9% | n/a | 1718 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPBTY4 Type: Character Position: 1240-1241 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 419 | 1.0% | 14.7% | 419 | 2.0% | 14.7% |
| 0.5 ML RECOMBIVAX | 61 | 170 | 0.4% | 6.0% | 170 | 0.8% | 6.0% |
| 1.0 ML RECOMBIVAX | 62 | 3 | 0.0% | 0.1% | 3 | 0.0% | 0.1% |
| ENGERIX | 63 | 150 | 0.3% | 5.3% | 150 | 0.7% | 5.3% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 1564 | 3.6% | 55.0% | 1564 | 7.5% | 55.0% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 537 | 1.2% | 18.9% | 537 | 2.6% | 18.9% |
| **SUBTOTALS:** | | 2843 | 6.5% | 100.0% | 2843 | 13.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 40748 | 93.5% | n/a | 18106 | 86.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPBTY5 Type: Character Position: 1242-1243 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 28 | 0.1% | 9.6% | 28 | 0.1% | 9.6% |
| 0.5 ML RECOMBIVAX | 61 | 12 | 0.0% | 4.1% | 12 | 0.1% | 4.1% |
| ENGERIX | 63 | 12 | 0.0% | 4.1% | 12 | 0.1% | 4.1% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 156 | 0.4% | 53.6% | 156 | 0.7% | 53.6% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 83 | 0.2% | 28.5% | 83 | 0.4% | 28.5% |
| **SUBTOTALS:** | | 291 | 0.7% | 100.0% | 291 | 1.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43300 | 99.3% | n/a | 20658 | 98.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPBTY6 Type: Character Position: 1244-1245 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 7 | 0.0% | 9.5% | 7 | 0.0% | 9.5% |
| 0.5 ML RECOMBIVAX | 61 | 3 | 0.0% | 4.1% | 3 | 0.0% | 4.1% |
| ENGERIX | 63 | 4 | 0.0% | 5.4% | 4 | 0.0% | 5.4% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 45 | 0.1% | 60.8% | 45 | 0.2% | 60.8% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 15 | 0.0% | 20.3% | 15 | 0.1% | 20.3% |
| **SUBTOTALS:** | | 74 | 0.2% | 100.0% | 74 | 0.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43517 | 99.8% | n/a | 20875 | 99.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPBTY7 Type: Character Position: 1246-1247 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPB-HIB | 43 | 1 | 0.0% | 5.9% | 1 | 0.0% | 5.9% |
| 0.5 ML RECOMBIVAX | 61 | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| ENGERIX | 63 | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 9 | 0.0% | 52.9% | 9 | 0.0% | 52.9% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 3 | 0.0% | 17.6% | 3 | 0.0% | 17.6% |
| **SUBTOTALS:** | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43574 | 100.0% | n/a | 20932 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHEPBTY8 Type: Character Position: 1248-1249 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPBTY9 Type: Character Position: 1250-1250 Source: SYNTH SHOT HISTORY**

**Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XHPVTY1 Type: Character Position: 1251-1252 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 7524 | 17.3% | 53.7% | 7524 | 35.9% | 53.7% |
| GARDASIL 9 | 9V | 5292 | 12.1% | 37.8% | 5292 | 25.3% | 37.8% |
| CERVARIX | CV | 59 | 0.1% | 0.4% | 59 | 0.3% | 0.4% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 1131 | 2.6% | 8.1% | 1131 | 5.4% | 8.1% |
| GARDASIL, UNKNOWN VALENCY | UV | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 14009 | 32.1% | 100.0% | 14009 | 66.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 29582 | 67.9% | n/a | 6940 | 33.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHPVTY2 Type: Character Position: 1253-1254 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 5773 | 13.2% | 50.1% | 5773 | 27.6% | 50.1% |
| GARDASIL 9 | 9V | 4831 | 11.1% | 42.0% | 4831 | 23.1% | 42.0% |
| CERVARIX | CV | 48 | 0.1% | 0.4% | 48 | 0.2% | 0.4% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 858 | 2.0% | 7.5% | 858 | 4.1% | 7.5% |
| GARDASIL, UNKNOWN VALENCY | UV | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 11514 | 26.4% | 100.0% | 11514 | 55.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 32077 | 73.6% | n/a | 9435 | 45.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHPVTY3 Type: Character Position: 1255-1256 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 4053 | 9.3% | 47.0% | 4053 | 19.3% | 47.0% |
| GARDASIL 9 | 9V | 3940 | 9.0% | 45.7% | 3940 | 18.8% | 45.7% |
| CERVARIX | CV | 32 | 0.1% | 0.4% | 32 | 0.2% | 0.4% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 600 | 1.4% | 7.0% | 600 | 2.9% | 7.0% |
| GARDASIL, UNKNOWN VALENCY | UV | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| **SUBTOTALS:** | | 8626 | 19.8% | 100.0% | 8626 | 41.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 34965 | 80.2% | n/a | 12323 | 58.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHPVTY4 Type: Character Position: 1257-1258 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 63 | 0.1% | 37.3% | 63 | 0.3% | 37.3% |
| GARDASIL 9 | 9V | 87 | 0.2% | 51.5% | 87 | 0.4% | 51.5% |
| CERVARIX | CV | 1 | 0.0% | 0.6% | 1 | 0.0% | 0.6% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 16 | 0.0% | 9.5% | 16 | 0.1% | 9.5% |
| GARDASIL, UNKNOWN VALENCY | UV | 2 | 0.0% | 1.2% | 2 | 0.0% | 1.2% |
| **SUBTOTALS:** | | 169 | 0.4% | 100.0% | 169 | 0.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43422 | 99.6% | n/a | 20780 | 99.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHPVTY5 Type: Character Position: 1259-1260 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 5 | 0.0% | 19.2% | 5 | 0.0% | 19.2% |
| GARDASIL 9 | 9V | 17 | 0.0% | 65.4% | 17 | 0.1% | 65.4% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 4 | 0.0% | 15.4% | 4 | 0.0% | 15.4% |
| **SUBTOTALS:** | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43565 | 99.9% | n/a | 20923 | 99.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHPVTY6 Type: Character Position: 1261-1262 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| GARDASIL 4 | 4V | 1 | 0.0% | 16.7% | 1 | 0.0% | 16.7% |
| GARDASIL 9 | 9V | 3 | 0.0% | 50.0% | 3 | 0.0% | 50.0% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 2 | 0.0% | 33.3% | 2 | 0.0% | 33.3% |
| **SUBTOTALS:** | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43585 | 100.0% | n/a | 20943 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XHPVTY7 Type: Character Position: 1263-1263 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHPVTY8 Type: Character Position: 1264-1264 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XHPVTY9 Type: Character Position: 1265-1265 Source: SYNTH SHOT HISTORY**

**Label: HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMCVTY1 Type: Character Position: 1266-1267 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-ONLY | 30 | 18593 | 42.7% | 93.1% | 18593 | 88.8% | 93.1% |
| MEASLES-ONLY | 31 | 140 | 0.3% | 0.7% | 140 | 0.7% | 0.7% |
| MEASLES-MUMPS | 32 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 796 | 1.8% | 4.0% | 796 | 3.8% | 4.0% |
| MMR-VARICELLA | VM | 433 | 1.0% | 2.2% | 433 | 2.1% | 2.2% |
| **SUBTOTALS:** | | 19964 | 45.8% | 100.0% | 19964 | 95.3% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMCVTY1 Type: Character Position: 1266-1267 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 23627 | 54.2% | n/a | 985 | 4.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMCVTY2 Type: Character Position: 1268-1269 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-ONLY | 30 | 17128 | 39.3% | 88.5% | 17128 | 81.8% | 88.5% |
| MEASLES-ONLY | 31 | 50 | 0.1% | 0.3% | 50 | 0.2% | 0.3% |
| MEASLES-RUBELLA | 33 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 653 | 1.5% | 3.4% | 653 | 3.1% | 3.4% |
| MMR-VARICELLA | VM | 1526 | 3.5% | 7.9% | 1526 | 7.3% | 7.9% |
| **SUBTOTALS:** | | 19360 | 44.4% | 100.0% | 19360 | 92.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 24231 | 55.6% | n/a | 1589 | 7.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMCVTY3 Type: Character Position: 1270-1271 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-ONLY | 30 | 583 | 1.3% | 83.0% | 583 | 2.8% | 83.0% |
| MEASLES-ONLY | 31 | 6 | 0.0% | 0.9% | 6 | 0.0% | 0.9% |
| MEASLES-RUBELLA | 33 | 1 | 0.0% | 0.1% | 1 | 0.0% | 0.1% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 14 | 0.0% | 2.0% | 14 | 0.1% | 2.0% |
| MMR-VARICELLA | VM | 98 | 0.2% | 14.0% | 98 | 0.5% | 14.0% |
| **SUBTOTALS:** | | 702 | 1.6% | 100.0% | 702 | 3.4% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 42889 | 98.4% | n/a | 20247 | 96.6% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMCVTY4 Type: Character Position: 1272-1273 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-ONLY | 30 | 51 | 0.1% | 83.6% | 51 | 0.2% | 83.6% |
| MEASLES-RUBELLA | 33 | 2 | 0.0% | 3.3% | 2 | 0.0% | 3.3% |
| MMR-VARICELLA | VM | 8 | 0.0% | 13.1% | 8 | 0.0% | 13.1% |
| **SUBTOTALS:** | | 61 | 0.1% | 100.0% | 61 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43530 | 99.9% | n/a | 20888 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMCVTY5 Type: Character Position: 1274-1275 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-ONLY | 30 | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43586 | 100.0% | n/a | 20944 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMCVTY6 Type: Character Position: 1276-1276 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMCVTY7 Type: Character Position: 1277-1277 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMCVTY8 Type: Character Position: 1278-1278 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMCVTY9 Type: Character Position: 1279-1279 Source: SYNTH SHOT HISTORY**

**Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENBTY1 Type: Character Position: 1280-1281 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MENB-4C (BEXSERO) | BB | 615 | 1.4% | 59.7% | 615 | 2.9% | 59.7% |
| MENB-FHBP (TRUMENBA) | BT | 312 | 0.7% | 30.3% | 312 | 1.5% | 30.3% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 103 | 0.2% | 10.0% | 103 | 0.5% | 10.0% |
| **SUBTOTALS:** | | 1030 | 2.4% | 100.0% | 1030 | 4.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENBTY1 Type: Character Position: 1280-1281 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | | 42561 | 97.6% | n/a | 19919 | 95.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENBTY2 Type: Character Position: 1282-1283 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MENB-4C (BEXSERO) | BB | 255 | 0.6% | 65.1% | 255 | 1.2% | 65.1% |
| MENB-FHBP (TRUMENBA) | BT | 109 | 0.3% | 27.8% | 109 | 0.5% | 27.8% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 28 | 0.1% | 7.1% | 28 | 0.1% | 7.1% |
| **SUBTOTALS:** | | 392 | 0.9% | 100.0% | 392 | 1.9% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43199 | 99.1% | n/a | 20557 | 98.1% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENBTY3 Type: Character Position: 1284-1285 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MENB-4C (BEXSERO) | BB | 1 | 0.0% | 2.2% | 1 | 0.0% | 2.2% |
| MENB-FHBP (TRUMENBA) | BT | 37 | 0.1% | 82.2% | 37 | 0.2% | 82.2% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 7 | 0.0% | 15.6% | 7 | 0.0% | 15.6% |
| **SUBTOTALS:** | | 45 | 0.1% | 100.0% | 45 | 0.2% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENBTY3 Type: Character Position: 1284-1285 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43546 | 99.9% | n/a | 20904 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENBTY4 Type: Character Position: 1286-1287 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MENB-FHBP (TRUMENBA) | BT | 1 | 0.0% | 50.0% | 1 | 0.0% | 50.0% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 1 | 0.0% | 50.0% | 1 | 0.0% | 50.0% |
| **SUBTOTALS:** | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENBTY5 Type: Character Position: 1288-1289 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MENB-FHBP (TRUMENBA) | BT | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENBTY6 Type: Character Position: 1290-1290 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENBTY7 Type: Character Position: 1291-1291 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENBTY8 Type: Character Position: 1292-1292 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENBTY9 Type: Character Position: 1293-1293 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENTY1 Type: Character Position: 1294-1295 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 17216 | 39.5% | 95.9% | 17216 | 82.2% | 95.9% |
| MPSV4 (MENOMUNE) | 81 | 225 | 0.5% | 1.3% | 225 | 1.1% | 1.3% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 511 | 1.2% | 2.8% | 511 | 2.4% | 2.8% |
| **SUBTOTALS:** | | 17952 | 41.2% | 100.0% | 17952 | 85.7% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 25639 | 58.8% | n/a | 2997 | 14.3% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENTY2 Type: Character Position: 1296-1297 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 3310 | 7.6% | 97.3% | 3310 | 15.8% | 97.3% |
| MPSV4 (MENOMUNE) | 81 | 27 | 0.1% | 0.8% | 27 | 0.1% | 0.8% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 66 | 0.2% | 1.9% | 66 | 0.3% | 1.9% |
| **SUBTOTALS:** | | 3403 | 7.8% | 100.0% | 3403 | 16.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 40188 | 92.2% | n/a | 17546 | 83.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENTY3 Type: Character Position: 1298-1299 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 64 | 0.1% | 94.1% | 64 | 0.3% | 94.1% |
| MPSV4 (MENOMUNE) | 81 | 2 | 0.0% | 2.9% | 2 | 0.0% | 2.9% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 2 | 0.0% | 2.9% | 2 | 0.0% | 2.9% |
| **SUBTOTALS:** | | 68 | 0.2% | 100.0% | 68 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43523 | 99.8% | n/a | 20881 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENTY4 Type: Character Position: 1300-1301 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43587 | 100.0% | n/a | 20945 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENTY5 Type: Character Position: 1302-1303 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XMENTY6 Type: Character Position: 1304-1305 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MCV4 (MENACTRA) | 80 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMENTY7 Type: Character Position: 1306-1306 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENTY8 Type: Character Position: 1307-1307 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XMENTY9 Type: Character Position: 1308-1308 Source: SYNTH SHOT HISTORY**

**Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XTDPTY1 Type: Character Position: 1309-1310 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 438 | 1.0% | 2.3% | 438 | 2.1% | 2.3% |
| TDAP | 14 | 18568 | 42.6% | 96.5% | 18568 | 88.6% | 96.5% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 233 | 0.5% | 1.2% | 233 | 1.1% | 1.2% |
| **SUBTOTALS:** | | 19239 | 44.1% | 100.0% | 19239 | 91.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 24352 | 55.9% | n/a | 1710 | 8.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XTDPTY2 Type: Character Position: 1311-1312 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 249 | 0.6% | 25.7% | 249 | 1.2% | 25.7% |
| TDAP | 14 | 703 | 1.6% | 72.5% | 703 | 3.4% | 72.5% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 18 | 0.0% | 1.9% | 18 | 0.1% | 1.9% |
| **SUBTOTALS:** | | 970 | 2.2% | 100.0% | 970 | 4.6% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 42621 | 97.8% | n/a | 19979 | 95.4% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XTDPTY3 Type: Character Position: 1313-1314 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 137 | 0.3% | 54.4% | 137 | 0.7% | 54.4% |
| TDAP | 14 | 111 | 0.3% | 44.0% | 111 | 0.5% | 44.0% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 4 | 0.0% | 1.6% | 4 | 0.0% | 1.6% |
| **SUBTOTALS:** | | 252 | 0.6% | 100.0% | 252 | 1.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43339 | 99.4% | n/a | 20697 | 98.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XTDPTY4 Type: Character Position: 1315-1316 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 18 | 0.0% | 42.9% | 18 | 0.1% | 42.9% |
| TDAP | 14 | 23 | 0.1% | 54.8% | 23 | 0.1% | 54.8% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 1 | 0.0% | 2.4% | 1 | 0.0% | 2.4% |
| **SUBTOTALS:** | | 42 | 0.1% | 100.0% | 42 | 0.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43549 | 99.9% | n/a | 20907 | 99.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XTDPTY5 Type: Character Position: 1317-1318 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XTDPTY6 Type: Character Position: 1319-1320 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| TD | 11 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XTDPTY7 Type: Character Position: 1321-1321 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XTDPTY8 Type: Character Position: 1322-1322 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XTDPTY9 Type: Character Position: 1323-1323 Source: SYNTH SHOT HISTORY**

**Label: TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XVRCTY1 Type: Character Position: 1324-1325 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 833 | 1.9% | 4.3% | 833 | 4.0% | 4.3% |
| MMR-VARICELLA | VM | 503 | 1.2% | 2.6% | 503 | 2.4% | 2.6% |
| VARICELLA-ONLY | VO | 18146 | 41.6% | 93.1% | 18146 | 86.6% | 93.1% |
| **SUBTOTALS:** | | 19482 | 44.7% | 100.0% | 19482 | 93.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY1 Type: Character Position: 1324-1325 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | | 24109 | 55.3% | n/a | 1467 | 7.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY2 Type: Character Position: 1326-1327 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 537 | 1.2% | 3.0% | 537 | 2.6% | 3.0% |
| MMR-VARICELLA | VM | 1485 | 3.4% | 8.3% | 1485 | 7.1% | 8.3% |
| VARICELLA-ONLY | VO | 15802 | 36.3% | 88.7% | 15802 | 75.4% | 88.7% |
| **SUBTOTALS:** | | 17824 | 40.9% | 100.0% | 17824 | 85.1% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 25767 | 59.1% | n/a | 3125 | 14.9% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY3 Type: Character Position: 1328-1329 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 23 | 0.1% | 3.4% | 23 | 0.1% | 3.4% |
| MMR-VARICELLA | VM | 70 | 0.2% | 10.4% | 70 | 0.3% | 10.4% |
| VARICELLA-ONLY | VO | 583 | 1.3% | 86.2% | 583 | 2.8% | 86.2% |
| **SUBTOTALS:** | | 676 | 1.6% | 100.0% | 676 | 3.2% | 100.0% |
| **RESERVED CODES:** | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY3 Type: Character Position: 1328-1329 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MISSING | | 42915 | 98.4% | n/a | 20273 | 96.8% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY4 Type: Character Position: 1330-1331 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 3 | 0.0% | 5.7% | 3 | 0.0% | 5.7% |
| MMR-VARICELLA | VM | 6 | 0.0% | 11.3% | 6 | 0.0% | 11.3% |
| VARICELLA-ONLY | VO | 44 | 0.1% | 83.0% | 44 | 0.2% | 83.0% |
| **SUBTOTALS:** | | 53 | 0.1% | 100.0% | 53 | 0.3% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43538 | 99.9% | n/a | 20896 | 99.7% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY5 Type: Character Position: 1332-1333 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| VARICELLA-ONLY | VO | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43589 | 100.0% | n/a | 20947 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY6 Type: Character Position: 1334-1335 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| MMR-VARICELLA | VM | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **SUBTOTALS:** | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43590 | 100.0% | n/a | 20948 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

**Variable: XVRCTY7 Type: Character Position: 1336-1336 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

**Variable: XVRCTY8 Type: Character Position: 1337-1337 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY9 Type: Character Position: 1338-1338 Source: SYNTH SHOT HISTORY**

**Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: Reflects vaccinations given both before and after the HH interview date.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| **SUBTOTALS:** | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| **RESERVED CODES:** | | | | | | | |
| MISSING | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | n/a | 20949 | 100.0% | n/a |

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

**Variable: INS_STAT2_I Type: Numeric Position: 1339-1339 Source: TIS_INS_1, TIS_INS_1A, TIS_INS_2, TIS_INS_3, TIS_INS_3A, TIS_INS_4, TIS_INS_5, TIS_INS_6, TIS_INS_6A, TIS_INS_6B, TIS_INS_6C, TIS_INS_6D, TIS_INS_7, TIS_INS_7A**

**Label: INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED**

**Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| PRIVATE INSURANCE ONLY | 1 | 11919 | 27.3% | 56.9% | 11919 | 56.9% | 56.9% |
| ANY MEDICAID | 2 | 6504 | 14.9% | 31.0% | 6504 | 31.0% | 31.0% |
| OTHER INSURANCE | 3 | 1708 | 3.9% | 8.2% | 1708 | 8.2% | 8.2% |
| UNINSURED | 4 | 818 | 1.9% | 3.9% | 818 | 3.9% | 3.9% |
| **SUBTOTALS:** | | 20949 | 48.1% | 100.0% | 20949 | 100.0% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22642 | 51.9% | n/a | 0 | 0.0% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

**Variable: INS_BREAK_I Type: Numeric Position: 1340-1340 Source: TIS_INS_8, TIS_INS_10**

**Label: CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED**

**Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.**

| | | Completed Household Interviews | | | Adequate Provider Data | | |
|---|---|---|---|---|---|---|---|
| **LABEL** | **VALUE** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** | **COUNT** | **PCT** | **PCT Excl. Reserve Codes** |
| CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE AGE 11 | 1 | 1366 | 3.1% | 6.5% | 1366 | 6.5% | 6.5% |
| CURRENTLY INSURED AND NEVER UNINSURED SINCE AGE 11 | 2 | 18725 | 43.0% | 89.6% | 18725 | 89.4% | 89.6% |
| CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE AGE 11 | 3 | 541 | 1.2% | 2.6% | 541 | 2.6% | 2.6% |
| CURRENTLY UNINSURED AND NEVER INSURED SINCE AGE 11 | 4 | 269 | 0.6% | 1.3% | 269 | 1.3% | 1.3% |
| **SUBTOTALS:** | | 20901 | 47.9% | 100.0% | 20901 | 99.8% | 100.0% |
| **RESERVED CODES:** | | | | | | | |
| MISSING | . | 22690 | 52.1% | n/a | 48 | 0.2% | n/a |
| **TOTALS:** | | 43591 | 100.0% | 100.0% | 20949 | 100.0% | 100.0% |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| AGE | 243 | 244 | 3 | AGE IN YEARS OF SELECTED TEEN |
| AGEGRP_M_I | 245 | 245 | 3 | MOTHER'S AGE CATEGORIES: IMPUTED (RECODE) |
| ASTHMA | 55 | 56 | 2 | HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA? |
| C1R | 246 | 246 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (RECODE) |
| C5R | 247 | 248 | 3 | RELATIONSHIP OF RESPONDENT TO TEEN (RECODE) |
| CEN_REG | 249 | 249 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 250 | 250 | 3 | NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE) |
| CKUP_11_12 | 57 | 58 | 2 | DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP? |
| CKUP_AGE | 59 | 60 | 2 | AGE IN YEARS AT LAST CHECK-UP |
| CKUP_LAST | 61 | 62 | 2 | WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO? |
| CPOX_AGE | 63 | 64 | 2 | AGE IN YEARS WHEN HAD CHICKEN POX DISEASE |
| CPOX_AGER | 65 | 66 | 2 | AGE RANGE WHEN HAD CHICKEN POX DISEASE |
| CPOX_HAD | 67 | 68 | 2 | TEEN EVER HAD CHICKEN POX DISEASE? |
| D6R | 311 | 311 | 5 | NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE) |
| D7 | 312 | 312 | 5 | CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS |
| EDUC1 | 251 | 251 | 3 | EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES: IMPUTED (RECODE) |
| EDUC_TR | 252 | 253 | 3 | TEEN'S CURRENT GRADE IN SCHOOL (RECODE) |
| ESTIAPT17 | 304 | 306 | 4 | ESTIMATION AREA OF RESIDENCE |
| EST_GRANT | 307 | 308 | 4 | AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS |
| FACILITY | 315 | 315 | 7 | FACILITY TYPES FOR TEEN'S PROVIDERS |
| FLU_AGE1 | 478 | 479 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_AGE2 | 480 | 481 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_AGE3 | 482 | 483 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_AGE4 | 484 | 485 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_AGE5 | 486 | 487 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_AGE6 | 488 | 489 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_AGE7 | 490 | 491 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_AGE8 | 492 | 493 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_AGE9 | 494 | 494 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| FLU_DAGE1 | 495 | 498 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_DAGE2 | 499 | 502 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_DAGE3 | 503 | 506 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_DAGE4 | 507 | 510 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_DAGE5 | 511 | 514 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_DAGE6 | 515 | 518 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_DAGE7 | 519 | 522 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_DAGE8 | 523 | 526 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_DAGE9 | 527 | 527 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MAGE1 | 528 | 530 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MAGE2 | 531 | 533 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MAGE3 | 534 | 536 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MAGE4 | 537 | 539 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MAGE5 | 540 | 542 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MAGE6 | 543 | 545 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MAGE7 | 546 | 548 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MAGE8 | 549 | 551 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MAGE9 | 552 | 552 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MONTH1 | 553 | 554 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MONTH2 | 555 | 556 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MONTH3 | 557 | 558 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MONTH4 | 559 | 560 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| FLU_MONTH5 | 561 | 562 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MONTH6 | 563 | 564 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MONTH7 | 565 | 566 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MONTH8 | 567 | 568 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MONTH9 | 569 | 569 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_YEAR1 | 570 | 573 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_YEAR2 | 574 | 577 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_YEAR3 | 578 | 581 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_YEAR4 | 582 | 585 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_YEAR5 | 586 | 589 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_YEAR6 | 590 | 593 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_YEAR7 | 594 | 597 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_YEAR8 | 598 | 601 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_YEAR9 | 602 | 602 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| HEPA_AGE1 | 603 | 604 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_AGE2 | 605 | 606 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_AGE3 | 607 | 608 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_AGE4 | 609 | 610 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_AGE5 | 611 | 612 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_AGE6 | 613 | 614 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_AGE7 | 615 | 615 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_AGE8 | 616 | 616 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_AGE9 | 617 | 617 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_DAGE1 | 618 | 621 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_DAGE2 | 622 | 625 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_DAGE3 | 626 | 629 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_DAGE4 | 630 | 633 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_DAGE5 | 634 | 637 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HEPA_DAGE6 | 638 | 641 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_DAGE7 | 642 | 642 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_DAGE8 | 643 | 643 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_DAGE9 | 644 | 644 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_MAGE1 | 645 | 647 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_MAGE2 | 648 | 650 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_MAGE3 | 651 | 653 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_MAGE4 | 654 | 656 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_MAGE5 | 657 | 659 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_MAGE6 | 660 | 662 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_MAGE7 | 663 | 663 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_MAGE8 | 664 | 664 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_MAGE9 | 665 | 665 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPB_AGE1 | 666 | 667 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_AGE2 | 668 | 669 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_AGE3 | 670 | 671 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_AGE4 | 672 | 673 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_AGE5 | 674 | 675 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_AGE6 | 676 | 677 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_AGE7 | 678 | 679 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_AGE8 | 680 | 680 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_AGE9 | 681 | 681 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_DAGE1 | 682 | 685 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_DAGE2 | 686 | 689 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_DAGE3 | 690 | 693 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_DAGE4 | 694 | 697 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_DAGE5 | 698 | 701 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_DAGE6 | 702 | 705 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_DAGE7 | 706 | 709 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_DAGE8 | 710 | 713 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_DAGE9 | 714 | 714 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HEPB_MAGE1 | 715 | 717 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_MAGE2 | 718 | 720 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_MAGE3 | 721 | 723 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_MAGE4 | 724 | 726 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_MAGE5 | 727 | 729 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_MAGE6 | 730 | 732 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_MAGE7 | 733 | 735 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_MAGE8 | 736 | 737 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_MAGE9 | 738 | 738 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HPVI_ANY | 69 | 70 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILLOMAVIRUS SHOTS? |
| HPVI_INTENTR | 71 | 72 | 2 | HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS? |
| HPVI_NUM_TOT | 73 | 74 | 2 | NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL) |
| HPVI_REAS_1 | 75 | 76 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED |
| HPVI_REAS_10 | 77 | 78 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS |
| HPVI_REAS_11 | 79 | 80 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS |
| HPVI_REAS_12 | 81 | 82 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN |
| HPVI_REAS_13 | 83 | 84 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL |
| HPVI_REAS_14 | 85 | 86 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION |
| HPVI_REAS_15 | 87 | 88 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT |
| HPVI_REAS_16 | 89 | 90 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS |
| HPVI_REAS_17 | 91 | 92 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION |
| HPVI_REAS_18 | 93 | 94 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HPVI_REAS_19 | 95 | 96 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX |
| HPVI_REAS_2 | 97 | 98 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY |
| HPVI_REAS_20 | 99 | 100 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME |
| HPVI_REAS_21 | 101 | 102 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE |
| HPVI_REAS_22 | 103 | 104 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE |
| HPVI_REAS_23 | 105 | 106 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE |
| HPVI_REAS_24 | 107 | 108 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT |
| HPVI_REAS_25 | 109 | 110 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN |
| HPVI_REAS_26 | 111 | 112 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN |
| HPVI_REAS_27 | 113 | 114 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE |
| HPVI_REAS_28 | 115 | 116 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| HPVI_REAS_29 | 117 | 118 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE |
| HPVI_REAS_3 | 119 | 120 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE |
| HPVI_REAS_30 | 121 | 122 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| HPVI_REAS_31 | 123 | 124 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| HPVI_REAS_5 | 125 | 126 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE |
| HPVI_REAS_6 | 127 | 128 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE |
| HPVI_REAS_9 | 129 | 130 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON |
| HPVI_RECOM | 131 | 132 | 2 | HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS? |
| HPV_AGE1 | 739 | 740 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_AGE2 | 741 | 742 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_AGE3 | 743 | 744 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| HPV_AGE4 | 745 | 746 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_AGE5 | 747 | 748 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_AGE6 | 749 | 750 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_AGE7 | 751 | 751 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_AGE8 | 752 | 752 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_AGE9 | 753 | 753 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_DAGE1 | 754 | 757 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_DAGE2 | 758 | 761 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_DAGE3 | 762 | 765 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_DAGE4 | 766 | 769 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_DAGE5 | 770 | 773 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_DAGE6 | 774 | 777 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_DAGE7 | 778 | 778 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_DAGE8 | 779 | 779 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_DAGE9 | 780 | 780 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_MAGE1 | 781 | 783 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_MAGE2 | 784 | 786 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_MAGE3 | 787 | 789 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_MAGE4 | 790 | 792 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_MAGE5 | 793 | 795 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_MAGE6 | 796 | 798 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_MAGE7 | 799 | 799 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_MAGE8 | 800 | 800 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_MAGE9 | 801 | 801 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| IMM_ANY | 133 | 134 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS? |
| INCPORAR | 254 | 269 | 3 | INCOME TO POVERTY RATIO (RECODE) |
| INCPORAR_I | 270 | 285 | 3 | INCOME TO POVERTY RATIO: IMPUTED (RECODE) |
| INCPOV1 | 286 | 286 | 3 | POVERTY STATUS |
| INCQ298A | 287 | 288 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INS_BREAK_I | 1340 | 1340 | 10 | CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED |
| INS_STAT2_I | 1339 | 1339 | 10 | INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED |
| I_HISP_K | 289 | 289 | 3 | IS TEEN HISPANIC OR LATINO?: IMPUTED |
| LANGUAGE | 290 | 290 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL2 | 291 | 291 | 3 | MARITAL STATUS OF MOTHER: IMPUTED (RECODE) |
| MCV_AGE1 | 802 | 803 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_AGE2 | 804 | 805 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MCV_AGE3 | 806 | 807 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_AGE4 | 808 | 809 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_AGE5 | 810 | 810 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_AGE6 | 811 | 811 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_AGE7 | 812 | 812 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_AGE8 | 813 | 813 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_AGE9 | 814 | 814 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_DAGE1 | 815 | 818 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_DAGE2 | 819 | 822 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_DAGE3 | 823 | 826 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_DAGE4 | 827 | 830 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_DAGE5 | 831 | 834 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_DAGE6 | 835 | 835 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_DAGE7 | 836 | 836 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_DAGE8 | 837 | 837 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_DAGE9 | 838 | 838 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_MAGE1 | 839 | 841 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_MAGE2 | 842 | 844 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_MAGE3 | 845 | 847 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_MAGE4 | 848 | 850 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_MAGE5 | 851 | 853 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_MAGE6 | 854 | 854 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_MAGE7 | 855 | 855 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_MAGE8 | 856 | 856 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_MAGE9 | 857 | 857 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MENB_AGE1 | 921 | 922 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_AGE2 | 923 | 924 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_AGE3 | 925 | 926 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_AGE4 | 927 | 928 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_AGE5 | 929 | 930 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_AGE6 | 931 | 931 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_AGE7 | 932 | 932 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENB_AGE8 | 933 | 933 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_AGE9 | 934 | 934 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_DAGE1 | 935 | 938 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_DAGE2 | 939 | 942 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_DAGE3 | 943 | 946 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_DAGE4 | 947 | 950 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_DAGE5 | 951 | 954 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_DAGE6 | 955 | 955 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_DAGE7 | 956 | 956 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_DAGE8 | 957 | 957 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_DAGE9 | 958 | 958 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_MAGE1 | 959 | 961 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_MAGE2 | 962 | 964 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_MAGE3 | 965 | 967 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_MAGE4 | 968 | 970 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_MAGE5 | 971 | 973 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_MAGE6 | 974 | 974 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_MAGE7 | 975 | 975 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_MAGE8 | 976 | 976 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_MAGE9 | 977 | 977 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENU_AGE1 | 978 | 979 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_AGE2 | 980 | 981 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENU_AGE3 | 982 | 982 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_AGE4 | 983 | 983 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_AGE5 | 984 | 984 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_AGE6 | 985 | 985 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_AGE7 | 986 | 986 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_AGE8 | 987 | 987 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_AGE9 | 988 | 988 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_DAGE1 | 989 | 992 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_DAGE2 | 993 | 996 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_DAGE3 | 997 | 1000 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_DAGE4 | 1001 | 1001 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_DAGE5 | 1002 | 1002 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_DAGE6 | 1003 | 1003 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_DAGE7 | 1004 | 1004 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_DAGE8 | 1005 | 1005 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_DAGE9 | 1006 | 1006 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_MAGE1 | 1007 | 1009 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_MAGE2 | 1010 | 1012 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_MAGE3 | 1013 | 1014 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_MAGE4 | 1015 | 1015 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_MAGE5 | 1016 | 1016 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_MAGE6 | 1017 | 1017 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MENU_MAGE7 | 1018 | 1018 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_MAGE8 | 1019 | 1019 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_MAGE9 | 1020 | 1020 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MEN_AGE1 | 858 | 859 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_AGE2 | 860 | 861 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_AGE3 | 862 | 863 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_AGE4 | 864 | 865 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_AGE5 | 866 | 867 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_AGE6 | 868 | 869 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_AGE7 | 870 | 870 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_AGE8 | 871 | 871 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_AGE9 | 872 | 872 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_ANY | 135 | 136 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS? |
| MEN_DAGE1 | 873 | 876 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_DAGE2 | 877 | 880 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_DAGE3 | 881 | 884 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_DAGE4 | 885 | 888 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_DAGE5 | 889 | 892 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_DAGE6 | 893 | 896 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_DAGE7 | 897 | 897 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_DAGE8 | 898 | 898 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_DAGE9 | 899 | 899 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MEN_MAGE1 | 900 | 902 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_MAGE2 | 903 | 905 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_MAGE3 | 906 | 908 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_MAGE4 | 909 | 911 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_MAGE5 | 912 | 914 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_MAGE6 | 915 | 917 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_MAGE7 | 918 | 918 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_MAGE8 | 919 | 919 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_MAGE9 | 920 | 920 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_NUM_TOT | 137 | 138 | 2 | NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL) |
| MEN_REAS_1 | 139 | 140 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED |
| MEN_REAS_10 | 141 | 142 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS |
| MEN_REAS_11 | 143 | 144 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| MEN_REAS_12 | 145 | 146 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN |
| MEN_REAS_13 | 147 | 148 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL |
| MEN_REAS_14 | 149 | 150 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION |
| MEN_REAS_15 | 151 | 152 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT |
| MEN_REAS_16 | 153 | 154 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS |
| MEN_REAS_17 | 155 | 156 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION |
| MEN_REAS_18 | 157 | 158 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| MEN_REAS_19 | 159 | 160 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX |
| MEN_REAS_2 | 161 | 162 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| MEN_REAS_20 | 163 | 164 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME |
| MEN_REAS_21 | 165 | 166 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE |
| MEN_REAS_22 | 167 | 168 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE |
| MEN_REAS_23 | 169 | 170 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| MEN_REAS_24 | 171 | 172 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| MEN_REAS_25 | 173 | 174 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| MEN_REAS_3 | 175 | 176 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT NECESSARY |
| MEN_REAS_4 | 177 | 178 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT |
| MEN_REAS_5 | 179 | 180 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE |
| MEN_REAS_6 | 181 | 182 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE |
| MEN_REAS_7 | 183 | 184 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON |
| MOBIL_I | 292 | 292 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE: IMPUTED |
| NOSCHOOLR | 185 | 186 | 2 | DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE) |
| NUM_CELLS_HH | 295 | 296 | 3 | NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE |
| NUM_CELLS_PARENTS | 297 | 298 | 3 | NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS |
| NUM_PHONE | 293 | 294 | 3 | NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES) |
| NUM_PROVR | 313 | 313 | 5 | NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE) |
| N_PRVR | 314 | 314 | 6 | NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE) |
| PDAT2 | 6 | 6 | 1 | ADEQUATE PROVIDER DATA FLAG |
| PPS_AGE1 | 1021 | 1022 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_AGE2 | 1023 | 1024 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_AGE3 | 1025 | 1026 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| PPS_AGE4 | 1027 | 1028 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_AGE5 | 1029 | 1029 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_AGE6 | 1030 | 1030 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_AGE7 | 1031 | 1031 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_AGE8 | 1032 | 1032 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_AGE9 | 1033 | 1033 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_DAGE1 | 1034 | 1037 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_DAGE2 | 1038 | 1041 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_DAGE3 | 1042 | 1045 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_DAGE4 | 1046 | 1049 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_DAGE5 | 1050 | 1053 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_DAGE6 | 1054 | 1054 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_DAGE7 | 1055 | 1055 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_DAGE8 | 1056 | 1056 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_DAGE9 | 1057 | 1057 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_MAGE1 | 1058 | 1060 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_MAGE2 | 1061 | 1063 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_MAGE3 | 1064 | 1066 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_MAGE4 | 1067 | 1069 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_MAGE5 | 1070 | 1071 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_MAGE6 | 1072 | 1072 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_MAGE7 | 1073 | 1073 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| PPS_MAGE8 | 1074 | 1074 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_MAGE9 | 1075 | 1075 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PROVWT_D | 27 | 46 | 1 | FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| P_N13FLU | 318 | 318 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FL | 319 | 319 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FM | 320 | 320 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FN | 321 | 321 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FV | 322 | 322 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FZ | 323 | 323 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA | 324 | 324 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HA | 325 | 325 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HO | 326 | 326 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB | 327 | 327 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_43 | 328 | 328 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_61 | 329 | 329 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13HEPB_62 | 330 | 330 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_63 | 331 | 331 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_64 | 332 | 332 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_HB | 333 | 333 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV | 334 | 334 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_4V | 335 | 335 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_9V | 336 | 336 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_CV | 337 | 337 | 8 | NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_HP | 338 | 338 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_UV | 339 | 339 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV | 340 | 340 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_30 | 341 | 341 | 8 | NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_31 | 342 | 342 | 8 | NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_32 | 343 | 343 | 8 | NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_33 | 344 | 344 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13MCV_MM | 345 | 345 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_VM | 346 | 346 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN | 347 | 347 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB | 351 | 351 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BB | 352 | 352 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BT | 353 | 353 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BU | 354 | 354 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENU | 355 | 355 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_80 | 348 | 348 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_81 | 349 | 349 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_82 | 350 | 350 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MMR | 356 | 356 | 8 | NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13PPS | 357 | 357 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST10 | 358 | 358 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_N13TDAP_POST7 | 359 | 359 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP | 360 | 360 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_11 | 361 | 361 | 8 | NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_14 | 362 | 362 | 8 | NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_15 | 363 | 363 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_POST10 | 364 | 364 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC | 365 | 365 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_POST1 | 366 | 366 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VA | 367 | 367 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VM | 368 | 368 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VO | 369 | 369 | 8 | NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 370 | 370 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FL | 371 | 371 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FM | 372 | 372 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMFLU_FN | 373 | 373 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FV | 374 | 374 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FZ | 375 | 375 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA | 376 | 376 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HA | 377 | 377 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HO | 378 | 378 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB | 379 | 379 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_43 | 380 | 380 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_61 | 381 | 381 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_62 | 382 | 382 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_63 | 383 | 383 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_64 | 384 | 384 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_HB | 385 | 385 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV | 386 | 386 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_4V | 387 | 387 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_9V | 388 | 388 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMHPV_CV | 389 | 389 | 8 | NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_HP | 390 | 390 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_UV | 391 | 391 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV | 392 | 392 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_30 | 393 | 393 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_31 | 394 | 394 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_32 | 395 | 395 | 8 | NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_33 | 396 | 396 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_MM | 397 | 397 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_VM | 398 | 398 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN | 399 | 399 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB | 403 | 403 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BB | 404 | 404 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BT | 405 | 405 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BU | 406 | 406 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENU | 407 | 407 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMMEN_80 | 400 | 400 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_81 | 401 | 401 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_82 | 402 | 402 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 408 | 408 | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPPS | 409 | 409 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST10 | 410 | 410 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST7 | 411 | 411 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP | 412 | 412 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_11 | 413 | 413 | 8 | NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_14 | 414 | 414 | 8 | NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_15 | 415 | 415 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_POST10 | 416 | 416 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 417 | 417 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_POST1 | 418 | 418 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VA | 419 | 419 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VM | 420 | 420 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_NUMVRC_VO | 421 | 421 | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13113 | 431 | 431 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U131321 | 422 | 422 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U1313212 | 423 | 423 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1516 | 424 | 424 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1617 | 425 | 425 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1718 | 426 | 426 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPA | 427 | 427 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPB | 428 | 428 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV | 429 | 429 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV3 | 430 | 430 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MCV | 432 | 432 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MEN | 433 | 433 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MMR | 434 | 434 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_U13PPS | 435 | 435 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TD | 436 | 436 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP | 437 | 437 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP7 | 438 | 438 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC | 439 | 439 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC2 | 440 | 440 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD1321 | 441 | 441 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD13212 | 442 | 442 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1516 | 443 | 443 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1617 | 444 | 444 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1718 | 445 | 445 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2017 AND JAN 31, 2018, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA | 446 | 446 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA1 | 447 | 447 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPB | 448 | 448 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV | 449 | 449 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_UTDHPV11 | 453 | 453 | 8 | UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV12 | 454 | 454 | 8 | UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV13 | 455 | 455 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2 | 456 | 456 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2_9V | 457 | 457 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3 | 458 | 458 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C | 460 | 460 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_15INT | 461 | 461 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_9V | 462 | 462 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3_9V | 459 | 459 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15 | 450 | 450 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15INT | 451 | 451 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_9V | 452 | 452 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMCV | 463 | 463 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| P_UTDMEN | 464 | 464 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMENACWY | 465 | 465 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMMR | 466 | 466 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDPPS | 467 | 467 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD | 468 | 468 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP | 469 | 469 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP7 | 470 | 470 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDP_POST10 | 471 | 471 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD_POST10 | 472 | 472 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC | 473 | 473 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2 | 474 | 474 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2_NOHIST4 | 476 | 476 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC_NOHIST4 | 475 | 475 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| RACEETHK | 299 | 299 | 3 | RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE) |
| RACE_K | 300 | 300 | 3 | RACE OF TEEN WITH MULTIRACE CATEGORY: IMPUTED (RECODE) |
| RDDWT_D | 7 | 26 | 1 | FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES) |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| REGISTRY | 316 | 316 | 7 | DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY? |
| RENT_OWN | 301 | 302 | 3 | IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT? |
| RISK_EVER | 187 | 188 | 2 | HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_HH | 189 | 190 | 2 | DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_NOW | 191 | 192 | 2 | DOES TEEN STILL HAVE ANY OF THESE CONDITIONS? |
| SEQNUMT | 1 | 5 | 1 | UNIQUE TEEN IDENTIFIER |
| SEX | 303 | 303 | 3 | SEX OF TEEN: IMPUTED |
| STATE | 309 | 310 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| STRATUM | 47 | 50 | 1 | STRATUM VARIABLE FOR VARIANCE ESTIMATION |
| TDP_AGE1 | 1076 | 1077 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_AGE2 | 1078 | 1079 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_AGE3 | 1080 | 1081 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_AGE4 | 1082 | 1083 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_AGE5 | 1084 | 1085 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_AGE6 | 1086 | 1087 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_AGE7 | 1088 | 1088 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_AGE8 | 1089 | 1089 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_AGE9 | 1090 | 1090 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_DAGE1 | 1091 | 1094 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_DAGE2 | 1095 | 1098 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_DAGE3 | 1099 | 1102 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_DAGE4 | 1103 | 1106 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_DAGE5 | 1107 | 1110 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_DAGE6 | 1111 | 1114 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_DAGE7 | 1115 | 1115 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_DAGE8 | 1116 | 1116 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_DAGE9 | 1117 | 1117 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_MAGE1 | 1118 | 1120 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_MAGE2 | 1121 | 1123 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_MAGE3 | 1124 | 1126 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_MAGE4 | 1127 | 1129 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_MAGE5 | 1130 | 1132 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_MAGE6 | 1133 | 1135 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_MAGE7 | 1136 | 1136 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| TDP_MAGE8 | 1137 | 1137 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_MAGE9 | 1138 | 1138 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TET_ANY | 193 | 194 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS? |
| TET_REAS_1 | 195 | 196 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED |
| TET_REAS_10 | 197 | 198 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS |
| TET_REAS_11 | 199 | 200 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| TET_REAS_12 | 201 | 202 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN |
| TET_REAS_13 | 203 | 204 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL |
| TET_REAS_14 | 205 | 206 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION |
| TET_REAS_15 | 207 | 208 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT |
| TET_REAS_16 | 209 | 210 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS |
| TET_REAS_17 | 211 | 212 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION |
| TET_REAS_18 | 213 | 214 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| TET_REAS_19 | 215 | 216 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX |
| TET_REAS_2 | 217 | 218 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE |
| TET_REAS_20 | 219 | 220 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME |
| TET_REAS_21 | 221 | 222 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE |
| TET_REAS_22 | 223 | 224 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE |
| TET_REAS_23 | 225 | 226 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE |
| TET_REAS_24 | 227 | 228 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT |
| TET_REAS_25 | 229 | 230 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| TET_REAS_26 | 231 | 232 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| TET_REAS_3 | 233 | 234 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT NECESSARY |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| TET_REAS_4 | 235 | 236 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| TET_REAS_5 | 237 | 238 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE AGE |
| TET_REAS_7 | 239 | 240 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON |
| VFC_ORDER | 317 | 317 | 7 | DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| VISITS | 241 | 242 | 2 | IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL |
| VRC_AGE1 | 1139 | 1140 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_AGE2 | 1141 | 1142 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_AGE3 | 1143 | 1144 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_AGE4 | 1145 | 1146 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_AGE5 | 1147 | 1148 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_AGE6 | 1149 | 1150 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_AGE7 | 1151 | 1151 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_AGE8 | 1152 | 1152 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_AGE9 | 1153 | 1153 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_DAGE1 | 1154 | 1157 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_DAGE2 | 1158 | 1161 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_DAGE3 | 1162 | 1165 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_DAGE4 | 1166 | 1169 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_DAGE5 | 1170 | 1173 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_DAGE6 | 1174 | 1177 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_DAGE7 | 1178 | 1178 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_DAGE8 | 1179 | 1179 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_DAGE9 | 1180 | 1180 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_HIST | 477 | 477 | 8 | HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER |
| VRC_MAGE1 | 1181 | 1183 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_MAGE2 | 1184 | 1186 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_MAGE3 | 1187 | 1189 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_MAGE4 | 1190 | 1192 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_MAGE5 | 1193 | 1195 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_MAGE6 | 1196 | 1198 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_MAGE7 | 1199 | 1199 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_MAGE8 | 1200 | 1200 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_MAGE9 | 1201 | 1201 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XFLUTY1 | 1202 | 1203 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE |
| XFLUTY2 | 1204 | 1205 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE |
| XFLUTY3 | 1206 | 1207 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE |
| XFLUTY4 | 1208 | 1209 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE |
| XFLUTY5 | 1210 | 1211 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE |
| XFLUTY6 | 1212 | 1213 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE |
| XFLUTY7 | 1214 | 1215 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE |
| XFLUTY8 | 1216 | 1217 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE |
| XFLUTY9 | 1218 | 1218 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE |
| XHEPATY1 | 1219 | 1220 | 9 | HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPATY2 | 1221 | 1222 | 9 | HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPATY3 | 1223 | 1224 | 9 | HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPATY4 | 1225 | 1226 | 9 | HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPATY5 | 1227 | 1228 | 9 | HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPATY6 | 1229 | 1230 | 9 | HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPATY7 | 1231 | 1231 | 9 | HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPATY8 | 1232 | 1232 | 9 | HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPATY9 | 1233 | 1233 | 9 | HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPBTY1 | 1234 | 1235 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPBTY2 | 1236 | 1237 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPBTY3 | 1238 | 1239 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPBTY4 | 1240 | 1241 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPBTY5 | 1242 | 1243 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPBTY6 | 1244 | 1245 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPBTY7 | 1246 | 1247 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPBTY8 | 1248 | 1249 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPBTY9 | 1250 | 1250 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHPVTY1 | 1251 | 1252 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE |
| XHPVTY2 | 1253 | 1254 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE |
| XHPVTY3 | 1255 | 1256 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE |
| XHPVTY4 | 1257 | 1258 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XHPVTY5 | 1259 | 1260 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE |
| XHPVTY6 | 1261 | 1262 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE |
| XHPVTY7 | 1263 | 1263 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE |
| XHPVTY8 | 1264 | 1264 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE |
| XHPVTY9 | 1265 | 1265 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE |
| XMCVTY1 | 1266 | 1267 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMCVTY2 | 1268 | 1269 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMCVTY3 | 1270 | 1271 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMCVTY4 | 1272 | 1273 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMCVTY5 | 1274 | 1275 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMCVTY6 | 1276 | 1276 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMCVTY7 | 1277 | 1277 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMCVTY8 | 1278 | 1278 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMCVTY9 | 1279 | 1279 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XMENBTY1 | 1280 | 1281 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE |
| XMENBTY2 | 1282 | 1283 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE |
| XMENBTY3 | 1284 | 1285 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE |
| XMENBTY4 | 1286 | 1287 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE |
| XMENBTY5 | 1288 | 1289 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE |
| XMENBTY6 | 1290 | 1290 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE |
| XMENBTY7 | 1291 | 1291 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE |
| XMENBTY8 | 1292 | 1292 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE |
| XMENBTY9 | 1293 | 1293 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE |
| XMENTY1 | 1294 | 1295 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE |
| XMENTY2 | 1296 | 1297 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE |
| XMENTY3 | 1298 | 1299 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE |
| XMENTY4 | 1300 | 1301 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE |
| XMENTY5 | 1302 | 1303 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE |
| XMENTY6 | 1304 | 1305 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE |
| XMENTY7 | 1306 | 1306 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE |
| XMENTY8 | 1307 | 1307 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE |
| XMENTY9 | 1308 | 1308 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE |
| XTDPTY1 | 1309 | 1310 | 9 | TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE |
| XTDPTY2 | 1311 | 1312 | 9 | TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE |
| XTDPTY3 | 1313 | 1314 | 9 | TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE |
| XTDPTY4 | 1315 | 1316 | 9 | TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE |
| XTDPTY5 | 1317 | 1318 | 9 | TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---|---|---|---|---|
| XTDPTY6 | 1319 | 1320 | 9 | TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE |
| XTDPTY7 | 1321 | 1321 | 9 | TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE |
| XTDPTY8 | 1322 | 1322 | 9 | TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE |
| XTDPTY9 | 1323 | 1323 | 9 | TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 1324 | 1325 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 1326 | 1327 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 1328 | 1329 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 1330 | 1331 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 1332 | 1333 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 1334 | 1335 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 1336 | 1336 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 1337 | 1337 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 1338 | 1338 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |
| YEAR | 51 | 54 | 1 | SAMPLING YEAR |