How to evaluate theory-based hypotheses in a (RI-)CLPM using the GORICA

Rebecca M. Kuiper

14 January 2025

Contents

Example 1: Construct Level Analysis	2
R packages	2
Data	
Measurement invariance	3
CLPM	
GORICA	13
Example 2: Measurement Level Analysis R packages	$\frac{14}{14}$
Data	
CLPM	
GORICA	19
Note on time-interval dependency	21

This is a tutorial for using GORICA for (Random Intercept) Cross-lagged Panel Models ((RI-)CLPMs). The GORICA is an information criterion that can be used to evaluate theory-driven hypotheses.

(RI-)CLPMs are a type of statistical models used in longitudinal data research to analyze the relations between variables measured at multiple time points. Panel data can be analyzed at the construct level and the dimension level. In the construct level model, the focus is on the latent constructs that the observed variables represent. In the dimension model, the focus is on the observed variables themselves, rather than the latent constructs.

Here, two examples are presented for the use of the goric function in the restriktor package to evaluate hypotheses about a CLPM. These are based on the analysis in:

Snijders, I., Wijnia, L., Kuiper, R. M., Rikers, R. M. J. P., & Loyens, S. M. M. (2021). Relationship quality in higher education and the interplay with student engagement and loyalty. *British Journal of Educational Psychology*. https://doi.org/10.1111/bjep.12455

The first example covers analysis at the construct level, while the second example covers analysis at the dimension level.

Other example files for evaluating (causal dominance) hypotheses in RI-CLPMs can be found on 'https://github.com/rebeccakuiper/Tutorials/tree/main/GORICA%20in%20RI-CLPM'.

Note: For (more) information regarding interpreting the GORIC(A) output, see 'Guidelines_output_GORIC' (https://github.com/rebeccakuiper/Tutorials).

Example 1: Construct Level Analysis

R packages

First, install and call the lavaan library to create a CLPM and the restriktor library to load the goric function. If needed, it is possible to view the description of the function with the ? operator or the help command.

The code presented here also requires the tidyverse package for data manipulation.

```
# To install restriktor in R:
#if (!require("restriktor")) install.packages("restriktor")

# To install restriktor from github:
# if (!require("devtools")) install.packages("devtools")
# library(devtools)
# install_github("LeonardV/restriktor")

library(restriktor)

# print docs in the help-tab to view arguments and explanations for the function
#?goric

# To install lavaan in R:
# if (!require("lavaan")) install.packages("lavaan")

library(lavaan)

# To install tidyverse in R:
# if (!require("tidyverse")) install.packages("tidyverse")

library(tidyverse)
```

Data

Upload the data set to the R environment and select the columns used for analysis. The id column is renamed to ID and the code in the data set for missing numbers -999.00 is replaced with NAs.

```
data <- read.table("data/CLPM.dat", header = T)</pre>
colnames(data)[1] <- "ID"</pre>
data <- replace(data , data == -999.00, NA)
data_subset <- select(data,</pre>
                   THT1_SS,
                   TBT1_SS,
                   ACOMT1_SS,
                   SATT1_SS,
                   AB_T1_SS,
                   DE_T1_SS,
                   VI_T1_SS,
                   SLT1_SS,
                   TH_T2_SS,
                   TB_T2_SS,
                   ACOMT2SS,
                   SAT_T2SS,
                   ABT2 SS,
                   DET2_SS,
                   VIT2 SS,
                   SLT2SS)
```

Measurement invariance

Next, we fit the CLPM using lavaan. The 'RQ' dimension is split into two sub-dimensions (cf. Snijders et al., 2021). Model 1 is fit to investigate configural invariance. The model is specified and fit in the following two steps.

```
CLPM_M1 <- '
  ###############################
  # MEASUREMENT MODEL #
  #######################
  # Factor models for RQ1 at 2 waves.
  RQ11 =~ THT1_SS + TBT1_SS
  RQ12 = TH_T2_SS + TB_T2_SS
  #RQ1 =~ 1 * RQ11 + 1 * RQ12
  # Factor models for RQ2 at 2 waves.
  RQ21 =~ ACOMT1_SS + SATT1_SS
  RQ22 =~ ACOMT2SS + SAT_T2SS
  #RQ2 =~ 1 * RQ21 + 1 * RQ22
  # Factor models for SE at 2 waves.
  SE1 =~ AB_T1_SS + DE_T1_SS + VI_T1_SS
  SE2 =~ ABT2_SS + DET2_SS + VIT2_SS
  ############
  # DYNAMICS #
  ############
  # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
  # Estimate the correlations within the same wave.
  RQ11 ~~ RQ21 + SE1 + SLT1_SS
  RQ21 ~~ SE1 + SLT1_SS
  SE1 ~~ SLT1 SS
  # T2
 RQ12 ~~ RQ22 + SE2 + SLT2SS
  RQ22 ~~ SE2 + SLT2SS
 SE2 ~~ SLT2SS
CLPM_M1.fit <- sem(CLPM_M1, data = data_subset, missing = 'ML')</pre>
```

When fitting the model R returns the following warning message:

Warning message: In lav_object_post_check(object) : lavaan WARNING: covariance matrix of latent variables is not positive definite;

So, we use lavInspect(fit, "cov.lv") to investigate further.

```
lavInspect(CLPM_M1.fit, "cov.lv")
```

```
RQ11
             RQ12
                   RQ21
                          RQ22
                                 SE1
                                        SE2
RQ11 7.757
RQ12 4.985 8.573
RQ21 8.547 5.629 9.481
RQ22 5.317 9.563 7.673 11.391
SE1
     4.433 3.928 6.694 6.074 9.840
     3.768 5.091 5.077 7.265 9.183 11.039
lavInspect(CLPM M1.fit, "cor.lv")
     RQ11 RQ12 RQ21 RQ22
                                  SE2
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.624 1.000
RQ22 0.566 0.968 0.738 1.000
SE1 0.507 0.428 0.693 0.574 1.000
SE2 0.407 0.523 0.496 0.648 0.881 1.000
```

The correlations between RQ11 & RQ21 and between RQ22 & RQ12 are very high, which is to be expected considered that these two sub-dimensions belong to one dimension. Given that the warning does not point to a model misspecification, we continue the analysis.

```
fitMeasures(CLPM_M1.fit)[c("chisq","df")]
```

```
chisq df
715.867 78.000
```

The output reports the following: chisq df 715.867 78.000

Based on these results we continue to Model 2, which investigates weak factorial invariance.

```
CLPM_M2 <- '
  ######################
  # MEASUREMENT MODEL #
  ######################
  # Factor models for RQ1 at 2 waves.
  RQ11 = L1 * THT1_SS + L2 * TBT1_SS
  RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
  # Factor models for RQ2 at 2 waves.
  RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
  RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
  # Factor models for SE at 2 waves.
  SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
  SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
  ############
  # DYNAMICS #
  ############
  # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
```

```
# Estimate the correlations within the same wave.
  # T1
 RQ11 ~~ RQ21 + SE1 + SLT1 SS
  RQ21 ~~ SE1 + SLT1_SS
  SE1 ~~ SLT1 SS
  # T2
  RQ12 ~~ RQ22 + SE2 + SLT2SS
  RQ22 ~~ SE2 + SLT2SS
  SE2 ~~ SLT2SS
CLPM_M2.fit <- sem(CLPM_M2, data = data_subset, missing = 'ML')</pre>
R returns the same warning as before; so, we check the correlations again.
lavInspect(CLPM_M2.fit, "cov.lv")
       RQ11
              RQ12
                      RQ21
                             RQ22
                                     SE1
                                             SE2
RQ11 7.734
RQ12 4.986 8.595
RQ21 8.460 5.589 9.308
RQ22 5.342 9.632 7.651 11.528
SE1
      4.481 4.000 6.718 6.212 10.282
SE2
      3.729 5.031 4.984 7.210 9.183 10.540
lavInspect(CLPM_M2.fit, "cor.lv")
      RQ11 RQ12 RQ21 RQ22
                                       SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.625 1.000
RQ22 0.566 0.968 0.739 1.000
SE1 0.502 0.425 0.687 0.571 1.000
SE2 0.413 0.529 0.503 0.654 0.882 1.000
Again, there is no sign the model needs revision, so we continue.
fitMeasures(CLPM_M2.fit)[c("chisq","df")]
  chisq
             df
721.021 82.000
We obtain these results: chisq
                                 df 721.021
                                               82.000
We perform a Chi-square difference test to check whether Models 1 and 2 differ significantly.
Df = 82 - 78 = 4
Check the constrained factor loadings = 1 + 1 + 2 = 4
```

Chi-square difference = 721.021 - 715.867 = 5.154

https://www.socscistatistics.com/pvalues/chidistribution.aspx

The p value is .271858. Hence, the result is not significant at $\alpha = .05$.

When the chi-square test is non-significant, this implies the factor loadings are not significantly different from each other over time. In other words, we can assume weak factorial invariance holds.

So, we move on to strong factorial invariance using Model 3:

```
CLPM_M3 <- '
  #####################
  # MEASUREMENT MODEL #
  ########################
 # Factor models for RQ1 at 2 waves.
 RQ11 = L1 * THT1_SS + L2 * TBT1_SS
  RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
  # Factor models for RQ2 at 2 waves.
  RQ21 = ~L3 * ACOMT1_SS + L4 * SATT1_SS
  RQ22 = ~L3 * ACOMT2SS + L4 * SAT_T2SS
  # Factor models for SE at 2 waves.
  SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
  SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
  # Constrained intercepts over time
  THT1_SS ~ int_th*1
  TH_T2_SS ~ int_th*1
 TBT1_SS ~ int_tb*1
 TB_T2_SS ~ int_tb*1
  ACOMT1_SS ~ int_acom*1
  ACOMT2SS ~ int_acom*1
  SATT1 SS ~ int sat*1
  SAT_T2SS ~ int_sat*1
 AB_T1_SS ~ int_ab*1
  ABT2_SS ~ int_ab*1
  DE_T1_SS ~ int_de*1
  DET2_SS ~ int_de*1
  VI_T1_SS ~ int_vi*1
  VIT2_SS ~ int_vi*1
 SLT1_SS ~ int_sl*1
  SLT2SS ~ int_sl*1
  # Free latent means on t=2
 RQ12 + RQ22 + SE2 + RQ11 + RQ21 + SE1 ~ 1
  ############
  # DYNAMICS #
  ###########
 # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
  # Estimate the correlations within the same wave.
  # T1
```

```
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
# T2
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

```
CLPM_M3.fit <- sem(CLPM_M3, data = data_subset, missing = 'ML')
```

Given the warning, we investigate correlations again.

```
lavInspect(CLPM_M3.fit, "cov.lv")
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 7.764
RQ12 5.006 8.632
RQ21 8.487 5.608 9.328
RQ22 5.358 9.665 7.670 11.553
SE1 4.489 4.009 6.727 6.219 10.280
SE2 3.735 5.042 4.991 7.218 9.181 10.537
```

```
lavInspect(CLPM_M3.fit, "cor.lv")
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.625 1.000
RQ22 0.566 0.968 0.739 1.000
SE1 0.502 0.426 0.687 0.571 1.000
SE2 0.413 0.529 0.503 0.654 0.882 1.000
```

Then, move on to the results of the model:

```
fitMeasures(CLPM M3.fit)[c("chisq","df")]
```

```
chisq df
725.4913 84.0000
```

Because Models 2 and 3 are also nested, we perform another Chi-square difference test:

```
Df = 84 - 82 = 2
```

Check the constrained parameters = 8 - 6 = 2

Chi-square difference = 725.4913 - 721.021 = 4.4703

https://www.socscistatistics.com/pvalues/chidistribution.aspx

The p value is .106976. Hence, the result is not significant: p > .05.

If this chi-square difference test is non-significant, this means we can assume that strong factorial invariance holds over time. In that case we could consider investigating whether the means change over time. This is just optional.

Model 4 investigates strong factorial invariance without free latent means, meaning they are constrained over time). We repeat similar steps as above:

```
# MEASUREMENT MODEL #
# Factor models for RQ1 at 2 waves.
RQ11 = L1 * THT1_SS + L2 * TBT1_SS
RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
# Factor models for RQ2 at 2 waves.
RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
# Factor models for SE at 2 waves.
SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
# Constrained intercepts over time
THT1_SS ~ int_th*1
TH_T2_SS ~ int_th*1
TBT1_SS ~ int_tb*1
TB_T2_SS ~ int_tb*1
ACOMT1_SS ~ int_acom*1
ACOMT2SS ~ int_acom*1
SATT1_SS ~ int_sat*1
SAT_T2SS ~ int_sat*1
AB_T1_SS ~ int_ab*1
ABT2_SS ~ int_ab*1
DE_T1_SS ~ int_de*1
DET2_SS ~ int_de*1
VI_T1_SS ~ int_vi*1
VIT2_SS ~ int_vi*1
SLT1_SS ~ int_sl*1
SLT2SS ~ int_sl*1
###########
# DYNAMICS #
###########
# Specify the lagged effects between the latent variables.
RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
# Estimate the correlations within the same wave.
# T1
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

```
Fit the model:
CLPM_M4.fit <- sem(CLPM_M4, data = data_subset, missing = 'ML')
Inspect the correlations:
lavInspect(CLPM_M4.fit, "cov.lv")
       RQ11
              RQ12
                     RQ21
                             RQ22
                                     SE1
                                            SE2
RQ11 7.813
RQ12 4.945 8.645
RQ21 8.391 5.831 9.761
RQ22 5.396 9.651 7.340 11.492
      4.494 4.012 6.627 6.171 10.258
SE1
SE2
      3.694 5.065 5.132 7.205 9.182 10.552
lavInspect(CLPM_M4.fit, "cor.lv")
      RQ11 RQ12 RQ21 RQ22
                                SE1
                                      SE2
RQ11 1.000
RQ12 0.602 1.000
RQ21 0.961 0.635 1.000
RQ22 0.570 0.968 0.693 1.000
SE1 0.502 0.426 0.662 0.568 1.000
SE2 0.407 0.530 0.506 0.654 0.883 1.000
Obtain the results:
fitMeasures(CLPM_M4.fit)[c("chisq","df")]
   chisq
               df
757.1568 90.0000
We proceed with the Chi-squared difference test with the previous model:
Df = 90 - 84 = 6
Check the constrained / freed means = 6
Chi-square difference = 757.1568 - 725.4913 = 31.6655
https://www.socscistatistics.com/pvalues/chidistribution.aspx
```

The p value is .000019. Hence, the result is significant: p < .05.

Thus, we reject Model 4 and proceed with Model 3 (i.e., strong factorial invariance - with freed means = CLPM M3.fit).

We can now move further by specifying the lagged effects between the latent variables.

CLPM

```
RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
# Factor models for RQ2 at 2 waves.
RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
# Factor models for SE at 2 waves.
SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
# Constrained intercepts over time
THT1_SS ~ int_th*1
TH_T2_SS ~ int_th*1
TBT1_SS ~ int_tb*1
TB_T2_SS ~ int_tb*1
ACOMT1_SS ~ int_acom*1
ACOMT2SS ~ int_acom*1
SATT1_SS ~ int_sat*1
SAT_T2SS ~ int_sat*1
AB_T1_SS ~ int_ab*1
ABT2_SS ~ int_ab*1
DE_T1_SS ~ int_de*1
DET2_SS ~ int_de*1
VI_T1_SS ~ int_vi*1
VIT2_SS ~ int_vi*1
SLT1_SS ~ int_sl*1
SLT2SS ~ int_sl*1
# Free latent means on t=2
RQ12 + RQ22 + SE2 + RQ11 + RQ21 + SE1 ~ 1
############
# DYNAMICS #
###########
# Specify the lagged effects between the latent variables.
RQ12 ~ Phi11 * RQ11 + Phi12 * RQ21 + Phi13 * SE1 + Phi14 * SLT1_SS
RQ22 ~ Phi21 * RQ11 + Phi22 * RQ21 + Phi23 * SE1 + Phi24 * SLT1_SS
SE2 ~ Phi31 * RQ11 + Phi32 * RQ21 + Phi33 * SE1 + Phi34 * SLT1_SS
SLT2SS ~ Phi41 * RQ11 + Phi42 * RQ21 + Phi43 * SE1 + Phi44 * SLT1_SS
# Estimate the correlations within the same wave.
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
```

```
# T2
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

Next, we fit the model with the lagged relations:

```
clpmUnc <- sem(clpmModel, data = data_subset, missing = 'ML')</pre>
```

Using the summary function we obtain the results of the model fit and estimates. The standardized solution contains the p-values of standardized effects.

fitMeasures(clpmUnc)

```
npar
                                                      fmin
                                                                                   chisq
                      68.000
                                                     0.220
                                                                                 725.491
                         srmr
                                              srmr_bentler
                                                                     srmr_bentler_nomean
                       0.053
                                                     0.053
                                                                                   0.056
stdClpmUnc <- standardizedsolution(clpmUnc, type = "std.all", se = TRUE, zstat = TRUE,
                                    pvalue = TRUE, ci = TRUE, level = 0.95, cov.std = TRUE,
                                    remove.eq = TRUE, remove.ineq = TRUE, remove.def = FALSE,
                                    partable = NULL, GLIST = NULL, est = NULL)
```

stdClpmUnc

```
z pvalue ci.lower ci.upper
                       rhs
                               label est.std
         lhs op
                                                 se
1
        RQ11 =~
                   THT1 SS
                                  L1
                                       0.860 0.010
                                                     87.184
                                                              0.000
                                                                        0.841
                                                                                 0.880
2
        RQ11 =~
                   TBT1_SS
                                       0.892 0.009
                                                     98.450
                                                              0.000
                                                                        0.874
                                                                                 0.909
                                  L2
3
        RQ12 =~
                  TH_T2_SS
                                  L1
                                       0.891 0.009 104.577
                                                              0.000
                                                                        0.874
                                                                                 0.907
4
        RQ12 =~
                  TB_T2_SS
                                  L2
                                       0.933 0.007 132.024
                                                              0.000
                                                                        0.920
                                                                                 0.947
5
        RQ21 =~ ACOMT1_SS
                                  L3
                                       0.755 0.015
                                                    50.807
                                                              0.000
                                                                        0.726
                                                                                 0.784
6
                  SATT1 SS
                                       0.797 0.014
                                                     57.832
                                                              0.000
                                                                        0.770
        RQ21 =~
                                  L4
                                                                                 0.824
7
        RQ22 =~
                  ACOMT2SS
                                  L3
                                       0.850 0.011
                                                     77.025
                                                              0.000
                                                                        0.829
                                                                                 0.872
8
        RQ22 =~
                  SAT_T2SS
                                  L4
                                       0.863 0.011
                                                     81.286
                                                              0.000
                                                                        0.843
                                                                                 0.884
9
         SE1 =~
                  AB T1 SS
                                  L5
                                       0.843 0.011
                                                     74.549
                                                              0.000
                                                                        0.821
                                                                                 0.866
                  DE_T1_SS
                                       0.840 0.012
                                                     68.560
                                                              0.000
10
         SE1 =~
                                  L6
                                                                        0.816
                                                                                 0.864
         SE1 =~
                  VI_T1_SS
                                  L7
                                       0.847 0.011
                                                     74.234
11
                                                              0.000
                                                                        0.825
                                                                                 0.869
12
         SE2 =~
                   ABT2_SS
                                  L5
                                       0.856 0.012 71.260
                                                              0.000
                                                                        0.833
                                                                                 0.880
13
         SE2 =~
                   DET2_SS
                                       0.836 0.013
                                                     66.520
                                                              0.000
                                                                        0.811
                                                                                 0.860
                                  L6
14
         SE2 =~
                   VIT2_SS
                                  L7
                                       0.858 0.012
                                                     72.268
                                                              0.000
                                                                        0.835
                                                                                 0.881
15
     THT1_SS ~1
                              int_th
                                       9.880 0.732
                                                     13.505
                                                              0.000
                                                                        8.446
                                                                                11.314
16
    TH_T2_SS ~1
                                       9.700 0.740
                                                     13.105
                                                              0.000
                                                                        8.249
                              int_th
                                                                                11.150
17
     TBT1_SS ~1
                              int_tb
                                       9.375 0.758
                                                     12.376
                                                              0.000
                                                                        7.891
                                                                                10.860
    TB_T2_SS ~1
18
                              int_tb
                                       9.309 0.774
                                                     12.034
                                                              0.000
                                                                        7.793
                                                                                10.825
19 ACOMT1_SS ~1
                            int_acom
                                       7.678 0.307
                                                     24.994
                                                              0.000
                                                                        7.076
                                                                                 8.281
20
    ACOMT2SS ~1
                            int_acom
                                       7.773 0.317
                                                     24.505
                                                              0.000
                                                                        7.151
                                                                                 8.395
    SATT1_SS ~1
                             int_sat
                                       8.035 0.325
                                                     24.716
                                                              0.000
                                                                        7.398
                                                                                 8.672
21
    SAT_T2SS ~1
                                                     24.279
22
                             int_sat
                                       7.824 0.322
                                                              0.000
                                                                        7.192
                                                                                 8.456
                                       9.533 0.345
23
    AB_T1_SS ~1
                              int_ab
                                                     27.664
                                                              0.000
                                                                                10.208
                                                                        8.857
24
     ABT2 SS ~1
                              int ab
                                       9.558 0.386
                                                     24.730
                                                              0.000
                                                                        8.801
                                                                                10.316
25 DE_T1_SS ~1
                              int_de
                                      10.664 0.351
                                                     30.340
                                                              0.000
                                                                        9.975
                                                                                11.353
26
     DET2_SS ~1
                                      10.484 0.396
                                                     26.507
                                                              0.000
                                                                        9.709
                                                                                11.259
                              int_de
27
                                                     27.927
                                                              0.000
                                                                        9.028
                                                                                10.391
   VI_T1_SS ~1
                              int_vi
                                       9.709 0.348
     VIT2_SS ~1
                                       9.714 0.391 24.834
28
                              int_vi
                                                             0.000
                                                                        8.947
                                                                                10.480
```

29	SLT1_SS ~		${\tt int_sl}$	4.075 0.094			3.891	4.258
30	SLT2SS ~		${\tt int_sl}$	3.864 0.098		0.000	3.672	4.057
31	RQ12 ~			-2.610 1.541		0.090	-5.629	0.410
32	RQ22 ~	1		-2.196 1.921	-1.143	0.253	-5.962	1.569
33	SE2 ~	1		0.759 1.806	0.420	0.674	-2.782	4.300
34	RQ11 ~	1		-5.844 0.833	-7.013	0.000	-7.477	-4.210
35	RQ21 ~	1		-5.302 0.390	-13.588	0.000	-6.067	-4.538
36	SE1 ~	1		-7.281 0.387	-18.821	0.000	-8.039	-6.523
37	RQ12	~ RQ11	Phi11	0.149 0.542	0.275	0.783	-0.913	1.211
38	RQ12	~ RQ21	Phi12	0.415 0.685	0.606	0.544	-0.927	1.758
39	RQ12	~ SE1	Phi13	0.034 0.147	0.232	0.817	-0.254	0.322
40	RQ12	~ SLT1_SS	Phi14	0.046 0.142	0.324	0.746	-0.233	0.325
41	RQ22	~ RQ11	Phi21	1.721 0.889	1.936	0.053	-0.021	3.462
42	RQ22	~ RQ21	Phi22	-1.808 1.137	-1.591	0.112	-4.036	0.420
43	RQ22	~ SE1	Phi23	0.597 0.223	2.671	0.008	0.159	1.034
44	RQ22		Phi24	0.517 0.215	2.408		0.096	0.937
45	SE2	_	Phi31				-2.318	0.282
46		~ RQ21	Phi32	1.319 0.848	1.556		-0.342	2.981
47		~ SE1	Phi33	0.752 0.168			0.422	1.082
48	SE2		Phi34				-0.708	-0.071
49		~ RQ11	Phi41	0.716 0.544			-0.351	1.783
50		~ RQ21	Phi42				-2.066	0.649
51	SLT2SS		Phi43	0.289 0.142	2.027		0.009	0.568
52	SLT2SS		Phi44	0.596 0.136	4.388		0.330	0.862
53	RQ11 ~	_	111111	0.997 0.013			0.971	1.023
54	RQ11 ~			0.502 0.028	17.884		0.447	0.558
55	RQ11 ~			0.675 0.019	34.754		0.637	0.713
56	RQ21 ~	_		0.687 0.026			0.637	0.737
57	RQ21 ~			0.815 0.017		0.000	0.782	0.737
58	SE1 ~	_		0.681 0.020	34.112	0.000	0.762	0.720
59	RQ12 ~	_		0.805 0.102	7.909	0.000	0.605	1.004
60	RQ12 ~			0.484 0.121	3.987	0.000	0.246	0.722
61	RQ12 ~			0.509 0.068	7.511	0.000	0.376	0.722
62	RQ22 ~			0.140 0.223		0.530	-0.297	0.577
63	RQ22 ~			0.661 0.068	9.773	0.000	0.528	0.377
64	SE2 ~			0.382 0.173	2.208	0.000	0.043	0.794
65	THT1_SS ~				15.290			0.721
	_	_		0.260 0.017 0.205 0.016		0.000	0.226	
66	TBT1_SS ~	_			12.694		0.173	0.237
67	TH_T2_SS ~			0.207 0.015		0.000	0.177	0.236
68	TB_T2_SS ~			0.129 0.013		0.000	0.103	0.155
	ACOMT1_SS ~	_		0.430 0.022		0.000	0.387	0.474
70	SATT1_SS ~	_		0.365 0.022	16.631	0.000	0.322	0.408
71	ACOMT2SS ~			0.277 0.019	14.767	0.000	0.240	0.314
72	SAT_T2SS ~	_		0.254 0.018		0.000	0.219	0.290
73	AB_T1_SS ~			0.289 0.019		0.000	0.251	0.326
74	DE_T1_SS ~			0.295 0.021	14.329	0.000	0.254	0.335
75	VI_T1_SS ~			0.283 0.019	14.635	0.000	0.245	0.321
76	ABT2_SS ~	_		0.267 0.021	12.976	0.000	0.227	0.307
77	DET2_SS ~	_		0.301 0.021	14.345	0.000	0.260	0.343
78	VIT2_SS ~	_		0.264 0.020	12.971	0.000	0.224	0.304
79	SLT2SS ~			0.510 0.064		0.000	0.385	0.635
80	SLT1_SS ~	_		1.000 0.000	NA	NA	1.000	1.000
81	RQ11 ~			1.000 0.000	NA	NA	1.000	1.000
82	RQ12 ~	~ RQ12		0.611 0.055	11.157	0.000	0.504	0.719

```
83
        RQ21 ~~
                      RQ21
                                        1.000 0.000
                                                                        1.000
                                                                                  1.000
                                                          NA
                                                                 NA
84
        RQ22 ~~
                      RQ22
                                        0.707 0.164
                                                              0.000
                                                       4.308
                                                                        0.385
                                                                                  1.029
                                        1.000 0.000
85
         SE1 ~~
                       SE1
                                                          NA
                                                                 NA
                                                                        1.000
                                                                                  1.000
         SE2 ~~
                                        0.292 0.099
                                                                                  0.486
86
                       SE2
                                                       2.946
                                                              0.003
                                                                        0.098
```

GORICA

Next, we select the estimates relative to our hypotheses in order to use the goric function.

Next, we specify the hypotheses to be evaluated (which are known before seeing the data). Note the use of the abs function: This is because we are interested in the size of the relations and we want to compare absolute effects. In cases where the sign of the values is of interest, one should look at the regular/raw/non-absolute effect (e.g., estimate_x > .3 or estimate_y < 0).

Here, there are two sets of hypotheses, $H1_Q1$ and $H1_Q2$, which focus on different relations in the model. The decisions of whether multiple hypotheses should be split in different sets and how to divide them are driven by theory, and depend on what the researchers intend to evaluate. When multiple hypotheses are included in one set, as in $H1_Q2$, they are handled by the goric function as a whole, not individually.

```
# Q1: Phi_21 > Phi_12
H1_Q1 <- "
abs(RQ22_RQ11) > abs(RQ12_RQ21)
"
#
# Q2
H1_Q2 <- "
abs(SE2_RQ11) > abs(RQ12_SE1);
abs(SL2_RQ11) > abs(RQ12_SL1);
abs(SE2_RQ21) > abs(RQ22_SE1);
abs(SL2_RQ21) > abs(RQ22_SL1)
"
```

We obtain the GORICA results for $H1_Q1$ and $H1_Q2$ in two steps (where each is evaluated against their own complement). Note the use of set.seed to ensure that the results are reproducible.

restriktor (0.6-10): generalized order-restricted information criterion approximation:

Results:

```
model
           loglik penalty
                             gorica loglik.weights penalty.weights gorica.weights
    H1 Q1
           22.439
                    15.500
                            -13.878
                                              0.632
                                                               0.500
                                                                               0.632
complement 21.898
                    15.500
                            -12.796
                                              0.368
                                                               0.500
                                                                               0.368
```

Conclusion:

The order-restricted hypothesis 'H1_Q1' has 1.72 times more support than its complement.

```
#summary(goricaResults_Q1)
```

The output shows that the order-restricted hypothesis $H1_Q1$ has 1.7 times more support than its complement.

restriktor (0.6-10): generalized order-restricted information criterion approximation:

Results:

```
        model
        loglik
        penalty
        gorica
        loglik.weights
        penalty.weights
        gorica.weights

        1
        H1_Q2
        22.439
        14.856
        -15.167
        0.513
        0.568
        0.581

        2
        complement
        22.387
        15.131
        -14.512
        0.487
        0.432
        0.419
```

Conclusion:

The order-restricted hypothesis 'H1_Q2' has 1.39 times more support than its complement.

```
#summary(goricaResults_Q2)
```

Furthermore, the order-restricted hypothesis H1 Q2 has 1.4 times more support than its complement.

Note 1: The results hold for the chosen time interval. Hence, the results are time-interval dependent. At the end, more information is given.

Note 2: The log-likelihood (loglik) weights seem to be quite close. This could indicate that one or more of the inequality constraints can be replaced by (about-)equality constraints. One could investigate with the benchmarks function, using 'output_type = "rlw"', whether the loglik weights indeed are close.

For more information, see the guidelines ('Guidelines_output_GORIC.html') and/or the benchmark tutorial on https://github.com/rebeccakuiper/Tutorials.

Example 2: Measurement Level Analysis

R packages

First, install and call the lavaan library to create a CLPM and the restriktor library to load the goric function. If needed, it is possible to view the description of the function with the ? operator or the help command.

The code presented here also requires the tidyverse package for data manipulation.

```
# To install restriktor in R:
#if (!require("restriktor")) install.packages("restriktor")
```

```
# To install restriktor from github:
# if (!require("devtools")) install.packages("devtools")
# library(devtools)
# install_github("LeonardV/restriktor")
library(restriktor)

# print docs in the help-tab to view arguments and explanations for the function
#?goric

# To install lavaan in R:
# if (!require("lavaan")) install.packages("lavaan")
library(lavaan)

# To install tidyverse in R:
# if (!require("tidyverse")) install.packages("tidyverse")
library(tidyverse)
```

Data

Upload the data set to the R environment and select the columns used for analysis. The id column is renamed to ID and the code in the data set for missing numbers -999.00 is replaced with NAs.

```
data <- read.table("data/CLPM.dat", header = T)</pre>
colnames(data)[1] <- "ID"</pre>
data <- replace(data , data == -999.00, NA)
data_subset <- select(data,</pre>
                   THT1_SS,
                   TBT1_SS,
                   ACOMT1_SS,
                   SATT1_SS,
                   AB_T1_SS,
                   DE_T1_SS,
                   VI_T1_SS,
                   SLT1_SS,
                   TH_T2_SS,
                   TB_T2_SS,
                   ACOMT2SS,
                   SAT_T2SS,
                   ABT2_SS,
                   DET2_SS,
                   VIT2_SS,
                   SLT2SS)
```

CLPM

Next, we fit the CLPM on sum scores using the lavaan package. Here we specify all the relations of the model.

```
clpmModel_2 <- '

###############

# DYNAMICS #

##############
```

```
# Specify the lagged effects between the latent variables.
TH_T2_SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
TB_T2_SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
ACOMT2SS ~ THT1 SS + TBT1 SS + ACOMT1 SS + SATT1 SS + AB T1 SS + DE T1 SS + VI T1 SS + SLT1 SS
SAT_T2SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
ABT2_SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
DET2 SS ~ THT1 SS + TBT1 SS + ACOMT1 SS + SATT1 SS + AB T1 SS + DE T1 SS + VI T1 SS + SLT1 SS
VIT2 SS ~ THT1 SS + TBT1 SS + ACOMT1 SS + SATT1 SS + AB T1 SS + DE T1 SS + VI T1 SS + SLT1 SS
SLT2SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
# Estimate the correlations within the same wave.
# T1
ACOMT1_SS ~~ THT1_SS + TBT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
THT1_SS ~~ TBT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
TBT1_SS ~~ SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
SATT1_SS ~~ AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
AB_T1_SS ~~ DE_T1_SS + VI_T1_SS + SLT1_SS
DE_T1_SS ~~ VI_T1_SS + SLT1_SS
VI_T1_SS ~~ SLT1_SS
# T2
TH_T2_SS ~~ TB_T2_SS + SAT_T2SS + ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
TB_T2_SS ~~ SAT_T2SS + ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
SAT_T2SS ~~ ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
ACOMT2SS ~~ ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
ABT2_SS ~~ DET2_SS + VIT2_SS + SLT2SS
DET2_SS ~~ VIT2_SS + SLT2SS
VIT2_SS ~~ SLT2SS
```

We fit the model using the sem function:

```
clpmUnc_2 <- sem(clpmModel_2, data = data_subset, missing = 'ML')</pre>
```

Using the summary function we obtain the results of the model fit and estimates. The standardized solution contains the p-values of standardized effects.

```
fitMeasures(clpmUnc_2)
```

TH T2 SS ~

TH T2 SS ~

THT1 SS

1

2

```
npar
                                                      fmin
                                                                                   chisq
                     152.000
                                                     0.000
                                                                                   0.000
                        srmr
                                              srmr_bentler
                                                                    srmr_bentler_nomean
                       0.000
                                                     0.000
stdClpmUnc_2 <- standardizedsolution(clpmUnc_2, type = "std.all", se = TRUE, zstat = TRUE,
                                   pvalue = TRUE, ci = TRUE, level = 0.95, cov.std = TRUE,
                                   remove.eq = TRUE, remove.ineq = TRUE, remove.def = FALSE,
                                   partable = NULL, GLIST = NULL, est = NULL)
stdClpmUnc_2
          lhs op
                       rhs est.std
                                       se
                                               z pvalue ci.lower ci.upper
```

0.007

0.374

0.265

0.191 0.094 2.033 0.042

TBT1 SS 0.072 0.098 0.739 0.460 -0.120

```
~ ACOMT1 SS
3
     TH T2 SS
                           -0.017 0.076 -0.225 0.822
                                                          -0.167
                                                                    0.132
4
                             0.122 0.093 1.319 0.187
                                                                    0.304
     TH T2 SS
              ~
                  SATT1 SS
                                                          -0.059
                                                 0.718
5
     TH T2 SS
                  AB T1 SS
                            -0.030 0.083 -0.362
                                                          -0.192
                                                                    0.132
     TH_T2_SS
                  DE_T1_SS
6
                             0.075 0.101
                                         0.738
                                                 0.460
                                                          -0.124
                                                                    0.273
7
     TH_T2_SS
              ~
                  VI_T1_SS
                             0.086 0.088 0.981
                                                 0.327
                                                          -0.086
                                                                    0.259
     TH T2 SS
              ~
                   SLT1 SS
                             0.140 0.086 1.617
                                                 0.106
                                                         -0.030
                                                                    0.309
8
     TB T2 SS
                   THT1 SS
                             0.019 0.092 0.203
                                                 0.839
9
                                                          -0.162
                                                                    0.200
     TB T2 SS
                   TBT1 SS
10
                             0.384 0.094
                                          4.084
                                                 0.000
                                                          0.200
                                                                    0.568
11
     TB T2 SS
              ~ ACOMT1_SS
                             0.019 0.074 0.257
                                                 0.797
                                                          -0.126
                                                                    0.164
12
     TB_T2_SS
                  SATT1_SS
                             0.051 0.091 0.562
                                                 0.574
                                                          -0.127
                                                                    0.230
13
     TB_T2_SS
                  AB_T1_SS
                            -0.106 0.081 -1.299
                                                 0.194
                                                          -0.265
                                                                    0.054
     TB T2 SS
14
                  DE_T1_SS
                             0.037 0.101 0.361
                                                 0.718
                                                                    0.235
                                                          -0.162
15
     TB_T2_SS
              ~
                  VI_T1_SS
                             0.127 0.087
                                         1.456
                                                 0.145
                                                          -0.044
                                                                    0.297
     TB_T2_SS
                   SLT1_SS
                                                 0.093
16
                             0.142 0.085 1.679
                                                          -0.024
                                                                    0.308
17
     ACOMT2SS
                   THT1_SS
                            -0.027 0.087 -0.315
                                                 0.753
                                                                    0.143
                                                          -0.198
18
     ACOMT2SS
                   TBT1_SS
                             0.002 0.091
                                          0.023
                                                 0.981
                                                          -0.176
                                                                    0.180
19
              ~ ACOMT1_SS
                             0.329 0.068
                                          4.838
                                                 0.000
     ACOMT2SS
                                                          0.195
                                                                    0.462
20
     ACOMT2SS
                  SATT1 SS
                             0.018 0.086
                                         0.204
                                                 0.838
                                                          -0.151
                                                                    0.186
21
     ACOMT2SS
                  AB_T1_SS
                             0.022 0.076
                                          0.288
                                                 0.773
                                                          -0.128
                                                                    0.171
22
     ACOMT2SS
                  DE_T1_SS
                             0.115 0.094
                                          1.230
                                                 0.219
                                                          -0.068
                                                                    0.299
23
     ACOMT2SS
              ~
                  VI_T1_SS
                             0.078 0.082 0.959
                                                 0.337
                                                         -0.082
                                                                    0.238
24
     ACOMT2SS
                   SLT1_SS
                             0.202 0.079 2.547
                                                 0.011
                                                          0.047
                                                                    0.357
25
     SAT_T2SS
                   THT1_SS
                            -0.081 0.090 -0.899
                                                 0.368
                                                          -0.257
                                                                    0.095
26
     SAT T2SS
                   TBT1 SS
                             0.126 0.094
                                          1.343
                                                 0.179
                                                          -0.058
                                                                    0.310
27
     SAT T2SS
              ~ ACOMT1_SS
                             0.033 0.073 0.456
                                                 0.648
                                                          -0.109
                                                                    0.176
28
     SAT T2SS
                  SATT1_SS
                             0.325 0.087
                                          3.751
                                                 0.000
                                                          0.155
                                                                    0.494
29
     SAT_T2SS
                  AB_T1_SS
                            -0.088 0.079 -1.111
                                                 0.266
                                                          -0.242
                                                                    0.067
30
     SAT_T2SS
              ~
                  DE_T1_SS
                             0.098 0.097 1.013
                                                         -0.092
                                                 0.311
                                                                    0.288
31
     SAT_T2SS
                  VI_T1_SS
                             0.125 0.084 1.487
                                                 0.137
                                                         -0.040
                                                                    0.289
                   SLT1_SS
32
     SAT_T2SS
                             0.147 0.082 1.796
                                                 0.073
                                                          -0.013
                                                                    0.308
33
      ABT2_SS
                   THT1_SS
                             0.001 0.079 0.014
                                                 0.989
                                                          -0.154
                                                                    0.156
              ~
34
      ABT2_SS
                   TBT1_SS
                             0.072 0.085 0.845
                                                 0.398
                                                          -0.094
                                                                    0.238
35
              ~ ACOMT1_SS
      ABT2_SS
                            -0.063 0.064 -0.974
                                                 0.330
                                                          -0.189
                                                                    0.064
36
      ABT2_SS
                  SATT1_SS
                            -0.019 0.082 -0.237
                                                 0.813
                                                          -0.180
                                                                    0.141
37
      ABT2 SS
                  AB_T1_SS
                             0.645 0.063 10.167
                                                 0.000
                                                          0.521
                                                                    0.770
                             0.118 0.086 1.368
38
      ABT2_SS
              ~
                  DE_T1_SS
                                                 0.171
                                                         -0.051
                                                                    0.286
39
      ABT2 SS ~
                  VI T1 SS
                             0.028 0.074 0.378
                                                 0.706
                                                          -0.116
                                                                    0.172
40
      ABT2_SS ~
                   SLT1_SS
                             0.018 0.070 0.259
                                                 0.795
                                                          -0.120
                                                                    0.156
41
     DET2_SS
                   THT1_SS
                            -0.124 0.080 -1.550
                                                 0.121
                                                          -0.280
                                                                    0.033
42
     DET2_SS
              ~
                   TBT1_SS
                             0.214 0.085 2.500
                                                 0.012
                                                                    0.381
                                                          0.046
43
      DET2 SS
              ~ ACOMT1 SS
                            -0.105 0.065 -1.625
                                                 0.104
                                                          -0.232
                                                                    0.022
44
      DET2 SS
                  SATT1 SS
                             0.062 0.082 0.751
                                                 0.453
                                                          -0.100
                                                                    0.223
      DET2 SS
                  AB T1 SS
                                                 0.441
45
              ~
                             0.054 0.070 0.771
                                                         -0.083
                                                                    0.192
              ~
                                                 0.000
46
      DET2_SS
                  DE_T1_SS
                             0.685 0.078 8.737
                                                          0.531
                                                                    0.838
47
      DET2_SS
                  VI_T1_SS
                             0.037 0.075 0.498
                                                 0.619
                                                          -0.109
                                                                    0.184
48
      DET2_SS
                   SLT1_SS
                            -0.051 0.071 -0.708
                                                 0.479
                                                                    0.089
                                                          -0.190
49
      VIT2_SS
                   THT1_SS
                             0.025 0.079 0.311
                                                 0.756
                                                          -0.131
                                                                    0.180
50
      VIT2_SS
                   TBT1_SS
                             0.151 0.085 1.770
                                                 0.077
                                                          -0.016
                                                                    0.318
51
      VIT2_SS
              ~ ACOMT1_SS
                            -0.155 0.064 -2.417
                                                 0.016
                                                          -0.281
                                                                   -0.029
52
      VIT2_SS
                  SATT1_SS
                            -0.021 0.082 -0.255
                                                 0.798
                                                          -0.183
                                                                    0.141
53
     VIT2_SS
              ~
                  AB_T1_SS
                             0.230 0.069 3.338
                                                 0.001
                                                          0.095
                                                                    0.365
54
      VIT2 SS
                  DE T1 SS
                             0.072 0.088 0.823
                                                 0.411
                                                          -0.100
                                                                    0.244
55
      VIT2_SS ~
                  VI_T1_SS
                             0.574 0.069 8.372
                                                 0.000
                                                          0.440
                                                                    0.708
                   SLT1 SS -0.074 0.070 -1.057 0.291
56
      VIT2 SS ~
                                                          -0.212
                                                                    0.064
```

```
57
       SLT2SS
                    THT1_SS
                             -0.026 0.081 -0.318 0.751
                                                            -0.184
                                                                       0.133
58
                    TBT1_SS
       SLT2SS
               ~
                              0.021 0.086 0.244
                                                   0.807
                                                            -0.148
                                                                      0.190
                                                            -0.142
59
       SLT2SS
               ~ ACOMT1 SS
                             -0.013 0.066 -0.203
                                                   0.839
                                                                       0.116
                  SATT1_SS
60
       SLT2SS
                              0.215 0.082
                                           2.631
                                                   0.009
                                                             0.055
                                                                       0.375
61
       SLT2SS
               ~
                  AB_T1_SS
                              0.083 0.070
                                           1.186
                                                   0.236
                                                            -0.054
                                                                       0.221
62
                  DE T1 SS
                                                   0.124
       SLT2SS
               ~
                              0.134 0.087
                                           1.537
                                                            -0.037
                                                                      0.306
                  VI T1 SS
                                                   0.570
63
       SLT2SS
                             -0.043 0.075 -0.568
                                                            -0.190
                                                                       0.104
                    SLT1_SS
64
       SLT2SS
                              0.468 0.068 6.840
                                                   0.000
                                                             0.334
                                                                       0.602
      THT1_SS ~~ ACOMT1_SS
65
                              0.611 0.019 31.414
                                                   0.000
                                                             0.573
                                                                       0.649
                                                   0.000
66
      TBT1_SS ~~ ACOMT1_SS
                              0.637 0.018 34.602
                                                             0.601
                                                                      0.673
    ACOMT1_SS ~~
67
                  SATT1_SS
                              0.603 0.020 30.608
                                                   0.000
                                                             0.564
                                                                       0.641
    ACOMT1_SS ~~
                  AB_T1_SS
                              0.467 0.024 19.248
                                                   0.000
68
                                                             0.419
                                                                       0.515
69
    ACOMT1_SS ~~
                  DE_T1_SS
                              0.586 0.020 28.750
                                                   0.000
                                                             0.546
                                                                       0.626
    ACOMT1_SS ~~
                  VI_T1_SS
                                                   0.000
70
                              0.528 0.022 23.450
                                                             0.484
                                                                       0.572
71
    ACOMT1_SS ~~
                    SLT1_SS
                              0.651 0.018 36.260
                                                   0.000
                                                                       0.686
                                                             0.616
72
      THT1_SS ~~
                    TBT1_SS
                              0.767 0.013 59.792
                                                   0.000
                                                             0.742
                                                                       0.792
73
      THT1_SS ~~
                  SATT1_SS
                              0.710 0.015 46.179
                                                   0.000
                                                             0.680
                                                                      0.741
74
      THT1 SS ~~
                  AB T1 SS
                              0.281 0.029 9.855
                                                   0.000
                                                             0.225
                                                                       0.337
75
      THT1_SS ~~
                  DE_T1_SS
                              0.449 0.025 18.208
                                                   0.000
                                                             0.401
                                                                       0.498
76
      THT1_SS ~~
                  VI_T1_SS
                              0.343 0.027 12.482
                                                   0.000
                                                             0.289
                                                                       0.397
77
      THT1_SS ~~
                   SLT1_SS
                              0.592 0.020 29.322
                                                   0.000
                                                             0.552
                                                                       0.631
78
      TBT1 SS ~~
                  SATT1 SS
                              0.740 0.014 52.720
                                                   0.000
                                                             0.713
                                                                       0.768
79
      TBT1_SS ~~
                  AB_T1_SS
                              0.323 0.028 11.659
                                                   0.000
                                                             0.269
                                                                       0.377
80
      TBT1 SS ~~
                  DE T1 SS
                              0.454 0.024 18.541
                                                   0.000
                                                             0.406
                                                                       0.502
      TBT1 SS ~~
                  VI T1 SS
                                                   0.000
81
                              0.377 0.027 14.158
                                                             0.325
                                                                      0.429
82
      TBT1 SS ~~
                   SLT1_SS
                              0.594 0.020 29.545
                                                   0.000
                                                             0.555
                                                                       0.633
83
     SATT1_SS ~~
                  AB_T1_SS
                              0.311 0.028 11.178
                                                   0.000
                                                             0.257
                                                                       0.366
     SATT1_SS ~~
                  DE_T1_SS
                                                   0.000
84
                              0.467 0.024 19.374
                                                             0.420
                                                                       0.514
85
     SATT1_SS ~~
                  VI_T1_SS
                              0.390 0.026 14.824
                                                   0.000
                                                             0.338
                                                                       0.441
                    SLT1_SS
86
     SATT1_SS ~~
                              0.621 0.019 32.617
                                                   0.000
                                                             0.584
                                                                       0.659
87
     AB_T1_SS ~~
                  DE_T1_SS
                              0.688 0.016 42.342
                                                   0.000
                                                             0.656
                                                                       0.720
88
     AB_T1_SS ~~
                  VI_T1_SS
                              0.760 0.013 58.074
                                                   0.000
                                                             0.735
                                                                      0.786
                    SLT1_SS
                                                   0.000
89
     AB_T1_SS ~~
                              0.482 0.024 20.323
                                                             0.435
                                                                       0.528
90
     DE_T1_SS ~~
                  VI_T1_SS
                              0.680 0.017 40.772
                                                   0.000
                                                             0.647
                                                                       0.712
91
     DE T1 SS ~~
                    SLT1_SS
                              0.703 0.016 44.880
                                                   0.000
                                                             0.672
                                                                       0.734
                              0.535 0.022 24.146
92
     VI_T1_SS ~~
                   SLT1_SS
                                                   0.000
                                                             0.491
                                                                      0.578
93
     TH T2 SS ~~
                  TB T2 SS
                              0.781 0.019 42.220
                                                   0.000
                                                             0.745
                                                                       0.818
94
     TH_T2_SS ~~
                  SAT_T2SS
                              0.685 0.024 28.242
                                                   0.000
                                                             0.637
                                                                      0.732
95
     TH T2 SS ~~
                   ACOMT2SS
                              0.643 0.029 22.348
                                                   0.000
                                                             0.586
                                                                       0.699
96
     TH_T2_SS ~~
                    ABT2_SS
                              0.231 0.054 4.268
                                                   0.000
                                                             0.125
                                                                      0.338
97
     TH T2 SS ~~
                    DET2 SS
                              0.353 0.050
                                           7.097
                                                   0.000
                                                             0.256
                                                                       0.451
98
     TH T2 SS ~~
                    VIT2_SS
                              0.229 0.055 4.180
                                                   0.000
                                                             0.122
                                                                       0.337
     TH T2 SS ~~
99
                    SLT2SS
                              0.494 0.041 12.049
                                                   0.000
                                                             0.414
                                                                       0.575
     TB_T2_SS ~~
100
                  SAT_T2SS
                              0.727 0.023 32.276
                                                   0.000
                                                             0.683
                                                                       0.772
     TB_T2_SS ~~
                   ACOMT2SS
                              0.698 0.027 26.170
                                                   0.000
101
                                                             0.646
                                                                       0.750
                    ABT2_SS
102
     TB_T2_SS ~~
                              0.303 0.055
                                           5.496
                                                   0.000
                                                             0.195
                                                                       0.412
103
     TB_T2_SS ~~
                    DET2_SS
                              0.368 0.052
                                           7.086
                                                   0.000
                                                             0.266
                                                                      0.470
     TB_T2_SS ~~
                    VIT2_SS
                                                   0.000
104
                              0.259 0.057
                                           4.519
                                                             0.147
                                                                       0.371
105
     TB_T2_SS ~~
                    SLT2SS
                              0.502 0.043 11.688
                                                   0.000
                                                             0.418
                                                                       0.586
106
     ACOMT2SS ~~
                  SAT_T2SS
                              0.652 0.028 23.001
                                                   0.000
                                                             0.596
                                                                       0.708
     SAT_T2SS ~~
                    ABT2_SS
                                                   0.000
107
                              0.254 0.054
                                           4.706
                                                             0.148
                                                                       0.360
108
     SAT_T2SS ~~
                    DET2 SS
                              0.328 0.051 6.469
                                                   0.000
                                                             0.229
                                                                       0.427
     SAT_T2SS ~~
109
                    VIT2_SS
                              0.249 0.055 4.533
                                                   0.000
                                                             0.141
                                                                       0.356
110 SAT T2SS ~~
                    SLT2SS
                              0.494 0.041 12.185
                                                   0.000
                                                             0.415
                                                                       0.574
```

```
ACOMT2SS ~~
                    ABT2 SS
                              0.346 0.052
                                            6.706
                                                   0.000
                                                             0.245
                                                                       0.447
111
112
     ACOMT2SS ~~
                   DET2 SS
                                                   0.000
                                                                      0.544
                              0.453 0.046
                                            9.769
                                                             0.362
     ACOMT2SS ~~
                    VIT2 SS
                              0.358 0.052
                                            6.850
113
                                                   0.000
                                                             0.256
                                                                      0.461
     ACOMT2SS ~~
                    SLT2SS
114
                              0.549 0.039 14.179
                                                   0.000
                                                             0.474
                                                                      0.625
115
      ABT2 SS ~~
                    DET2 SS
                              0.568 0.041 13.762
                                                   0.000
                                                             0.487
                                                                       0.648
      ABT2 SS ~~
                    VIT2 SS
                                                   0.000
116
                              0.621 0.037 16.797
                                                             0.549
                                                                      0.693
      ABT2 SS ~~
                    SLT2SS
117
                              0.314 0.055 5.762
                                                   0.000
                                                             0.207
                                                                      0.421
      DET2 SS ~~
                    VIT2 SS
118
                              0.547 0.044 12.402
                                                   0.000
                                                             0.461
                                                                      0.633
119
      DET2 SS ~~
                     SLT2SS
                              0.508 0.045 11.328
                                                   0.000
                                                             0.420
                                                                      0.596
120
      VIT2_SS ~~
                                                   0.000
                     SLT2SS
                              0.377 0.054 7.009
                                                             0.272
                                                                      0.483
121
     TH_T2_SS ~~
                  TH_T2_SS
                              0.722 0.043 16.911
                                                   0.000
                                                             0.639
                                                                      0.806
     TB_T2_SS ~~
122
                  TB_T2_SS
                                                   0.000
                              0.646 0.044 14.620
                                                             0.559
                                                                      0.733
123
     ACOMT2SS ~~
                  ACOMT2SS
                              0.600 0.044 13.611
                                                   0.000
                                                             0.513
                                                                      0.686
     SAT_T2SS ~~
                  SAT_T2SS
                                                   0.000
                                                                      0.734
124
                              0.649 0.043 15.050
                                                             0.565
125
      ABT2_SS ~~
                    ABT2_SS
                              0.434 0.040 10.971
                                                   0.000
                                                             0.356
                                                                      0.511
126
      DET2_SS ~~
                    DET2_SS
                              0.455 0.041 11.069
                                                   0.000
                                                             0.374
                                                                       0.535
127
      VIT2_SS ~~
                    VIT2_SS
                              0.420 0.038 11.004
                                                   0.000
                                                             0.345
                                                                      0.495
128
       SLT2SS ~~
                    SLT2SS
                              0.464 0.042 11.136
                                                   0.000
                                                             0.382
                                                                      0.545
129
      THT1 SS ~~
                    THT1_SS
                              1.000 0.000
                                                             1.000
                                               NA
                                                                      1.000
                                                      NA
130
      TBT1 SS ~~
                    TBT1 SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
131 ACOMT1_SS ~~ ACOMT1_SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
     SATT1 SS ~~
                  SATT1 SS
                              1.000 0.000
                                                             1.000
                                               NA
                                                      NA
                                                                      1.000
     AB_T1_SS ~~
                  AB_T1_SS
133
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
134
    DE T1 SS ~~
                  DE T1 SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
135
    VI T1 SS ~~
                  VI T1 SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
136
      SLT1 SS ~~
                    SLT1 SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
137
     TH_T2_SS ~1
                              1.839 0.286
                                            6.420
                                                   0.000
                                                             1.277
                                                                      2.400
                                                   0.000
138
     TB_T2_SS ~1
                              1.186 0.275
                                            4.308
                                                             0.646
                                                                      1.726
                                                   0.003
139
     ACOMT2SS ~1
                              0.759 0.258
                                            2.941
                                                             0.253
                                                                      1.265
140
     SAT T2SS ~1
                              0.925 0.264
                                            3.499
                                                   0.000
                                                             0.407
                                                                      1.443
141
      ABT2_SS ~1
                              0.305 0.237
                                            1.284
                                                   0.199
                                                            -0.160
                                                                      0.770
142
      DET2_SS ~1
                              1.058 0.244
                                            4.340
                                                   0.000
                                                             0.580
                                                                      1.536
143
      VIT2_SS ~1
                              0.466 0.240
                                            1.943
                                                   0.052
                                                            -0.004
                                                                      0.937
144
       SLT2SS ~1
                              0.365 0.237
                                            1.540
                                                   0.124
                                                            -0.100
                                                                      0.830
145
      THT1 SS ~1
                              4.869 0.111 43.722
                                                   0.000
                                                             4.651
                                                                      5.088
146
      TBT1 SS ~1
                              4.140 0.096 43.136
                                                   0.000
                                                             3.952
                                                                      4.329
147 ACOMT1 SS ~1
                              3.686 0.086 42.940
                                                   0.000
                                                             3.518
                                                                      3.854
148
     SATT1_SS ~1
                              3.805 0.089 42.896
                                                   0.000
                                                                      3.979
                                                             3.631
149
     AB T1 SS ~1
                              3.429 0.080 42.754
                                                   0.000
                                                             3.272
                                                                      3.586
                                                             4.308
150
     DE_T1_SS ~1
                              4.508 0.102 44.130
                                                   0.000
                                                                      4.708
151
     VI T1 SS ~1
                              3.542 0.083 42.581
                                                   0.000
                                                             3.379
                                                                       3.705
152
      SLT1 SS ~1
                              4.082 0.094 43.588
                                                   0.000
                                                             3.899
                                                                       4.266
```

In this case, the results shows we obtain a 'perfect' model fit, that is because the degrees of freedom are 0, meaning the model is saturated (i.e., you have as much parameters as you have data points).

GORICA

We select the estimates relevant to our hypotheses in order to use the goric function.

```
# indices of estimates of interest
indices_2 <- 1:64

# select estimates from the column 'Std.all' in the results summary above
est_2 <- stdClpmUnc_2[indices_2, 'est.std']</pre>
```

Next, we specify the hypotheses to be evaluated. Note the use of the use of the abs function; that is because we are interested in the size of the relations and we want to compare absolute effects. In cases where the sign of the values is of interest, one should not use absolute values (e.g., estimate_x > .3 or estimate_y < 0).

Here, there are two sets of hypotheses, $H1_Q1$ and $H1_Q2$, which focus on different relations in the model. The decisions of whether multiple hypotheses should be split in different sets and how to divide them are driven by theory, and depend on what the researchers intend to evaluate. When multiple hypotheses are included in one set they are handled by the goric function as a whole, not individually.

```
# Q1
H2_Q1 <- "
abs(ACOM2_TH1) > abs(TH2_ACOM1); abs(SAT2_TH1) > abs(TH2_SAT1);
abs(ACOM2_TB1) > abs(TB2_ACOM1); abs(SAT2_TB1) > abs(TB2_SAT1)

# Q2
H2_Q2 <- "
abs(AB2_TH1) > abs(TH2_AB1); abs(DE2_TH1) > abs(TH2_DE1); abs(VI2_TH1) > abs(TH2_VI1); abs(SL2_TH1) > abs(AB2_TB1) > abs(AB2_TB1) > abs(TB2_AB1); abs(DE2_TB1) > abs(TB2_DE1); abs(VI2_TB1) > abs(TB2_VI1); abs(SL2_TB1) > abs(AB2_ACOM1) > abs(ACOM2_AB1); abs(DE2_ACOM1) > abs(ACOM2_DE1); abs(VI2_ACOM1) > abs(ACOM2_VI1); abs(BA3_AB2_SAT1) > abs(AB3_SAT2_AB1); abs(DE3_SAT1) > abs(SAT3_VI1); abs(SAT3_VI1); abs(SL3_SAT3_VI1); abs(SL3_SAT3_VI
```

We obtain the GORICA results for $H2_Q1$ and $H2_Q2$ in two steps. Note the use of set.seed to ensure that the results are reproducible.

restriktor (0.6-10): generalized order-restricted information criterion approximation:

Results:

```
gorica loglik.weights penalty.weights gorica.weights
     model
             loglik penalty
     H2_Q1
            134.232
                      62.451
                              -143.562
                                                 0.483
                                                                   0.735
                                                                                   0.722
                                                 0.517
                                                                   0.265
                                                                                   0.278
            134.301
                      63.473 -141.656
complement
```

Conclusion:

The order-restricted hypothesis 'H2_Q1' has 2.59 times more support than its complement.

```
#summary(goricaResults_H2_Q1)
```

The output shows that the order-restricted hypothesis $H2_Q1$ has 2.6 times more support than its complement. However, the log-likelihood (loglik) weights seem to be quite close. This could indicate that one or more of the inequality constraints can be replaced by (about-)equality constraints. One could investigate with the benchmarks function, using 'output_type = "rlw"', whether the loglik weights indeed are close.

For more information, see the guidelines ('Guidelines_output_GORIC.html') and/or the benchmark tutorial on https://github.com/rebeccakuiper/Tutorials.

We can proceed in the same manner for $H2_Q2$; however, because the default method takes too long to calculate the penalty of the GORICA, we use the bootstrap method. When using the bootstrapping the results do not change, but the computation time may decrease.

restriktor (0.6-10): generalized order-restricted information criterion approximation:

Results:

```
loglik
                                  gorica loglik.weights penalty.weights gorica.weights
        model
                       penalty
                                                                                    0.933
       H2_Q2 130.969
                        58.028
                                -145.881
                                                   0.034
                                                                    0.997
1
                                                   0.966
                                                                    0.003
                                                                                    0.067
  complement 134.301
                        63.995 -140.612
```

Conclusion:

The order-restricted hypothesis 'H2_Q2' has 13.94 times more support than its complement.

```
#summary(goricaResults_H2_Q2_b)
```

The order-restricted hypothesis $H2_Q2$ has 14 times more support than its complement.

Note that the results hold for the chosen time interval. Hence, the results are time-interval dependent. Next, more information is given.

Note on time-interval dependency

The parameter estimates in a (RI-)CLPM are time-interval dependent, and thus the GORICA results as well. By using the CTmeta package:

```
# Install and load packages
#
#library(devtools)
#if (!require("CTmeta")) install_github("rebeccakuiper/CTmeta") ##install_github("rebeccakuiper/CTmeta"
library(CTmeta)
#?PhiPlot
```

one can plot the lagged-effects parameter estimates for different choices of time intervals. Based on this plot (and/or on other information), one can evaluate the hypotheses using the GORICA for different choices of time intervals.