How to evaluate theory-based hypotheses in a (RI-)CLPM using the GORICA

Rebecca M. Kuiper

15 August 2024

Contents

Example 1: Construct Level Analysis	
R packages	
Data	
Measurement invariance	
CLPM	
GORICA	1
Example 2: Measurement Level Analysis	1
Example 2: Measurement Level Analysis R packages	1
R packages	1
R packages	1
R packages	1

This is a tutorial for using GORICA for (Random Intercept) Cross-lagged Panel Models ((RI-)CLPMs). The GORICA is an information criterion that can be used to evaluate theory-driven hypotheses.

(RI-)CLPMs are a type of statistical models used in longitudinal data research to analyze the relations between variables measured at multiple time points. Panel data can be analyzed at the construct level and the dimension level. In the construct level model, the focus is on the latent constructs that the observed variables represent. In the dimension model, the focus is on the observed variables themselves, rather than the latent constructs.

Here, two examples are presented for the use of the goric function in the restriktor package to evaluate hypotheses about a CLPM. These are based on the analysis in:

Snijders, I., Wijnia, L., Kuiper, R. M., Rikers, R. M. J. P., & Loyens, S. M. M. (2021). Relationship quality in higher education and the interplay with student engagement and loyalty. *British Journal of Educational Psychology*. https://doi.org/10.1111/bjep.12455

The first example covers analysis at the construct level, while the second example covers analysis at the dimension level.

Other example files for evaluating (causal dominance) hypotheses in RI-CLPMs can be found on 'https://github.com/rebeccakuiper/Tutorials/tree/main/GORICA%20in%20RI-CLPM'.

Note: For (more) information regarding interpreting the GORIC(A) output, see 'Guidelines_output_GORIC' (https://github.com/rebeccakuiper/Tutorials).

Example 1: Construct Level Analysis

R packages

First, install and call the lavaan library to create a CLPM and the restriktor library to load the goric function. If needed, it is possible to view the description of the function with the ? operator or the help command.

The code presented here also requires the tidyverse package for data manipulation.

```
# To install restriktor in R:
#if (!require("restriktor")) install.packages("restriktor")

# To install restriktor from github:
# if (!require("devtools")) install.packages("devtools")
# library(devtools)
# install_github("LeonardV/restriktor")

library(restriktor)

# print docs in the help-tab to view arguments and explanations for the function
#?goric

# To install lavaan in R:
# if (!require("lavaan")) install.packages("lavaan")

library(lavaan)

# To install tidyverse in R:
# if (!require("tidyverse")) install.packages("tidyverse")

library(tidyverse)
```

Data

Upload the data set to the R environment and select the columns used for analysis. The id column is renamed to ID and the code in the data set for missing numbers -999.00 is replaced with NAs.

```
data <- read.table("data/CLPM.dat", header = T)</pre>
colnames(data)[1] <- "ID"</pre>
data <- replace(data , data == -999.00, NA)
data_subset <- select(data,</pre>
                   THT1_SS,
                   TBT1_SS,
                   ACOMT1_SS,
                   SATT1_SS,
                   AB_T1_SS,
                   DE_T1_SS,
                   VI_T1_SS,
                   SLT1_SS,
                   TH_T2_SS,
                   TB_T2_SS,
                   ACOMT2SS,
                   SAT_T2SS,
                   ABT2 SS,
                   DET2_SS,
                   VIT2 SS,
                   SLT2SS)
```

Measurement invariance

Next, we fit the CLPM using lavaan. The 'RQ' dimension is split into two sub-dimensions (cf. Snijders et al., 2021). Model 1 is fit to investigate configural invariance. The model is specified and fit in the following two steps.

```
CLPM_M1 <- '
  ###################################
  # MEASUREMENT MODEL #
  #######################
  # Factor models for RQ1 at 2 waves.
  RQ11 =~ THT1_SS + TBT1_SS
  RQ12 = TH_T2_SS + TB_T2_SS
  #RQ1 =~ 1 * RQ11 + 1 * RQ12
  # Factor models for RQ2 at 2 waves.
  RQ21 =~ ACOMT1_SS + SATT1_SS
  RQ22 =~ ACOMT2SS + SAT_T2SS
  #RQ2 =~ 1 * RQ21 + 1 * RQ22
  # Factor models for SE at 2 waves.
  SE1 =~ AB_T1_SS + DE_T1_SS + VI_T1_SS
  SE2 =~ ABT2_SS + DET2_SS + VIT2_SS
  ############
  # DYNAMICS #
  ############
  # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
  # Estimate the correlations within the same wave.
  RQ11 ~~ RQ21 + SE1 + SLT1_SS
  RQ21 ~~ SE1 + SLT1_SS
  SE1 ~~ SLT1 SS
  # T2
 RQ12 ~~ RQ22 + SE2 + SLT2SS
  RQ22 ~~ SE2 + SLT2SS
 SE2 ~~ SLT2SS
CLPM_M1.fit <- sem(CLPM_M1, data = data_subset, missing = 'ML')</pre>
```

When fitting the model R returns the following warning message:

Warning message: In lav_object_post_check(object) : lavaan WARNING: covariance matrix of latent variables is not positive definite;

So, we use lavInspect(fit, "cov.lv") to investigate further.

```
lavInspect(CLPM_M1.fit, "cov.lv")
```

```
RQ11
             RQ12
                   RQ21
                          RQ22
                                 SE1
                                        SE2
RQ11 7.757
RQ12 4.985 8.573
RQ21 8.547 5.629 9.481
RQ22 5.317 9.563 7.673 11.391
SE1
     4.433 3.928 6.694 6.074 9.840
     3.768 5.091 5.077 7.265 9.183 11.039
lavInspect(CLPM M1.fit, "cor.lv")
     RQ11 RQ12 RQ21 RQ22
                                  SE2
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.624 1.000
RQ22 0.566 0.968 0.738 1.000
SE1 0.507 0.428 0.693 0.574 1.000
SE2 0.407 0.523 0.496 0.648 0.881 1.000
```

The correlations between RQ11 & RQ21 and between RQ22 & RQ12 are very high, which is to be expected considered that these two sub-dimensions belong to one dimension. Given that the warning does not point to a model misspecification, we continue the analysis.

```
fitMeasures(CLPM_M1.fit)[c("chisq","df")]
```

```
chisq df
715.867 78.000
```

The output reports the following: chisq df 715.867 78.000

Based on these results we continue to Model 2, which investigates weak factorial invariance.

```
CLPM_M2 <- '
  ######################
  # MEASUREMENT MODEL #
  ######################
  # Factor models for RQ1 at 2 waves.
  RQ11 = L1 * THT1_SS + L2 * TBT1_SS
  RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
  # Factor models for RQ2 at 2 waves.
  RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
  RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
  # Factor models for SE at 2 waves.
  SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
  SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
  ############
  # DYNAMICS #
  ############
  # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
```

```
# Estimate the correlations within the same wave.
  # T1
 RQ11 ~~ RQ21 + SE1 + SLT1 SS
  RQ21 ~~ SE1 + SLT1_SS
  SE1 ~~ SLT1 SS
  # T2
  RQ12 ~~ RQ22 + SE2 + SLT2SS
  RQ22 ~~ SE2 + SLT2SS
  SE2 ~~ SLT2SS
CLPM_M2.fit <- sem(CLPM_M2, data = data_subset, missing = 'ML')
R returns the same warning as before; so, we check the correlations again.
lavInspect(CLPM_M2.fit, "cov.lv")
       RQ11
              RQ12
                      RQ21
                             RQ22
                                     SE1
                                             SE2
RQ11 7.734
RQ12 4.986 8.595
RQ21 8.460 5.589 9.308
RQ22 5.342 9.632 7.651 11.528
SE1
      4.481 4.000 6.718 6.212 10.282
SE2
      3.729 5.031 4.984 7.210 9.183 10.540
lavInspect(CLPM_M2.fit, "cor.lv")
      RQ11 RQ12 RQ21 RQ22
                                      SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.625 1.000
RQ22 0.566 0.968 0.739 1.000
SE1 0.502 0.425 0.687 0.571 1.000
SE2 0.413 0.529 0.503 0.654 0.882 1.000
Again, there is no sign the model needs revision, so we continue.
fitMeasures(CLPM_M2.fit)[c("chisq","df")]
  chisq
             df
721.021 82.000
We obtain these results: chisq
                                 df 721.021
                                               82.000
We perform a Chi-square difference test to check whether Models 1 and 2 differ significantly.
Df = 82 - 78 = 4
Check the constrained factor loadings = 1 + 1 + 2 = 4
```

Chi-square difference = 721.021 - 715.867 = 5.154

https://www.socscistatistics.com/pvalues/chidistribution.aspx

The p value is .271858. Hence, the result is not significant at $\alpha = .05$.

When the chi-square test is non-significant, this implies the factor loadings are not significantly different from each other over time. In other words, we can assume weak factorial invariance holds.

So, we move on to strong factorial invariance using Model 3:

```
CLPM_M3 <- '
  #####################
  # MEASUREMENT MODEL #
  #######################
 # Factor models for RQ1 at 2 waves.
 RQ11 = L1 * THT1_SS + L2 * TBT1_SS
  RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
  # Factor models for RQ2 at 2 waves.
  RQ21 = ~L3 * ACOMT1_SS + L4 * SATT1_SS
  RQ22 = ~L3 * ACOMT2SS + L4 * SAT_T2SS
  # Factor models for SE at 2 waves.
  SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
  SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
  # Constrained intercepts over time
  THT1_SS ~ int_th*1
  TH_T2_SS ~ int_th*1
 TBT1_SS ~ int_tb*1
 TB_T2_SS ~ int_tb*1
  ACOMT1_SS ~ int_acom*1
  ACOMT2SS ~ int_acom*1
  SATT1 SS ~ int sat*1
  SAT_T2SS ~ int_sat*1
 AB_T1_SS ~ int_ab*1
  ABT2_SS ~ int_ab*1
  DE_T1_SS ~ int_de*1
  DET2_SS ~ int_de*1
  VI_T1_SS ~ int_vi*1
  VIT2_SS ~ int_vi*1
 SLT1_SS ~ int_sl*1
  SLT2SS ~ int_sl*1
  # Free latent means on t=2
 RQ12 + RQ22 + SE2 + RQ11 + RQ21 + SE1 ~ 1
  ############
  # DYNAMICS #
  ###########
 # Specify the lagged effects between the latent variables.
  RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
  # Estimate the correlations within the same wave.
  # T1
```

```
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
# T2
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

```
CLPM_M3.fit <- sem(CLPM_M3, data = data_subset, missing = 'ML')
```

Given the warning, we investigate correlations again.

```
lavInspect(CLPM_M3.fit, "cov.lv")
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 7.764
RQ12 5.006 8.632
RQ21 8.487 5.608 9.328
RQ22 5.358 9.665 7.670 11.553
SE1 4.489 4.009 6.727 6.219 10.280
SE2 3.735 5.042 4.991 7.218 9.181 10.537
```

```
lavInspect(CLPM_M3.fit, "cor.lv")
```

```
RQ11 RQ12 RQ21 RQ22 SE1 SE2
RQ11 1.000
RQ12 0.611 1.000
RQ21 0.997 0.625 1.000
RQ22 0.566 0.968 0.739 1.000
SE1 0.502 0.426 0.687 0.571 1.000
SE2 0.413 0.529 0.503 0.654 0.882 1.000
```

Then, move on to the results of the model:

```
fitMeasures(CLPM M3.fit)[c("chisq","df")]
```

```
chisq df
725.4913 84.0000
```

Because Models 2 and 3 are also nested, we perform another Chi-square difference test:

```
Df = 84 - 82 = 2
```

Check the constrained parameters = 8 - 6 = 2

Chi-square difference = 725.4913 - 721.021 = 4.4703

https://www.socscistatistics.com/pvalues/chidistribution.aspx

The p value is .106976. Hence, the result is not significant: p > .05.

If this chi-square difference test is non-significant, this means we can assume that strong factorial invariance holds over time. In that case we could consider investigating whether the means change over time. This is just optional.

Model 4 investigates strong factorial invariance without free latent means, meaning they are constrained over time). We repeat similar steps as above:

```
# MEASUREMENT MODEL #
# Factor models for RQ1 at 2 waves.
RQ11 = L1 * THT1_SS + L2 * TBT1_SS
RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
# Factor models for RQ2 at 2 waves.
RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
# Factor models for SE at 2 waves.
SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
# Constrained intercepts over time
THT1_SS ~ int_th*1
TH_T2_SS ~ int_th*1
TBT1_SS ~ int_tb*1
TB_T2_SS ~ int_tb*1
ACOMT1_SS ~ int_acom*1
ACOMT2SS ~ int_acom*1
SATT1_SS ~ int_sat*1
SAT_T2SS ~ int_sat*1
AB_T1_SS ~ int_ab*1
ABT2_SS ~ int_ab*1
DE_T1_SS ~ int_de*1
DET2_SS ~ int_de*1
VI_T1_SS ~ int_vi*1
VIT2_SS ~ int_vi*1
SLT1_SS ~ int_sl*1
SLT2SS ~ int_sl*1
###########
# DYNAMICS #
###########
# Specify the lagged effects between the latent variables.
RQ12 + RQ22 + SE2 + SLT2SS ~ RQ11 + RQ21 + SE1 + SLT1_SS
# Estimate the correlations within the same wave.
# T1
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

```
Fit the model:
CLPM_M4.fit <- sem(CLPM_M4, data = data_subset, missing = 'ML')
Inspect the correlations:
lavInspect(CLPM_M4.fit, "cov.lv")
       RQ11
              RQ12
                     RQ21
                             RQ22
                                     SE1
                                            SE2
RQ11 7.813
RQ12 4.945 8.645
RQ21 8.391 5.831 9.761
RQ22 5.396 9.651 7.340 11.492
      4.494 4.012 6.627 6.171 10.258
SE1
SE2
      3.694 5.065 5.132 7.205 9.182 10.552
lavInspect(CLPM_M4.fit, "cor.lv")
      RQ11 RQ12 RQ21 RQ22
                                SE1
                                      SE2
RQ11 1.000
RQ12 0.602 1.000
RQ21 0.961 0.635 1.000
RQ22 0.570 0.968 0.693 1.000
SE1 0.502 0.426 0.662 0.568 1.000
SE2 0.407 0.530 0.506 0.654 0.883 1.000
Obtain the results:
fitMeasures(CLPM_M4.fit)[c("chisq","df")]
   chisq
               df
757.1568 90.0000
We proceed with the Chi-squared difference test with the previous model:
Df = 90 - 84 = 6
Check the constrained / freed means = 6
Chi-square difference = 757.1568 - 725.4913 = 31.6655
https://www.socscistatistics.com/pvalues/chidistribution.aspx
```

The p value is .000019. Hence, the result is significant: p < .05.

Thus, we reject Model 4 and proceed with Model 3 (i.e., strong factorial invariance - with freed means = CLPM M3.fit).

We can now move further by specifying the lagged effects between the latent variables.

CLPM

```
RQ12 = L1 * TH_T2_SS + L2 * TB_T2_SS
# Factor models for RQ2 at 2 waves.
RQ21 =~ L3 * ACOMT1_SS + L4 * SATT1_SS
RQ22 = L3 * ACOMT2SS + L4 * SAT_T2SS
# Factor models for SE at 2 waves.
SE1 =~ L5 * AB_T1_SS + L6 * DE_T1_SS + L7 * VI_T1_SS
SE2 =~ L5 * ABT2_SS + L6 * DET2_SS + L7 * VIT2_SS
# Constrained intercepts over time
THT1_SS ~ int_th*1
TH_T2_SS ~ int_th*1
TBT1_SS ~ int_tb*1
TB_T2_SS ~ int_tb*1
ACOMT1_SS ~ int_acom*1
ACOMT2SS ~ int_acom*1
SATT1_SS ~ int_sat*1
SAT_T2SS ~ int_sat*1
AB_T1_SS ~ int_ab*1
ABT2_SS ~ int_ab*1
DE_T1_SS ~ int_de*1
DET2_SS ~ int_de*1
VI_T1_SS ~ int_vi*1
VIT2_SS ~ int_vi*1
SLT1_SS ~ int_sl*1
SLT2SS ~ int_sl*1
# Free latent means on t=2
RQ12 + RQ22 + SE2 + RQ11 + RQ21 + SE1 ~ 1
############
# DYNAMICS #
###########
# Specify the lagged effects between the latent variables.
RQ12 ~ Phi11 * RQ11 + Phi12 * RQ21 + Phi13 * SE1 + Phi14 * SLT1_SS
RQ22 ~ Phi21 * RQ11 + Phi22 * RQ21 + Phi23 * SE1 + Phi24 * SLT1_SS
SE2 ~ Phi31 * RQ11 + Phi32 * RQ21 + Phi33 * SE1 + Phi34 * SLT1_SS
SLT2SS ~ Phi41 * RQ11 + Phi42 * RQ21 + Phi43 * SE1 + Phi44 * SLT1_SS
# Estimate the correlations within the same wave.
RQ11 ~~ RQ21 + SE1 + SLT1_SS
RQ21 ~~ SE1 + SLT1_SS
SE1 ~~ SLT1_SS
```

```
# T2
RQ12 ~~ RQ22 + SE2 + SLT2SS
RQ22 ~~ SE2 + SLT2SS
SE2 ~~ SLT2SS
```

Next, we fit the model with the lagged relations:

```
clpmUnc <- sem(clpmModel, data = data_subset, missing = 'ML')</pre>
```

Using the summary function we obtain the results of the model fit and estimates. The standardized solution contains the p-values of standardized effects.

fitMeasures(clpmUnc)

```
npar
                                                      fmin
                                                                                   chisq
                      68.000
                                                     0.220
                                                                                 725.491
                         srmr
                                              srmr_bentler
                                                                     srmr_bentler_nomean
                       0.053
                                                     0.053
                                                                                   0.056
stdClpmUnc <- standardizedsolution(clpmUnc, type = "std.all", se = TRUE, zstat = TRUE,
                                    pvalue = TRUE, ci = TRUE, level = 0.95, cov.std = TRUE,
                                    remove.eq = TRUE, remove.ineq = TRUE, remove.def = FALSE,
                                    partable = NULL, GLIST = NULL, est = NULL)
```

stdClpmUnc

```
z pvalue ci.lower ci.upper
                       rhs
                               label est.std
         lhs op
                                                 se
1
        RQ11 =~
                   THT1 SS
                                  L1
                                       0.860 0.010
                                                     87.184
                                                              0.000
                                                                        0.841
                                                                                 0.880
2
        RQ11 =~
                   TBT1_SS
                                       0.892 0.009
                                                     98.450
                                                              0.000
                                                                        0.874
                                                                                 0.909
                                  L2
3
        RQ12 =~
                  TH_T2_SS
                                  L1
                                       0.891 0.009 104.577
                                                              0.000
                                                                        0.874
                                                                                 0.907
4
        RQ12 =~
                  TB_T2_SS
                                  L2
                                       0.933 0.007 132.024
                                                              0.000
                                                                        0.920
                                                                                 0.947
5
        RQ21 =~ ACOMT1_SS
                                  L3
                                       0.755 0.015
                                                    50.807
                                                              0.000
                                                                        0.726
                                                                                 0.784
6
                  SATT1 SS
                                       0.797 0.014
                                                     57.832
                                                              0.000
                                                                        0.770
        RQ21 =~
                                  L4
                                                                                 0.824
7
        RQ22 =~
                  ACOMT2SS
                                  L3
                                       0.850 0.011
                                                     77.025
                                                              0.000
                                                                        0.829
                                                                                 0.872
8
        RQ22 =~
                  SAT_T2SS
                                  L4
                                       0.863 0.011
                                                     81.286
                                                              0.000
                                                                        0.843
                                                                                 0.884
9
         SE1 =~
                  AB T1 SS
                                  L5
                                       0.843 0.011
                                                     74.549
                                                              0.000
                                                                        0.821
                                                                                 0.866
                  DE_T1_SS
                                       0.840 0.012
                                                     68.560
                                                              0.000
10
         SE1 =~
                                  L6
                                                                        0.816
                                                                                 0.864
         SE1 =~
                  VI_T1_SS
                                  L7
                                       0.847 0.011
                                                     74.234
11
                                                              0.000
                                                                        0.825
                                                                                 0.869
12
         SE2 =~
                   ABT2_SS
                                  L5
                                       0.856 0.012 71.260
                                                              0.000
                                                                        0.833
                                                                                 0.880
13
         SE2 =~
                   DET2_SS
                                       0.836 0.013
                                                     66.520
                                                              0.000
                                                                        0.811
                                                                                 0.860
                                  L6
14
         SE2 =~
                   VIT2_SS
                                  L7
                                       0.858 0.012
                                                     72.268
                                                              0.000
                                                                        0.835
                                                                                 0.881
15
     THT1_SS ~1
                              int_th
                                       9.880 0.732
                                                     13.505
                                                              0.000
                                                                        8.446
                                                                                11.314
16
    TH_T2_SS ~1
                                       9.700 0.740
                                                     13.105
                                                              0.000
                                                                        8.249
                              int_th
                                                                                11.150
17
     TBT1_SS ~1
                              int_tb
                                       9.375 0.758
                                                     12.376
                                                              0.000
                                                                        7.891
                                                                                10.860
    TB_T2_SS ~1
18
                              int_tb
                                       9.309 0.774
                                                     12.034
                                                              0.000
                                                                        7.793
                                                                                10.825
19 ACOMT1_SS ~1
                            int_acom
                                       7.678 0.307
                                                     24.994
                                                              0.000
                                                                        7.076
                                                                                 8.281
20
    ACOMT2SS ~1
                            int_acom
                                       7.773 0.317
                                                     24.505
                                                              0.000
                                                                        7.151
                                                                                 8.395
    SATT1_SS ~1
                             int_sat
                                       8.035 0.325
                                                     24.716
                                                              0.000
                                                                        7.398
                                                                                 8.672
21
    SAT_T2SS ~1
                                                     24.279
22
                             int_sat
                                       7.824 0.322
                                                              0.000
                                                                        7.192
                                                                                 8.456
                                       9.533 0.345
23
    AB_T1_SS ~1
                              int_ab
                                                     27.664
                                                              0.000
                                                                                10.208
                                                                        8.857
24
     ABT2 SS ~1
                              int ab
                                       9.558 0.386
                                                     24.730
                                                              0.000
                                                                        8.801
                                                                                10.316
25 DE_T1_SS ~1
                              int_de
                                      10.664 0.351
                                                     30.340
                                                              0.000
                                                                        9.975
                                                                                11.353
26
     DET2_SS ~1
                                      10.484 0.396
                                                     26.507
                                                              0.000
                                                                        9.709
                                                                                11.259
                              int_de
27
                                                     27.927
                                                              0.000
                                                                        9.028
                                                                                10.391
   VI_T1_SS ~1
                              int_vi
                                       9.709 0.348
     VIT2_SS ~1
                                       9.714 0.391 24.834
28
                              int_vi
                                                             0.000
                                                                        8.947
                                                                                10.480
```

29	SLT1_SS ~		${\tt int_sl}$	4.075 0.094			3.891	4.258
30	SLT2SS ~		${\tt int_sl}$	3.864 0.098		0.000	3.672	4.057
31	RQ12 ~			-2.610 1.541		0.090	-5.629	0.410
32	RQ22 ~	1		-2.196 1.921	-1.143	0.253	-5.962	1.569
33	SE2 ~	1		0.759 1.806	0.420	0.674	-2.782	4.300
34	RQ11 ~	1		-5.844 0.833	-7.013	0.000	-7.477	-4.210
35	RQ21 ~	1		-5.302 0.390	-13.588	0.000	-6.067	-4.538
36	SE1 ~	1		-7.281 0.387	-18.821	0.000	-8.039	-6.523
37	RQ12	~ RQ11	Phi11	0.149 0.542	0.275	0.783	-0.913	1.211
38	RQ12	~ RQ21	Phi12	0.415 0.685	0.606	0.544	-0.927	1.758
39	RQ12	~ SE1	Phi13	0.034 0.147	0.232	0.817	-0.254	0.322
40	RQ12	~ SLT1_SS	Phi14	0.046 0.142	0.324	0.746	-0.233	0.325
41	RQ22	~ RQ11	Phi21	1.721 0.889	1.936	0.053	-0.021	3.462
42	RQ22	~ RQ21	Phi22	-1.808 1.137	-1.591	0.112	-4.036	0.420
43	RQ22	~ SE1	Phi23	0.597 0.223	2.671	0.008	0.159	1.034
44	RQ22		Phi24	0.517 0.215	2.408		0.096	0.937
45	SE2	_	Phi31				-2.318	0.282
46		~ RQ21	Phi32	1.319 0.848	1.556		-0.342	2.981
47		~ SE1	Phi33	0.752 0.168			0.422	1.082
48	SE2		Phi34				-0.708	-0.071
49		~ RQ11	Phi41	0.716 0.544			-0.351	1.783
50		~ RQ21	Phi42				-2.066	0.649
51	SLT2SS		Phi43	0.289 0.142	2.027		0.009	0.568
52	SLT2SS		Phi44	0.596 0.136	4.388		0.330	0.862
53	RQ11 ~	_	111111	0.997 0.013			0.971	1.023
54	RQ11 ~			0.502 0.028	17.884		0.447	0.558
55	RQ11 ~			0.675 0.019	34.754		0.637	0.713
56	RQ21 ~	_		0.687 0.026			0.637	0.737
57	RQ21 ~			0.815 0.017		0.000	0.782	0.737
58	SE1 ~	_		0.681 0.020	34.112	0.000	0.762	0.720
59	RQ12 ~	_		0.805 0.102	7.909	0.000	0.605	1.004
60	RQ12 ~			0.484 0.121	3.987	0.000	0.246	0.722
61	RQ12 ~			0.509 0.068	7.511	0.000	0.376	0.722
62	RQ22 ~			0.140 0.223		0.530	-0.297	0.577
63	RQ22 ~			0.661 0.068	9.773	0.000	0.528	0.377
64	SE2 ~			0.382 0.173	2.208	0.000	0.043	0.794
65	THT1_SS ~				15.290			0.721
	_	_		0.260 0.017 0.205 0.016		0.000	0.226	
66	TBT1_SS ~	_			12.694		0.173	0.237
67	TH_T2_SS ~			0.207 0.015		0.000	0.177	0.236
68	TB_T2_SS ~			0.129 0.013		0.000	0.103	0.155
	ACOMT1_SS ~	_		0.430 0.022		0.000	0.387	0.474
70	SATT1_SS ~	_		0.365 0.022	16.631	0.000	0.322	0.408
71	ACOMT2SS ~			0.277 0.019	14.767	0.000	0.240	0.314
72	SAT_T2SS ~	_		0.254 0.018		0.000	0.219	0.290
73	AB_T1_SS ~			0.289 0.019		0.000	0.251	0.326
74	DE_T1_SS ~			0.295 0.021	14.329	0.000	0.254	0.335
75	VI_T1_SS ~			0.283 0.019	14.635	0.000	0.245	0.321
76	ABT2_SS ~	_		0.267 0.021	12.976	0.000	0.227	0.307
77	DET2_SS ~	_		0.301 0.021	14.345	0.000	0.260	0.343
78	VIT2_SS ~	_		0.264 0.020	12.971	0.000	0.224	0.304
79	SLT2SS ~			0.510 0.064		0.000	0.385	0.635
80	SLT1_SS ~	_		1.000 0.000	NA	NA	1.000	1.000
81	RQ11 ~			1.000 0.000	NA	NA	1.000	1.000
82	RQ12 ~	~ RQ12		0.611 0.055	11.157	0.000	0.504	0.719

```
83
        RQ21 ~~
                      RQ21
                                       1.000 0.000
                                                                 NA
                                                                        1.000
                                                                                 1.000
                                                         NA
84
        RQ22 ~~
                      RQ22
                                       0.707 0.164
                                                              0.000
                                                      4.308
                                                                        0.385
                                                                                 1.029
85
         SE1 ~~
                       SE1
                                       1.000 0.000
                                                         NA
                                                                 NA
                                                                        1.000
                                                                                 1.000
         SE2 ~~
                                       0.292 0.099
                                                                                 0.486
86
                       SE2
                                                      2.946
                                                             0.003
                                                                        0.098
```

GORICA

Next, we select the estimates relative to our hypotheses in order to use the goric function.

Next, we specify the hypotheses to be evaluated (which are known before seeing the data). Note the use of the abs function: This is because we are interested in the size of the relations and we want to compare absolute effects. In cases where the sign of the values is of interest, one should look at the regular/raw/non-absolute effect (e.g., estimate_x > .3 or estimate_y < 0).

Here, there are two sets of hypotheses, $H1_Q1$ and $H1_Q2$, which focus on different relations in the model. The decisions of whether multiple hypotheses should be split in different sets and how to divide them are driven by theory, and depend on what the researchers intend to evaluate. When multiple hypotheses are included in one set, as in $H1_Q2$, they are handled by the goric function as a whole, not individually.

```
# Q1: Phi_21 > Phi_12
H1_Q1 <- "
abs(RQ22_RQ11) > abs(RQ12_RQ21)
"
#
# Q2
H1_Q2 <- "
abs(SE2_RQ11) > abs(RQ12_SE1);
abs(SL2_RQ11) > abs(RQ12_SL1);
abs(SE2_RQ21) > abs(RQ22_SE1);
abs(SL2_RQ21) > abs(RQ22_SL1)
"
```

We obtain the GORICA results for $H1_Q1$ and $H1_Q2$ in two steps. Note the use of set.seed to ensure that the results are reproducible.

restriktor (0.5-80): generalized order-restricted information criterion approximation:

Results:

```
        model
        loglik
        penalty
        gorica
        loglik.weights
        penalty.weights
        gorica.weights

        1
        H1_Q1
        22.439
        15.500
        -13.878
        0.632
        0.500
        0.632

        2
        complement
        21.898
        15.500
        -12.796
        0.368
        0.500
        0.368
```

The order-restricted hypothesis 'H1_Q1' has 1.72 times more support than its complement.

```
#summary(qoricaResults_Q1)
```

The output shows that the order-restricted hypothesis $H1_Q1$ has 1.7 times more support than its complement.

```
set.seed(123)
goricaResults_Q2 <- goric(est, VCOV = vcov, hypotheses = list(H1_Q2=H1_Q2), comparison = "complement",
goricaResults_Q2</pre>
```

restriktor (0.5-80): generalized order-restricted information criterion approximation:

Results:

```
model loglik penalty
                               gorica loglik.weights penalty.weights gorica.weights
                                                0.513
                                                                 0.568
                                                                                 0.581
1
       H1_Q2
              22.439
                       14.856
                              -15.167
              22.387
                       15.131 -14.512
                                                0.487
                                                                 0.432
                                                                                 0.419
  complement
```

The order-restricted hypothesis 'H1_Q2' has 1.39 times more support than its complement.

```
#summary(qoricaResults_Q2)
```

Furthermore, the order-restricted hypothesis H1 Q2 has 1.4 times more support than its complement.

Note that the results hold for the chosen time interval. Hence, the results are time-interval dependent. At the end, more information is given.

Example 2: Measurement Level Analysis

R packages

First, install and call the lavaan library to create a CLPM and the restriktor library to load the goric function. If needed, it is possible to view the description of the function with the ? operator or the help command.

The code presented here also requires the tidyverse package for data manipulation.

```
# To install restriktor in R:
#if (!require("restriktor")) install.packages("restriktor")

# To install restriktor from github:
# if (!require("devtools")) install.packages("devtools")
# library(devtools)
# install_github("LeonardV/restriktor")
library(restriktor)

# print docs in the help-tab to view arguments and explanations for the function
#?goric
```

```
# To install lavaan in R:
# if (!require("lavaan")) install.packages("lavaan")
library(lavaan)

# To install tidyverse in R:
# if (!require("tidyverse")) install.packages("tidyverse")
library(tidyverse)
```

Data

Upload the data set to the R environment and select the columns used for analysis. The id column is renamed to ID and the code in the data set for missing numbers -999.00 is replaced with NAs.

```
data <- read.table("data/CLPM.dat", header = T)</pre>
colnames(data)[1] <- "ID"</pre>
data <- replace(data , data == -999.00, NA)
data_subset <- select(data,</pre>
                    THT1_SS,
                    TBT1_SS,
                    ACOMT1 SS,
                    SATT1_SS,
                    AB T1 SS,
                    DE_T1_SS,
                    VI_T1_SS,
                    SLT1 SS,
                    TH_T2_SS,
                    TB_T2_SS,
                    ACOMT2SS,
                    SAT_T2SS,
                    ABT2_SS,
                    DET2_SS,
                    VIT2_SS,
                    SLT2SS)
```

CLPM

Next, we fit the CLPM on sum scores using the lavaan package. Here we specify all the relations of the model.

```
VIT2_SS ~ THT1_SS + TBT1_SS + ACOMT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
SLT2SS ~ THT1 SS + TBT1 SS + ACOMT1 SS + SATT1 SS + AB T1 SS + DE T1 SS + VI T1 SS + SLT1 SS
# Estimate the correlations within the same wave.
# T1
 ACOMT1_SS ~~ THT1_SS + TBT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
 THT1_SS ~~ TBT1_SS + SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
 TBT1_SS ~~ SATT1_SS + AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
 SATT1_SS ~~ AB_T1_SS + DE_T1_SS + VI_T1_SS + SLT1_SS
 AB_T1_SS ~~ DE_T1_SS + VI_T1_SS + SLT1_SS
 DE_T1_SS ~~ VI_T1_SS + SLT1_SS
 VI_T1_SS ~~ SLT1_SS
 # T2
 TH_T2_SS ~~ TB_T2_SS + SAT_T2SS + ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
 TB_T2_SS ~~ SAT_T2SS + ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
 SAT_T2SS ~~ ACOMT2SS + ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
 ACOMT2SS ~~ ABT2_SS + DET2_SS + VIT2_SS + SLT2SS
 ABT2_SS ~~ DET2_SS + VIT2_SS + SLT2SS
 DET2_SS ~~ VIT2_SS + SLT2SS
 VIT2_SS ~~ SLT2SS
```

We fit the model using the sem function:

```
clpmUnc_2 <- sem(clpmModel_2, data = data_subset, missing = 'ML')</pre>
```

Using the summary function we obtain the results of the model fit and estimates. The standardized solution contains the p-values of standardized effects.

```
fitMeasures(clpmUnc_2)
```

```
fmin
                                                                                   chisq
                        npar
                     152.000
                                                     0.000
                                                                                   0.000
                        srmr
                                              srmr_bentler
                                                                    srmr_bentler_nomean
                       0.000
                                                     0.000
                                                                                   0.000
stdClpmUnc 2 <- standardizedsolution(clpmUnc 2, type = "std.all", se = TRUE, zstat = TRUE,
                                   pvalue = TRUE, ci = TRUE, level = 0.95, cov.std = TRUE,
                                   remove.eq = TRUE, remove.ineq = TRUE, remove.def = FALSE,
                                    partable = NULL, GLIST = NULL, est = NULL)
stdClpmUnc_2
```

```
lhs op
                      rhs est.std
                                    se
                                            z pvalue ci.lower ci.upper
1
    TH_T2_SS
                  THT1_SS
                           0.191 0.094 2.033 0.042
                                                       0.007
                                                                0.374
2
    TH_T2_SS
             ~
                  TBT1_SS
                           0.072 0.098 0.739 0.460
                                                      -0.120
                                                                0.265
3
    TH_T2_SS
             ~ ACOMT1_SS -0.017 0.076 -0.225 0.822
                                                      -0.167
                                                                0.132
    TH_T2_SS
             ~ SATT1_SS
                           0.122 0.093 1.319
4
                                              0.187
                                                      -0.059
                                                                0.304
5
    TH_T2_SS ~ AB_T1_SS -0.030 0.083 -0.362 0.718
                                                      -0.192
                                                                0.132
6
    TH T2 SS ~ DE T1 SS
                           0.075 0.101 0.738 0.460
                                                      -0.124
                                                                0.273
7
    TH_T2_SS ~ VI_T1_SS
                           0.086 0.088 0.981 0.327
                                                      -0.086
                                                                0.259
8
    TH T2 SS ~
                  SLT1_SS
                           0.140 0.086 1.617 0.106
                                                      -0.030
                                                                0.309
9
    TB_T2_SS ~
                           0.019 0.092 0.203 0.839
                                                      -0.162
                                                                0.200
                  THT1_SS
    TB_T2_SS ~
                  TBT1_SS 0.384 0.094 4.084 0.000
                                                       0.200
                                                                0.568
```

```
~ ACOMT1_SS
11
     TB T2 SS
                             0.019 0.074 0.257 0.797
                                                         -0.126
                                                                    0.164
                             0.051 0.091 0.562 0.574
12
     TB T2 SS
                  SATT1 SS
                                                                    0.230
              ~
                                                         -0.127
                                                 0.194
13
     TB T2 SS
                  AB T1 SS
                            -0.106 0.081 -1.299
                                                         -0.265
                                                                    0.054
     TB_T2_SS
                  DE_T1_SS
14
                             0.037 0.101 0.361
                                                 0.718
                                                         -0.162
                                                                    0.235
15
     TB_T2_SS
              ~
                  VI_T1_SS
                             0.127 0.087
                                         1.456
                                                 0.145
                                                         -0.044
                                                                    0.297
16
     TB T2 SS
                   SLT1 SS
                             0.142 0.085
                                                 0.093
                                                         -0.024
                                                                    0.308
              ~
                                         1.679
17
     ACOMT2SS
                   THT1 SS
                            -0.027 0.087 -0.315
                                                 0.753
                                                                    0.143
                                                         -0.198
                   TBT1 SS
                                                 0.981
18
     ACOMT2SS
                             0.002 0.091 0.023
                                                         -0.176
                                                                    0.180
19
     ACOMT2SS
              ~ ACOMT1_SS
                             0.329 0.068 4.838
                                                 0.000
                                                          0.195
                                                                    0.462
20
                                                 0.838
     ACOMT2SS
                  SATT1_SS
                             0.018 0.086 0.204
                                                         -0.151
                                                                    0.186
21
     ACOMT2SS
                  AB_T1_SS
                             0.022 0.076
                                          0.288
                                                 0.773
                                                         -0.128
                                                                    0.171
22
                                          1.230
     ACOMT2SS
                  DE_T1_SS
                             0.115 0.094
                                                 0.219
                                                                    0.299
                                                         -0.068
23
     ACOMT2SS
              ~
                  VI_T1_SS
                             0.078 0.082 0.959
                                                 0.337
                                                         -0.082
                                                                    0.238
24
     ACOMT2SS
                   SLT1_SS
                                                 0.011
                             0.202 0.079 2.547
                                                          0.047
                                                                    0.357
25
     SAT_T2SS
                   THT1_SS
                            -0.081 0.090 -0.899
                                                 0.368
                                                         -0.257
                                                                    0.095
26
     SAT_T2SS
                   TBT1_SS
                             0.126 0.094
                                         1.343
                                                 0.179
                                                          -0.058
                                                                    0.310
27
     SAT_T2SS
              ~ ACOMT1_SS
                             0.033 0.073 0.456
                                                 0.648
                                                                    0.176
                                                         -0.109
28
     SAT T2SS
                  SATT1 SS
                             0.325 0.087 3.751
                                                 0.000
                                                          0.155
                                                                    0.494
                                                 0.266
29
     SAT_T2SS
                  AB_T1_SS
                            -0.088 0.079 -1.111
                                                         -0.242
                                                                    0.067
30
     SAT T2SS
                  DE_T1_SS
                             0.098 0.097
                                         1.013
                                                 0.311
                                                         -0.092
                                                                    0.288
31
     SAT_T2SS
              ~
                  VI_T1_SS
                             0.125 0.084 1.487
                                                 0.137
                                                         -0.040
                                                                    0.289
32
     SAT T2SS
                   SLT1_SS
                             0.147 0.082
                                         1.796
                                                 0.073
                                                         -0.013
                                                                    0.308
33
      ABT2_SS
                   THT1_SS
                             0.001 0.079
                                                 0.989
                                         0.014
                                                         -0.154
                                                                    0.156
34
      ABT2 SS
              ~
                   TBT1 SS
                             0.072 0.085 0.845
                                                 0.398
                                                         -0.094
                                                                    0.238
35
      ABT2 SS
                            -0.063 0.064 -0.974
                                                 0.330
              ~ ACOMT1 SS
                                                         -0.189
                                                                    0.064
      ABT2_SS
36
                  SATT1_SS
                            -0.019 0.082 -0.237
                                                 0.813
                                                         -0.180
                                                                    0.141
37
      ABT2_SS
                  AB_T1_SS
                             0.645 0.063 10.167
                                                 0.000
                                                          0.521
                                                                    0.770
38
      ABT2_SS
              ~
                  DE_T1_SS
                             0.118 0.086 1.368
                                                 0.171
                                                         -0.051
                                                                    0.286
39
      ABT2_SS
              ~
                  VI_T1_SS
                             0.028 0.074 0.378
                                                 0.706
                                                                    0.172
                                                         -0.116
                   SLT1_SS
40
      ABT2_SS
                             0.018 0.070 0.259
                                                 0.795
                                                         -0.120
                                                                    0.156
41
      DET2_SS
                   THT1_SS
                            -0.124 0.080 -1.550
                                                 0.121
                                                          -0.280
                                                                    0.033
              ~
42
      DET2_SS
                   TBT1_SS
                             0.214 0.085 2.500
                                                 0.012
                                                          0.046
                                                                    0.381
43
                            -0.105 0.065 -1.625
      DET2_SS
               ~ ACOMT1_SS
                                                 0.104
                                                         -0.232
                                                                    0.022
44
      DET2_SS
                  SATT1_SS
                             0.062 0.082 0.751
                                                 0.453
                                                                    0.223
                                                          -0.100
45
      DET2 SS
                  AB_T1_SS
                             0.054 0.070 0.771
                                                 0.441
                                                         -0.083
                                                                    0.192
46
     DET2_SS
              ~
                  DE_T1_SS
                             0.685 0.078 8.737
                                                 0.000
                                                         0.531
                                                                    0.838
47
      DET2 SS ~
                  VI T1 SS
                             0.037 0.075 0.498
                                                 0.619
                                                         -0.109
                                                                    0.184
48
      DET2_SS ~
                   SLT1_SS
                            -0.051 0.071 -0.708
                                                 0.479
                                                         -0.190
                                                                    0.089
49
      VIT2_SS
                   THT1_SS
                             0.025 0.079 0.311
                                                 0.756
                                                         -0.131
                                                                    0.180
50
      VIT2_SS
              ~
                   TBT1_SS
                             0.151 0.085 1.770 0.077
                                                                    0.318
                                                         -0.016
51
      VIT2 SS
              ~ ACOMT1 SS
                            -0.155 0.064 -2.417
                                                 0.016
                                                         -0.281
                                                                   -0.029
52
      VIT2 SS
                  SATT1 SS
                            -0.021 0.082 -0.255
                                                 0.798
                                                         -0.183
                                                                    0.141
      VIT2 SS
                  AB_T1_SS
                             0.230 0.069 3.338
                                                 0.001
53
              ~
                                                          0.095
                                                                    0.365
              ~
54
      VIT2_SS
                  DE_T1_SS
                             0.072 0.088 0.823
                                                 0.411
                                                         -0.100
                                                                    0.244
      VIT2_SS
55
                  VI_T1_SS
                                                 0.000
                             0.574 0.069 8.372
                                                          0.440
                                                                    0.708
56
      VIT2_SS
                   SLT1_SS
                           -0.074 0.070 -1.057
                                                 0.291
                                                         -0.212
                                                                    0.064
57
      SLT2SS
                   THT1_SS
                           -0.026 0.081 -0.318
                                                 0.751
                                                         -0.184
                                                                    0.133
58
                   TBT1_SS
                             0.021 0.086 0.244
                                                 0.807
       SLT2SS
                                                         -0.148
                                                                    0.190
59
       SLT2SS
               ~ ACOMT1_SS
                            -0.013 0.066 -0.203
                                                 0.839
                                                          -0.142
                                                                    0.116
60
       SLT2SS
                  SATT1_SS
                             0.215 0.082 2.631
                                                 0.009
                                                          0.055
                                                                    0.375
61
              ~
                  AB_T1_SS
                             0.083 0.070 1.186
                                                 0.236
                                                                    0.221
       SLT2SS
                                                         -0.054
62
       SLT2SS
                  DE_T1_SS
                             0.134 0.087 1.537
                                                 0.124
                                                         -0.037
                                                                    0.306
                                                          -0.190
63
       SLT2SS ~
                  VI_T1_SS -0.043 0.075 -0.568
                                                 0.570
                                                                    0.104
       SLT2SS ~
                             0.468 0.068 6.840 0.000
64
                   SLT1 SS
                                                          0.334
                                                                    0.602
```

```
65
      THT1_SS ~~ ACOMT1_SS
                              0.611 0.019 31.414 0.000
                                                             0.573
                                                                       0.649
      TBT1_SS ~~ ACOMT1_SS
                              0.637 0.018 34.602
                                                   0.000
                                                                      0.673
66
                                                             0.601
                                                                       0.641
67
    ACOMT1 SS ~~
                  SATT1 SS
                              0.603 0.020 30.608
                                                   0.000
                                                             0.564
    ACOMT1_SS ~~
                  AB_T1_SS
                              0.467 0.024 19.248
                                                   0.000
                                                             0.419
                                                                       0.515
68
69
    ACOMT1_SS ~~
                  DE_T1_SS
                              0.586 0.020 28.750
                                                   0.000
                                                             0.546
                                                                       0.626
    ACOMT1 SS ~~
                  VI T1 SS
                              0.528 0.022 23.450
                                                   0.000
70
                                                             0.484
                                                                       0.572
    ACOMT1 SS ~~
                   SLT1 SS
                                                   0.000
71
                              0.651 0.018 36.260
                                                             0.616
                                                                       0.686
      THT1 SS ~~
                   TBT1 SS
72
                              0.767 0.013 59.792
                                                   0.000
                                                             0.742
                                                                      0.792
73
      THT1 SS ~~
                  SATT1_SS
                              0.710 0.015 46.179
                                                   0.000
                                                             0.680
                                                                       0.741
74
                                                   0.000
      THT1_SS ~~
                  AB_T1_SS
                              0.281 0.029 9.855
                                                             0.225
                                                                      0.337
                  DE_T1_SS
75
      THT1_SS ~~
                              0.449 0.025 18.208
                                                   0.000
                                                             0.401
                                                                       0.498
76
                              0.343 0.027 12.482
      THT1_SS ~~
                  VI_T1_SS
                                                   0.000
                                                             0.289
                                                                       0.397
77
      THT1_SS ~~
                   SLT1_SS
                              0.592 0.020 29.322
                                                   0.000
                                                             0.552
                                                                       0.631
78
      TBT1_SS ~~
                  SATT1_SS
                                                   0.000
                              0.740 0.014 52.720
                                                             0.713
                                                                       0.768
79
      TBT1_SS ~~
                  AB_T1_SS
                              0.323 0.028 11.659
                                                   0.000
                                                             0.269
                                                                       0.377
80
      TBT1_SS ~~
                  DE_T1_SS
                              0.454 0.024 18.541
                                                   0.000
                                                             0.406
                                                                       0.502
81
      TBT1_SS ~~
                  VI_T1_SS
                              0.377 0.027 14.158
                                                   0.000
                                                             0.325
                                                                      0.429
82
      TBT1 SS ~~
                   SLT1 SS
                              0.594 0.020 29.545
                                                   0.000
                                                             0.555
                                                                       0.633
83
     SATT1_SS ~~
                  AB_T1_SS
                              0.311 0.028 11.178
                                                   0.000
                                                             0.257
                                                                       0.366
84
     SATT1_SS ~~
                  DE_T1_SS
                              0.467 0.024 19.374
                                                   0.000
                                                             0.420
                                                                       0.514
85
     SATT1_SS ~~
                  VI_T1_SS
                              0.390 0.026 14.824
                                                   0.000
                                                             0.338
                                                                      0.441
86
     SATT1_SS ~~
                   SLT1_SS
                              0.621 0.019 32.617
                                                   0.000
                                                             0.584
                                                                       0.659
87
     AB_T1_SS ~~
                  DE_T1_SS
                              0.688 0.016 42.342
                                                   0.000
                                                             0.656
                                                                      0.720
88
     AB T1 SS ~~
                  VI_T1_SS
                              0.760 0.013 58.074
                                                   0.000
                                                             0.735
                                                                      0.786
89
                                                   0.000
     AB T1 SS ~~
                    SLT1 SS
                              0.482 0.024 20.323
                                                             0.435
                                                                      0.528
90
     DE_T1_SS ~~
                  VI_T1_SS
                              0.680 0.017 40.772
                                                   0.000
                                                             0.647
                                                                       0.712
91
     DE_T1_SS ~~
                    SLT1_SS
                              0.703 0.016 44.880
                                                   0.000
                                                             0.672
                                                                      0.734
     VI_T1_SS ~~
                                                   0.000
92
                   SLT1_SS
                              0.535 0.022 24.146
                                                             0.491
                                                                       0.578
     TH_T2_SS ~~
93
                  TB_T2_SS
                              0.781 0.019 42.220
                                                   0.000
                                                             0.745
                                                                      0.818
                  SAT_T2SS
94
     TH_T2_SS ~~
                              0.685 0.024 28.242
                                                   0.000
                                                             0.637
                                                                       0.732
95
     TH_T2_SS ~~
                   ACOMT2SS
                              0.643 0.029 22.348
                                                   0.000
                                                             0.586
                                                                       0.699
96
     TH_T2_SS ~~
                    ABT2_SS
                              0.231 0.054 4.268
                                                   0.000
                                                             0.125
                                                                      0.338
97
     TH_T2_SS ~~
                    DET2_SS
                              0.353 0.050
                                           7.097
                                                   0.000
                                                             0.256
                                                                       0.451
98
     TH_T2_SS ~~
                    VIT2_SS
                              0.229 0.055 4.180
                                                   0.000
                                                             0.122
                                                                       0.337
99
     TH T2 SS ~~
                    SLT2SS
                              0.494 0.041 12.049
                                                   0.000
                                                             0.414
                                                                       0.575
100
     TB_T2_SS ~~
                  SAT_T2SS
                                                   0.000
                              0.727 0.023 32.276
                                                             0.683
                                                                      0.772
101
     TB T2 SS ~~
                  ACOMT2SS
                              0.698 0.027 26.170
                                                   0.000
                                                             0.646
                                                                       0.750
102
     TB_T2_SS ~~
                    ABT2_SS
                              0.303 0.055
                                           5.496
                                                   0.000
                                                             0.195
                                                                      0.412
103
     TB_T2_SS ~~
                    DET2_SS
                              0.368 0.052
                                            7.086
                                                   0.000
                                                             0.266
                                                                       0.470
104
     TB_T2_SS ~~
                    VIT2_SS
                                                   0.000
                              0.259 0.057 4.519
                                                             0.147
                                                                      0.371
     TB_T2_SS ~~
                    SLT2SS
                                                   0.000
105
                              0.502 0.043 11.688
                                                             0.418
                                                                       0.586
106
     ACOMT2SS ~~
                  SAT_T2SS
                              0.652 0.028 23.001
                                                   0.000
                                                             0.596
                                                                       0.708
     SAT T2SS ~~
                    ABT2 SS
107
                              0.254 0.054
                                           4.706
                                                   0.000
                                                             0.148
                                                                       0.360
     SAT_T2SS ~~
108
                    DET2_SS
                              0.328 0.051 6.469
                                                   0.000
                                                             0.229
                                                                       0.427
                    VIT2_SS
                                                   0.000
109
     SAT_T2SS ~~
                              0.249 0.055 4.533
                                                             0.141
                                                                       0.356
     SAT_T2SS ~~
                    SLT2SS
                              0.494 0.041 12.185
                                                   0.000
110
                                                             0.415
                                                                       0.574
                    ABT2_SS
111
     ACOMT2SS ~~
                              0.346 0.052
                                            6.706
                                                   0.000
                                                             0.245
                                                                       0.447
                    DET2_SS
                                                   0.000
112
     ACOMT2SS ~~
                              0.453 0.046
                                           9.769
                                                             0.362
                                                                       0.544
113
     ACOMT2SS ~~
                    VIT2_SS
                              0.358 0.052 6.850
                                                   0.000
                                                             0.256
                                                                       0.461
114
     ACOMT2SS ~~
                    SLT2SS
                              0.549 0.039 14.179
                                                   0.000
                                                             0.474
                                                                       0.625
      ABT2_SS ~~
                    DET2_SS
                                                   0.000
                                                             0.487
115
                              0.568 0.041 13.762
                                                                       0.648
116
      ABT2 SS ~~
                    VIT2_SS
                              0.621 0.037 16.797
                                                   0.000
                                                             0.549
                                                                       0.693
      ABT2_SS ~~
117
                    SLT2SS
                              0.314 0.055 5.762
                                                   0.000
                                                             0.207
                                                                       0.421
118
      DET2 SS ~~
                    VIT2 SS
                              0.547 0.044 12.402
                                                   0.000
                                                             0.461
                                                                       0.633
```

```
119
      DET2 SS ~~
                     SLT2SS
                              0.508 0.045 11.328
                                                   0.000
                                                             0.420
                                                                       0.596
120
                              0.377 0.054 7.009
                                                   0.000
      VIT2 SS ~~
                     SLT2SS
                                                             0.272
                                                                      0.483
     TH T2 SS ~~
121
                  TH T2 SS
                              0.722 0.043 16.911
                                                   0.000
                                                             0.639
                                                                       0.806
122
     TB_T2_SS ~~
                  TB_T2_SS
                              0.646 0.044 14.620
                                                   0.000
                                                             0.559
                                                                       0.733
123
     ACOMT2SS ~~
                  ACOMT2SS
                              0.600 0.044 13.611
                                                   0.000
                                                             0.513
                                                                      0.686
                  SAT T2SS
                                                   0.000
124
     SAT T2SS ~~
                              0.649 0.043 15.050
                                                             0.565
                                                                      0.734
      ABT2_SS ~~
                    ABT2 SS
125
                              0.434 0.040 10.971
                                                   0.000
                                                             0.356
                                                                      0.511
                    DET2 SS
126
      DET2 SS ~~
                              0.455 0.041 11.069
                                                   0.000
                                                             0.374
                                                                      0.535
127
      VIT2_SS ~~
                    VIT2_SS
                              0.420 0.038 11.004
                                                   0.000
                                                             0.345
                                                                      0.495
                                                   0.000
128
       SLT2SS ~~
                    SLT2SS
                              0.464 0.042 11.136
                                                             0.382
                                                                      0.545
129
      THT1_SS ~~
                    THT1_SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
      TBT1_SS ~~
130
                    TBT1_SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                       1.000
131 ACOMT1_SS ~~ ACOMT1_SS
                              1.000 0.000
                                               NA
                                                             1.000
                                                                      1.000
                                                      NA
     SATT1_SS ~~
                  SATT1_SS
                              1.000 0.000
                                                             1.000
132
                                               NA
                                                      NA
                                                                      1.000
     AB_T1_SS ~~
                  AB_T1_SS
133
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
134
     DE_T1_SS ~~
                  DE_T1_SS
                              1.000 0.000
                                               NA
                                                      NA
                                                             1.000
                                                                      1.000
    VI_T1_SS ~~
135
                  VI_T1_SS
                              1.000 0.000
                                               NA
                                                             1.000
                                                                      1.000
                                                      NA
136
      SLT1 SS ~~
                    SLT1_SS
                              1.000 0.000
                                               NA
                                                             1.000
                                                                      1.000
                                                      NA
137
     TH_T2_SS ~1
                              1.839 0.286
                                            6.420
                                                   0.000
                                                             1.277
                                                                      2.400
138
     TB T2 SS ~1
                              1.186 0.275
                                            4.308
                                                   0.000
                                                             0.646
                                                                      1.726
139
     ACOMT2SS ~1
                              0.759 0.258
                                           2.941
                                                   0.003
                                                             0.253
                                                                      1.265
     SAT T2SS ~1
                                            3.499
                                                   0.000
140
                              0.925 0.264
                                                             0.407
                                                                      1.443
      ABT2_SS ~1
141
                              0.305 0.237
                                            1.284
                                                   0.199
                                                            -0.160
                                                                      0.770
                                            4.340
                                                   0.000
142
      DET2 SS ~1
                              1.058 0.244
                                                             0.580
                                                                      1.536
143
      VIT2 SS ~1
                              0.466 0.240
                                            1.943
                                                   0.052
                                                            -0.004
                                                                      0.937
144
       SLT2SS ~1
                              0.365 0.237
                                           1.540
                                                   0.124
                                                            -0.100
                                                                      0.830
145
      THT1_SS ~1
                              4.869 0.111 43.722
                                                   0.000
                                                             4.651
                                                                      5.088
146
      TBT1_SS ~1
                              4.140 0.096 43.136
                                                   0.000
                                                             3.952
                                                                      4.329
147 ACOMT1_SS ~1
                              3.686 0.086 42.940
                                                   0.000
                                                             3.518
                                                                      3.854
148
     SATT1_SS ~1
                              3.805 0.089 42.896
                                                   0.000
                                                             3.631
                                                                      3.979
149
     AB_T1_SS ~1
                              3.429 0.080 42.754
                                                   0.000
                                                             3.272
                                                                       3.586
150
     DE_T1_SS ~1
                              4.508 0.102 44.130
                                                   0.000
                                                             4.308
                                                                      4.708
151
     VI_T1_SS ~1
                              3.542 0.083 42.581
                                                   0.000
                                                             3.379
                                                                       3.705
152
                              4.082 0.094 43.588
                                                   0.000
                                                             3.899
                                                                       4.266
      SLT1_SS ~1
```

In this case, the results shows we obtain a 'perfect' model fit, that is because the degrees of freedom are 0, meaning the model is saturated (i.e., you have as much parameters as you have data points).

GORICA

We select the estimates relevant to our hypotheses in order to use the goric function.

```
"VI2_TH1", "VI2_TB1", "VI2_ACOM1", "VI2_SAT1", "VI2_AB1", "VI2_DE1", "VI2_VI1", "VI2_SL

#

"SL2_TH1", "SL2_TB1", "SL2_ACOM1", "SL2_SAT1", "SL2_AB1", "SL2_DE1", "SL2_VI1", "SL2_SL
)

# the covariance matrix for these estimates

vcov_2 <- lavInspect(clpmUnc_2, "vcov.std.all")[indices_2, indices_2]
```

Next, we specify the hypotheses to be evaluated. Note the use of the use of the abs function; that is because we are interested in the size of the relations and we want to compare absolute effects. In cases where the sign of the values is of interest, one should not use absolute values (e.g., estimate x > .3 or estimate y < 0).

Here, there are two sets of hypotheses, $H1_Q1$ and $H1_Q2$, which focus on different relations in the model. The decisions of whether multiple hypotheses should be split in different sets and how to divide them are driven by theory, and depend on what the researchers intend to evaluate. When multiple hypotheses are included in one set they are handled by the goric function as a whole, not individually.

```
# Q1
H2_Q1 <- "
abs(ACOM2_TH1) > abs(TH2_ACOM1); abs(SAT2_TH1) > abs(TH2_SAT1);
abs(ACOM2_TB1) > abs(TB2_ACOM1); abs(SAT2_TB1) > abs(TB2_SAT1)

# Q2
H2_Q2 <- "
abs(AB2_TH1) > abs(TH2_AB1); abs(DE2_TH1) > abs(TH2_DE1); abs(VI2_TH1) > abs(TH2_VI1); abs(SL2_TH1) > abs(AB2_TB1) > abs(AB2_T
```

We obtain the GORICA results for $H2_Q1$ and $H2_Q2$ in two steps. Note the use of set.seed to ensure that the results are reproducible.

```
set.seed(123)
goricaResults_H2_Q1 <- goric(est_2, VCOV = vcov_2, hypotheses = list(H2_Q1=H2_Q1), comparison = "complex
goricaResults_H2_Q1</pre>
```

restriktor (0.5-80): generalized order-restricted information criterion approximation:

Results:

```
model
               loglik penalty
                                  gorica loglik.weights penalty.weights gorica.weights
       H2 Q1
              134.232
                        62.451
                                -143.562
                                                   0.483
                                                                    0.735
                                                                                    0.722
2
  complement
              134.301
                        63.473
                                -141.656
                                                   0.517
                                                                    0.265
                                                                                    0.278
```

The order-restricted hypothesis 'H2_Q1' has 2.59 times more support than its complement.

```
#summary(goricaResults_H2_Q1)
```

The output shows that the order-restricted hypothesis $H2_Q1$ has 2.6 times more support than its complement.

We can proceed in the same manner for $H2_Q1$; however, because the default method takes too long to calculate the penalty of the GORICA, we use the bootstrap method. When using the bootstrapping the results do not change, but the computation time may decrease.

```
set.seed(123)
\#qoricaResults\_H2\_Q2 \leftarrow qoric(est\_2, VCOV = vcov\_2, hypotheses = list(H2\_Q2=H2\_Q2), comparison = "complex substitution of the complex substit
#goricaResults_H2_Q2
##summary(goricaResults_H2_Q2)
# if (!require("parallel")) install.packages("parallel")
#library(parallel)
#nrCPUcores <- detectCores(all.tests = FALSE, logical = TRUE)</pre>
# NB: there are many restrictions, so the code takes longer to run
goricaResults_H2_Q2_b <- goric(est_2, VCOV = vcov_2, hypotheses = list(H2_Q2=H2_Q2),</pre>
                                                                                                          comparison = "complement", type = "gorica",
                                                                                                          mix_weights = "boot")
goricaResults_H2_Q2_b
restriktor (0.5-80): generalized order-restricted information criterion approximation:
Results:
                           model
                                                      loglik penalty
                                                                                                                        gorica loglik.weights penalty.weights gorica.weights
                          H2 Q2 130.969
                                                                                     58.028
                                                                                                               -145.881
                                                                                                                                                                                  0.034
                                                                                                                                                                                                                                            0.997
                                                                                                                                                                                                                                                                                                   0.933
1
                                                                                                                                                                                  0.966
                                                                                                                                                                                                                                            0.003
                                                                                                                                                                                                                                                                                                   0.067
2
       complement 134.301
                                                                                     63.995 -140.612
```

The order-restricted hypothesis H2 Q2 has 14 times more support than its complement.

Note that the results hold for the chosen time interval. Hence, the results are time-interval dependent. Next, more information is given.

The order-restricted hypothesis 'H2_Q2' has 13.94 times more support than its complement.

Note on time-interval dependency

#summary(goricaResults_H2_Q2_b)

The parameter estimates in a (RI-)CLPM are time-interval dependent, and thus the GORICA results as well. By using the CTmeta package:

```
# Install and load packages
#
#library(devtools)
#if (!require("CTmeta")) install_github("rebeccakuiper/CTmeta") ##install_github("rebeccakuiper/CTmeta")
library(CTmeta)
#?PhiPlot
```

one can plot the lagged-effects parameter estimates for different choices of time intervals. Based on this plot (and/or on other information), one can evaluate the hypotheses using the GORICA for different choices of time intervals.