

Aryabhatta Knowledge University
Patna, Bihar 800001



2020-21

A Project Report on

Hostel Management System

Submitted in partial fulfillment of the requirements for the award of
degree

BACHELOR OF TECHNOLOGY
IN
COMPUTER SCIENCE & ENGINEERING

By

PRINCE KUMAR PATEL - 18105108907

SURAJ ANAND - 18105108905

KAUSHAL RANJAN - 18105108906

Under the esteemed guidance of

Prof. GAURAV KUMAR

Assistant Professor

Department of CSE

Bhagalpur College of Engineering, Bhagalpur

Aryabhatta Knowledge University

Patna, Bihar 800001

Department of Computer Science & Engineering
Bhagalpur College of Engineering, Bhagalpur



CERTIFICATE

This is to certify that the project entitled “HOSTEL MANAGEMENT SYSTEM” had carried out by PRINCE KUMAR PATEL(18105108907), SURAJ ANAND(18105108905), KAUSHAL RANJAN(18105108906) in partial fulfillment of the requirements for the award of degree of Bachelor of Technology in Computer Science and Engineering of Aryabhatta Knowledge University, Patna during the academic year 2020-21. It is certified that all corrections/suggestions indicated for Internal Assessment have been incorporated in the Report deposited in the departmental library. The project has been approved as it satisfies the academic requirements in respect of Project work prescribed for the Bachelor of Technology Degree.

Project Guide
Prof. Gaurav Kumar Asst. Prof.
Dept. of CSE B.C.E, Bhagalpur

Prof. Raj Anwit
Head of Dept. of CSE B.C.E, Bhagalpur

Name of Examiners

Signature with Date

Aryabhatta Knowledge University

Patna, Bihar 800001

Department of Computer Science & Engineering

Bhagalpur College of Engineering, Bhagalpur



DECLARATION

We, PRINCE KUMAR PATEL(18105108907), SURAJ ANAND(18105108905), KAUSHAL RANJAN(18105108906) Student of Seventh Semester Bachelor of Technology, in the Department of Computer Science & Engineering, Bhagalpur College of Engineering, Bhagalpur declare that the project entitled “HOSTEL MANAGEMENT SYSTEM” had carried out by us and submitted partial fulfillment of the course requirements for the award of degree of Bachelor of Technology in Computer Science and Engineering of Aryabhatta Knowledge University, Patna during the academic year 2020- 21.

PRINCE KUMAR PATEL(18105108907)

SURAJ ANAND(18105108905)

KAUSHAL RANJAN(18105108906)

ACKNOWLEDGEMENT

The satisfaction that accompanies the successful completion of any task would be incomplete without the mention of people whose ceaseless cooperation made it possible, whose constant guidance and encouragement crown all efforts with success.

We are grateful to our project guide Prof. Gaurav Kumar for the guidance, inspiration and constructive suggestions that helped me in the preparation of this project.

PRINCE KUMAR PATEL(18105108907)

SURAJ ANAND(18105108905)

KAUSHAL RANJAN(18105108906)

ABSTRACT

“HOSTEL MANAGEMENT SYSTEM” is software developed for managing various activities in the hostel. For the past few years the numbers of educational institutions are increasing rapidly. Thereby the numbers of hostels are also increasing for the accommodation of the students studying in this institution. And hence there is a lot of strain on the person who are running the hostel and software's are not usually used in this context. This particular project deals with the problems of managing a hostel and avoids the problems which occur when carried manually. Identification of the drawbacks of the existing system leads to the designing of a computerized system that will be compatible with the existing system with the system which is more user friendly and more GUI oriented.

TABLE OF CONTENT

	Page Number
I) ACKNOWLEDGEMENT	4
II) ABSTRACT	5
1. INTRODUCTION	7
1.1 PROBLEM DEFINITION	7
1.2 OBJECTIVES OF PROJECT	7
2. SYSTEM ENVIRONMENT	8
2.1 HARDWARE CONFIGURATION	8
2.2 SOFTWARE CONFIGURATION	8
3. SYSTEM ANALYSIS	9
3.1 EXISTING SYSTEM	9
3.2 PROPOSED SYSTEM	9
3.3 SOFTWARE TOOL USED	10-11
4. CODES AND OUTPUTS	12
4.1 ADMIN.PHP	12-13
4.2 INDEX.PHP	14-15
4.3 STUDENT_HEAD.PHP	16-19
4.4 LOGIN.PHP	20-23
4.5 ADMIN_HEAD.PHP	24-27
4.6 PROFILE.PHP	28-32
5. DATABASES	33-38
6. CONCLUSION	39

INTRODUCTION

PROBLEM DEFINITION

This system is designed in favor of the hostel management which helps them to save the records of the students about their rooms and other things. It helps them from the manual work from which it is very difficult to find the record of the students and the mess bills of the students, and the information about those who had left the hostel. All the hostels at present are managed manually by the hostel office. The Registration form verification to the different data processing is done manually. Thus there are a lot of repetitions which can be easily avoided. And hence there is a lot of strain on the person who are running the hostel and software's are not usually used in this context. This particular project deals with the problems on managing a hostel and avoids the problems which occur when carried manually. Identification of the drawbacks of the existing system leads to the designing of a computerized system that will be compatible with the existing system with the system which is more user friendly. We can improve the efficiency of the system, thus overcoming the drawbacks of the existing system. We design this system of the hostel management especially for the college hostel, through this they cannot require such an efficient person to handle and calculate the things. This system automatically calculates all the bills and issues the notifications for those students who are against some rules.

OBJECTIVES OF PROJECT

This software helps the hostel management to improve their services for all the students of the hostel. This also reduces the manual work of the persons in the admin panel and the bundle of registers that were searched to find the information of a previous student, because through this system you can store the data of those students who had left the hostel. Through this you can check the personal profile of all the current students within a few minutes the database of the system will help you to check a particular one. The system will help you to check the mess bills of every student and the student's hostel dues. The students of the hostel will be recognized from the ID number allocated at the room rental time. In the end this system will improve the management work in the hostel.

- To automate each and every activity of the manual system, which increases its throughput.
- To provide a quick response with very accurate information as and when required.
- To make the present manual system more interactive, speedy and user friendly.
- To avail any information, whatever and whenever needed.
- Reduce the cost of maintenance.

SYSTEM ENVIRONMENT

HARDWARE CONFIGURATION

Processor : Pentium
RAM : 512MB
Hard Disk : 40GB
Monitor : 15"Colour Monitor
Mouse
Keyboard

SOFTWARE CONFIGURATION

Operating System : Windows 7
Language : HTML, CSS, JAVASCRIPT,
BOOTSTRAP, PHP
Database : MySQL
IDE : VS CODE

SYSTEM ANALYSIS

EXISTING SYSTEM

For the past few years the numbers of educational institutions are increasing rapidly. Thereby the numbers of hostels are also increasing for the accommodation of the students studying in this institution. And hence there is a lot of strain on the person who is running the hostel and software's are not usually used in this context. This particular project deals with the problems on managing a hostel and avoids the problems which occur when carried manually. Identification of the drawbacks of the existing system leads to the designing of a computerized system that will be compatible to the existing system with the system which is more user friendly and more GUI oriented. We can improve the efficiency of the system, thus overcoming the following drawbacks of the existing system.

- More human error.
- More strength and strain of manual labor needed
- Repetition of the same procedures.
- Low security
- Data redundancy
- Difficult to handle
- Difficult to update data
- Record keeping is difficult
- Backup data can be easily generated

PROPOSED SYSTEM

The drawback of the existing system is that it is very difficult to retrieve data from records. It is difficult to handle the whole system manually and it is less accurate and to keep the data in records for future reference because it may get destroyed. Moreover it is very difficult to retrieve data. Redundancy of data may occur and this may lead to the inconsistency. The manual system is so time-consuming. The proposed system is very easy to operate. Speed and accuracy are the main advantages of the proposed system. There is no redundancy of data. The data is stored in the computer's secondary memories like hard disk, etc. it can be easily received and used at any time. The proposed system will easily handle all the data and the work done by the existing systems. The proposed systems eliminate the drawbacks of the existing system to a great extent and it provides tight security to data.

SOFTWARE TOOLS USED

The whole Project is divided in two parts: the front end and the back end.

1. Front end

The front end is designed using HTML, CSS, JavaScript.

● HTML

- HTML stands for Hyper Text Markup Language
- HTML is the standard markup language for creating Web pages
- HTML describes the structure of a Web page
- HTML consists of a series of elements
- HTML elements tell the browser how to display the content
- HTML elements label pieces of content such as "this is a heading", "this is a paragraph", "this is a link", etc.

● CSS

CSS Stands for "Cascading Style Sheet." Cascading style sheets are used to format the layout of Web pages. They can be used to define text styles, table sizes, and other aspects of Web pages that previously could only be defined in a page's HTML. The basic purpose of CSS is to separate the content of a web document (written in any markup language) from its presentation (that is written using Cascading Style Sheets). There are lots of benefits that one can extract through CSS like improved content accessibility, better flexibility and moreover, CSS gives a level of control over various presentation characteristics of the document. It also helps in reducing the complexity and helps in saving overall presentation time. CSS gives the option of selecting various style schemes and rules according to the requirements and it also allows the same HTML document to be presented in more than one varying style.

● JAVA SCRIPT

JavaScript is considered to be one of the most famous scripting languages of all time. JavaScript, by definition, is a Scripting Language of the World Wide Web. The main usage of JavaScript is to add various Web functionalities, Web form validations, browser detections, creation of cookies and so on. JavaScript is one of the most popular scripting languages and that is why it is supported by almost all web browsers available today like Firefox. We used the browser Opera or Internet Explorer. JavaScript

is considered to be one of the most powerful scripting languages in use today. It is often used for the development of client-side web development. JavaScript is used to make web pages more interactive and dynamic.

JavaScript is a lightweight programming language and it is embedded directly into the HTML code. JavaScript, as the name suggests, was influenced by many languages, especially Java.

- **BOOTSTRAP**

Bootstrap is the popular HTML, CSS and JavaScript framework for developing a responsive and mobile friendly website.

Bootstrap-4 is the newest version of Bootstrap; with new components, faster style sheet and more responsiveness.

Bootstrap 4 supports the latest, stable releases of all major browsers and platforms. However, Internet Explorer 9 and down is not supported.

- **BACKEND**

The back end is designed using PHP & mysql that manage data and input form website users.

- **PHP**

PHP is a server-side scripting language designed for web development but also used as a general-purpose programming language. PHP is now installed on more than 244 million websites and 2.1 million web servers. Originally created by Rasmus Lerdorf in 1995, the reference implementation of PHP is now produced by The PHP Group. While PHP originally stood for Personal Home Page, it now stands for PHP: Hypertext Preprocessor, a recursive acronym. PHP code is interpreted by a web server with a PHP processor module, which generates the resulting web page: PHP commands can be embedded directly into an HTML source document rather than calling an external file to process data. It has also evolved to include a command-line interface capability and can be used in standalone graphical applications. PHP is free software released under the PHP License. PHP can be deployed on most web servers and also as a standalone shell on almost every operating system and platform, free of charge.

- **MYSQL**

MySQL ("Mysql", officially, but also called "My Sequel") is (as of July 2013) the world's second most widely used open-source relational database management system (RDBMS). It is named after co-founder Michael Widenius' daughter, My. The SQL phrase stands for Structured Query Language. The MySQL development project has made its source code available under the

terms of the GNU General Public License, as well as under a variety of proprietary agreements. MySQL was owned and sponsored by a single for-profit firm, the Swedish company MySQL AB, now owned by Oracle Corporation .MySQL is a popular choice of database for use in web applications, and is central components of the widely used XAMPP open source web application software stack (and other 'AMP' stacks). XAMPP is an acronym for "Window, Apache, MySQL, Perl/PHP/Python." Free-software-open source projects that require a full-featured database management system often use MySQL. For commercial use, several paid editions are available, and offer additional functionality.

4. CODES AND OUTPUTS

4.1 ADMIN.PHP

```
<?php
    session_start();
    if(isset($_SESSION["AdminName"])){

        include("admin_head.php");
        $con=mysqli_connect("localhost","root","","hostel");
        if(!$con)
            die("Server could not connected");
        $sql="select * from notice order by date desc, time desc limit 4";
        $rs=mysqli_query($con,$sql);

    }
    else
        header("location:login.php");
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <div class="container-fluid my-5">
        <div class="row">
            <div class="col-md-1 bg-warning
text-center"><span>NOTICE.....</span></div>
            <div class="col-md-10 bg-light">
                <marquee direction="left" onmouseout="this.start();"
onmouseover="this.stop();">
                    <?php
                        while($row=mysqli_fetch_assoc($rs)){;
                            ?>
```

```

        <span class="text-danger mx-3 px-1 border border-dark"><?php
echo $row["date"]; ?></span>
        <a href="notice.php?filename=<?php echo $row["FileName"]; ?>"
class="text-success"><?php echo $row["title"]; ?> </a>
        <?php ?>
    </marquee>
</div>
    <div class="col-md-1 bg-warning text-center"><a href="add.php"
class="text-body">ADD NOTICE</a></div>
</div>
</div>
<?php include("grievancelist.php"); ?>
</body>
</html>

```

WhatsApp | localhost / 127.0.0.1 / hostel / st... | Document

localhost/hostel/admin.php

Navbar Home Contact Rules & Regulation Admin Pannel Logout

Register student View student

NOTICE... 04/12/20 Hello Mr. KAUSHAL RANJAN ADD NOTICE

GRIEVANCE

Sno.	Date	File
1	21/01/21	assingment.pdf
2	25/01/21	B329825ApplicationForm (1).pdf
3	25/01/21	DT20207180833_Application.pdf
4	25/01/21	assingment.pdf
5	02/02/21	B329825ApplicationForm (1).pdf

Type here to search

10:19 AM 9/3/2021

4.2 INDEX.PHP

```
<?php
    session_start();
    $con=mysqli_connect("localhost","root","","hostel");
    if(!$con)
    die("Server could not connected");
    if(isset($_SESSION["UserName"])){
        $sql1="select * from student where email='".$_SESSION["UserName"]."'";
        $rs1=mysqli_query($con,$sql1);
        $row1=mysqli_fetch_assoc($rs1);
    }

    include("student_head.php");
    $sql="select * from notice order by date desc, time desc limit 4";
    $rs=mysqli_query($con,$sql);

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <div class="cotainer-fluid my-5">
        <div class="row">
            <div class="col-md-1 bg-warning
text-center"><span>NOTICE.....</span></div>
            <div class="col-md-10 bg-light">
                <marquee direction="left" onmouseout="this.start();"
onmouseover="this.stop();">
                    <?php
                        while($row=mysqli_fetch_assoc($rs)){;
                            ?>
                            <span class="text-danger m-3 px-1 border border-dark"><?php
echo $row["date"]; ?></span>
                            <a href="notice.php?filename=<?php echo $row["FileName"]; ?>"
```


```

class="text-success"><?php echo $row["title"]; ?> </a>
        <?php }; ?>
    </marquee>
</div>
    <div class="col-md-1 bg-warning text-center"><a href="noticelist.php"
class="text-body">more.....</a></div>
</div>
</div>

    <?php include("hostel.php"); ?>
    <?php include("foot.php"); ?>

</body>
</html>

```



4.3 STUDENT HEAD.PHP

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></
script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script
>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.m
in.css">

</head>
<body>
    <div class="container-fluid">
        <nav class="navbar navbar-expand-md navbar-dark fixed-top"
style="background-color: rgb(0, 0, 0,0.9);">

            <a class="navbar-brand px-md-5" href="#">Navbar</a>

            <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#hover">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse my-2" id="hover">
                <ul class="navbar-nav">
                    <li class="nav-item">
                        <a class="nav-link px-md-5" href="index.php">Home</a>
                    </li>
                    <li class="nav-item">
```

```

        <a class="nav-link px-md-5" href="#contact">Contact</a>
    </li>
    <li class="nav-item">
        <a class="nav-link px-md-5" href="rules.php">Rules & Regulation</a>
    </li>
    <?php if(isset($_SESSION["AdminName"])){; ?>
        <li class="nav-item">
            <a class="nav-link px-md-5" href="admin.php">Admin Pannel</a>
        </li>

    <?php }; ?>
    <?php if(isset($_SESSION["UserName"])){; ?>
    <li class="nav-item">
        <a class="nav-link px-md-5"
href="logout.php?data=student">Logout</a>
    </li>
    <?php }else{; ?>
    <li class="nav-item">
        <a class="nav-link px-md-5" href="login.php">Login</a>
    </li>
    <?php }; ?>
</ul>
</div>
</nav>

<div id="carouselExampleIndicators" class="row carousel slide"
data-ride="carousel">
    <ol class="carousel-indicators">
        <li data-target="#carouselExampleIndicators" data-slide-to="0"
class="active"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
        <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
    </ol>

    <div class="carousel-inner">
        <div class="carousel-item active">
            
            <div class="carousel-caption">
                <?php if(isset($_SESSION["UserName"])){; ?>
                <a href="profile.php?email=<?php echo $row1["email"]; ?>">" width="85px" height="85px"

```


```

style="border-radius:40px;"></a>
    <?php }else{ ; ?>
        <a href="login.php" style="font-size:1rem"><i class="fa
fa-user-circle-o fa-5x text-warning" aria-hidden="true"></i></a>
    <?php };>
</div>
</div>
<div class="carousel-item">
    
    <div class="carousel-caption">
        <?php if(isset($_SESSION["UserName"])){; ?>
            <a href="profile.php">" width="85px" height="85px" style="border-radius:40px;"></a>
            <?php }else{ ; ?>
                <a href="login.php" style="font-size:1rem"><i class="fa
fa-user-circle-o fa-5x text-warning" aria-hidden="true"></i></a>
                <?php };>
            </div>
        </div>
    <div class="carousel-item">
        
        <div class="carousel-caption">
            <?php if(isset($_SESSION["UserName"])){; ?>
                <a href="profile.php">" width="85px" height="85px" style="border-radius:40px;"></a>
                <?php }else{ ; ?>
                    <a href="login.php" style="font-size:1rem"><i class="fa
fa-user-circle-o fa-5x text-warning" aria-hidden="true"></i></a>
                    <?php };>
                </div>
            </div>
        </div>
    </div>

    <a class="carousel-control-prev" href="#carouselExampleIndicators"
role="button" data-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="carousel-control-next" href="#carouselExampleIndicators"
role="button" data-slide="next">

```

```
<span class="carousel-control-next-icon" aria-hidden="true"></span>
<span class="sr-only">Next</span>
</a>
</div>
</div>
</body>
</html>
```



4.4 LOGIN.PHP

```
<?php
    session_start();
    include("navbar.php");

    $error=0;

    $con=mysqli_connect("localhost","root","","hostel");

    if(!$con)
    die("Server could not connected");

    if(isset($_SESSION["UserName"]))
    {
        $sql="select * from student WHERE email='".$_SESSION["UserName"].'";
        $rs=mysqli_query($con,$sql);
        $row=mysqli_fetch_assoc($rs);
        $email=$row["email"];
        $name=$row["name"];
    }

    if(isset($_POST["login"])){
        $email=$_POST["email"];
        $password=$_POST["password"];

        $sql="select * from student WHERE email='".$email.'";
        $rs=mysqli_query($con,$sql);
        $row=mysqli_fetch_assoc($rs);

        if($row["password"]==$password)
        {
            $_SESSION["UserName"]=$email;

            header("location:index.php");
        }
        else
            $error=1;
    }

    if(isset($_POST["admin_login"])){
        $email=$_POST["email"];
```

```

$password=$_POST["password"];

$sql="select * from admin WHERE email='".$email."'";
$rs=mysqli_query($con,$sql);
$row=mysqli_fetch_assoc($rs);

if($row["password"]==$password)
{
    $_SESSION["AdminName"]=$email;

    header("location:admin.php");
}
else
    $error=1;
}

?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <script src="login.js"></script>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></
script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script
>
</head>

<body style="background-image:url('wall_img/h4.jpg'); background-repeat:no-repeat;
background-size: 100% 100%">
    <div class="container-fluid">
        <div class="row" style="margin:120px 0px 85px;">

```

```

        <div class="col-md-4 col-sm-12 border mx-auto"
style="background-color: black; opacity:0.9 ">


        <div class=" btn-group d-flex" style="margin: 50px 0px;">
            <button type="button" class="btn btn-default text-white"
id="student" style="background-color: orange; border-radius: 15px 0px 0px 15px;"
                onclick="student();">STUDENT</button>
            <button type="button" class="btn btn-default text-white"
id="admin" style="background-color: green; border-radius: 0px 15px 15px 0px;"
                onclick="admin();">ADMIN</button>
        </div>
        <h3 id="head" class="text-warning text-center my-5">
            Login as Student...
        </h3>

        <form action="<?php $_PHP_SELF ?>" method="post">
            <div class="input-group my-5">
                <div class="input-group-prepend">
                    <span class="input-group-text bg-transparent text-white
border-right-0"><i class="fa fa-user"></i></span>
                </div>
                <input type="email" name="email" id="email"
class="form-control bg-transparent text-white border-left-0" placeholder="Email"
required>
            </div>

            <div class="input-group my-5">
                <div class="input-group-prepend">
                    <span class="input-group-text bg-transparent
text-white border-right-0"><i class="fa fa-lock "></i></span>
                </div>
                <input type="password" id="password" name="password"
class="form-control bg-transparent text-white border-left-0 border-right-0"
placeholder="Password" required>
                <div class="input-group-append">
                    <span class="input-group-text bg-transparent
text-white border-left-0" onclick="show();">
                        <i id="eye" class="fa fa-eye"></i>
                    </span>
                </div>
            </div>
        </div>

```

[illegible]



4.5 ADMIN HEAD.PHP

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></
script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script
>

</head>
<body>
  <div class="container-fluid">
    <nav class="navbar navbar-expand-md navbar-dark fixed-top"
style="background-color: rgb(0, 0, 0,0.9);">

      <a class="navbar-brand px-md-5" href="#">Navbar</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#hover">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse my-2" id="hover">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a class="nav-link px-md-5" href="index.php">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link px-md-5" href="#">Contact</a>
          </li>
        </ul>
      </div>
    </div>
  </body>
</html>
```

```

        <li class="nav-item">
            <a class="nav-link px-md-5" href="rules.php">Rules &
Regulation</a>
        </li>
        <li class="nav-item">
            <a class="nav-link px-md-5" href="admin.php">Admin Pannel</a>
        </li>
        <?php if(isset($_SESSION["AdminName"])){; ?>
            <li class="nav-item">
                <a class="nav-link px-md-5"
href="logout.php?data=admin">Logout</a>
            </li>
            <?php }else{; ?>
                <li class="nav-item">
                    <a class="nav-link px-md-5" href="login.php">Login</a>
                </li>
            <?php }; ?>
        </ul>
    </div>
</nav>

    <div id="carouselExampleIndicators" class="row carousel slide"
data-ride="carousel">
        <ol class="carousel-indicators">
            <li data-target="#carouselExampleIndicators" data-slide-to="0"
class="active"></li>
            <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
            <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
        </ol>

        <div class="carousel-inner">
            <div class="carousel-item active">
                
                <div class=" row carousel-caption">
                    <div class="col-md-4 mx-auto">
                        <div class="row">
                            <a href="register.php" class="btn btn-warning ml-auto
mr-2">Register student</a>
                            <a href="view.php" class="btn btn-warning mr-auto">View
student</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>


```

```

        </div>
    </div>
</div>
<div class="carousel-item">
    
    <div class=" row carousel-caption">
        <div class="col-md-4 mx-auto">
            <div class="row">
                <a href="register.php" class="btn btn-warning ml-auto
mr-2">Register student</a>
                <a href="view.php" class="btn btn-warning mr-auto">View
student</a>
            </div>
        </div>
    </div>
</div>
<div class="carousel-item">
    
    <div class=" row carousel-caption">
        <div class="col-md-4 mx-auto">
            <div class="row">
                <a href="register.php" class="btn btn-warning ml-auto
mr-2">Register student</a>
                <a href="view.php" class="btn btn-warning mr-auto">View
student</a>
            </div>
        </div>
    </div>
</div>
</div>
<a class="carousel-control-prev" href="#carouselExampleIndicators"
role="button" data-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleIndicators"
role="button" data-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="sr-only">Next</span>

```

```
        </a>
    </div>
</div>
</body>
</html>
```



4.6 PROFILE.PHP

```
<?php

session_start();
if (isset($_SESSION["UserName"])) {
    include("navbar.php");
    $con = mysqli_connect("localhost", "root", "", "hostel");
    if (!$con)
        die("Server could not connected");
    $sql = "select * from student where email='" . $_GET["email"] . "'";
    $rs = mysqli_query($con, $sql);
    $row = mysqli_fetch_assoc($rs);

    $sql1 = "select * from hostel_detail where email='" . $_GET["email"] . "'";
    $rs1 = mysqli_query($con, $sql1);
    $row1 = mysqli_fetch_assoc($rs1);

    $sql2 = "select * from meal_detail where email='" . $_GET["email"] . "'";
    $rs2 = mysqli_query($con, $sql2);
    $row2 = mysqli_fetch_assoc($rs2);
}

?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>

<body>
    <div class="container-fluid" style="margin-top:72px; background-color:
rgb(219, 214, 214)">
        <div class="row pt-3">
            <div class="col-md-3">
                " width="200px"
height="200px" alt="" style="border-radius:25px;">
```

```

</div>
<div class="col-md-8">
    <div class="row mt-4">
        <div class="col-md-3 ">
            <h6>Name : </h6>
        </div>
        <div class="col-md-4 "><?php echo $row["name"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 r">
            <h6>Registration Number : </h6>
        </div>
        <div class="col-md-4 "><?php echo $row["reg_no"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ">
            <h6> Branch : </h6>
        </div>
        <div class="col-md-4 "><?php echo $row["branch"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ">
            <h6> Contact Number : </h6>
        </div>
        <div class="col-md-4 "><?php echo $row["mobile"]; ?></div>
    </div>
    <div class="row mt-3">
        <?php if($row1["remainingamount"]<1000){?>
            <marquee behavior="alternate" height="40" width="75%"
direction="left" class="bg-danger text-light rounded-lg"><h4>Your mess fund is to
low refill as soon as possible</h4></marquee>
            <?php }else{ ?>
                <marquee behavior="alternate" height="40" width="75%"
direction="left" class="bg-success text-light rounded-lg"><h4>Your current mess
fund is <?Php echo $row1["remainingamount"];?> </h4></marquee>
                <?php } ?>
            </div>
        </div>
    </div>
    <hr class="mb-5">
    <h5 class="text-danger">Personal Details</h5>

```

```

<hr class="mb-2">
<div class="row">
    <div class="col-md-3 ml-5">Name : </div>
    <div class="col-md-5 ml-5"><?php echo $row["name"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Mother Name : </div>
    <div class="col-md-5 ml-5"><?php echo $row["mname"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Father Name : </div>
    <div class="col-md-5 ml-5"><?php echo $row["fname"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Mobile no. : </div>
    <div class="col-md-5 ml-5"><?php echo $row["mobile"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Email : </div>
    <div class="col-md-5 ml-5"><?php echo $row["email"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Emergency Contact : </div>
    <div class="col-md-5 ml-5"><?php echo $row["econtact"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Corresponding Address : </div>
    <div class="col-md-5 ml-5"><?php echo $row["coaddr"]; ?></div>
</div>
<div class="row">
    <div class="col-md-3 ml-5">Permanent Address : </div>
    <div class="col-md-5 ml-5"><?php echo $row["praddr"]; ?></div>
</div>
<hr class="mb-3">

<h5 class="text-danger">Hostel Details</h5>
<hr class="mb-3">
<div class="row">
    <div class="col-md-3 ml-5">Hostel Name :</div>
    <div class="col-md-5 ml-5"><?php echo $row1["hostelname"]; ?></div>
</div>
<div class="row">

```

```
<div class="col-md-3 ml-5">Room no. :</div>
<div class="col-md-5 ml-5"><?php echo $row1["room"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">Amount Paid For Accomodation :</div>
  <div class="col-md-5 ml-5"><?php echo $row1["hostelamount"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">Amount Paid For Meal :</div>
  <div class="col-md-5 ml-5"><?php echo $row1["mealamount"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">Amount Consumed :</div>
  <div class="col-md-5 ml-5"><?php echo $row1["amountconsumed"];
?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">Remaining Amount :</div>
  <div class="col-md-5 ml-5"><?php echo $row1["remainingamount"];
?></div>
</div>
<hr class="mb-3">

<h5 class="text-danger">Meal Details</h5>
<hr class="mb-3">
<div class="row">
  <div class="col-md-3 ml-5">January :</div>
  <div class="col-md-5 ml-5"><?php echo $row2["jan"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">February :</div>
  <div class="col-md-5 ml-5"><?php echo $row2["feb"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">March:</div>
  <div class="col-md-5 ml-5"><?php echo $row2["mar"]; ?></div>
</div>
<div class="row">
  <div class="col-md-3 ml-5">April :</div>
  <div class="col-md-5 ml-5"><?php echo $row2["apr"]; ?></div>
</div>
<div class="row">
```

```

        <div class="col-md-3 ml-5">May :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["may"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">June :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["june"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">July :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["july"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">August :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["aug"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">September :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["sep"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">October :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["oct"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">November :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["nov"]; ?></div>
    </div>
    <div class="row">
        <div class="col-md-3 ml-5">December :</div>
        <div class="col-md-5 ml-5"><?php echo $row2["dece"]; ?></div>
    </div>
    <hr class="mb-3">
</div>
<?php include("foot.php"); ?>
</body>

</html>

```


The screenshot displays the phpMyAdmin web interface. The left sidebar shows a database tree with 'hostel' selected, containing tables like 'admin', 'grievance', 'hostel_detail', 'meal_detail', 'notice', and 'student'. The main panel shows the 'Table structure' view for the 'hostel_detail' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	email	varchar(25)	utf8mb4_general_ci		No	None			Change Drop More
2	hostelname	varchar(25)	utf8mb4_general_ci		No	None			Change Drop More
3	room	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More
4	hostelamount	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
5	mealamount	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
6	amountconsumed	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
7	remainingamount	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More

Below the table structure, the 'Indexes' section shows a PRIMARY index on the 'email' column. The 'Partitions' section indicates 'No partitioning defined'.

WhatsApp localhost / 127.0.0.1 / hostel / ad Document localhost/phpmyadmin/tbl_structure.php?db=hostel&table=admin

phpMyAdmin

Recent Favorites

New
hostel
New
admin
grievance
hostel_detail
meal_detail
notice
student
icdb
information_schema
mysql
performance_schema
phpmyadmin
test

Server: 127.0.0.1 Database: hostel Table: admin

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Table structure Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 name	varchar(25)	utf8mb4_general_ci		No	None			
☐	2 email	varchar(40)	utf8mb4_general_ci		No	None			
☐	3 password	varchar(10)	utf8mb4_general_ci		No	None			
☐	4 mobile	varchar(15)	utf8mb4_general_ci		No	None			

☐ Check all With selected: Browse Change Drop Primary Unique Index Fulltext Add to central columns Remove from central columns

Print Propose table structure Track table Move columns Normalize

Add 1 column(s) after mobile Go

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
	PRIMARY	BTREE	Yes	No	email	0	A	No	

Create an index on 1 columns Go

Partitions

No partitioning defined!

Partition table

Information Console

Type here to search

10:17 AM 9/3/2021

The screenshot shows the phpMyAdmin web interface. The browser address bar indicates the URL is localhost/phpmyadmin/tbl_structure.php?db=hostel&table=meal_detail. The interface is in the 'Table structure' view for the 'meal_detail' table in the 'hostel' database. The table structure is displayed as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	email	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
2	hostelname	varchar(25)	utf8mb4_general_ci		No	None			Change Drop More
3	jan	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
4	feb	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
5	mar	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
6	apr	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
7	may	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
8	june	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
9	july	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
10	aug	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
11	sep	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
12	oct	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
13	nov	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
14	dece	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More

The interface also includes a sidebar with a database tree, a top navigation bar, and a bottom status bar. The 'email' column is highlighted in the table structure view.

WhatsApp localhost / 127.0.0.1 / hostel / gr Document localhost/phpmyadmin/tbl_structure.php?db=hostel&table=grievance

phpMyAdmin

Recent Favorites

Server: 127.0.0.1 » Database: hostel » Table: grievance

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Table structure Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	Sno	int(10)		No	None		AUTO_INCREMENT	Change Drop More
☐	2	date	varchar(10)	utf8mb4_general_ci	No	None			Change Drop More
☐	3	file	varchar(100)	utf8mb4_general_ci	No	None			Change Drop More

☐ Check all ☐ With selected: [Browse](#) [Change](#) [Drop](#) [Primary](#) [Unique](#) [Index](#) [Fulltext](#) [Add to central columns](#) [Remove from central columns](#)

[Print](#) [Propose table structure](#) [Track table](#) [Move columns](#) [Normalize](#)

[Add](#) column(s) [Go](#)

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Drop	PRIMARY	BTREE	Yes	No	Sno	17	A	No	

Create an index on column(s) [Go](#)

Partitions

No partitioning defined

Partition table

Information

Console 16.0 KiB Format dynamic

Type here to search

10:17 AM 9/3/2021

WhatsApp localhost / 127.0.0.1 / hostel / st Document

localhost/phpmyadmin/sql.php?server=1&db=hostel&table=student&pos=0

phpMyAdmin

Recent Favorites

- New
- hostel
 - New
 - admin
 - grievance
 - hostel_detail
 - meal_detail
 - notice
 - student
- icadb
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test

Server: 127.0.0.1 Database: hostel Table: student

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 2 (3 total, Query took 0.0027 seconds)

```
SELECT * FROM `student`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

	name	email	password	reg_no	branch	mobile	coaddr	praddr	mname	fname	econtact	img			
☐	Edit	Copy	Delete	kaushal	k@gmail.com	k@1234	18105108906	cse	5555555555	Raghubigha, Sansa, Daudnagar	Raghubigha, sansa, daudnagar	Amita Devi	Gopal Singh	7869594021	k@gmail.com.jpg
☐	Edit	Copy	Delete	prince	p@gmail.com	p@123	18105108907	cse	5555555556	bheriya bigha	bheriya bigha	sunaina devi	ajay singh	8989999898	p@gmail.com.jpg
☐	Edit	Copy	Delete	suraj	s@gmail.com	s@123	18105108901	cse	6666666666	muzaffarpur	muzaffarpur	abcd	abcd	6666666661	s@gmail.com.jpg

☐ Check all | With selected: Edit Copy Delete Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Label: ☐ Let every user access this bookmark

Console

Type here to search

10:18 AM 9/3/2021

WhatsApp localhost / 127.0.0.1 / hostel / no Document

localhost/phpmyadmin/sql.php?server=1&db=hostel&table=notice&pos=0

phpMyAdmin

Recent Favorites

- New
- hostel
 - New
 - admin
 - grievance
 - hostel_detail
 - meal_detail
 - notice
 - student
- icddb
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test

Server: 127.0.0.1 Database: hostel Table: notice

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 4 (5 total, Query took 0.0021 seconds)

SELECT * FROM `notice`

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

+ Options

	title	FileName	date	time
☐ Edit Copy Delete	Hello Mr. KAUSHAL RANJAN	3rd.pdf	04/12/20	10:37:05
☐ Edit Copy Delete	Hello Mr. KAUSHAL RANJAN 1	4th.pdf	04/12/20	10:45:35
☐ Edit Copy Delete	Hello Mr. KAUSHAL RANJAN 2	5th.pdf	04/12/20	10:45:49
☐ Edit Copy Delete	Hello Mr. KAUSHAL RANJAN 3	6th.pdf	04/12/20	10:46:02
☐ Edit Copy Delete	Hello Mr. KAUSHAL RANJAN 4	CamScanner 11-25-2020 14 29 03_2.jpg	04/12/20	10:59:55

☐ Check all With selected: Edit Copy Delete Export

☐ Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Label: ☐ Let every user access this bookmark

localhost/phpmyadmin/sql.php Console

Type here to search

10:18 AM 9/3/2021

5. CONCLUSION

To conclude the description about the project: The project developed using PHP and MySQL is based on the requirement specification of the user and the analysis of the existing system, with flexibility for future enhancement.

The expanded functionality of today's software requires an appropriate approach towards software development. This hostel management software is designed for people who want to manage various activities in the hostel. For the past few years the numbers of educational institutions are increasing rapidly. Thereby the numbers of hostels are also increasing for the accommodation of the students studying in this institution. And hence there is a lot of strain on the person who is running the hostel and software's are not usually used in this context. This particular project deals with the problems of managing a hostel and avoids the problems which occur when carried manually.

Identification of the drawbacks of the existing system leads to the designing of a computerized system that will be compatible with the existing system with the system which is more user friendly and more GUI oriented.

THANK YOU