

FURSA PLATFORM

Design System & Developer Specification
Complete Frontend Blueprint — Zero Ambiguity

Project	Fursa Platform — Digital Employment Platform for Gaza
Document Type	Design System & Frontend/Backend Developer Specification
Version	1.0.0 — 2026
Stack	React.js + Vite / Node.js + Express / MongoDB
Styling	Tailwind CSS v3 (utility-first)
Purpose	Zero-ambiguity spec: AI or developer reads this and builds with no open questions

Table of Contents

#	Section Title	Page
1	Brand Identity & Project Personality	3
2	Color System	4
3	Typography System	7
4	Spacing & Layout System	9
5	Breakpoints & Responsive Strategy	10
6	Icons & Assets	11
7	Component Specifications	12
7.1	Buttons	12
7.2	Input Fields & Forms	14
7.3	Cards	16
7.4	Navigation (Navbar & Sidebar)	17
7.5	Badges & Status Indicators	18
7.6	Modals & Dialogs	19
7.7	Notifications & Toasts	20
7.8	Tables	21
7.9	Pagination	22
7.10	Avatars & File Upload	22
8	Page Layouts	23
9	RTL & Arabic Language Rules	26
10	Animation & Transition Rules	27
11	Tailwind Config (tailwind.config.js)	28
12	CSS Variables (:root)	30
13	Environment Variables Reference	31
14	File & Folder Naming Conventions	32
15	API Response Format Standard	33
16	Error Handling Standard	34
17	Accessibility Rules	35
18	Git Commit Convention	36

1.1 Brand Overview

Fursa is a professional yet approachable platform. The brand communicates trust, opportunity, and clarity. It should feel modern and clean — never cluttered. The visual language must work equally well in Arabic (RTL) and English (LTR).

Brand Name (AR)	فرصة
Brand Name (EN)	Fursa
Tagline (AR)	فرصتك بانتظارك
Tagline (EN)	Your opportunity awaits
Personality	Professional · Trustworthy · Clean · Hopeful · Local
Tone of Voice	Direct, warm, encouraging. No corporate coldness.
Primary Emotion	Hope + Reliability
Target Feel	LinkedIn meets a local community board — professional but human

1.2 Logo Usage Rules

- Minimum logo size: 32px height in UI. Never below 24px.
- On dark backgrounds: use white logo variant.
- On colored backgrounds: use white or light variant only.
- Clear space around logo: minimum equal to the height of the letter "ف" in the wordmark.
- Never stretch, rotate, recolor, or add effects to the logo.
- Accepted formats: SVG (preferred), PNG with transparent background.

Rule

Every color used in the codebase MUST come from this list. No ad-hoc hex values allowed anywhere. Use CSS variables or Tailwind tokens defined in Section 11.

2.1 Primary Colors

Primary 50 #EFF6FF <i>Page bg tint</i>	Primary 100 #DBEAFE <i>Hover bg light</i>	Primary 300 #93C5FD <i>Disabled states</i>	Primary 500 #3B82F6 <i>Links</i>	Primary 600 #2563EB <i>Main buttons</i>	Primary 700 #1D4ED8 <i>Hover buttons</i>	Primary 800 #1E40AF <i>Active/pressed</i>

2.2 Semantic / Status Colors

Success 500 #10B981 <i>Accepted / Active</i>	Success 100 #D1FAE5 <i>Success bg badge</i>	Danger 500 #EF4444 <i>Error / Rejected</i>	Danger 100 #FEE2E2 <i>Error bg badge</i>	Warning 500 #F59E0B <i>Pending / Caution</i>	Warning 100 #FEF3C7 <i>Pending bg badge</i>	Info 500 #06B6D4 <i>Info / Tips</i>	Info 100 #CFFAFE <i>Info bg badge</i>

2.3 Neutral Gray Scale

Gray 50 #F8FAFC <i>Page background</i>	Gray 100 #F1F5F9 <i>Card bg alt</i>	Gray 200 #E2E8F0 <i>Borders/dividers</i>	Gray 400 #94A3B8 <i>Placeholder text</i>	Gray 500 #64748B <i>Secondary text</i>	Gray 700 #334155 <i>Body text</i>	Gray 800 #1E293B <i>Headings</i>	Gray 900 #0F172A <i>Page titles</i>

2.4 Color Usage Rules

Context	Color Token	Hex Value
Page background (main)	gray-50	#F8FAFC
Page background (alt sections)	gray-100	#F1F5F9
Card background	white	#FFFFFF
Card border	gray-200	#E2E8F0
Card hover border	primary-300	#93C5FD
Primary button bg	primary-600	#2563EB
Primary button hover	primary-700	#1D4ED8
Primary button text	white	#FFFFFF
Secondary button bg	white	#FFFFFF
Secondary button border	primary-600	#2563EB
Secondary button text	primary-600	#2563EB
Danger button bg	danger-500	#EF4444
Danger button hover	red-600	#DC2626
Navbar background	white	#FFFFFF
Navbar border bottom	gray-200	#E2E8F0
Sidebar background	gray-900	#0F172A
Sidebar text (inactive)	gray-400	#94A3B8
Sidebar text (active)	white	#FFFFFF
Sidebar item active bg	primary-600	#2563EB
Heading (H1)	gray-900	#0F172A
Heading (H2)	gray-800	#1E293B
Body text	gray-700	#334155
Secondary / meta text	gray-500	#64748B
Placeholder text	gray-400	#94A3B8
Input border (default)	gray-300	#CBD5E1
Input border (focus)	primary-500	#3B82F6
Input border (error)	danger-500	#EF4444
Input background	white	#FFFFFF
Link text	primary-600	#2563EB
Link hover	primary-700	#1D4ED8
Focus ring color	primary-300	#93C5FD

Status: Approved	success-500	#10B981
Status: Pending	warning-500	#F59E0B
Status: Rejected	danger-500	#EF4444
Status: Closed	gray-400	#94A3B8
Online badge bg	success-100	#D1FAE5
Field badge bg	info-100	#CFFAFE
Hybrid badge bg	warning-100	#FEF3C7

Font Stack

Primary: "Cairo" (Arabic + Latin). Fallback: "Inter" (Latin only). System fallback: -apple-system, sans-serif. Install: Google Fonts — Cairo (weights 400, 500, 600, 700). Inter (weights 400, 500, 600, 700).

3.1 Type Scale

Token Name	Size (px)	Size (rem)	Weight	Line Height	Usage
text-xs	12px	0.75rem	400	1.5	Captions, tiny labels
text-sm	14px	0.875rem	400	1.5	Meta info, timestamps, helper text
text-base	16px	1rem	400	1.6	Body text, paragraphs, descriptions
text-lg	18px	1.125rem	500	1.6	Card titles, section sub-headings
text-xl	20px	1.25rem	600	1.4	Section headings inside pages
text-2xl	24px	1.5rem	700	1.3	Page sub-headings (H2)
text-3xl	30px	1.875rem	700	1.25	Page titles (H1 in dashboard)
text-4xl	36px	2.25rem	700	1.2	Hero / Landing page headings
text-5xl	48px	3rem	700	1.1	Landing page hero title only

3.2 Font Weight Reference

font-normal (400)	Body text, descriptions, paragraph content
font-medium (500)	Labels, navigation items, card sub-titles
font-semibold (600)	Button text, form labels, section sub-headings
font-bold (700)	Page titles, card headings, important callouts

3.3 Heading Hierarchy

Tag	Tailwind Classes	Usage Context
<h1>	text-3xl font-bold text-gray-900 mb-6	Page title (once per page)
<h2>	text-2xl font-bold text-gray-800 mb-4	Major section heading
<h3>	text-xl font-semibold text-gray-800 mb-3	Sub-section heading
<h4>	text-lg font-semibold text-gray-700 mb-2	Card titles, item headings

<code><p></code>	text-base text-gray-700 leading-relaxed	Body paragraphs
<code></code>	text-sm text-gray-500	Dates, counts, metadata
<code><label></code>	text-sm font-semibold text-gray-700 mb-1	Form field labels
<code><a></code>	text-primary-600 hover:text-primary-700 underline	Inline links

3.4 Arabic Typography Rules

- Arabic text always uses Cairo font — never fallback to system Arabic fonts.
- Arabic line-height: 1.8 (wider than Latin due to diacritics) — add class leading-loose to Arabic paragraphs.
- Arabic font-size: increase by 1 step — if English is text-base (16px), Arabic equivalent is text-lg (18px).
- Never use font-italic on Arabic text — italic has no meaning in Arabic script.
- Always test Arabic text rendering in Chrome and Firefox separately.

Rule

Only use Tailwind's 4px base grid. Never use arbitrary values like `p-[13px]`. Every margin, padding, and gap must be a multiple of 4px.

4.1 Spacing Scale (Base: 4px)

Tailwind Class	Value	Usage
space-1 / p-1 / m-1	4px	Icon padding, tiny gaps
space-2 / p-2 / m-2	8px	Compact padding inside badges, chips
space-3 / p-3 / m-3	12px	Small button padding (Y axis)
space-4 / p-4 / m-4	16px	Card padding, form field padding, standard gaps
space-5 / p-5 / m-5	20px	Section internal spacing
space-6 / p-6 / m-6	24px	Card padding (large cards)
space-8 / p-8 / m-8	32px	Section padding, dashboard panel padding
space-10	40px	Large section gaps
space-12	48px	Hero section vertical padding
space-16	64px	Page-level top/bottom margins

4.2 Layout Constants

Max content width	1280px → max-w-7xl
Dashboard sidebar width (desktop)	256px → w-64
Dashboard sidebar width (collapsed)	72px → w-18 (custom)
Navbar height	64px → h-16
Main content left padding (with sidebar)	pl-64 (desktop) / pl-0 (mobile)
Page horizontal padding	px-4 (mobile) / px-6 (tablet) / px-8 (desktop)
Page vertical padding	py-6 (mobile) / py-8 (desktop)
Card border-radius	12px → rounded-xl
Button border-radius	8px → rounded-lg
Input border-radius	8px → rounded-lg

Modal border-radius	16px → rounded-2xl
Badge border-radius	9999px → rounded-full
Card shadow	shadow-sm on default / shadow-md on hover
Modal shadow	shadow-2xl
Navbar shadow	shadow-sm
Z-index: Navbar	50 → z-50
Z-index: Sidebar	40 → z-40
Z-index: Modal overlay	100 (custom class)
Z-index: Toast	200 (custom class)
Z-index: Dropdown	30 → z-30

5.1 Breakpoints (Tailwind Default — DO NOT CHANGE)

Prefix	Min Width	Target Device	Layout Change
(none)	0px	Mobile (<640px)	Single column, bottom nav, full-width cards
sm:	640px	Large mobile	Minor layout adjustments
md:	768px	Tablet	Two-column grids appear, sidebar as overlay
lg:	1024px	Laptop	Sidebar visible, 3-column job grid
xl:	1280px	Desktop	Max-width container kicks in
2xl:	1536px	Large desktop	Wider card grids (4 columns max)

5.2 Mobile-First Rules

- Write base styles for mobile, override at breakpoints. NEVER write desktop-first CSS.
- Test on 375px width (iPhone SE) as minimum baseline.
- Navbar: desktop = horizontal. Mobile = hamburger menu + slide-in drawer.
- Sidebar (dashboard): desktop = fixed left panel. Mobile = hidden overlay (opens via button).
- Job cards: mobile = 1 column (w-full). md = 2 columns. lg = 3 columns. xl = 3–4 columns.
- Forms: always full-width on mobile. Side-by-side fields only on md+.
- Tables: on mobile, use card-style stacked rows — no horizontal scroll.
- Font size never goes below text-sm (14px) on any device.
- Touch targets: minimum 44×44px for all interactive elements.

Icon Library	Lucide React — https://lucide.dev/
Install	npm install lucide-react
Icon Size: Small	16px → w-4 h-4 (used inside badges, compact buttons)
Icon Size: Default	20px → w-5 h-5 (most UI icons)
Icon Size: Medium	24px → w-6 h-6 (navbar icons, card icons)
Icon Size: Large	32px → w-8 h-8 (empty state illustrations, feature icons)
Icon Size: Hero	48px → w-12 h-12 (landing page feature icons)
Icon Color	Always inherits text color via <code>currentColor</code> — never hardcode icon color
Icon + Text gap	Always gap-2 (8px) between icon and text
Stroke width	Default: 1.5 — Do NOT change globally

6.1 Specific Icons Mapped to App Concepts

Concept / Action	Lucide Icon Name	Notes
Job / Opportunity	Briefcase	
Search	Search	Search bar prefix icon
Filter	SlidersHorizontal	
Location / City	MapPin	
Online / Remote	Wifi	
Field / On-site	Building2	
Hybrid	Layers	
Upload CV / File	Upload	
Download CV	Download	
Apply	SendHorizontal	
Save / Bookmark	Bookmark	Fill on saved
Notifications	Bell	Dot indicator when unread
Dashboard	LayoutDashboard	
Profile	User	
Settings	Settings	

Logout	LogOut	Color: danger-500
Approved / Success	CheckCircle2	Color: success-500
Rejected / Error	XCircle	Color: danger-500
Pending	Clock	Color: warning-500
Admin Panel	ShieldCheck	
Users (admin)	Users	
Edit	Pencil	
Delete	Trash2	Color: danger-500
Close Modal	X	
Go back	ArrowLeft	RTL: ArrowRight
External link	ExternalLink	
Calendar / Date	Calendar	
Category	Tag	
Stats / Analytics	BarChart3	
Email	Mail	
Phone / WhatsApp	Phone	
Visibility toggle	Eye / EyeOff	For password fields

7.1 Buttons

Primary Button

Tailwind: bg-primary-600 hover:bg-primary-700 active:bg-primary-800
Text: text-white font-semibold text-sm
Padding: px-4 py-2.5 (default) / px-6 py-3 (large) / px-3 py-1.5 (small)
Border-radius: rounded-lg
Shadow: shadow-sm hover:shadow-md
Transition: transition-all duration-200
Disabled: opacity-50 cursor-not-allowed pointer-events-none
Loading: show <Loader2 className="animate-spin w-4 h-4 mr-2" /> + disable button
Focus: focus:outline-none focus:ring-2 focus:ring-primary-300 focus:ring-offset-2
Min width: min-w-[120px] for standalone action buttons

Secondary Button (Outline)

Tailwind: border border-primary-600 text-primary-600 hover:bg-primary-50
Active: bg-primary-100
Same padding and border-radius as Primary
Background: bg-white (never transparent — breaks on colored backgrounds)
Focus: focus:ring-2 focus:ring-primary-300 focus:ring-offset-2

Ghost Button

Tailwind: text-gray-600 hover:bg-gray-100 hover:text-gray-900
No border, no shadow
Used for: Cancel actions, secondary navigation, icon-only actions
Same padding as primary

Danger Button

Tailwind: bg-danger-500 hover:bg-red-600 text-white
Used exclusively for: Delete, Block, Reject actions
Always show a confirmation modal before executing danger actions

Icon Button

Tailwind: p-2 rounded-lg hover:bg-gray-100 text-gray-500 hover:text-gray-700
Size: always w-9 h-9 (36px) minimum for touch target

Icon inside: w-5 h-5

Tooltip: always add title attribute for accessibility

Variant	Size Class	Padding	Font Size
Small (sm)	h-8	px-3 py-1.5	text-xs (12px)
Default (md)	h-10	px-4 py-2.5	text-sm (14px)
Large (lg)	h-12	px-6 py-3	text-base (16px)
XL	h-14	px-8 py-4	text-lg (18px)

7.2 Input Fields & Forms

Text Input (Default State)

Container: w-full

Label: block text-sm font-semibold text-gray-700 mb-1.5

Input: w-full px-3.5 py-2.5 rounded-lg border-gray-300

Input text: text-sm text-gray-900 placeholder:text-gray-400

Background: bg-white

Focus: focus:outline-none focus:border-primary-500 focus:ring-2 focus:ring-primary-300/30

Height: h-10 (default) / h-12 (large forms)

Transition: transition-colors duration-150

Input — Error State

Border: border-danger-500

Focus ring: ring-danger-300/30

Error message below: text-xs text-danger-500 mt-1.5 flex items-center gap-1

Error icon: <AlertCircle className="w-3.5 h-3.5" />

Never remove the error message until the field is corrected

Select / Dropdown

Use <select> for ≤8 options. Use custom dropdown component for >8.

Tailwind: same as text input + appearance-none pr-10

Arrow icon: absolute right-3 top-1/2 -translate-y-1/2 text-gray-400 w-4 h-4

Chevron icon: ChevronDown from lucide-react

Textarea

Same styling as text input

Min height: min-h-[120px]
resize-y only (never resize-x — breaks layout)
Character counter: text-xs text-gray-400 text-right mt-1

Form Layout Rules

Form sections: space-y-5 between field groups
Field spacing: space-y-4 inside a group
Side-by-side fields (md+): grid grid-cols-2 gap-4
Full-width fields (mobile): grid-cols-1 override
Submit button: always at the bottom, full-width on mobile (w-full sm:w-auto)
Required fields: add asterisk (*) in red after label — text-danger-500
Optional fields: add "(optional)" in gray — text-gray-400 text-xs font-normal
Helper text below field: text-xs text-gray-500 mt-1

7.3 Job Cards

Job Card — Standard

Outer container: bg-white rounded-xl border border-gray-200 p-5
Hover: hover:border-primary-300 hover:shadow-md transition-all duration-200 cursor-pointer
Layout: flex flex-col gap-3
— Row 1: Job title (text-base font-semibold text-gray-900) + Save button (icon only, top-right)
— Row 2: Employer name (text-sm text-gray-500) + Location (text-sm text-gray-500 with MapPin icon)
— Row 3: Type badge + Category badge + (optional) Deadline badge
— Row 4: Description excerpt — 2 lines max, line-clamp-2, text-sm text-gray-600
— Row 5 (footer): Date posted (text-xs text-gray-400) + "Apply Now" button (primary, sm size)
Saved state: Bookmark icon filled with primary-600, border becomes primary-200

Job Card — Compact (used in Employer Dashboard list)

bg-white rounded-lg border border-gray-200 px-4 py-3
Layout: flex items-center justify-between gap-4
Left: Title + meta in flex-col
Right: Status badge + action buttons (Edit, Close)

7.4 Navigation

Top Navbar

Height: h-16 (64px) — fixed, does not scroll

Background: bg-white border-b border-gray-200 shadow-sm
 Z-index: z-50
 Layout: flex items-center justify-between px-4 md:px-6
 Left: Logo (24px height) + optional brand name text-lg font-bold text-gray-900
 Center (desktop only): Search bar — max-w-md w-full
 Right: Notification bell + Avatar dropdown
 Mobile: Hamburger icon (Menu from lucide) replaces center search. Search moves to page-level.
 Notification bell: relative → unread dot = absolute -top-0.5 -right-0.5 w-2 h-2 bg-danger-500 rounded-full

Dashboard Sidebar (Desktop)

Width: w-64 (256px) fixed left
 Background: bg-gray-900
 Top: 64px (below navbar) — h-[calc(100vh-64px)] overflow-y-auto
 Padding: px-3 py-4
 Logo section at top: px-3 py-2 mb-6
 Nav section label: text-xs font-semibold text-gray-500 uppercase tracking-wider px-3 mb-2
 Nav item (inactive): flex items-center gap-3 px-3 py-2.5 rounded-lg text-sm font-medium text-gray-400 hover:bg-gray-800 hover:text-white
 Nav item (active): bg-primary-600 text-white (not hover variant)
 Icon in nav item: w-5 h-5 flex-shrink-0
 Bottom section: user info + logout button, mt-auto
 Mobile behavior: hidden by default, slides in as overlay with bg-black/50 backdrop

7.5 Badges & Status Indicators

Badge Type	Tailwind Classes	Usage
Approved / Active	bg-success-100 text-success-700 border border-success-200	Job status: Approved
Pending	bg-warning-100 text-warning-700 border border-warning-200	Job status: Pending review
Rejected	bg-danger-100 text-danger-700 border border-danger-200	Job status: Rejected
Closed	bg-gray-100 text-gray-600 border border-gray-200	Job status: Closed
Online (work type)	bg-success-100 text-success-700	Work type badge
Field (work type)	bg-info-100 text-cyan-700	Work type badge
Hybrid	bg-warning-100 text-warning-700	Work type badge
New (freshness)	bg-primary-100 text-primary-700	Posted in last 24h
Category	bg-gray-100 text-gray-700	Specialization tag
Application: Accepted	bg-success-100 text-success-700	My applications view

Application: Rejected	bg-danger-100 text-danger-700	My applications view
Application: Pending	bg-warning-100 text-warning-700	My applications view

Badge Size Rule

All badges: inline-flex items-center gap-1.5 px-2.5 py-1 rounded-full text-xs font-semibold. Icon inside badge: w-3 h-3.

7.6 Modals & Dialogs

Modal Structure

Overlay: fixed inset-0 bg-black/50 backdrop-blur-sm z-[100] flex items-center justify-center p-4
 Panel: bg-white rounded-2xl shadow-2xl w-full max-w-md (default) / max-w-lg (large) / max-w-sm (confirm)
 Max height: max-h-[90vh] overflow-y-auto
 Header: flex items-center justify-between p-6 border-b border-gray-100
 Title: text-lg font-semibold text-gray-900
 Close button: ghost icon button (X icon) — always top-right
 Body: p-6 space-y-4
 Footer: flex justify-end gap-3 p-6 border-t border-gray-100
 Cancel: secondary button
 Confirm: primary or danger button (right side)
 Animation: animate-in fade-in zoom-in-95 duration-200 (use tailwind-animate plugin)
 Close on: Escape key, overlay click, or X button
 Trap focus inside modal when open (use FocusTrap or radix-ui dialog)

7.7 Notifications & Toasts

Toast Notification

Position: fixed bottom-6 right-6 (LTR) / bottom-6 left-6 (RTL) — z-[200]
 Width: w-[360px] max-w-[calc(100vw-32px)]
 Background: bg-white rounded-xl shadow-lg border border-gray-200
 Padding: p-4
 Layout: flex items-start gap-3
 Icon: w-5 h-5 (CheckCircle2=success / XCircle=error / AlertCircle=warning / Info=info)
 Title: text-sm font-semibold text-gray-900
 Message: text-sm text-gray-500 mt-0.5
 Close: absolute top-3 right-3 ghost icon button (X, w-4 h-4)
 Auto-dismiss: 5 seconds for success/info. 8 seconds for error. Never for critical.
 Stack: multiple toasts stack with gap-2, newest on top

Library recommendation: use react-hot-toast or sonner

In-page Notification Bell Dropdown

Panel: absolute right-0 top-full mt-2 w-[380px] bg-white rounded-xl shadow-xl border border-gray-200 z-30

Header: flex justify-between items-center px-4 py-3 border-b border-gray-100

Title: text-sm font-semibold text-gray-900

"Mark all read": text-xs text-primary-600 hover:text-primary-700

Notification item: flex gap-3 px-4 py-3 hover:bg-gray-50 cursor-pointer

Unread indicator: w-2 h-2 bg-primary-600 rounded-full flex-shrink-0 mt-1.5

Message: text-sm text-gray-700 (font-medium if unread)

Timestamp: text-xs text-gray-400 mt-0.5

Empty state: centered "No notifications" with Bell icon in gray

Footer: px-4 py-3 border-t border-gray-100 text-center

"View all": text-sm text-primary-600

7.8 Tables (Admin Panel & Dashboard Lists)

Table Styling

Wrapper: w-full overflow-x-auto rounded-xl border border-gray-200

Table: w-full text-sm text-gray-700 border-collapse

Header row: bg-gray-50 border-b border-gray-200

Th: px-4 py-3 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider

Data row (even): bg-white

Data row (odd): bg-gray-50/50

Row hover: hover:bg-primary-50 transition-colors duration-100

Td: px-4 py-3 border-b border-gray-100

Action column: always last column, text-right, flex gap-2 justify-end

Empty state: centered empty-state component with icon + message

Mobile: hide non-essential columns with hidden md:table-cell

7.9 Pagination

Pagination Component

Container: flex items-center justify-between mt-6

Left: text-sm text-gray-500 "Showing 1–10 of 45 results"

Right: flex items-center gap-1

Prev/Next buttons: h-9 px-3 rounded-lg border border-gray-300 text-sm font-medium

Disabled: opacity-40 cursor-not-allowed

Page number button (inactive): h-9 w-9 rounded-lg border border-gray-200 text-sm text-gray-

700

Page number button (active): h-9 w-9 rounded-lg bg-primary-600 text-white border border-primary-600 font-semibold

Ellipsis: text-gray-400 px-2

Default page size: 10 items

Page size options: [10, 20, 50] shown in a select on desktop

7.10 Avatars & File Upload

Avatar

Shape: always circle (rounded-full)

Sizes: w-6 h-6 (xs) / w-8 h-8 (sm) / w-10 h-10 (md) / w-12 h-12 (lg) / w-16 h-16 (xl)

Fallback (no image): bg-primary-100 text-primary-700 font-semibold — show initials

Online indicator dot: bottom-0 right-0 w-2.5 h-2.5 bg-success-500 rounded-full border-2 border-white

CV / File Upload Zone

Container: border-2 border-dashed border-gray-300 rounded-xl p-8 text-center

Hover: hover:border-primary-400 hover:bg-primary-50 transition-colors duration-200

Drag active state: border-primary-500 bg-primary-50

Icon: Upload w-10 h-10 text-gray-400 mx-auto mb-3

Title: text-sm font-medium text-gray-700 "Drag & drop or click to upload"

Subtitle: text-xs text-gray-500 mt-1 "PDF, DOC, DOCX • Max 5 MB"

Progress bar (uploading): h-1.5 bg-gray-200 rounded-full overflow-hidden mt-4

Progress fill: bg-primary-600 h-full transition-all duration-300

Uploaded state: show filename + file size + remove button (Trash2 icon, danger color)

Error state: border-danger-400 bg-danger-50 + error message in danger-500

8.1 Public Pages Layout (No Login Required)

Homepage (Landing Page)

Layout: full-width, no sidebar

Navbar: standard top navbar

SECTION 1 — Hero:

bg: bg-gradient-to-br from-primary-600 to-primary-800

Padding: py-20 md:py-32

Content: max-w-3xl mx-auto text-center

H1: text-4xl md:text-5xl font-bold text-white

Subtitle: text-lg md:text-xl text-primary-100 mt-4 max-w-xl mx-auto

CTA buttons: flex gap-4 justify-center mt-8

Primary CTA: "Browse Opportunities" → bg-white text-primary-600 font-bold hover:bg-primary-50

Secondary CTA: "Post a Job" → border border-white text-white hover:bg-white/10

Search bar inside hero: max-w-2xl mx-auto mt-10 bg-white rounded-xl p-2 flex gap-2 shadow-xl

SECTION 2 — Stats bar:

bg-white border-y border-gray-200 py-8

3 columns: Total Jobs / Total Employers / Total Applications

Each: large number (text-3xl font-bold text-primary-600) + label (text-sm text-gray-500)

SECTION 3 — Latest Jobs:

bg-gray-50 py-16

Title: text-2xl font-bold text-gray-900 mb-8

Grid: grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-5

"View All" button centered below grid

SECTION 4 — How It Works:

bg-white py-16

3 steps with icons, numbers, titles, descriptions

SECTION 5 — Categories:

bg-primary-50 py-12

Horizontal scrollable chips on mobile, wrap grid on desktop

Footer: bg-gray-900 text-gray-400 py-10

Columns: About / Quick Links / Contact

Bottom: copyright text-sm

Job Listings Page (/jobs)

Layout: max-w-7xl mx-auto px-4 md:px-6 lg:px-8 py-8

Top: Page title + total count

Filter bar: sticky top-16 bg-white/95 backdrop-blur-sm border-b border-gray-200 z-20

Contains: Search input (flex-1) + Type filter (select) + Category filter (select) + Sort (select)

Mobile: filter bar collapses to single "Filters" button → opens bottom sheet / modal

Main grid: grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-5 mt-6
Pagination: below grid
Empty state: centered illustration + "No jobs found" + clear filters button

Job Detail Page (/jobs/:id)

Layout: max-w-4xl mx-auto px-4 py-8
Breadcrumb: Home → Jobs → [Job Title]
Two-column on lg: main content (2/3) + sidebar info panel (1/3)
Main content:
Title: text-2xl font-bold text-gray-900
Meta row: employer name + type badge + category badge + date posted
Divider
Section "Description": body text
Section "Requirements": body text or bullet list
Section "How to Apply / Contact": highlighted box (primary-50 bg)
Sidebar panel: sticky top-24
Apply button: primary, full-width, large
Save button: secondary, full-width
Info card: employer name, posted date, deadline, type, category
Share links (optional)

8.2 Dashboard Pages Layout

Dashboard Shell (All dashboard pages)

Outer: flex h-screen overflow-hidden bg-gray-50
Sidebar: fixed left-0 top-0 h-full w-64 bg-gray-900 (hidden on mobile)
Main area: flex-1 ml-64 (desktop) / ml-0 (mobile) flex flex-col overflow-hidden
Navbar: fixed top-0 right-0 left-64 (desktop) / left-0 (mobile) h-16 bg-white border-b
Content: mt-16 flex-1 overflow-y-auto p-6 md:p-8

Seeker Dashboard (/dashboard/seeker)

Stats row (top): grid grid-cols-2 lg:grid-cols-4 gap-4
Each stat card: bg-white rounded-xl p-5 border border-gray-200
Icon (top-right): w-10 h-10 rounded-lg bg-primary-50 text-primary-600
Number: text-2xl font-bold text-gray-900
Label: text-sm text-gray-500
Tabs below stats: "My Applications" | "Saved Jobs" | "Profile"
Tab bar: border-b border-gray-200, active tab: border-b-2 border-primary-600 text-primary-600
Applications tab: data table with columns [Job Title, Company, Applied Date, Status, Actions]
Saved Jobs tab: same 3-column job card grid as public page
Profile tab: edit form (name, phone, location, bio, CV upload)

Employer Dashboard (/dashboard/employer)

Stats row: Total Jobs / Active / Pending / Total Applications received

Tabs: "My Jobs" | "Applications" | "Post New Job" | "Profile"

My Jobs tab: card-list of own jobs with status badges + Edit/Close/Delete actions

Applications tab: filtered by job — show applicant name, date, CV download, accept/reject actions

Post New Job tab: multi-step form OR single long form

Fields: Title, Category (select), Type (radio: Online/Field/Hybrid), Description (textarea),

Requirements (textarea), Contact Info (text), Deadline (date picker, optional)

Admin Dashboard (/dashboard/admin)

Stats row: Total Users / Total Jobs / Pending Review / Approved / Rejected / Applications

Tabs: "Pending Jobs" | "All Jobs" | "Users" | "Statistics"

Pending Jobs: list with [Title, Employer, Posted Date, Actions: Approve / Reject]

Reject action: opens modal with textarea for rejection reason (required)

Approve: direct action with success toast

Users tab: data table [Name, Email, Role, Status (active/disabled), Joined Date, Actions: Toggle]

Statistics tab: simple metric cards + optional charts (recharts bar chart)

The platform is primarily Arabic (RTL). These rules are non-negotiable and must be handled from day 1, not retrofitted.

Rule	Implementation	Why
Set document direction	Add <code>dir="rtl"</code> to <code><html></code> tag AND to <code><body></code>	Cascades to all elements
Tailwind RTL	Install <code>@tailwindcss/rtl</code> plugin OR use Tailwind v3 logical properties	Enables <code>rtl:</code> variants
Flexbox direction	All flex rows automatically flip with <code>dir=rtl</code> — test each component	Icons appear on correct side
Text alignment	<code>text-start</code> (not <code>text-left</code>) → maps to right in RTL context	Language-agnostic
Icons position	Left-side icons in LTR become right-side in RTL automatically	Verify with Arabic
Back arrow	In RTL: "Back" should use <code>ArrowRight</code> , not <code>ArrowLeft</code>	Direction reversal
Padding/Margin direction	Use <code>ps-</code> / <code>pe-</code> (start/end) instead of <code>pl-</code> / <code>pr-</code> for directional spacing	RTL-safe
Shadows	Cards may need mirror shadow: <code>shadow-md</code> in RTL review for visual correctness	Directional light source
Form alignment	Labels right-aligned, inputs fill from right, error messages right-aligned	Arabic reading direction
Number display	Use Arabic-Indic numerals (٠١٢٣) for Arabic UI text if required by design	Check with stakeholders
Date format	DD/MM/YYYY for Arabic locale — use <code>date-fns</code> or <code>dayjs</code> with <code>ar</code> locale	Regional standard
Font	Cairo covers both Arabic and Latin — single font handles bilingual text seamlessly	No font mixing needed

Testing Requirement

Every page and component must be reviewed in RTL mode before being considered complete. Use Chrome DevTools → Elements → `dir` attribute to toggle for quick checks.

Principle

Animations should feel instant and purposeful. No decorative animations. Gaza users on slow connections should not experience janky UI. Keep it simple.

Element	Animation	Duration
Button hover	background-color change	150ms ease
Button active/press	scale: scale-95	100ms ease
Card hover	shadow + border-color change	200ms ease
Modal open	fade-in + zoom-in-95 (tailwind-animate)	200ms ease-out
Modal close	fade-out + zoom-out-95	150ms ease-in
Sidebar open (mobile)	slide-in from left/right	250ms ease-out
Toast appear	slide-up + fade-in	300ms ease-out
Toast dismiss	fade-out + slide-down	200ms ease-in
Page transitions	None — instant navigation preferred for low-bandwidth	0ms
Loading spinner	spin (animate-spin built-in Tailwind)	linear infinite
Skeleton loader	pulse (animate-pulse built-in Tailwind)	2s ease infinite
Dropdown open	fade-in + slide-down-1	150ms ease-out
Notification badge dot	ping (animate-ping built-in Tailwind)	1s cubic-bezier infinite

10.1 Loading States

- Every API call must show a loading state — never leave the user with a static UI.
- Table/list data loading: use skeleton rows (5 skeleton items minimum).
- Button loading: replace text with spinner + "Loading..." — disable the button.
- Page initial load: skeleton layout matching the page structure.
- Image loading: use bg-gray-200 animate-pulse placeholder until image loads.
- Never show empty UI for more than 300ms without a skeleton or spinner.

11 Tailwind Config (tailwind.config.js)

Instruction

Copy this EXACT config into tailwind.config.js. Do not add, remove, or rename any token without updating this document and the CSS variables in Section 12.

```
/** @type {import('tailwindcss').Config} */
module.exports = {
  content: ["/index.html", "./src/**/*.{js,ts,jsx,tsx}"],
  darkMode: false,
  theme: {
    extend: {
      colors: {
        primary: {
          50: "#EFF6FF",
          100: "#DBEAFE",
          200: "#BFDBFE",
          300: "#93C5FD",
          400: "#60A5FA",
          500: "#3B82F6",
          600: "#2563EB", // <-- MAIN brand color
          700: "#1D4ED8",
          800: "#1E40AF",
          900: "#1E3A8A",
        },
        success: {
          100: "#D1FAE5",
          500: "#10B981",
          600: "#059669",
          700: "#047857",
        },
        danger: {
          100: "#FEE2E2",
          500: "#EF4444",
          600: "#DC2626",
        },
        warning: {
          100: "#FEF3C7",
          500: "#F59E0B",
          600: "#D97706",
        },
        info: {
          100: "#CFFAFE",
          500: "#06B6D4",
        },
      },
    },
    fontFamily: {
      sans: ["Cairo", "Inter", "-apple-system", "sans-serif"],
      mono: ["Fira Code", "Courier New", "monospace"],
    },
    fontSize: {
      "2xs": ["10px", { lineHeight: "1.4" }],
    },
    borderRadius: {
```

```

    "4xl": "2rem",
  },
  boxShadow: {
    "card": "0 1px 3px rgba(0,0,0,0.08), 0 1px 2px rgba(0,0,0,0.06)",
    "card-hover": "0 4px 12px rgba(0,0,0,0.10), 0 2px 4px rgba(0,0,0,0.06)",
    "navbar": "0 1px 0 0 #E2E8F0",
    "modal": "0 25px 50px -12px rgba(0,0,0,0.25)",
  },
  spacing: {
    "18": "4.5rem", // sidebar collapsed width: 72px
    "72": "18rem",
    "84": "21rem",
    "96": "24rem",
  },
  zIndex: {
    "60": "60",
    "100": "100",
    "200": "200",
  },
  animation: {
    "slide-up": "slideUp 0.3s ease-out",
    "slide-down": "slideDown 0.2s ease-in",
    "fade-in": "fadeIn 0.2s ease-out",
  },
  keyframes: {
    slideUp: { "from": { opacity:0, transform:"translateY(8px)" },
    "to":{ opacity:1, transform:"translateY(0)" }},
    slideDown: { "from": { opacity:1, transform:"translateY(0)" },
    "to":{ opacity:0, transform:"translateY(8px)" }},
    fadeIn: { "from": { opacity:0 }, "to": { opacity:1 }},
  },
},
},
plugins: [
  require("@tailwindcss/forms"),
  require("@tailwindcss/line-clamp"),
  require("tailwind-animate"),
],
};

```

Usage

Add this block to `src/index.css`. These variables are used for Tailwind's arbitrary-value shorthand and for any CSS-in-JS or inline style needs.

```
:root {
  /* Brand */
  /* Brand dark */
  /* Brand light */
  /* Page background */
  /* Card background */
  /* Border */
  /* Text heading */
  /* Text body */
  /* Text muted */
  /* Text placeholder */
  /* Success */
  /* Danger */
  /* Warning */
  /* Info */
  /* Navbar height */
  /* Sidebar width */
  /* Sidebar collapsed */
  /* Content max-width */
  /* Border radius: sm */
  /* Border radius: md */
  /* Border radius: lg */
  /* Border radius: xl */
  /* Border radius: full */
  /* Shadow: card */
  /* Shadow: card hover */
  /* Transition: fast */
  /* Transition: base */
  /* Transition: slow */

  --color-primary: #2563EB;
  --color-primary-dark: #1D4ED8;
  --color-primary-light: #DBEAFE;
  --color-bg: #F8FAFC;
  --color-surface: #FFFFFF;
  --color-border: #E2E8F0;
  --color-text-heading: #0F172A;
  --color-text-body: #334155;
  --color-text-muted: #64748B;
  --color-text-placeholder: #94A3B8;
  --color-success: #10B981;
  --color-danger: #EF4444;
  --color-warning: #F59E0B;
  --color-info: #06B6D4;
  --navbar-height: 64px;
  --sidebar-width: 256px;
  --sidebar-collapsed: 72px;
  --content-max-width: 1280px;
  --radius-sm: 6px;
  --radius-md: 8px;
  --radius-lg: 12px;
  --radius-xl: 16px;
  --radius-full: 9999px;
  --shadow-card: 0 1px 3px rgba(0,0,0,.08);
  --shadow-card-hover: 0 4px 12px rgba(0,0,0,.10);
  --transition-fast: 150ms ease;
  --transition-base: 200ms ease;
  --transition-slow: 300ms ease;
}
```

Security Rule

NEVER commit .env files. Always use .env.example in the repo. All secret keys must be rotated before deployment.

13.1 Backend (.env)

Variable	Example Value	Required
NODE_ENV	development / production	Yes
PORT	5000	Yes
MONGODB_URI	mongodb+srv://user:pass@cluster.mongodb.net/fursa	Yes
JWT_SECRET	min 32 random characters — use crypto.randomBytes(32)	Yes
JWT_EXPIRE	7d	Yes
CLOUDINARY_CLOUD_NAME	your_cloud_name	Yes
CLOUDINARY_API_KEY	123456789012345	Yes
CLOUDINARY_API_SECRET	your_api_secret	Yes
EMAIL_HOST	smtp.gmail.com	Yes (for email)
EMAIL_PORT	587	Yes (for email)
EMAIL_USER	fursa.platform@gmail.com	Yes (for email)
EMAIL_PASS	Gmail App Password (not account password)	Yes (for email)
CLIENT_URL	http://localhost:5173 (dev) / https://fursa.app (prod)	Yes
CLOUDINARY_UPLOAD_PRESET	fursa_cv_uploads	Yes
MAX_FILE_SIZE	5242880 (5 MB in bytes)	Yes

13.2 Frontend (.env)

Variable	Example Value	Notes
VITE_API_URL	http://localhost:5000/api	Vite prefix required: VITE_
VITE_SOCKET_URL	http://localhost:5000	Socket.IO server URL

VITE_APP_NAME	فرصة / Fursa	Used in page titles
VITE_MAX_CV_SIZE	5242880	Validated before upload attempt

Item Type	Convention	Example
React components	PascalCase .jsx file	JobCard.jsx, UserAvatar.jsx
Pages	PascalCase in /pages/	JobDetail.jsx, SeekerDashboard.jsx
Custom hooks	camelCase with "use" prefix	useAuth.js, useJobs.js
Utility functions	camelCase	formatDate.js, truncateText.js
API service files	camelCase + ".service.js"	jobs.service.js, auth.service.js
Zustand stores	camelCase + ".store.js"	auth.store.js, jobs.store.js
Backend routes	kebab-case + ".routes.js"	auth.routes.js, admin.routes.js
Backend controllers	camelCase + ".controller.js"	job.controller.js
Backend models	PascalCase + ".model.js"	User.model.js, Job.model.js
Backend middlewares	camelCase + ".middleware.js"	auth.middleware.js
Constants files	SCREAMING_SNAKE_CASE	JOB_CATEGORIES.js, USER_ROLES.js
CSS/Style files	PascalCase matching component	JobCard.module.css
Test files	Same name + .test.js	auth.controller.test.js
Environment files	Dot-prefixed lowercase	.env, .env.example, .env.production
Config files	camelCase or kebab-case	tailwind.config.js, vite.config.js
Git branches	kebab-case with prefix	feature/job-card, fix/auth-bug

Every API endpoint must return responses in this exact format. No exceptions.

15.1 Success Response

```
{
  "success": true,
  "message": "تم نشر الفرصة بنجاح",
  "data": {
    "_id": "64f3a2b1c8e4d500123abc45",
    "title": "مصمم جرافيك",
    "status": "pending",
    "createdAt": "2026-01-15T10:30:00.000Z"
  },
  "meta": {
    "total": 45,
    "page": 1,
    "limit": 10,
    "totalPages": 5
  }
}
```

// meta field: only included in paginated list responses

15.2 Error Response

```
{
  "success": false,
  "message": "البريد الإلكتروني مستخدم بالفعل",
  "error": {
    "code": "EMAIL_EXISTS",
    "field": "email",
    "statusCode": 409
  }
}
```

15.3 HTTP Status Codes Used

Code	Meaning	When to Use
200	OK	Successful GET, PUT, PATCH
201	Created	Successful POST (new resource created)
204	No Content	Successful DELETE

400	Bad Request	Validation failed, missing required fields
401	Unauthorized	No token or expired token
403	Forbidden	Valid token but insufficient role/permission
404	Not Found	Resource with given ID does not exist
409	Conflict	Duplicate email, already applied, etc.
422	Unprocessable Entity	Business logic violation (job already closed)
429	Too Many Requests	Rate limit exceeded
500	Internal Server Error	Unhandled exceptions — never expose stack trace in prod

16.1 Frontend Error Handling Rules

- Every Axios call must be wrapped in try/catch — no silent failures.
- Network errors (no internet): show toast "تعذر الاتصال بالخادم — تحقق من الاتصال" (warning color).
- 401 errors: redirect to /login and clear local auth state.
- 403 errors: show toast "غير مصرح لك بهذا الإجراء" and do not navigate away.
- 404 errors: redirect to a custom 404 page — not a blank screen.
- 500 errors: show toast "حدث خطأ غير متوقع، حاول مرة أخرى" with a retry button.
- Form validation errors (400): map error.field to the specific input and show inline error.
- Network timeout threshold: 15 seconds. Show timeout message if exceeded.

16.2 Backend Error Handling Rules

- Use a central error handler middleware — no try/catch in every route.
- Never send stack traces or internal error messages to the client in production.
- All Mongoose validation errors → 400 with mapped field errors.
- Mongoose CastError (invalid ObjectId) → 404 "Resource not found".
- MongoDB duplicate key error (code 11000) → 409 Conflict.
- JWT errors: JsonWebTokenError → 401. TokenExpiredError → 401 with "Token expired" message.
- Unhandled promise rejections → log to console.error + return 500.
- Use process.on("unhandledRejection") and process.on("uncaughtException") at app entry.

Rule	Implementation
Minimum contrast ratio	Text on white: gray-700 or darker. Never gray-400 on white for readable text.
All images	Always include alt attribute. Decorative images: alt=""
Icon buttons	Always add aria-label="action description" and title attribute
Form fields	Every <input> must have an associated <label> (htmlFor + id pair)
Required fields	Add aria-required="true" to required inputs
Error messages	Add aria-describedby pointing to error message element id
Modals	Add role="dialog" aria-modal="true" aria-labelledby="modal-title"
Focus management	On modal open: focus first interactive element. On close: return focus to trigger.
Keyboard nav	All interactive elements reachable via Tab key. Logical tab order.
Skip link	Add Skip to content at page top
Semantic HTML	Use <main>, <nav>, <header>, <footer>, <section>, <article> — never div-only structure
Color alone	Never convey information through color alone — always pair with icon or text

Standard

Use Conventional Commits: <https://www.conventionalcommits.org/> — This makes changelog generation and code review easy.

Type	When to Use	Example
feat	New feature	feat: add CV upload to seeker profile
fix	Bug fix	fix: correct JWT expiry check in auth middleware
ui	UI/styling change	ui: update job card badge colors to match design system
refactor	Code refactor, no behavior change	refactor: extract job filter logic to custom hook
docs	Documentation update	docs: update API endpoint table in README
test	Add/update tests	test: add unit tests for application controller
chore	Build, config, deps	chore: update Tailwind to v3.4
perf	Performance improvement	perf: add MongoDB index on job.status field
security	Security fix	security: add rate limiting to auth routes

Branch: main	Production-ready code only. Direct commits forbidden. PR only.
Branch: develop	Integration branch. All features merge here first.
Branch: feature/*	New features. Branch from develop. Example: feature/job-filters
Branch: fix/*	Bug fixes. Example: fix/login-redirect
Branch: hotfix/*	Urgent production fixes. Branch from main.
Commit message language	English for code commits. Arabic is acceptable in message body (not subject).
PR requirement	At least 1 reviewer approval required before merge.
Squash on merge	Yes — keep history clean in develop and main.

FURSA PLATFORM — DESIGN SYSTEM v1.0

*This document is the single source of truth for all frontend and backend decisions.
No design, color, font, or component decision should be made outside this specification.*

© 2026 Fursa Platform — Gaza Strip, Palestine