

# Basics of Life Science

Waseda SILS LE204


Thursdays 9-10:30


Ray Luo, Anthony DeCostanzo

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS






### Some issues facing SILS studies that require biological knowledge.

- Global warming / climate change.
- Genetic engineering / cloning.
- Diseases and disease treatments.
- Human and societal behavior.
- Population control / poverty.
- Ethics in using stem cells.
- Ethics in scientific and social research.



I don't usually set class "rules", but when I do, I prefer "study guides."



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Study guides to help you succeed in life... at least Life Science 204 class.

- ☑ Don't take too much notes, just listen.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Study guides to help you succeed in  
life... at least Life Science 204 class.

- ☑ Don't take too much notes, just listen.
- ☑ Ask me at ANY time ANY question.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Study guides to help you succeed in  
life... at least Life Science 204 class.

- ☑ Don't take too much notes, just listen.
- ☑ Ask me at ANY time ANY question.
- ☑ Try to answer my questions.

and .....

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Study guides to help you succeed in life... at least Life Science 204 class.

- ☑ Don't take too much notes, just listen.
- ☑ Ask me at ANY time ANY question.
- ☑ Try to answer my questions.

and .....

✓ Laugh at my jokes (if they are funny).

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS




Biology is the study of what makes who we are.


4-7: Chemistry



4-14: Organelles



4-21: Cell cycles



© 2014 Pearson Education, Inc.

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Biology is the study of what makes who we are.

4-28: Creating Life



5-12: Genetics



5-19: Sensory Motor



ray LC



rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Biology is the study of what makes who we are.

5-26: Nervous System



6-9: Cell Physiology



6-16: Evolution




ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Biology is the study of what makes who we are.



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Everything in life and elsewhere are made up of atoms.

- We are made up mostly of elements oxygen, carbon, hydrogen, and nitrogen (96%).
- Compounds are combinations of elements: water  $\text{H}_2\text{O}$ , salt  $\text{NaCl}$ , methane (gas)  $\text{CH}_4$ .
- Atom is an unit of matter of a single element.
- Question: The human body, which has  $7 \times 10^{27}$  atoms, is composed mostly of which element?


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Atoms are made up of neutrons, protons (+), and electrons (-).



© 2014 Pearson Education, Inc.

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Atoms are made up of neutrons, protons (+), and electrons (-).

- Atomic mass = # protons + # neutrons.
- Atomic number = # protons = # electrons.
- Isotopes have the same atomic number but different atomic mass (carbon 13).
- Radioactive isotopes used for dating. ❤️
- Electrons occupy different levels of energy.



ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS





Chemistry is determined by number of protons and distribution of electrons.



Octet Rule 🎵


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

The Octet rule governs reactivity of most chemical elements.

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

## Things to ponder while lining up to get ramen (aka review).

- Question: titanium has atomic number 22, an isotope of titanium with mass of 48 has how many neutrons?
- Question: how many electrons does chlorine (atomic number 17) have in its outermost (valence) shell?

ray LC



rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Chemical reactivity is dependent on the number of valence shell electrons.

- **Covalent bonds** are made up of atoms sharing valence shell electrons in a molecule (H-H single bond, O=O double bond).
- Water: oxygen - two single bonds - hydrogen.



ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Chemical reactivity is dependent on the number of valence shell electrons.

- **Ionic bonds** are formed from atoms with such differing electronegativity that one pulls electron away from the other and both become charged.




© 2014 Pearson Education, Inc.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

Other chemical interactions hold biological molecules together.



© 2014 Pearson Education, Inc.

Hydrogen Bonds

Hydrophobic Interactions


Van der Waals forces

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

The 3D shape of molecules determines their biological reactivity.




ray LC

rluo@aoni.waseda.jp


WASEDA UNIVERSITY | SILS

Chemical reactions preserve the number of atoms of each element.

- Acid-Base:



- Combustion:



- Photosynthesis:




- Question: X and Y are?  $2\text{H}_2 + \text{XO}_2 \rightarrow \text{YH}_2\text{O}$

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

The polarity of the water molecule gives rise to hydrogen bonds.



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Properties of water sustain life on Earth.

- Adhesion to water allows transport up thin vesicles; surface tension allows floatation.
- Water can absorb heat when it's hot and release heat when it's cold; high specific heat.
- Water that evaporates as steam leaves behind a cooler reservoir of liquid to prevent overheating; high heat of vaporization 580 cal.



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Ability of solid ice to float on liquid ice means lakes/seas won't freeze solid.



ray LC      rluo@aoni.waseda.jp      WASEDA UNIVERSITY | SILS


Global warming causes polar ice caps to form later and melt earlier.

- Combustion:  
$$\text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 4\text{H}_2\text{O} + 3\text{CO}_2 + \text{energy}$$
- Impact:  
Sea level rise 1.8mm/yr, increased rain in wet areas, reduced rain in dry areas, heat waves, droughts, ocean acidification, conversion of tropical forests to savannahs, species extinct.

ray LC      rluo@aoni.waseda.jp      WASEDA UNIVERSITY | SILS



Water can dissolve almost anything due to its weak hydrogen bonding.



ray LC

rloo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Calculating amount of materials using molar definition of mass.

- A mole of a compound has its molecular mass expressed in grams (for  $6.02 \times 10^{23}$  molecules).
  - One mole of water weighs 18 grams:
  - 2 hydrogens ( $2 \times 1.0079\text{g}$ ) + 1 oxygen ( $15.9994\text{g}$ )
- Concentration is moles per liter of solution.
- Question: How many grams of salt (sodium chloride) should you add to one liter of water to get one molar concentration salt solution?

ray LC

rloo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS




So one mol of NaCl is  $22.99 + 35.45 = 58.44$  gram,  
put that in one liter of water to give you  
1M NaCl in  $H_2O$ .

hydrogen 1 <b>H</b> 1.0079																	helium 2 <b>He</b> 4.0026				
lithium 3 <b>Li</b> 6.941	beryllium 4 <b>Be</b> 9.0122															boron 5 <b>B</b> 10.811	carbon 6 <b>C</b> 12.011	nitrogen 7 <b>N</b> 14.007	oxygen 8 <b>O</b> 15.999	fluorine 9 <b>F</b> 18.998	neon 10 <b>Ne</b> 20.180
sodium 11 <b>Na</b> 22.990	magnesium 12 <b>Mg</b> 24.305															aluminum 13 <b>Al</b> 26.982	silicon 14 <b>Si</b> 28.086	phosphorus 15 <b>P</b> 30.974	sulfur 16 <b>S</b> 32.065	chlorine 17 <b>Cl</b> 35.453	argon 18 <b>Ar</b> 39.948
potassium 19 <b>K</b> 39.098	calcium 20 <b>Ca</b> 40.078	scandium 21 <b>Sc</b> 44.956	titanium 22 <b>Ti</b> 47.867	vanadium 23 <b>V</b> 50.942	chromium 24 <b>Cr</b> 51.996	manganese 25 <b>Mn</b> 54.938	iron 26 <b>Fe</b> 55.845	cobalt 27 <b>Co</b> 58.933	nickel 28 <b>Ni</b> 58.693	copper 29 <b>Cu</b> 63.546	zinc 30 <b>Zn</b> 65.39	gallium 31 <b>Ga</b> 69.723	germanium 32 <b>Ge</b> 72.61	arsenic 33 <b>As</b> 74.902	selenium 34 <b>Se</b> 78.96	bromine 35 <b>Br</b> 79.904	krypton 36 <b>Kr</b> 83.80				

ray LC

rluo@aoni.waseda.jp


WASEDA UNIVERSITY | SILS





## Acidic and basic solutions affect living conditions.

- At 25°C,  $[H^+] = 10^{-7}M$ ,  $[OH^-] = 10^{-7}M$ .
- $pH = -\log [H^+]$ , inversely related to hydrogen concentration.
- Neutral solution has pH 7.
- Acidic solution has  $pH < 7$ , basic has  $pH > 7$ .
- Biological buffers reduce the effect of pH changes:



ray LC



rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## The study of carbon based “life” compounds is organic chemistry.

- **Miller and Urey** (12-11).
- 4 valence electrons of C:
- Single bonds (ethane  $C_2H_6$ )
- Double bonds (carbon dioxide  $CO_2$ )
- Triple bonds (acetylene  $C_2H_2$ )



109.5°



180°



ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS




Isomers have the same number of atoms of each element.

(a) Structural isomers




Pentane

© 2014 Pearson Education, Inc.




2-methyl butane

(b) *Cis-trans* isomers



*cis* isomer: The two Xs are on the same side.

© 2014 Pearson Education, Inc.



*trans* isomer: The two Xs are on opposite sides.

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS




Isomers have the same number of atoms of each element.

(c) Enantiomers



L isomer

© 2014 Pearson Education, Inc.



D isomer

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Isomers have the same number of atoms of each element.

- Question: what kind of isomers are propanal and acetone?




ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Functional groups give “personalities” to biological molecules.



© 2014 Pearson Education, Inc.


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Functional groups give “personalities” to biological molecules.




ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Functional groups give “personalities” to biological molecules.



Functional groups joined to Carbon Body via Covalent bonds



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



ATP is the energy “currency” of the cell.



ray LC

rhuo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Life has three main classes of macromolecules.

- Carbohydrates store energy (starch, glycogen) and form structures (cellulose, chitin) and make up the backbones of DNA (ribose).
- Proteins catalyze reactions and bind important substrates like oxygen.
- Nucleic acids carry genetic information and information about making proteins (DNA, RNA).

ray LC


rhuo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS




## Monomers are built into polymers in dehydration reactions.

(a) Dehydration reaction: synthesizing a polymer



(b) Hydrolysis: breaking down a polymer



ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Carbohydrates are chains of sugars with carbonyl and hydroxyl groups.

Aldose (Aldehyde Sugar)	Ketose (Ketone Sugar)
<b>Trioses: 3-carbon sugars (<math>C_3H_6O_3</math>)</b>	
<p>Glyceraldehyde</p>	<p>Dihydroxyacetone</p>

© 2014 Pearson Education, Inc.

ray LC

rluo@aoni.waseda.jp


WASEDA UNIVERSITY | SILS




## Carbohydrates monomers are joined together by glycosidic bonds.

- In solution, each monosaccharide form rings of (usually) 5 or 6 carbons.

(a) Dehydration reaction in the synthesis of maltose



(b) Dehydration reaction in the synthesis of sucrose




ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

## Starch ( $\alpha$ glucose) and cellulose ( $\beta$ glucose) link monomers differently.




ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS


Fats are made up of glycerol and three fatty acids joined together.



**Glycerol**

(a) One of three dehydration reactions in the synthesis of a fat

**Ester linkage**



(b) Fat molecule (triacylglycerol)


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Phospholipids form the (bilayer) membranes of cells.



© Pearson Education, Inc.  
© 2014 Pearson Education, Inc.

ray LC


rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS





## Phospholipids form the (bilayer) membranes of cells.







ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

## Proteins are required for diverse functions of cells.

<p><b>Enzymatic proteins</b>  <b>Function:</b> Selective acceleration of chemical reactions  <b>Example:</b> Digestive enzymes catalyze the hydrolysis of bonds in food molecules.</p> 	<p><b>Defensive proteins</b>  <b>Function:</b> Protection against disease  <b>Example:</b> Antibodies inactivate and help destroy viruses and bacteria.</p> 
<p><b>Storage proteins</b>  <b>Function:</b> Storage of amino acids  <b>Examples:</b> Casein, the protein of milk, is the major source of amino acids for baby mammals. Plants have storage proteins in their seeds. Ovalbumin is the protein of egg white, used as an amino acid source for the developing embryo.</p> 	<p><b>Transport proteins</b>  <b>Function:</b> Transport of substances  <b>Examples:</b> Hemoglobin, the iron-containing protein of vertebrate blood, transports oxygen from the lungs to other parts of the body. Other proteins transport molecules across membranes, as shown here.</p> 





© 2014 Pearson Education, Inc.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

## Proteins are required for diverse functions of cells.

<p><b>Hormonal proteins</b>  <b>Function:</b> Coordination of an organism's activities  <b>Example:</b> Insulin, a hormone secreted by the pancreas, causes other tissues to take up glucose, thus regulating blood sugar concentration.</p> 	<p><b>Receptor proteins</b>  <b>Function:</b> Response of cell to chemical stimuli  <b>Example:</b> Receptors built into the membrane of a nerve cell detect signaling molecules released by other nerve cells.</p> 
<p><b>Contractile and motor proteins</b>  <b>Function:</b> Movement  <b>Examples:</b> Motor proteins are responsible for the undulations of cilia and flagella. Actin and myosin proteins are responsible for the contraction of muscles.</p> 	<p><b>Structural proteins</b>  <b>Function:</b> Support  <b>Examples:</b> Keratin is the protein of hair, horns, feathers, and other skin appendages. Insects and spiders use silk fibers to make their cocoons and webs, respectively. Collagen and elastin proteins provide a fibrous framework in animal connective tissues.</p> 

© 2014 Pearson Education, Inc.


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Proteins are made up of amino acids characterized by different side chains.



© 2014 Pearson Education, Inc.


ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



Individual amino acids are joined together by peptide bonds.



© 2014 Pearson Education, Inc.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS



## Team work.

Which of the following chemicals do you NOT expect to be readily dissolved in water?

- A. Uric acid
- B. Hexane
- C. Glycerol
- D. Ethanol
- E. Potassium chloride

Water has an unusually high specific heat. What does this mean?

- A. At its boiling point, water changes from liquid to vapor.
- B. Ice floats in liquid water.
- C. Floating ice can insulate bodies of water.
- D. More heat is required to raise the temperature of water.

ray LC

rluo@aoni.waseda.jp

WASEDA UNIVERSITY | SILS

