

NHS GP — 200 Common Medicines Prescribing Reference

Typical adult primary-care reference. Doses are indicative only and must be checked against the current BNF, NICE guidance, SPC/product information, renal/hepatic function, interactions, age, pregnancy status and local formulary before prescribing.

#	Medicine	Form	Common GP indication	Usual starting dose	Escalation / usual higher dose
1	Atorvastatin	Tablet	High cholesterol / CVD prevention	20 mg once daily	40–80 mg once daily
2	Amlodipine	Tablet	Hypertension / angina	5 mg once daily	10 mg once daily
3	Ramipril	Tablet/capsule	Hypertension / HF / CKD	1.25–2.5 mg once daily	5–10 mg once daily
4	Bisoprolol	Tablet	HF / AF / hypertension	1.25–5 mg once daily	Up to 10 mg once daily, indication dependent
5	Losartan	Tablet	Hypertension / CKD	50 mg once daily	100 mg once daily
6	Furosemide	Tablet	Oedema / HF	20–40 mg once daily	Titrate to response
7	Candesartan	Tablet	Hypertension / HF	4–8 mg once daily	Up to 32 mg once daily
8	Valsartan	Tablet	Hypertension / HF	40–80 mg once/twice daily	Indication dependent
9	Indapamide	Tablet	Hypertension	2.5 mg once daily	Usually no escalation
10	Bendroflumethiazide	Tablet	Hypertension	2.5 mg once daily	Usually no escalation
11	Perindopril	Tablet	Hypertension / CVD	2 mg once daily	Up to 8 mg once daily
12	Doxazosin	Tablet	BPH / hypertension	1 mg once daily	Up to 16 mg/day depending on indication
13	Lisinopril	Tablet	Hypertension / HF	2.5–10 mg once daily	Up to 40 mg once daily
14	Nifedipine MR	Modified-release tablet	Hypertension / angina	30 mg once daily	Up to 90 mg/day depending on product
15	Diltiazem MR	Modified-release tablet/capsule	AF / angina / hypertension	120–200 mg/day	Product-specific
16	Verapamil MR	Modified-release tablet	AF / angina	120–240 mg/day	Product-specific
17	Spironolactone	Tablet	HF / resistant hypertension	25 mg once daily	Often 25–50 mg/day
18	Eplerenone	Tablet	Heart failure	25 mg once daily	Up to 50 mg once daily
19	Isosorbide mononitrate MR	Modified-release tablet	Angina	25–60 mg once daily	Product-specific
20	Glyceryl trinitrate	Sublingual spray/tablet	Acute angina	1 dose at onset	Repeat according to product instructions
21	Aspirin	Gastro-resistant tablet	Secondary CVD prevention	75 mg once daily	Usually 75 mg daily
22	Clopidogrel	Tablet	Antiplatelet therapy	75 mg once daily	Usually 75 mg daily
23	Rosuvastatin	Tablet	High cholesterol	5–10 mg once daily	Up to 40 mg once daily
24	Simvastatin	Tablet	High cholesterol	10–20 mg once daily	Up to 40 mg once daily in selected patients
25	Ezetimibe	Tablet	High cholesterol	10 mg once daily	Usually no escalation
26	Fenofibrate	Tablet/capsule	Hypertriglyceridaemia	Product-specific	Product-specific
27	Apixaban	Tablet	AF / VTE	Usually 5 mg twice daily	2.5 mg twice daily when reduction criteria apply
28	Rivaroxaban	Tablet	AF / VTE	Indication-specific	Indication-specific
29	Warfarin	Tablet	Anticoagulation	Individualised	Adjusted to INR
30	Edoxaban	Tablet	AF / VTE	Usually 60 mg once daily	30 mg once daily in specified patients
31	Metformin	Tablet / MR	Type 2 diabetes	500 mg once daily	Up to 1 g twice daily commonly
32	Gliclazide	Tablet / MR	Type 2 diabetes	40–80 mg daily	Titrate; product-specific maximum
33	Sitagliptin	Tablet	Type 2 diabetes	100 mg once daily	Usually no escalation
34	Empagliflozin	Tablet	T2DM / HF / CKD	10 mg once daily	25 mg once daily for appropriate diabetes patients
35	Dapagliflozin	Tablet	T2DM / HF / CKD	10 mg once daily	Usually no escalation
36	Pioglitazone	Tablet	Type 2 diabetes	15–30 mg once daily	Up to 45 mg once daily
37	Linagliptin	Tablet	Type 2 diabetes	5 mg once daily	Usually no escalation
38	Repaglinide	Tablet	Type 2 diabetes	0.5 mg before meals	Titrate; up to 4 mg before meals
39	Semaglutide	Injection	T2DM / weight management	Low-dose weekly initiation	Gradual product-specific escalation
40	Dulaglutide	Injection	Type 2 diabetes	0.75 mg once weekly	Gradual product-specific escalation
41	Liraglutide	Injection	T2DM / weight management	0.6 mg once daily	Gradual product-specific escalation

#	Medicine	Form	Common GP indication	Usual starting dose	Escalation / usual higher dose
42	Insulin glargine	Injection	Diabetes	Individualised	Titrate to glucose readings
43	Insulin detemir	Injection	Diabetes	Individualised	Titrate to glucose readings
44	Insulin aspart	Injection	Diabetes	Individualised with meals	Titrate to carbohydrate/glucose needs
45	Insulin lispro	Injection	Diabetes	Individualised with meals	Titrate to carbohydrate/glucose needs
46	Levothyroxine	Tablet	Hypothyroidism	Individualised	Adjust according to TSH
47	Carbimazole	Tablet	Hyperthyroidism	15–40 mg/day depending on severity	Titrate using thyroid tests
48	Alendronic acid	Tablet	Osteoporosis	70 mg once weekly	Usually no escalation
49	Risedronate	Tablet	Osteoporosis	35 mg once weekly	Usually no escalation
50	Colecalciferol	Capsule/tablet	Vitamin D deficiency	Severity dependent	Loading then maintenance where indicated
51	Calcium carbonate	Tablet	Calcium supplementation	Individualised	Product-specific
52	Folic acid	Tablet	Folate deficiency	5 mg once daily	Usually no escalation
53	Ferrous sulfate	Tablet	Iron-deficiency anaemia	200 mg once daily commonly	Adjust to tolerance/response
54	Cyanocobalamin	Injection/tablet	B12 deficiency	Cause/regimen dependent	Loading then maintenance where indicated
55	Salbutamol	Inhaler	Asthma / COPD	1–2 puffs PRN	Product/condition-specific maximum
56	Beclometasone	Inhaler	Asthma	Product-specific low dose	Step up/down according to control
57	Budesonide	Inhaler	Asthma / COPD	Product-specific	Step up/down according to control
58	Fluticasone	Inhaler	Asthma / COPD / rhinitis	Product-specific	Step according to control
59	Mometasone	Nasal spray/inhaler	Rhinitis / asthma	Product-specific	Adjust to control
60	Ciclesonide	Inhaler	Asthma	Product-specific	Step according to control
61	Formoterol	Inhaler	Asthma / COPD	Product-specific	Usually combination therapy
62	Salmeterol	Inhaler	Asthma / COPD	50 micrograms twice daily commonly	Product-specific
63	Tiotropium	Inhaler	COPD / selected asthma	Product-specific once daily	Usually fixed
64	Glycopyrronium	Inhaler	COPD	Product-specific once daily	Usually fixed
65	Ipratropium	Inhaler/nebuliser	COPD / bronchospasm	Product-specific	Frequency depends on severity
66	Montelukast	Tablet	Asthma / allergic rhinitis	10 mg nightly	Usually no escalation
67	Fostair	Inhaler	Asthma / COPD	Product-specific	Step according to control
68	Symbicort	Inhaler	Asthma / COPD	Product-specific	Step according to control
69	Seretide	Inhaler	Asthma / COPD	Product-specific	Step according to control
70	Relvar Ellipta	Inhaler	Asthma / COPD	1 inhalation once daily	Product-specific
71	Trelegy Ellipta	Inhaler	COPD	1 inhalation once daily	Usually fixed
72	Prednisolone	Tablet	Respiratory exacerbations / inflammation	Often 30–40 mg once daily for acute respiratory exacerbation	Short course; indication-specific
73	Cetirizine	Tablet	Allergy	10 mg once daily	Usually no escalation
74	Loratadine	Tablet	Allergy	10 mg once daily	Usually no escalation
75	Fexofenadine	Tablet	Allergy	120–180 mg once daily depending on indication	Product-specific
76	Chlorphenamine	Tablet	Allergy	4 mg up to four times daily	Up to 24 mg/day; sedation limits use
77	Sodium cromoglicate	Eye drops/inhaler	Allergy	Product-specific	Product-specific
78	Fluticasone nasal spray	Nasal spray	Allergic rhinitis	1–2 sprays each nostril once daily	Reduce when controlled
79	Lansoprazole	Capsule	GORD / dyspepsia	15–30 mg once daily	30 mg once/twice daily for selected indications
80	Omeprazole	Capsule/tablet	GORD / dyspepsia	20 mg once daily	40 mg/day or indication-specific higher dose
81	Esomeprazole	Capsule/tablet	GORD	20 mg once daily	40 mg once daily commonly
82	Pantoprazole	Tablet	GORD	20–40 mg once daily	40 mg once/twice daily depending on indication
83	Famotidine	Tablet	Dyspepsia / reflux	20 mg once/twice daily	Product/renal dependent
84	Gaviscon	Liquid/tablet	Reflux	After meals and at bedtime	Adjust to symptoms
85	Mebeverine	Tablet/capsule	IBS	135 mg three times daily or MR equivalent	Usually no escalation
86	Hyoscine butylbromide	Tablet	Abdominal cramps / IBS	10–20 mg up to four times daily	Up to 20 mg four times daily
87	Loperamide	Capsule/tablet	Diarrhoea	4 mg initially, then 2 mg after loose stool	Product/indication maximum
88	Macrogol	Sachets	Constipation	1 sachet 1–3 times daily	Higher regimens for faecal loading

#	Medicine	Form	Common GP indication	Usual starting dose	Escalation / usual higher dose
89	Lactulose	Oral solution	Constipation	15 mL twice daily	Adjust to response
90	Senna	Tablet	Constipation	7.5–15 mg at night	Adjust to response
91	Bisacodyl	Tablet/suppository	Constipation	5–10 mg at night	Usually up to 10 mg daily
92	Docusate	Capsule/liquid	Constipation	100 mg twice daily	Product-specific maximum
93	Mesalazine	Tablet/granules	IBD	Formulation/disease dependent	Step according to activity
94	Ondansetron	Tablet/ODT	Nausea/vomiting	4–8 mg depending on indication	Product-specific
95	Metoclopramide	Tablet	Nausea/vomiting	10 mg up to three times daily	Maximum 30 mg/day; usually max 5 days
96	Domperidone	Tablet	Nausea/vomiting	10 mg up to three times daily	Maximum 30 mg/day; short-term
97	Amoxicillin	Capsule/suspension	Bacterial infection	250–500 mg three times daily commonly	Indication-specific higher doses
98	Phenoxymethylpenicillin	Tablet	Bacterial infection	500 mg four times daily commonly	Guideline/indication-specific
99	Flucloxacillin	Capsule	Bacterial infection	500 mg four times daily commonly	Higher doses in selected severe infections
100	Co-amoxiclav	Tablet	Bacterial infection	500/125 mg three times daily commonly	Indication-specific
101	Doxycycline	Capsule/tablet	Bacterial infection / acne	100–200 mg initially depending on indication	Usually lower maintenance
102	Clarithromycin	Tablet	Bacterial infection	250–500 mg twice daily	Indication-specific
103	Azithromycin	Tablet	Bacterial infection	500 mg once daily for selected infections	Indication-specific
104	Cefalexin	Capsule	Bacterial infection	500 mg 2–3 times daily commonly	Higher doses in selected severe infections
105	Nitrofurantoin MR	Capsule/tablet	UTI	100 mg twice daily commonly	Usually short course
106	Trimethoprim	Tablet	UTI	200 mg twice daily commonly	Usually short course
107	Metronidazole	Tablet/gel	Bacterial/anaerobic infection	400 mg 2–3 times daily depending on indication	Indication-specific
108	Fluconazole	Capsule	Fungal infection	150 mg single dose for selected candidiasis	Other infections require different regimens
109	Clotrimazole	Cream/pessary	Fungal infection	Product-specific	Product-specific
110	Terbinafine	Tablet/cream	Fungal infection	250 mg once daily orally for selected infections	Course depends on site
111	Aciclovir	Tablet/cream	Herpes infection	Indication-specific	Indication-specific
112	Valaciclovir	Tablet	Herpes infection	Indication-specific	Indication-specific
113	Fusidic acid	Cream/ointment	Bacterial skin infection	Apply 2–3 times daily	Short course
114	Mupirocin	Ointment	Bacterial skin infection	Apply 2–3 times daily	Short course
115	Hydrocortisone	Cream/ointment	Eczema / dermatitis	Apply once or twice daily	Short course; potency/site dependent
116	Clobetasone	Cream/ointment	Eczema / dermatitis	Apply once or twice daily	Short course; step down
117	Betamethasone	Cream/ointment	Inflammatory skin disease	Apply once/twice daily	Potency/duration depend on site
118	Clobetasol	Cream/ointment	Severe inflammatory skin disease	Apply once/twice daily	Usually short-term only
119	Adapalene	Gel/cream	Acne	Apply once nightly	Increase as tolerated
120	Benzoyl peroxide	Gel/wash	Acne	Apply once daily	May increase to twice daily if tolerated
121	Tretinoin	Cream/gel	Acne	Apply once nightly	Gradual introduction
122	Isotretinoin	Capsule	Severe acne	Specialist initiated; weight-based	Specialist titration
123	Calcipotriol	Ointment/cream	Psoriasis	Apply once/twice daily	Product-specific maximum
124	Ketoconazole	Cream/shampoo	Fungal infection / seborrhoeic dermatitis	Product-specific	Product-specific
125	Tamsulosin	Capsule/tablet	BPH	400 micrograms once daily	Usually no escalation
126	Finasteride	Tablet	BPH	5 mg once daily	Usually fixed
127	Dutasteride	Capsule	BPH	500 micrograms once daily	Usually fixed
128	Oxybutynin	Tablet/MR	Overactive bladder	2.5–5 mg 2–3 times daily depending on formulation	Product-specific
129	Mirabegron	MR tablet	Overactive bladder	50 mg once daily	25 mg in selected patients
130	Solifenacin	Tablet	Overactive bladder	5 mg once daily	10 mg once daily
131	Tolterodine	Tablet/MR	Overactive bladder	2 mg twice daily or MR 4 mg daily	Product-specific
132	Sildenafil	Tablet	Erectile dysfunction	50 mg as required	25–100 mg according to response
133	Tadalafil	Tablet	Erectile dysfunction / BPH	10 mg as required or 2.5–5 mg daily	20 mg as required maximum
134	Vardenafil	Tablet	Erectile dysfunction	10 mg as required	Up to 20 mg as appropriate

#	Medicine	Form	Common GP indication	Usual starting dose	Escalation / usual higher dose
135	Vaginal oestrogen	Vaginal preparation	Genitourinary menopause symptoms	Product-specific loading regimen	Maintenance product-specific
136	HRT oestrogen	Patch/gel/tablet	Menopausal symptoms	Product-specific	Lowest effective dose
137	Micronised progesterone	Capsule	HRT endometrial protection	100–200 mg according to regimen	Product-specific
138	Norethisterone	Tablet	Heavy menstrual bleeding / other indications	5 mg 2–3 times daily depending on indication	Indication-specific
139	Medroxyprogesterone	Tablet/injection	Gynaecological indications	Indication-specific	Indication-specific
140	Paracetamol	Tablet/capsule	Pain / fever	500 mg–1 g up to four times daily	Maximum 4 g/day in suitable adults
141	Ibuprofen	Tablet/capsule	Pain / inflammation	200–400 mg up to three times daily	Up to 2.4 g/day in selected prescribed use
142	Naproxen	Tablet	Pain / inflammation	250–500 mg once/twice daily	Indication-specific
143	Diclofenac	Tablet	Pain / inflammation	50 mg 2–3 times daily	Usually maximum 150 mg/day
144	Celecoxib	Capsule	Pain / arthritis	100 mg once/twice daily	Up to 200 mg twice daily depending on indication
145	Etoricoxib	Tablet	Arthritis / acute pain	30–60 mg once daily	Up to 120 mg/day for selected indications
146	Co-codamol	Tablet/capsule	Pain	8/500 or 15/500 mg, 1–2 tablets up to four times daily	Higher strengths only when appropriate; total paracetamol limit
147	Codeine	Tablet	Pain	15–30 mg up to four times daily	Up to 60 mg four times daily in selected adults
148	Tramadol	Capsule/tablet	Pain	50–100 mg up to four times daily	Usually max 400 mg/day
149	Dihydrocodeine	Tablet	Pain	30 mg up to four times daily	Up to 240 mg/day commonly
150	Morphine	Tablet/oral solution	Severe pain	Individualised	Titrate carefully
151	Buprenorphine patch	Transdermal	Chronic pain	Low-strength patch initially	Titrate by patch strength
152	Fentanyl patch	Transdermal	Severe chronic pain	Specialist/experienced prescriber	Titrate by patch strength
153	Capsaicin	Cream	Neuropathic pain	Apply according to product	Adjust to response
154	Lidocaine	Plaster	Localised neuropathic pain	Up to 3 plasters/day depending on product	Product-specific
155	Diclofenac gel	Topical gel	Musculoskeletal pain	Apply 2–4 times daily	Product-specific
156	Ibuprofen gel	Topical gel	Musculoskeletal pain	Apply 3–4 times daily	Product-specific
157	Ketoprofen gel	Topical gel	Musculoskeletal pain	Apply 2–4 times daily	Product-specific
158	Baclofen	Tablet	Muscle spasm	5 mg three times daily	Gradual titration; specialist-level higher doses
159	Allopurinol	Tablet	Gout prevention	100 mg once daily	Increase gradually to urate target
160	Colchicine	Tablet	Acute gout / prophylaxis	500 micrograms 2–4 times daily depending on indication	Dose-limited; toxicity risk
161	Duloxetine	Capsule	Depression / neuropathic pain	60 mg once daily commonly	Up to 120 mg/day for selected indications
162	Venlafaxine	Tablet/capsule	Depression / anxiety	75 mg/day commonly	Higher doses require careful monitoring
163	Escitalopram	Tablet	Depression / anxiety	10 mg once daily	20 mg once daily; lower maximum in some patients
164	Fluoxetine	Capsule	Depression	20 mg once daily	Up to 60 mg/day depending on indication
165	Mirtazapine	Tablet	Depression	15 mg at night	30–45 mg nightly
166	Amitriptyline	Tablet	Neuropathic pain	10 mg at night	Often 25–75 mg/day for pain
167	Nortriptyline	Tablet	Neuropathic pain	10 mg at night	Often 25–75 mg/day
168	Pregabalin	Capsule/oral solution	Neuropathic pain	25–75 mg once/twice daily	Up to 600 mg/day in selected indications
169	Gabapentin	Capsule/tablet	Neuropathic pain	300 mg once daily initially	Up to 3.6 g/day in selected adults
170	Propranolol	Tablet	Migraine / tremor / anxiety	10–40 mg depending on indication	Indication-specific
171	Zopiclone	Tablet	Short-term insomnia	3.75–7.5 mg at night	7.5 mg nightly maximum commonly
172	Melatonin MR	Modified-release tablet	Insomnia	2 mg 1–2 hours before bedtime	Product/indication-specific
173	Diazepam	Tablet	Anxiety / muscle spasm	2–5 mg 2–3 times daily depending on indication	Short-term, cautious use
174	Lorazepam	Tablet	Severe anxiety / short-term use	0.5–1 mg depending on indication	Short-term only
175	Carbamazepine	Tablet	Epilepsy / neuropathic pain	Indication-specific	Gradual titration
176	Sodium valproate	Tablet	Epilepsy / bipolar disorder	Individualised	Gradual titration
177	Lamotrigine	Tablet	Epilepsy / bipolar disorder	Very low initial dose	Slow titration

#	Medicine	Form	Common GP indication	Usual starting dose	Escalation / usual higher dose
178	Levetiracetam	Tablet	Epilepsy	500 mg twice daily commonly	Up to 1.5 g twice daily in selected adults
179	Topiramate	Tablet	Migraine prevention / epilepsy	25 mg at night initially	Gradual titration
180	Sumatriptan	Tablet/nasal/injection	Migraine	50 mg orally at onset commonly	May increase to 100 mg; formulation dependent
181	Rizatriptan	Tablet	Migraine	10 mg at onset	Repeat/daily maximum product-specific
182	Prochlorperazine	Tablet/buccal	Nausea / vertigo	5–10 mg depending on indication	Product-specific
183	Methotrexate	Tablet/injection	Inflammatory disease	Specialist initiated; low-dose weekly	Specialist titration
184	Sulfasalazine	Tablet	IBD / inflammatory arthritis	500 mg once/twice daily initially	Gradual escalation
185	Leflunomide	Tablet	Rheumatoid arthritis	10–20 mg once daily	Usually 20 mg once daily
186	Hydroxychloroquine	Tablet	Inflammatory arthritis	Weight-based	Specialist adjustment
187	Chloramphenicol	Eye drops/ointment	Bacterial conjunctivitis	Product-specific	Short course
188	Sodium chloride nasal spray	Nasal spray	Nasal congestion/dryness	As required	As required
189	Urea cream	Cream	Dry skin / hyperkeratosis	Apply 1–2 times daily	Increase frequency if needed
190	Calcipotriol/betamethasone	Ointment/gel	Psoriasis	Product-specific once daily	Product-specific maximum
191	Eumovate	Cream/ointment	Eczema / dermatitis	Apply once/twice daily	Short course then step down
192	Betnovate	Cream/ointment	Inflammatory skin disease	Apply once/twice daily	Short course/site dependent
193	Dermovate	Cream/ointment	Severe inflammatory skin disease	Apply once/twice daily	Short-term only
194	Fucidin	Cream/ointment	Bacterial skin infection	Apply 2–3 times daily	Short course
195	Adcal	Tablet	Calcium/vitamin D supplementation	Product-specific	Product-specific
196	Cholecalciferol 1,000 IU	Capsule/tablet	Vitamin D maintenance	1,000 IU once daily commonly	Up to 4,000 IU/day only when clinically appropriate
197	Omeprazole 10 mg	Capsule	Reflux/dyspepsia	10 mg once daily	Increase according to indication
198	Gaviscon Advance	Liquid	Reflux	After meals and bedtime	Adjust to symptoms
199	Movicol	Sachet	Constipation	1 sachet 1–3 times daily	Higher regimen for faecal loading
200	Senna syrup	Oral solution	Constipation	Product-specific	Adjust to response

Safety note: This is an educational GP prescribing reference, not a prescribing protocol. Several medicines require specialist initiation, laboratory monitoring, dose adjustment or additional safeguards. Antibiotics should follow local antimicrobial guidance. Controlled drugs, anticoagulants, insulin, antiepileptics and medicines with major pregnancy risks require particular care.

NHS GP — Expanded NHS England Additions

This addendum is designed to be appended to the existing 200-medicine GP reference. The additions are medicines relevant to NHS primary care and the wider NHS prescribing system. NHSBSA Prescription Cost Analysis covers prescriptions dispensed in the community in England; the latest published series is 2025/26. NHS England also advises clinicians to use current NICE/CKS, BNF/BNFC, MHRA alerts and local prescribing formularies when making prescribing decisions.

Medicine	Form	Common GP indication	Typical adult starting / usual dose	Typical higher / maintenance	NHS area
Atenolol	Tablet	Hypertension / angina / AF rate control	25–50 mg once daily	Usually 50–100 mg once daily	Cardiovascular
Nebivolol	Tablet	Hypertension / heart failure	5 mg once daily	Up to 10 mg once daily; HF titration differs	Cardiovascular
Lercanidipine	Tablet	Hypertension	10 mg once daily	20 mg once daily	Cardiovascular
Bumetanide	Tablet	Oedema / heart failure	0.5–1 mg once daily	Titrate to response	Cardiovascular
Nicorandil	Tablet	Angina	10 mg twice daily	20 mg twice daily	Cardiovascular
Ivabradine	Tablet	Heart failure / chronic stable angina	5 mg twice daily	Up to 7.5 mg twice daily, specialist/indication dependent	Cardiovascular
Digoxin	Tablet	AF / heart failure	Individualised	Dose and monitoring depend on indication, renal function and age	Cardiovascular / monitoring
Colesevelam	Tablet	Hypercholesterolaemia	Product-specific	Product-specific	Lipid management
Alogliptin	Tablet	Type 2 diabetes	25 mg once daily	Renal impairment requires dose adjustment	Diabetes
Glimepiride	Tablet	Type 2 diabetes	1 mg once daily	Titrate according to response; product-specific maximum	Diabetes
Linagliptin	Tablet	Type 2 diabetes	5 mg once daily	Usually 5 mg once daily	Diabetes
Insulin isophane (NPH)	Injection	Diabetes	Individualised	Titrate to glucose targets	Diabetes / specialist monitoring
Insulin degludec	Injection	Diabetes	Individualised	Titrate to glucose targets	Diabetes / specialist monitoring
Insulin lispro	Injection	Diabetes	Individualised	Meal-time dose titration	Diabetes / specialist monitoring
Insulin glulisine	Injection	Diabetes	Individualised	Meal-time dose titration	Diabetes / specialist monitoring
Aclidinium	Inhaler	COPD maintenance	400 micrograms twice daily	Usually 400 micrograms twice daily	Respiratory
Umeclidinium	Inhaler	COPD maintenance	62.5 micrograms once daily	Usually 62.5 micrograms once daily	Respiratory
Indacaterol	Inhaler	COPD maintenance	Product-specific	Product-specific	Respiratory
Olodaterol	Inhaler	COPD maintenance	5 micrograms once daily	Usually 5 micrograms once daily	Respiratory
Beclometasone/formoterol	Inhaler	Asthma / COPD in selected patients	Product-specific	Product-specific; inhaler strength dependent	Respiratory
Budesonide/formoterol	Inhaler	Asthma / COPD	Product-specific	Product-specific; MART regimen where appropriate	Respiratory
Ipratropium bromide	Nebules / inhaler	Bronchospasm / COPD	Product-specific	Product-specific	Respiratory

Medicine	Form	Common GP indication	Typical adult starting / usual dose	Typical higher / maintenance	NHS area
Salbutamol	Nebules	Acute bronchospasm	2.5–5 mg by nebuliser	Repeat according to clinical response and local protocol	Respiratory / urgent care
Sodium chloride 0.9%	Nebules	Nebulised therapy / secretion management	Product-specific	Product-specific	Respiratory
Famotidine	Tablet	Dyspepsia / reflux	20 mg once or twice daily	Up to 40 mg twice daily depending on indication	Gastrointestinal
Peppermint oil	Capsule	IBS / abdominal spasm	Product-specific	Product-specific	Gastrointestinal
Loperamide	Capsule / tablet	Acute or chronic diarrhoea	4 mg initially	2 mg after each loose stool; maximum depends on indication/product	Gastrointestinal
Docusate sodium	Capsule / oral solution	Constipation	100 mg twice daily	Up to 500 mg/day depending on formulation	Gastrointestinal
Glycerol suppositories	Suppository	Constipation	1 suppository when required	Product-specific	Gastrointestinal
Phosphate enema	Enema	Constipation / faecal loading	1 enema when required	Avoid repeated use without clinical review	Gastrointestinal / caution
Meloxicam	Tablet	Musculoskeletal pain / inflammation	7.5 mg once daily	Up to 15 mg once daily	Pain / NSAID
Piroxicam	Capsule / tablet	Musculoskeletal pain	Product-specific	Specialist/limited use; lowest effective dose	Pain / NSAID
Buprenorphine	Patch / formulation	Chronic pain	Product-specific	Titrate according to product and indication	Pain / controlled drug
Tapentadol	Tablet	Severe chronic pain	Product-specific	Specialist/controlled-drug prescribing	Pain / controlled drug
Morphine oral solution	Oral solution	Severe pain	Individualised	Titrate to response; controlled-drug prescribing	Pain / controlled drug
Paroxetine	Tablet	Depression / anxiety disorders	20 mg once daily	Up to 50 mg/day depending on indication	Mental health
Vortioxetine	Tablet	Depression	10 mg once daily	5–20 mg once daily	Mental health
Aripiprazole	Tablet	Psychiatric disorders	Specialist initiated	Dose depends on indication	Mental health / specialist
Quetiapine	Tablet / MR	Psychiatric disorders	Specialist initiated	Dose depends on indication	Mental health / specialist
Olanzapine	Tablet / orodispersible	Psychiatric disorders	Specialist initiated	Dose depends on indication	Mental health / specialist
Risperidone	Tablet / oral solution	Psychiatric disorders	Specialist initiated	Dose depends on indication	Mental health / specialist
Lithium	Tablet	Bipolar disorder	Specialist initiated	Individualised to serum level	Mental health / high monitoring
Methylphenidate	Tablet / MR	ADHD	Specialist initiated	Titrate according to response and formulation	ADHD / controlled drug
Lisdexamfetamine	Capsule	ADHD	Specialist initiated	Titrate according to response	ADHD / controlled drug
Sodium valproate	Tablet / liquid	Epilepsy / bipolar disorder	Specialist initiated	Indication-specific; major safety restrictions apply	Neurology / high-risk
Carbamazepine	Tablet / liquid	Epilepsy / trigeminal neuralgia	100–200 mg once or twice daily	Titrate according to indication and levels where required	Neurology / monitoring
Lamotrigine	Tablet / dispersible	Epilepsy / bipolar disorder	Low-dose titration required	Slow titration; indication-specific	Neurology / monitoring
Levetiracetam	Tablet / oral solution	Epilepsy	500 mg twice daily	Up to 1.5 g twice daily depending on indication	Neurology
Topiramate	Tablet / sprinkle capsule	Epilepsy / migraine prevention	Low-dose titration	Indication-specific maximum	Neurology
Amitriptyline	Tablet / liquid	Neuropathic pain / migraine prevention	10 mg at night	Titrate gradually; pain doses usually lower than antidepressant doses	Neurology / pain
Gabapentin	Capsule / tablet	Neuropathic pain / epilepsy	300 mg once daily initially	Titrate gradually; renal adjustment required	Neurology / monitoring

Medicine	Form	Common GP indication	Typical adult starting / usual dose	Typical higher / maintenance	NHS area
Pregabalin	Capsule / oral solution	Neuropathic pain / epilepsy	75 mg twice daily	Up to 300 mg twice daily depending on indication; renal adjustment	Neurology / controlled drug
Alfuzosin	Modified-release tablet	BPH	10 mg once daily	Usually 10 mg once daily	Urology
Solifenacin	Tablet	Overactive bladder	5 mg once daily	10 mg once daily if tolerated	Urology
Tolterodine	Modified-release capsule / tablet	Overactive bladder	2 mg/day MR commonly	Dose depends on formulation and tolerability	Urology
Mirabegron	Modified-release tablet	Overactive bladder	50 mg once daily	25 mg once daily in selected patients	Urology
Vibegron	Tablet	Overactive bladder	75 mg once daily	Usually 75 mg once daily	Urology
Desogestrel	Tablet	Progestogen-only contraception	1 tablet once daily	One tablet daily	Women's health
Tranexamic acid	Tablet	Heavy menstrual bleeding	1 g three times daily	Up to 4 g/day depending on indication	Women's health
Estradiol	Patch / gel	Menopausal hormone therapy	Product-specific	Titrate to symptom control	Women's health
Tacrolimus	Ointment	Atopic dermatitis	Apply thinly once or twice daily depending on strength	Use according to severity and specialist/BNF guidance	Dermatology
Pimecrolimus	Cream	Atopic dermatitis	Apply twice daily	Use according to clinical response	Dermatology
Epaderm	Cream / ointment	Emollient therapy	Apply as required	Use liberally and regularly	Dermatology
Doublebase	Gel	Emollient therapy	Apply as required	Use liberally and regularly	Dermatology

Important: doses shown are general adult reference examples, not patient-specific prescribing instructions. They must be checked against the current BNF, NICE/CKS, relevant SPC/product information, renal/hepatic function, interactions, age, pregnancy status, monitoring requirements and the applicable local NHS formulary. Some medicines above are normally specialist initiated or require enhanced monitoring.

NHS sources: NHS Business Services Authority (Prescription Cost Analysis – England); NHS England Medication Safety Management; NICE guidance/Clinical Knowledge Summaries; BNF/BNFC; MHRA safety alerts; local ICB/ICS formularies.