

Information
Theoretic
and
Metaformal
System
Parameters

Based on 49 sources

Term or Concept	Mathematical Definition	Functional Role	Theoretical Source	Sources
Entropy	$H = - \sum p_i \log p_i$	Measures uncertainty, information content, or choice in state distributions and discrete sources.	Classical Information Theory	[1-3]
Channel Capacity	$C = \lim_{T \rightarrow \infty} \frac{\log N(T)}{T}$ or $C = B \log_2(1 + \frac{S}{N})$	Defines the maximum rate at which information can be reliably transmitted over a communication medium.	Classical Information Theory	[1-3]
7-Operator Kernel	$\{\Xi, \Delta, \neg, \odot, \Psi, \Omega, \Phi\}$	Core operational set (Distinction, Recursion, etc.) providing the logic engine for the Socratic Engine to resolve cohomological gaps and achieve ontic closure.	Metaformal Systemic Theories / Operator Field Theory of Meaning	[1, 46]
HALIRA Semantic Field Equation	$\frac{ds}{dt} = \Omega(\Psi(\odot(\Phi(\neg(\Xi(\Delta(s)))))))$	Governs the evolution of the semantic field toward stable semantic attractors (theories) and defines ontic boundaries	Metaformal Systemic Theories / OFTM	[1, 46]