

StudioData Table

Based on 49 sources

Preposition/Chain Identifier	Combinatorial Structure	Linguistic Order (Order of Approximation)	Higher-Order Transition Probabilities	Topological Mapping
Markoff Process Chain	Stochastic N-gram sequence	Higher-order approximation	Defined by transition probabilities where the next state depends only on current state(s)	Torsion associated (Inference description)
Matching Family $(x_i)_{i \in I}$	Pairwise consistent sections in a presheaf $F(U_i)$	Local data matching on overlaps $U_i \cap U_j$	$F(v_{ij})(x_i) = F(h_{ij})(x_j)$ for pullbacks in the site	Topological Mapping square in open sets
N-gram/Sieve (S)	Subfunctor of representable hom-functor Y_c	Closed under precomposition ($f \in S$ implies $f \circ g \in S$)	$P(g)(xf) = xf \circ g$ for transitions in the sieve	Topological covering Grothendieck $J(c)$.
Markoff Process/Trajectory (γ)	Path or curve $\gamma: \mathbb{R} \rightarrow M$	Local coordinates via chart transitions $\psi_{ij} = \varphi_j \circ \varphi_i^{-1}$	Transition map preserves smoothness (C^k -compatibility)	Coordinate $\mathbb{R}^n$ and topological
Greenberg's universal number 2 (Prepositions/Postpositions)	Genitive follows governing noun in prepositional languages; precedes in	Head-first (like English) or head-last (like Japanese).	Statistical selection based on ease of ambiguity	Topological (implied regularity word order)



