

Math rendering -- skeleton-traced (iteration 2)

D1: no jitter, thicker stroke

$$x^2 + y^2 = r^2$$

$$\alpha + \beta = \gamma$$

$$\frac{a+b}{c}$$

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

$$\sqrt{2} \approx 1.414$$

$$\iint_D f(x,y) dx dy$$

$$\frac{\partial f}{\partial x} + \frac{\partial f}{\partial y}$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

Math rendering -- skeleton-traced (iteration 2)

D2: subtle smooth wave (amp=0.35pt,wavelength=36pt)

$$x^2 + y^2 = r^2$$

$$\alpha + \beta = \gamma$$

$$\frac{a+b}{c}$$

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

$$\sqrt{2} \approx 1.414$$

$$\iint_D f(x,y) dx dy$$

$$\frac{\partial f}{\partial x} + \frac{\partial f}{\partial y}$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

Math rendering -- skeleton-traced (iteration 2)

D3: medium smooth wave (amp=0.6pt, wavelength=28pt)

$$x^2 + y^2 = r^2$$

$$\alpha + \beta = \gamma$$

$$\frac{a+b}{c}$$

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

$$\sqrt{2} \approx 1.414$$

$$\iint_D f(x,y) dx dy$$

$$\frac{\partial f}{\partial x} + \frac{\partial f}{\partial y}$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

Reference: real RNN handwriting (for scale/style comparison)

$x^2 + y^2 = r^2$

$\frac{\partial f}{\partial x} + \frac{\partial f}{\partial y}$