

# AUTONOMOUS DRIVING ROBOT

make any vehicle, autonomous

RaghuNath (RaNa)

# PROBLEM

- \* Autonomous vehicle development results in **expensive** product
- \* Commonly implemented on **vehicles** with high **customizations**
- \* Trivial vehicle issues cause the **asset** stay **idle**; **loss** of **revenue**
- \* Autonomy is possible only on a designated vehicle; **no flexibility**

# SOLUTION

- \* An autonomous **driving robot** in the driver seat operates the controls
- \* **Separate** from the vehicle; Can be **moved** to other vehicles
- \* Has **contingency modes** to address the technology limitations

# MISSION

We turn **any** standard **vehicle** into a **driver-less** vehicle,  
as autonomous as other expensive commercial solutions

We help to **increase** the **asset utilization**, by quickly  
shifting our product to any other standard vehicle

# WHY NOW?

- \* **Social distancing** has become the new normal
- \* Autonomous vehicles help reduce physical contact
- \* World **economy** is **down**: COVID-19
- \* Expensive assets go out of commission for unrelated problems
- \* Business world needs solutions to quickly **redeploy assets**
  - \* Zoomcar vehicle attachments from owners
  - \* Paid vehicle pooling and ride sharing with QuickRide
  - \* AirBnB postings and homestay portals

# MARKET SIZE

- \* Indian passenger vehicle market grew at a CAGR of **6.2%** (2013-19)
- \* Approximate addition of **3.3 million vehicles a year** in India
- \* Around **36 million** standard **vehicles** would be available for retrofitting to autonomous mode in India
  - \* Assuming an average car usage of 11 years
- \* A 2% conversion rate with a US\$11,000 kit creates a market size of about **US\$ 8 billion** in India
  - \* User base includes businesses looking for better utilization of vehicles and individual owners choosing not to drive


# PRODUCT

We will work on an **autonomous robot** placed in the vehicle, that **drives vehicles** using the human operable controls in the vehicle.

The driving robot's actuators will be specially designed to adapt to **any vehicle** of similar weight category. It can be **removed** from the vehicle and **quickly assembled** in a new vehicle.

Customized deep learning models, computational resources, and advanced control systems, backed by remote assistance system will enable the driver-less travel.


# BUSINESS MODEL



\*Break-even: 33,500 subscribers for 10 years



# SWOT ANALYSIS



# PROPOSED TEAM

- \* Selected few AEG Lead Engineers as core members

- \* I am an **IITM** B.Tech+M.Tech graduate with **14+** years, **4** granted **patents**, and international conference **presentations** in variety of engineering fields
  - \* ABS, BMS, Haptic systems, Electric motors, Optimization and Embedded Systems
- \* Completed projects related to **self-driving vehicle** technology
  - \* machine vision
  - \* deep learning for object classification
  - \* deep learning for behavioral cloning

- \* Several long-term and short-term **remote contract** employees



# WHY FUND THIS?

- \* Multi-billion dollar revenue opportunity with **high profit margins**
- \* **Long-term** business opportunity focused towards **future needs**
- \* **International** market opportunities; everyone has **equal chance**
- \* Requires **high** engineering **effort** and **time** for execution
- \* **Early** starters have clear **advantage**

# THANK YOU

RaghuNath (RaNa), AEG/TVSM  
ra@ieee.org  
raghunath@tvsmotor.com  
+91-74110-72448

