NFRC Product Certification Authorization Report

Manufacturer: VELUX
Street: P.O. Box 5001
City/State/Zip: Greenwood, SC 29648-5001
Print Date: 11/10/2022

Product Series: TCC / TCR / TGC / TGR / THR / TMC / TMR
Product Type: TDDY
Air Leakage:

Simulation Lab: SATI
Sim. Report #: I1927.09
Sim. Report Date: 02/22/2018
Test Date: 01/01/1970

Initial Cert. Date: 05/06/2014
Re-Certification Date: 03/08/2018
Revised Date: 04/12/2019
Expiration Date: 02/26/2023

CPD Number: VEL-N-26 — **IA: Window and Door Manufacturers Association (WDMA)**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.
	00003-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: TOC 022 000* (*denotes 0 or 2 or 3) + ZTC 022 0401US	OT/N	5		23.75,0.280,23.50	N	Fill 1: Air(100) , Fill 2: Air(100) , Fill 3: Air(100)	N		CL	0.40	0.27	0.42	
	00004-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: TOC 022 000* (*denotes 0 or 2 or 3)	OT/N	3		54.75	N	Fill 1: Air(100)	N		CL	1.52	0.33	0.55	
	00005-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: TTC 022 000* (*denotes 0 or 2 or 3) + ZTC 022 0401US	OT/N	5		23.75,0.280,23.50	N	Fill 1: Air(100) , Fill 2: Air(100) , Fill 3: Air(100)	N		CL	0.40	0.26	0.41	
	00006-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: TTC 022 000* (*denotes 0 or 2 or 3)	OT/N	3		54.75	N	Fill 1: Air(100)	N		CL	1.46	0.33	0.53	
	00007-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: THC 022 000* (*denotes 0 or 2 or 3) + ZTC 022 0041US	OT/N	6		0.000,52.88,0.250,0.190,0.250	N	Fill 1: Air(100) , Fill 2: Air(100) , Fill 3: Air(100) , Fill 4: Air(100) ,	N		CL	0.30	0.25	0.37	
	00008-00001	[TCC 022 or TGC 022] + [3000 or 5000] With Diffuser: THC 022 000* (*denotes 0 or 2 or 3)	OT/N	4		0.000,53.50,0.250	N	Fill 1: Air(100) , Fill 2: Air(100) , Fill 3: Air(100)	N		CL	0.44	0.28	0.43	