NFRC Product Certification Authorization Report

Manufacturer: VELUX
Street: P.O. Box 5001
City/State/Zip: Greenwood, SC 29648-5001
Print Date: 12/21/2025

Product Series: TCC / TCR / TGC / TGR / THR / TMR
Product Type: TDDY
Air Leakage:

Simulation Lab: SATI
Sim. Report #: P4080.01 - P4080.26
Sim. Report Date: 05/17/2023
Test Date:

Initial Cert. Date: 05/06/2014
Re-Certification Date: 01/19/2024
Revised Date: 05/17/2023
Expiration Date: 05/17/2028

CPD Number: VEL-N-26 — **IA: Window and Door Manufacturers Association (WDMA)**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00022-00001	A. [TGR or TMR or THR] + [010 or 014] + [0000 or 1000] B. TCR 014 + [0000 or 1000] C. [TCC 014 or TGC 014] + [0000 or 1000] With Diffuser: THC 014 VELUX? Sun Tunnels w/Rigid Tube	AN/NA	3		43.50,0.750	N	Fill 1: AIR(100) , Fill 2: AIR(100)	N		CL	0.50	0.51	0.45	
	00023-00001	A. [TGR or TMR or THR] + [010 or 014] + [0000E0 or 1000E0] B. TCR 014 + [0000USE0 or 1000USE0] C. [TCC 014 or TGC 014] + [0000 or 1000] With Diffuser: THC 014 + Energy Kit VELUX? Sun Tunnels w/Rigid Tube	AN/NA	5		5.750,37.75,0.380,0.380	N	Fill 1: AIR(100) , Fill 2: AIR(100) , Fill 3: AIR (100) , Fill 4: AIR(100)	N		CL	0.38	0.28	0.28	
	00024-00001	A. [TGR or TMR or THR] + [010 or 014] + [0000E1 or 1000E1] B. TCR 014 + [0000USE1 or 1000USE1] C. [TCC 014 or TGC 014] + [0000 or 1000] With Diffuser: THC 014 + Energy Kit VELUX? Sun Tunnels w/Rigid Tube (for Canada)	AN/NA	5		5.750,37.75,0.380,0.380	N	Fill 1: AIR(100) , Fill 2: AIR(100) , Fill 3: AIR (100) , Fill 4: AIR(100)	N		CL	0.38	0.37	0.31	