Part 304707 for TGC 014

VELUX®

www.veluxusa.com
www.velux.ca
1-800-88-VELUX

- **REMOVE ONLY AFTER FINAL INSPECTION**
- **RETAIN FOR YOUR RECORDS**

Florida & Texas Dept. of Insurance Product Approval FL6393

IAPMO ES ™
IAPMO ER #199

WINDOW & DOOR MANUFACTURERS ASSOCIATION
WDMA
Hallmark Certified
www.wdma.com

TGC 14" VELUX® Sun Tunnels

Licensee: 426-H-705

Manufacturer Stipulates Conformance as indicated below

CONFORMS TO	RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	TDDCC / TDDOC-PG160 Size Tested: 356 mm dia. Positive (Download) DP = 14,364 Pa (300 psf)
AAMA/WDMA/CSA 101/I.S.2/A440-11	TDDCC / TDDOC-PG160 Size Tested: 356 mm dia. Positive (Download) DP = 14,364 Pa (300 psf)
CSA A440S1-19	DP: +14,364 / -7661 Pa (+300 / -160 psf) Water Test Pressure = 720 Pa (15 psf) Canadian Air Infiltration/Exfiltration = Fixed
The below only applies to flashing product codes ending with 1000.	
ASTM E-1996-20 / ASTM E-1886-19	Cycle Pressure +50/-50 Wind Zone 3 Missile Level C