Primary KeyとForeign Keyの宣言

ソースコード

```
create table department(
departmentID int not null primary key, departmentName varchar(255)
)engine=InnoDB;
create table station(stationID int not null primary key, stationName varchar(255)
)engine=InnoDB;
create table user(
userID int, name varchar(255), tell varchar(255), age int, birthday date, departmentID
int, stationID int,
foreign key(departmentID) references department(departmentID),
foreign kev(stationID) references
station(stationID)
)engine=InnoDB:
insert into department(departmentID,departmentName) VALUES (1,'開発部');
insert into department(departmentID,departmentName) VALUES (2,'営業部');
insert into department(departmentID,departmentName) VALUES (3,'総務部');
```

```
insert into station(stationID, stationName) VALUES (1,'九段下');
insert into station(stationID, stationName) VALUES (2,'永田町');
insert into station(stationID.stationName) VALUES (3.'渋谷'):
insert into station(stationID, stationName) VALUES (4, '神保町');
insert into station(stationID, stationName) VALUES (5,'上浅草');
insert into user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES (1,'田中 実','012-345-6789',30,'1994-02-01',3,1);
insert into user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES
(2,'鈴木茂','090-1122-3344',37,'1987-08-12',3,4);
insert into user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES
(3.'鈴木 実','080-5566-7788',24,'2000-12-24',2,5);
insert into user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES
(4,'佐藤清','012-0987-6543',19,'2005-08-01',1,5);
insert into user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES
(5,'高橋 清','090-9900-1234',24,'2000-12-24',3,5);
```

Primary KeyとForeign Keyの宣言 実行結果

```
ariaDB [Challenge db]> SELECT * from user;
                                            birthday
                                                          departmentID
                                                                         stationID
 userID | name
                                       30
37
24
rows in set (0.00 sec)
WariaDB [Challenge_db]> SELECT * from department;
 departmentID |
                departmentName
rows in set (0.00 sec)
MariaDB [Challenge_db]> SELECT * from station;
stationID | stationName
rows in set (0.00 sec)
```