テーブルの作成とinsert

MariaDB [Challenge_db] > CREATE TABLE profiles (profilesID int, name varchar(255), tell varchar(255), age int, birthday date);

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tell,age,birthday) VALUES (1,'田中 実','012-345-6789',30,'1994-02-01');

MariaDB [Challenge_db] > INSERT INTO profiles(profilesID,name,tell,age,birthday) VALUES (2, '田中茂', '090-1122-3344', 37, '1987-08-12'); MariaDB [Challenge_db] > INSERT INTO profiles(profilesID,name,tell,age,birthday) VALUES (3, '鈴木実', '080-5566-7788', 24, '2000-12-24');

MariaDB [Challenge_db] > INSERT INTO profiles(profilesID,name,tell,age,birthday) VALUES (4, '佐藤 清', '012-0987-6543', 19, '2005-08-01');

MariaDB [Challenge_db] > INSERT INTO profiles(profilesID,name,tell,age,birthday) VALUES (5, '高橋 清', '090-9900-1234', 24, '2000-12-24');

検索と表示

MariaDB [Challenge_db] > SELECT * from profiles where profilesID = 3;

MariaDB [Challenge_db] > SELECT * from profiles where name = '高橋 清';

MariaDB [Challenge_db] > SELECT * from profiles where age = 24;

MariaDB [Challenge_db] > SELECT * from profiles where age >= 25;

MariaDB [Challenge_db]> SELECT * from profiles WHERE name LIKE '%実%';

特定レコードの更新

MariaDB [Challenge_db]> UPDATE profiles SET name = '吉田 茂' where profilesID = 2;

MariaDB [Challenge_db] > SELECT * from profiles where profilesID = 2;

特定レコードの削除

MariaDB [Challenge_db] > DELETE FROM profiles WHERE birthday = '2000-12-24';

MariaDB [Challenge_db]> SELECT
* from profiles;

MariaDB [Challenge_db]> SELECT * from profiles;								
profilesID	name	tell	age	birthday				
1 2 4	田中 実 吉田 茂 佐藤 清	012-345-6789 090-1122-3344 012-0987-6543	30 37 19	1994-02-01 1987-08-12 2005-08-01				
3 rows in set	(0.00 sec)			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				

Primary KeyとForeign Keyの宣言
