AI STUDY & ASSIGNMENT BLOGGING WEBSITE

GitHub Pages Starter Code

This PDF contains a simple static website you can upload to GitHub and publish with GitHub Pages. It includes a home page, blog cards, search, and a study helper demo. The demo gives sample prompts; it does not call a real AI model until you connect a secure backend/API.

Files to create in your GitHub repository: index.html, style.css, script.js, README.md

1. index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Study notes, educational blogs, and assignment planning.">
  <title>StudySpark | AI Study & Assignment Blog</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header class="site-header">
    <a class="logo" href="#">Study<span>Spark</span></a>
    <nav>
      <a href="#home">Home</a>
      <a href="#blogs">Study Blogs</a>
      <a href="#helper">Study Helper</a>
      <a href="#about">About</a>
    </nav>
  </header>

  <main>
    <section class="hero" id="home">
      <div class="hero-content">
        <p class="eyebrow">LEARN • PRACTISE • GROW</p>
        <h1>Study smarter.<br><span>Build your future.</span></h1>
        <p class="hero-text">Study notes, clear explanations, and assignment planning — all in one place.</p>
        <a class="button" href="#blogs">Explore study blogs</a>
      </div>
      <div class="hero-card">
        <div class="spark">✦</div>
        <p class="card-label">YOUR STUDY SPACE</p>
        <h2>One topic at a time.</h2>
        <p>Read. Understand. Practise. Repeat.</p>
        <div class="mini-tags"><span>Study notes</span><span>Blog posts</span><span>Assignments</span></div>
      </div>
    </section>

    <section class="section" id="blogs">
      <div class="section-heading">
        <div><p class="eyebrow">THE LEARNING HUB</p><h2>Latest study blogs</h2></div>
        <input id="searchInput" type="search" placeholder="Search topics..." aria-label="Search blogs">
      </div>
      <div class="blog-grid" id="blogGrid">
        <article class="blog-card" data-search="python programming coding basics">
          <div class="blog-icon purple">Py</div><p class="category">PROGRAMMING</p>
          <h3>Python Basics for Beginners</h3>
          <p>Learn variables, data types, conditions, and loops with simple examples.</p>
          <button class="text-button read-btn" data-title="Python Basics for Beginners" data-content="Start with variables and c
        </article>
        <article class="blog-card" data-search="artificial intelligence machine learning ai">
          <div class="blog-icon blue">AI</div><p class="category">TECHNOLOGY</p>
          <h3>Introduction to Artificial Intelligence</h3>
          <p>Understand what AI is and how it is used in everyday applications.</p>
          <button class="text-button read-btn" data-title="Introduction to Artificial Intelligence" data-content="Artificial Int
        </article>
        <article class="blog-card" data-search="assignment planning writing study tips">
          <div class="blog-icon orange">✎</div><p class="category">STUDY SKILLS</p>
          <h3>How to Plan an Assignment</h3>
          <p>Turn a large assignment into smaller, manageable steps.</p>
          <button class="text-button read-btn" data-title="How to Plan an Assignment" data-content="Read the question carefully,
        </article>
      </div>
      <p id="noResults" class="no-results" hidden>No matching blogs found. Try another keyword.</p>
    </section>

    <section class="helper-section" id="helper">
      <div>
        <p class="eyebrow">STUDY SUPPORT</p>
        <h2>Need help getting started?</h2>
        <p>Enter a topic and choose what you need. This starter version creates a study plan locally; connect a secure backend t
      </div>
      <form id="helperForm" class="helper-form">
        <label for="topicInput">Your study topic</label>
        <input id="topicInput" required maxlength="180" placeholder="e.g. Database normalization">
        <label for="helpType">What do you need?</label>
        <select id="helpType">
          <option value="outline">Assignment outline</option>
          <option value="revision">Revision checklist</option>
          <option value="questions">Practice questions</option>
        </select>
        <button class="button" type="submit">Create study plan</button>
        <div id="helperResult" class="result" aria-live="polite"></div>
      </form>
    </section>
```

```
    <section class="section about" id="about">
      <p class="eyebrow">ABOUT STUDYSPARK</p>
      <h2>A friendly space for learning</h2>
      <p>StudySpark is a student-focused educational blog concept. Use its resources to understand ideas, practise skills, and p
    </section>
  </main>

  <footer><a class="logo" href="#">Study<span>Spark</span></a><p>Learn with curiosity. Create with confidence.</p><small>© <span
  <div id="modal" class="modal" hidden role="dialog" aria-modal="true" aria-labelledby="modalTitle">
    <div class="modal-panel"><button id="closeModal" class="close-button" aria-label="Close">×</button><p class="eyebrow">BLOG S
  </div>
  <script src="script.js"></script>
</body>
</html>
```

2. style.css

```
@import url('https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;500;600;700&family=Manrope:wght@400;500;600;700;800&displ

:root {
  --ink: #182238;
  --muted: #657087;
  --primary: #635bff;
  --line: #e7e9f2;
  --surface: #ffffff;
  --soft: #f6f7ff;
}
* { box-sizing: border-box; }
html { scroll-behavior: smooth; }
body { margin: 0; font-family: 'DM Sans', sans-serif; color: var(--ink); background: var(--surface); }
a { color: inherit; text-decoration: none; }
.site-header { display:flex; align-items:center; justify-content:space-between; padding:22px 7%; border-bottom:1px solid var(--
.logo { font:800 1.45rem 'Manrope', sans-serif; letter-spacing:-.06em; }
.logo span, .hero h1 span { color:var(--primary); }
nav { display:flex; gap:25px; color:var(--muted); font-size:.92rem; }
nav a:hover { color:var(--primary); }
.hero { padding:80px 7%; display:grid; grid-template-columns:1.15fr .85fr; gap:55px; align-items:center; background:linear-gradi
.eyebrow { color:var(--primary); font-size:.73rem; font-weight:700; letter-spacing:.14em; }
.hero h1 { font:800 clamp(2.6rem,5vw,4.4rem)/1.08 'Manrope',sans-serif; letter-spacing:-.055em; margin:18px 0; }
.hero-text { color:var(--muted); line-height:1.8; max-width:490px; margin-bottom:28px; }
.button { display:inline-block; border:0; background:var(--primary); color:white; padding:13px 20px; border-radius:10px; font-we
.button:hover { background:#4d45ed; }
.hero-card { background:#fff; border:1px solid #ececff; border-radius:22px; padding:32px; box-shadow:0 20px 60px #3430a414; }
.spark { font-size:2.5rem; color:var(--primary); }
.card-label,.category { color:var(--muted); font-size:.7rem; font-weight:700; letter-spacing:.12em; }
.hero-card h2 { font:800 1.7rem 'Manrope',sans-serif; }
.hero-card p { color:var(--muted); line-height:1.7; }
.mini-tags { display:flex; flex-wrap:wrap; gap:8px; margin-top:22px; }
.mini-tags span { background:var(--soft); color:#514bd1; padding:7px 10px; border-radius:30px; font-size:.78rem; }
.section { padding:75px 7%; }
.section-heading { display:flex; align-items:end; justify-content:space-between; gap:20px; margin-bottom:28px; }
h2 { font:800 clamp(1.8rem,3vw,2.5rem)/1.2 'Manrope',sans-serif; letter-spacing:-.04em; margin:8px 0 0; }
#searchInput,.helper-form input,.helper-form select { width:100%; border:1px solid #dfe2ee; background:white; border-radius:9px;
#searchInput { max-width:270px; }
.blog-grid { display:grid; grid-template-columns:repeat(3,1fr); gap:20px; }
.blog-card { border:1px solid var(--line); border-radius:16px; padding:24px; transition:transform .2s,box-shadow .2s; }
.blog-card:hover { transform:translateY(-4px); box-shadow:0 15px 35px #1e27520c; }
.blog-icon { width:48px; height:48px; border-radius:13px; display:grid; place-items:center; font-weight:800; font-size:1.1rem; }
.purple { color:#6654dd; background:#efebff; }.blue { color:#2176bd; background:#e7f4ff; }.orange { color:#bc6a16; background:#f
.blog-card h3 { font:700 1.15rem 'Manrope',sans-serif; }
.blog-card p:not(.category) { color:var(--muted); line-height:1.7; font-size:.92rem; }
.text-button { border:0; background:none; padding:8px 0; color:var(--primary); font:700 .9rem 'DM Sans',sans-serif; cursor:point
.no-results { color:var(--muted); }
.helper-section { background:#1d2540; color:white; padding:65px 7%; display:grid; grid-template-columns:1fr 1fr; gap:55px; align
.helper-section h2 { margin-bottom:18px; }.helper-section p:not(.eyebrow) { color:#c5cadd; line-height:1.8; }
.helper-form { background:white; color:var(--ink); border-radius:16px; padding:25px; display:grid; gap:10px; }
.helper-form label { font-size:.86rem; font-weight:700; margin-top:5px; }
.result { background:var(--soft); border-radius:10px; padding:14px; line-height:1.7; color:var(--ink); white-space:pre-line; }
.result:empty { display:none; }
.about { max-width:900px; }.about p:not(.eyebrow) { color:var(--muted); line-height:1.8; max-width:720px; }
footer { text-align:center; padding:38px 7%; border-top:1px solid var(--line); color:var(--muted); }
footer p { margin:10px 0; } footer small { font-size:.78rem; }
.modal { position:fixed; inset:0; z-index:10; background:#10162ac7; display:grid; place-items:center; padding:20px; }
.modal[hidden] { display:none; }.modal-panel { position:relative; max-width:520px; width:100%; background:white; padding:32px; b
.modal-panel p:last-child { color:var(--muted); }.close-button { position:absolute; right:15px; top:10px; font-size:1.8rem; bord
@media (max-width:800px) {
  .site-header { align-items:flex-start; gap:18px; flex-direction:column; }
  nav { flex-wrap:wrap; gap:15px; }
  .hero,.helper-section { grid-template-columns:1fr; gap:30px; padding-top:55px; padding-bottom:55px; }
  .blog-grid { grid-template-columns:1fr; }
  .section-heading { align-items:stretch; flex-direction:column; }
  #searchInput { max-width:none; }
}
@media (prefers-reduced-motion:reduce) { html{scroll-behavior:auto} *{transition:none!important} }
```

3. script.js

```
const searchInput = document.querySelector("#searchInput");
const blogCards = [...document.querySelectorAll(".blog-card")];
const noResults = document.querySelector("#noResults");

searchInput.addEventListener("input", () => {
  const query = searchInput.value.trim().toLowerCase();
  let visible = 0;
  blogCards.forEach(card => {
    const matches = (card.dataset.search + " " + card.innerText).toLowerCase().includes(query);
    card.hidden = !matches;
    if (matches) visible++;
  });
  noResults.hidden = visible !== 0;
});

const modal = document.querySelector("#modal");
const modalTitle = document.querySelector("#modalTitle");
const modalContent = document.querySelector("#modalContent");
document.querySelectorAll(".read-btn").forEach(button => {
  button.addEventListener("click", () => {
    modalTitle.textContent = button.dataset.title;
    modalContent.textContent = button.dataset.content;
    modal.hidden = false;
    document.querySelector("#closeModal").focus();
  });
});
document.querySelector("#closeModal").addEventListener("click", () => {
  modal.hidden = true;
});
modal.addEventListener("click", event => {
  if (event.target === modal) modal.hidden = true;
});
document.addEventListener("keydown", event => {
  if (event.key === "Escape") modal.hidden = true;
});

document.querySelector("#helperForm").addEventListener("submit", event => {
  event.preventDefault();
  const topic = document.querySelector("#topicInput").value.trim();
  const type = document.querySelector("#helpType").value;
  const result = document.querySelector("#helperResult");
  if (!topic) return;

  const plans = {
    outline: `Assignment outline: ${topic}\n1. Introduction and definition\n2. Key concepts and background\n3. Main explanation
    revision: `Revision checklist: ${topic}\n■ Write a one-sentence definition\n■ List 5 key terms\n■ Explain the main idea wit
    questions: `Practice questions for: ${topic}\n1. What is ${topic} and why is it important?\n2. Explain its main concepts in
  };
  result.textContent = plans[type];
});

document.querySelector("#year").textContent = new Date().getFullYear();
```

4. README.md

```
# StudySpark — AI Study & Assignment Blogging Website

A responsive static website concept for educational blogs, study resources, and assignment planning.

## Features
- Responsive home page and navigation
- Educational blog cards with summary pop-ups
- Search/filter for blog topics
- Study-plan helper for assignment outlines, revision checklists, and practice questions
- No build tools required

## Files
- `index.html` — website structure
- `style.css` — layout and styling
- `script.js` — search and interactive features

## Run locally
Open `index.html` in a web browser.

## Publish with GitHub Pages
1. Sign in to GitHub and create a new **public** repository, for example `study-spark`.
2. Upload `index.html`, `style.css`, `script.js`, and `README.md` to the repository's root folder.
3. Open **Settings → Pages**.
4. Under **Build and deployment**, choose **Deploy from a branch**.
5. Select branch **main** and folder **/(root)**, then save.
6. Wait for GitHub Pages to publish. The repository's Pages section will show your website URL.

## Important note about AI
```

```
The study helper in this starter project is a local demo that creates templates in the browser. It does not connect to a real AI

## Customize
Replace the sample blog posts with your own notes, change the site name/colors, and add links to your course resources.
```