

SECURITY ASSESSMENT REPORT

Target: sbi.bank.in
Date: November 28, 2025
Scan ID: 53

Prepared by Sarral Scan

1. Executive Summary

Sarral Scan performed a comprehensive security assessment of **sbi.bank.in** on 2025-11-28. The objective was to identify potential security vulnerabilities and provide recommendations for remediation.

Findings Summary

| Severity | Count |
|----------|-------|
| Critical | 0 |
| High | 3 |
| Medium | 13 |
| Low | 6 |
| Info | 1 |

2. Detailed Findings

1. Exposure of Internal HR System (hrms.sbi.bank.in, hrms-next.sbi.bank.in, hrms-api.sbi.bank.in, hrms-mservice.sbi.bank.in)

Severity: HIGH

Tool: Subfinder

Description:

The presence of multiple HR-related subdomains indicates a potential exposure of sensitive employee data. If these systems are not properly secured, attackers could gain access to confidential information.

Remediation:

Implement strong authentication and authorization controls on all HR systems. Regularly audit access logs and conduct penetration testing to identify vulnerabilities. Ensure data encryption both in transit and at rest.

2. Data Warehouse Exposure (dwhmartr.sbi.bank.in)

Severity: HIGH

Tool: Subfinder

Description:

Subdomains like 'damdxprod.dwhmartr.sbi.bank.in', 'mardiscpr.dwhmartr.sbi.bank.in', 'mardiscpp.dwhmartr.sbi.bank.in', and 'damdxpp.dwhmartr.sbi.bank.in' point to a data warehouse. If exposed, this could lead to a massive data breach.

Remediation:

Ensure the data warehouse is not directly accessible from the internet. Implement strict access controls and encryption. Regularly monitor for suspicious activity.

3. Exposed Development/Testing Subdomains

Severity: HIGH

Tool: Assetfinder

Description:

Subdomains like 'dsrsbiacs.sbi.bank.in' (the 'dsr' prefix often indicates development or staging environments) may contain sensitive data or vulnerable code that is not intended for public access. If these environments are not properly secured, they could be exploited by attackers to gain access to production systems.

Remediation:

Strictly control access to development and testing environments. Ensure that these environments are isolated from production systems. Regularly review and remove any unnecessary or outdated development/testing subdomains. Implement strong authentication and authorization mechanisms for all development/testing environments.

4. Lack of DNSSEC

Severity: MEDIUM

Tool: NSLookup

Description:

The DNS response is non-authoritative, and there's no indication of DNSSEC being used. This makes the domain vulnerable to DNS spoofing and cache poisoning attacks, where attackers can redirect users to malicious websites by manipulating DNS records.

Remediation:

Implement DNSSEC on the sbi.bank.in domain. This involves generating cryptographic keys, signing DNS records, and publishing the public key in the parent zone. Regularly monitor DNSSEC configuration and key rotation.

5. Exposed API Gateway (yono-apigw.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

The subdomain 'yono-apigw.sbi.bank.in' suggests an API gateway. If not properly secured, it could expose internal APIs and sensitive data.

Remediation:

Implement strict authentication and authorization controls on the API gateway. Regularly audit API endpoints for vulnerabilities.

6. Development/Testing Environment Exposure (uat.crh.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

The 'uat.crh.sbi.bank.in' subdomain indicates a User Acceptance Testing environment. If not properly isolated and secured, it could expose sensitive data or provide an entry point for attackers.

Remediation:

Ensure the UAT environment is isolated from the production environment. Implement strong access controls and regularly audit the environment for vulnerabilities. Remove any test data that resembles real customer data.

7. Potential Misconfiguration of Authentication Services (sbiauthenticator.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

Multiple subdomains related to 'sbiauthenticator.sbi.bank.in' (api, sim, pe2) suggest a complex authentication infrastructure. Misconfigurations in these services could lead to authentication bypass or other security issues.

Remediation:

Conduct a thorough security review of the authentication infrastructure. Implement multi-factor authentication and regularly audit access logs.

8. Potential Vulnerabilities in YONO Platform (yono-*.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

Numerous subdomains starting with 'yono-' suggest a complex and potentially vulnerable platform. Each subdomain could represent a different service or component with its own set of vulnerabilities.

Remediation:

Conduct a comprehensive security assessment of the entire YONO platform. Implement secure coding practices and regularly audit the platform for vulnerabilities. Pay close attention to authentication, authorization, and data validation.

9. Potential Vulnerabilities in Mobile Banking APIs (ybmobility.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

Multiple subdomains related to 'ybmobility.sbi.bank.in' (apisimstp, apikony, apistp, apisimyb, apiangular) suggest a complex mobile banking API infrastructure. Misconfigurations or vulnerabilities in these APIs could lead to unauthorized access or data breaches.

Remediation:

Conduct a thorough security review of the mobile banking API infrastructure. Implement strong authentication and authorization controls. Regularly audit API endpoints for vulnerabilities and ensure proper input validation and output encoding.

10. Potential Vulnerabilities in Rupee Payment Platform (sbiunipay.sbi.bank.in)

Severity: MEDIUM

Tool: Subfinder

Description:

Subdomains related to 'sbiunipay.sbi.bank.in' (sbiunipay, bu.sbiunipay, customer.sbiunipay) suggest a complex payment platform. Misconfigurations or vulnerabilities in these services could lead to unauthorized transactions or data breaches.

Remediation:

Conduct a thorough security review of the payment platform. Implement strong authentication and authorization controls. Regularly audit API endpoints for vulnerabilities and ensure compliance with PCI DSS standards.

11. API Exposure

Severity: MEDIUM

Tool: Amass Passive

Description:

Multiple subdomains like `api.sbiauthenticator.sbi.bank.in`, `apibanking.yb.sbi.bank.in`, `api.yonolite.sbi.bank.in`, `apikony.ybmobile.sbi.bank.in`, `apisimstp.ybmobile.sbi.bank.in`, `apisimybmobile.sbi.bank.in`, `api.yonoliteapp.sbi.bank.in`, `simyl.api.yonolite.sbi.bank.in`, `cugapi.yonolite.sbi.bank.in`, `apiangular.ybmobile.sbi.bank.in`, `apistp.ybmobile.sbi.bank.in` are exposing APIs. Without proper authentication and authorization, these APIs could be vulnerable to unauthorized access, data breaches, and other attacks.

Remediation:

Implement strong authentication and authorization mechanisms for all APIs. Regularly audit API endpoints for vulnerabilities and ensure proper input validation and output encoding to prevent injection attacks. Consider API rate limiting to prevent abuse.

12. Mobile Application Related Subdomains

Severity: MEDIUM

Tool: Amass Passive

Description:

Subdomains like `mapp.mobilityquick1.sbi.bank.in`, `mobilityquick1.sbi.bank.in`, `mobilityquick2.sbi.bank.in`, `whatsappmobility.sbi.bank.in`, `fastag-app.sbi.bank.in`, `pratham-mobile.sbi.bank.in`, indicate mobile applications. These subdomains might be vulnerable to mobile-specific attacks such as reverse engineering, data leakage, or insecure data storage if not properly secured.

Remediation:

Conduct thorough security testing of all mobile applications, including static and dynamic analysis. Implement secure coding practices to prevent common mobile vulnerabilities. Ensure proper data encryption and secure storage of sensitive information. Implement mobile device management (MDM)

policies to control access and security settings on employee-owned devices.

13. Internal Service Exposure

Severity: MEDIUM

Tool: Amass Passive

Description:

Subdomains like `hrms.sbi.bank.in`, `hrms-mservice.sbi.bank.in`, `hrms-next.sbi.bank.in`, `hrms-api.sbi.bank.in`, `ctcp.sbi.bank.in`, `llmsclp.sbi.bank.in`, `scfu.sbi.bank.in`, `scf.sbi.bank.in`, `siservices.sbi.bank.in`, `etrade.sbi.bank.in`, `nxtgengbss.sbi.bank.in`, `cdkcmnt.sbi.bank.in`, `sfg.sbi.bank.in`, `sfgmfa.sbi.bank.in`, indicate internal services. If these services are directly accessible from the internet without proper security controls, they could be exploited to gain unauthorized access to sensitive internal data and systems.

Remediation:

Implement network segmentation to isolate internal services from the public internet. Use a VPN or other secure access methods for remote access to internal resources. Enforce strong authentication and authorization for all internal services. Regularly audit internal systems for vulnerabilities and misconfigurations.

14. Potential Subdomain Takeover

Severity: MEDIUM

Tool: Assetfinder

Description:

Subdomains like `'proctering.spark.sbi.bank.in'` and others using third-party services (e.g., `'onlineyono.sbi.bank.in'`) are potentially vulnerable to subdomain takeover if the associated service is no longer in use or improperly configured. An attacker could claim the subdomain and host malicious content, potentially leading to phishing or malware distribution.

Remediation:

Regularly audit and verify the DNS records for all subdomains, especially those pointing to third-party services. Ensure that any unused or expired services are properly deprovisioned and the corresponding DNS records are removed. Implement proper authorization and verification mechanisms for subdomain ownership.

15. Outdated Software/Services on Subdomains

Severity: MEDIUM

Tool: Assetfinder

Description:

The identified subdomains may be running outdated software or services, which could contain known vulnerabilities. Without proper patching and maintenance, these vulnerabilities could be exploited by attackers to gain unauthorized access or compromise the systems.

Remediation:

Conduct regular vulnerability scans on all subdomains to identify outdated software and services. Implement a robust patch management process to promptly apply security updates and patches. Consider using a web application firewall (WAF) to protect against common web application attacks.

16. Misconfigured Subdomains

Severity: MEDIUM

Tool: Assetfinder

Description:

Subdomains may be misconfigured, exposing sensitive information or allowing unauthorized access. Common misconfigurations include open ports, default credentials, and insecure protocols.

Remediation:

Perform thorough security audits of all subdomains to identify misconfigurations. Implement secure configuration baselines and regularly review and update them. Enforce the principle of least privilege to restrict access to sensitive resources.

17. Non-Authoritative Answer

Severity: LOW

Tool: NSLookup

Description:

The response is marked as 'Non-authoritative answer'. This means the DNS server providing the information is not the authoritative server for the sbi.bank.in domain. While not inherently a vulnerability, it increases the risk of receiving incorrect or manipulated DNS information if the resolving server's cache is poisoned.

Remediation:

Ensure that the resolving DNS server is configured to validate DNS responses and prioritize authoritative answers. Consider using a DNS server with built-in security features like DNSSEC validation and query name minimization.

18. Potential Clickjacking/XSS Vulnerabilities (cdn.onlineyono.sbi.bank.in, cdnweb.onlineyono.sbi.bank.in)

Severity: [LOW](#)

Tool: Subfinder

Description:

The presence of CDN subdomains suggests the use of Content Delivery Networks. Misconfiguration of these CDNs could lead to clickjacking or Cross-Site Scripting (XSS) vulnerabilities.

Remediation:

Implement proper security headers on the CDN. Regularly audit the CDN configuration for vulnerabilities. Ensure proper input validation and output encoding to prevent XSS attacks.

19. Potential Information Disclosure (deliverycommunications.sbi.bank.in, deliveryalerts.sbi.bank.in, imagescommunications.sbi.bank.in)

Severity: [LOW](#)

Tool: Subfinder

Description:

Subdomains related to delivery of communications and alerts could potentially leak sensitive information if not properly secured.

Remediation:

Review the security configurations of these subdomains. Ensure that sensitive information is not exposed in transit or at rest. Implement proper access controls and logging.

20. Subdomain Takeover Potential

Severity: [LOW](#)

Tool: Amass Passive

Description:

The presence of numerous subdomains increases the attack surface and the potential for subdomain takeover. If any of these subdomains are pointing to non-existent or unclaimed resources (e.g., cloud storage buckets, CDN endpoints), an attacker could claim those resources and use the subdomain for malicious purposes.

Remediation:

Regularly monitor all subdomains for DNS misconfigurations and orphaned resources. Implement proper DNS record management practices to prevent subdomain takeover. Use a subdomain takeover detection tool to identify and remediate vulnerable subdomains.

21. Potential for Phishing Attacks

Severity: [LOW](#)

Tool: Amass Passive

Description:

The large number of subdomains can be leveraged by attackers to create convincing phishing websites that mimic legitimate SBI services. Users may be tricked into entering their credentials or other sensitive information on these fake websites.

Remediation:

Implement strong anti-phishing measures, such as DMARC, SPF, and DKIM, to prevent attackers from spoofing SBI email addresses. Educate users about phishing attacks and how to identify suspicious emails and websites. Regularly monitor for phishing websites that are impersonating SBI services.

22. Phishing Target - Multiple Subdomains

Severity: LOW

Tool: Assetfinder

Description:

The existence of multiple subdomains provides a larger attack surface for phishing campaigns. Attackers can create convincing phishing emails that appear to originate from legitimate SBI subdomains, increasing the likelihood of successful attacks.

Remediation:

Implement strong email authentication protocols (SPF, DKIM, DMARC) to prevent email spoofing. Educate employees and customers about phishing attacks and how to identify them. Implement multi-factor authentication (MFA) for all critical systems and applications.

23. Unencrypted Communication

Severity: INFO

Tool: Amass Passive

Description:

While not explicitly stated, the presence of 'www' prefixes on many subdomains suggests that HTTPS might not be enforced on all subdomains. Lack of HTTPS can lead to man-in-the-middle attacks and data interception.

Remediation:

Ensure that HTTPS is enabled and properly configured on all subdomains. Enforce HTTPS redirection to prevent users from accessing the site over HTTP. Use HSTS (HTTP Strict Transport Security) to instruct browsers to always access the site over HTTPS.

3. Appendix: Raw Tool Output

The following section contains raw output from the security tools used during the assessment.

Tool: Whois

```
Domain Name: sbi.bank.in Registry Domain ID: DO_9f441d5744fc08d9e2d434902a3045fe-NIXI
Registrar URL: https://registry.in Updated Date: 2025-11-21T10:49:36.155Z Creation
Date: 2025-08-11T09:44:16.203Z Registry Expiry Date: 2026-08-11T09:44:16.203Z
Registrar: Institute for Development and Research in Banking Technology (IDRBT)
Registrar IANA ID: 810064 Registrar Abuse Contact Email: registrar@idrbt.ac.in
Registrar Abuse Contact Phone: Domain Status: ok https://icann.org/epp#ok Registry
Registrant ID: REDACTED FOR PRIVACY Registrant Name: REDACTED FOR PRIVACY Registrant
Organization: STATE BANK OF INDIA Registrant Street: REDACTED FOR PRIVACY Registrant
City: REDACTED FOR PRIVACY Registrant State/Province: MAHARASHTRA Registrant Postal
Code: REDACTED FOR PRIVACY Registrant Country: IN Registrant Phone: REDACTED FOR PRIVACY
Registrant Fax: REDACTED FOR PRIVACY Registrant Email: Please query the RDNS service of
the Registrar of Record identified in this output for information on how to contact the
Registrant, Admin, or Tech contact of the queried domain name. Registry Admin ID:
REDACTED FOR PRIVACY Admin Name: REDACTED FOR PRIVACY Admin Organization: REDACTED FOR
PRIVACY Admin Street: REDACTED FOR PRIVACY Admin City: REDACTED FOR PRIVACY Admin
State/Province: REDACTED FOR PRIVACY Admin Postal Code: REDACTED FOR PRIVACY Admin
Country: REDACTED FOR PRIVACY Admin Phone: REDACTED FOR PRIVACY Admin Fax: REDACTED FOR
PRIVACY Admin Email: Please query the RDNS service of the Registrar of Record identified
in this output for information on how to contact the Registrant, Admin, or Tech contact
of the queried domain name. Registry Tech ID: REDACTED FOR PRIVACY Tech Name: REDACTED
FOR PRIVACY Tech Organization: REDACTED FOR PRIVACY Tech Street: REDACTED FOR PRIVACY
Tech City: REDACTED FOR PRIVACY Tech State/Province: REDACTED FOR PRIVACY Tech Postal
Code: REDACTED FOR PRIVACY Tech Country: REDACTED FOR PRIVACY Tech Phone: REDACTED FOR
PRIVACY Tech Fax: REDACTED FOR PRIVACY Tech Email: Please query the RDNS service of the
Registrar of Record identified in this output for information on how to contact the
Registrant, Admin, or Tech contact of the queried domain name. Registry Tech ID:
REDACTED FOR PRIVACY Tech Name: REDACTED FOR PRIVACY Tech Organization: REDACTED FOR
PRIVACY Tech Street: REDACTED FOR PRIVACY Tech City: REDACTED FOR PRIVACY Tech
State/Province: REDACTED FOR PRIVACY Tech Postal Code: REDACTED FOR PRIVACY Tech
Country: REDACTED FOR PRIVACY Tech Phone: REDACTED FOR PRIVACY Tech Fax: REDACTED FOR
PRIVACY Tech Email: Please query the RDNS service of the Registrar of Record identified
in this output for information on how to contact the Registrant, Admin, or Tech contact
of the queried domain name. Registry Billing ID: REDACTED FOR PRIVACY Billing Name:
REDACTED FOR PRIVACY Billing Organization: REDACTED FOR PRIVACY Billing Street:
REDACTED FOR PRIVACY Billing City: REDACTED FOR PRIVACY Billing State/Province:
REDACTED FOR PRIVACY Billing Postal Code: REDACTED FOR PRIVACY Billing Country: REDACTED
FOR PRIVACY Billing Phone: REDACTED FOR PRIVACY Billing Fax: REDACTED FOR PRIVACY
Billing Email: Please query the RDNS service of the Registrar of Record identified in
this output for information on how to contact the Registrant, Admin, or Tech contact of
the queried domain name. Name Server: al-148.sbi.bank.in Name Server:
a16-64.sbi.bank.in Name Server: a20-64.sbi.bank.in Name Server: a22-65.sbi.bank.in
DNSSEC: signedDelegation URL of the ICANN RDNS Inaccuracy Complaint Form:
https://icann.org/wicf >>> Last update of WHOIS database: 2025-11-28T07:09:38.060Z <<<
For more information on domain status codes, please visit https://icann.org/epp The
WHOIS information provided in this page has been redacted in compliance with ICANN's
Temporary Specification for gTLD Registration Data. The data in this record is provided
by Tucows Registry for informational purposes only, and it does not guarantee its
accuracy. Tucows Registry is authoritative for whois information in top-level domains it
operates under contract with the Internet Corporation for Assigned Names and Numbers.
Whois information from other top-level domains is provided by a third-party under
license to Tucows Registry. This service is intended only for query-based access. By
using this service, you agree that you will use any data presented only for lawful
```

purposes and that, under no circumstances will you use (a) data acquired for the purpose of allowing, enabling, or otherwise supporting the transmission by e-mail, telephone, facsimile or other communications mechanism of mass unsolicited, commercial advertising or solicitations to entities other than your existing customers; or (b) this service to enable high volume, automated, electronic processes that send queries or data to the systems of any Registrar or any Registry except as reasonably necessary to register domain names or modify existing domain name registrations. Tucows Registry reserves the rig ...[Truncated]

Tool: NSLookup

```
Server: 10.77.145.30 Address: 10.77.145.30#53 Non-authoritative answer: Name:
sbi.bank.in Address: 103.209.96.176 Name: sbi.bank.in Address: 2405:a700:14:100::6e
```

Tool: Subfinder

```
— ——— ———— — / / / —( )— ——— / / ——— / — / / / — \ / / / — \ / —
/ _ \ / — / ( _ ) / / / / / / — / / / / / / / — / / — / — \ / — \ / —
/ / \ / — / \ / — / / — / / — / / — / / — / / — / / — / / — / / — / / — / / —
/ / \ / — / \ / — / / — / / — / / — / / — / / — / / — / / — / / — / / — / / —
/ / \ / — / \ / — / / — / / — / / — / / — / / — / / — / / — / / — / / — / / —
projectdiscovery.io [INF] Current subfinder version v2.6.0 (outdated)
[INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml
[INF] Enumerating subdomains for sbi.bank.in www.web.onlineyono.sbi.bank.in [INF] Found
299 subdomains for sbi.bank.in in 21 seconds 162 milliseconds
www.onlineapply.sbi.bank.in saftnoc.sbi.bank.in merchanterupee.sbi.bank.in
smsdlr.sbi.bank.in scfu.sbi.bank.in yono-vkyc.sbi.bank.in www.yono-apigw.sbi.bank.in
www.govtdashboard.sbi.bank.in www.esbtr.sbi.bank.in www.smsdlr.sbi.bank.in
www.bu.sbiunipay.sbi.bank.in pensionseva.sbi.bank.in
www.deliverycommunications.sbi.bank.in loans.sbi.bank.in www.kiosk.sbi.bank.in
www.saftnoc.sbi.bank.in hrms-api.sbi.bank.in cfs.sbi.bank.in
www.prathamagri.sbi.bank.in sbiacs.sbi.bank.in www.prathamfi.sbi.bank.in
raas.sbi.bank.in api.yonolite.sbi.bank.in pratham-mobile.sbi.bank.in
www.crgsbias.sbi.bank.in oemrecom.sbi.bank.in fi.sbi.bank.in yonobusiness.sbi.bank.in
www.mobilityquick2.sbi.bank.in www.retail.sbi.bank.in www.apperupee.sbi.bank.in
www.yono-wcm.sbi.bank.in www.fs.online.sbi.bank.in www.vlc.sbi.bank.in
www.mapp.mobilityquick1.sbi.bank.in retail.sbi.bank.in scf.sbi.bank.in
agriswayam.sbi.bank.in fs.online.sbi.bank.in www.damdxpp.dwhmartr.sbi.bank.in
mcsms.sbi.bank.in apiangular.ybmobile.sbi.bank.in remit.sbi.bank.in
emeeting.sbi.bank.in www.cdn.onlineyono.sbi.bank.in hrms-mservice.sbi.bank.in
homeloans.sbi.bank.in eissiwebuat.sbi.bank.in whatsappmobility.sbi.bank.in
cmp.yonobusiness.sbi.bank.in www.yono-yfei.sbi.bank.in etrade.sbi.bank.in
www.sbiepay.sbi.bank.in www.apibanking.yb.sbi.bank.in corp.sbi.bank.in
pensionpsa.sbi.bank.in www.mardiscpr.dwhmartr.sbi.bank.in
www.whatsappmobility.sbi.bank.in www.sim.sbiauthenticator.sbi.bank.in
www.api.yonolite.sbi.bank.in yono-wcmmyfei.sbi.bank.in oaa.sbi.bank.in
www.hrms-mservice.sbi.bank.in uat.crh.sbi.bank.in www.nim.sbi.bank.in
www.emudra.sbi.bank.in www.apistp.ybmobile.sbi.bank.in api.yonoliteapp.sbi.bank.in
www.yono-app.sbi.bank.in dvmerchant.sbi.bank.in msintune.sbi.bank.in ccpm.sbi.bank.in
www.scf.sbi.bank.in www.agriswayam.sbi.bank.in www.pmsop.sbi.bank.in
yono-mapi.sbi.bank.in rewardz.sbi.bank.in www.hrms.sbi.bank.in nridigital.sbi.bank.in
www.loans.sbi.bank.in www.pratham-mobile.sbi.bank.in prathamagri.sbi.bank.in
api.onlineyono.sbi.bank.in www.ots.sbi.bank.in www.pensionseva.sbi.bank.in
digitallending.sbi.bank.in oneviewprepaid.sbi.bank.in www.eissiwebuat.sbi.bank.in
fastag-app.sbi.bank.in apperupee.sbi.bank.in www.corpprepaid.sbi.bank.in
prathamfi.sbi.bank.in siuatapis.sbi.bank.in www.osmp.sbi.bank.in nextgengbss.sbi.bank.in
www.msintune.sbi.bank.in www.eproposal.sbi.bank.in webcrm.sbi.bank.in
deliverycommunications.sbi.bank.in customer.sbiunipay.sbi.bank.in vlc.sbi.bank.in
www.prepaid.sbi.bank.in www.merchant.sbi.bank.in mobilityquick2.sbi.bank.in
www.simyl.api.yonolite.sbi.bank.in www.crh.sbi.bank.in www.sbi.bank.in
cdnweb.onlineyono.sbi.bank.in www.ftc.sbi.bank.in pe2.sbiauthenticator.sbi.bank.in
```

www.crcf.sbi.bank.in apibanking.yb.sbi.bank.in www.suryashakti.sbi.bank.in
www.hrms-next.sbi.bank.in www.atmmon.sbi.bank.in www.fsi.sbi.bank.in
corpprepaid.sbi.bank.in damdxprod.dwhmartr.sbi.bank.in www.sfg.sbi.bank.in
www.prathamreh.sbi.bank.in upiportals.sbi.bank.in www.emeeting.sbi.bank.in
yono-wcm.sbi.bank.in www.scfu.sbi.bank.in www.prathamsme.sbi.bank.in
imeeting.sbi.bank.in www.oaa.sbi.bank.in www.cms.onlineyono.sbi.bank.in
www.proctering.spark.sbi.bank.in www.remit.sbi.bank.in spark.sbi.bank.in
communications.sbi.bank.in www.communications.sbi.bank.in suryashakti.sbi.bank.in
www.imeeting.sbi.bank.in imagescommunications.sbi.bank.in www.rewardz.sbi.bank.in
ctcp.sbi.bank.in www.dcms.sbi.bank.in www.epay.sbi.bank.in
www.cugapi.yonolite.sbi.bank.in www.snafms.sbi.bank.in www.recruitment.sbi.bank.in
www.homeloans.sbi.bank.in cms.onlineyono.sbi.bank.in sfgmfa.sbi.bank.in
www.etrade.sbi.bank.in hrms.sbi.bank.in www.nxtgengbss.sbi.bank.in crh.sbi.bank.in
mardiscpp.dwhmartr.sbi.bank.in www.mcsms.sbi.bank.in 3dsbiacs.sbi.bank.in
www.uat.crh.sbi.bank.in deliveryalerts.sbi.bank.in egyanshala.sbi.bank.in
epay.sbi.bank.in cspvisit.sbi.bank.in www.siuatapis.sbi.bank.in www.h2h.sbi.bank.in
www.spark.sbi.bank.in sfg.sbi.bank.in siservices.sbi.bank.in
www.mobilityquickl.sbi.bank.in cugapi.yonolite.sbi.bank.in www.vvm.sbi.bank.in
prepaid.sbi.bank.in hrms-next.sbi.bank.in apisimstp.ybmobile.sbi.bank.in
www.sbiunipay.sbi.bank.in www.pensionpsa.sbi.bank.in merchant.sbi.bank.in
mobilityquickl.sbi.bank.in www.yono-mapi.sbi.bank.in www.nextgenpcms.sbi.bank.in
alerts.sbi.bank.in www.merchanterupee.sbi.bank.in swayam.sbi.bank.in
www.yonobusiness.sbi.bank.in tpm.sbi.bank.in www.apisimyb.ybmobile.sbi.bank.in
atmmon.sbi.bank.in www.sfgmfa.sbi.bank.in www.qms.sbi.bank.in ...[Truncated]

Tool: Amass Passive

sim.sbiauthenticator.sbi.bank.in dvmerchant.sbi.bank.in www.prathamreh.sbi.bank.in
www.sim.sbiauthenticator.sbi.bank.in epay.sbi.bank.in etrade.sbi.bank.in
www.upiportals.sbi.bank.in scfu.sbi.bank.in www.rewardz.sbi.bank.in
www.hrms-mservice.sbi.bank.in raas.sbi.bank.in www.digitallending.sbi.bank.in
www.onlinesbi.sbi.bank.in www.saftnoc.sbi.bank.in sbi.bank.in sbiunipay.sbi.bank.in
sfg.sbi.bank.in apistp.ybmobile.sbi.bank.in www.smsdlr.sbi.bank.in
apiangular.ybmobile.sbi.bank.in www.sbi.bank.in www.cinbsfg.sbi.bank.in
www.oaa.sbi.bank.in www.corp.sbi.bank.in www.apiangular.ybmobile.sbi.bank.in
www.mobilityquickl.sbi.bank.in prathamreh.sbi.bank.in www.onlineapply.sbi.bank.in
hrms-next.sbi.bank.in www.esbtr.sbi.bank.in www.mapp.mobilityquickl.sbi.bank.in
vlcwh.sbi.bank.in www.tpm.sbi.bank.in www.hrms-api.sbi.bank.in
www.yonobusiness.sbi.bank.in www.mobilityretail.sbi.bank.in hrms-api.sbi.bank.in
www.llmsclp.sbi.bank.in cspvisit.sbi.bank.in bu.sbiunipay.sbi.bank.in
www.fastag-app.sbi.bank.in www.spark.sbi.bank.in loans.sbi.bank.in oaa.sbi.bank.in
www.hrms-next.sbi.bank.in www.sbiepay.sbi.bank.in www.cmp.sbi.bank.in
api.sbiauthenticator.sbi.bank.in www.apisimyb.ybmobile.sbi.bank.in www.dbt.sbi.bank.in
apisimyb.ybmobile.sbi.bank.in www.gmb.sbi.bank.in pratham-mobile.sbi.bank.in
www.suryashakti.sbi.bank.in www.dvmerchant.sbi.bank.in hrms.sbi.bank.in
smsdlr.sbi.bank.in www.scf.sbi.bank.in onlinesbi.sbi.bank.in mobilityquickl.sbi.bank.in
www.remit.sbi.bank.in emudra.sbi.bank.in atmoms.sbi.bank.in
www.simyl.api.yonolite.sbi.bank.in www.atmoms.sbi.bank.in fastag.sbi.bank.in
www.apisimstp.ybmobile.sbi.bank.in www.eissiwebuat.sbi.bank.in remit.sbi.bank.in
corp.sbi.bank.in www.retail.sbi.bank.in mplads.sbi.bank.in prathamsme.sbi.bank.in
www.vvm.sbi.bank.in onlineapply.sbi.bank.in www.loans.sbi.bank.in www.fastag.sbi.bank.in
www.api.yonoliteapp.sbi.bank.in siservices.sbi.bank.in spark.sbi.bank.in
atmmon.sbi.bank.in fs.online.sbi.bank.in customer.sbiunipay.sbi.bank.in
apikony.ybmobile.sbi.bank.in www.h2h.sbi.bank.in www.sfg.sbi.bank.in
www.oemrecom.sbi.bank.in www.merchant.sbi.bank.in www.fi.sbi.bank.in
proctering.spark.sbi.bank.in www.api.sbiauthenticator.sbi.bank.in www.ctcp.sbi.bank.in
www.api.yonolite.sbi.bank.in www.loans.sbi.bank.in cmp.yonobusiness.sbi.bank.in
www.pratham-mobile.sbi.bank.in www.nim.sbi.bank.in www.mplads.sbi.bank.in
www.hrms.sbi.bank.in www.sbiunipay.sbi.bank.in www.pensionseva.sbi.bank.in
www.vlcwh.sbi.bank.in www.customer.sbiunipay.sbi.bank.in digitallending.sbi.bank.in
sbiepay.sbi.bank.in ccpm.sbi.bank.in mobilityquick2.sbi.bank.in cdkcmt.sbi.bank.in

```
www.bu.sbiunipay.sbi.bank.in www.agriswayam.sbi.bank.in oemrecom.sbi.bank.in
tpm.sbi.bank.in cmp.sbi.bank.in upiportals.sbi.bank.in www.crh.sbi.bank.in
www.raas.sbi.bank.in prathamagri.sbi.bank.in simyl.api.yonolite.sbi.bank.in
www.apistp.ybmobile.sbi.bank.in www.cspvisit.sbi.bank.in sfgmfa.sbi.bank.in
www.siservices.sbi.bank.in api.yonoliteapp.sbi.bank.in apisimstp.ybmobile.sbi.bank.in
crh.sbi.bank.in eproposal.sbi.bank.in mapp.mobilityquick1.sbi.bank.in
www.proctering.spark.sbi.bank.in ctcp.sbi.bank.in gmb.sbi.bank.in
pensionpsa.sbi.bank.in www.snafms.sbi.bank.in www.vlc.sbi.bank.in retail.sbi.bank.in
h2h.sbi.bank.in nim.sbi.bank.in www.cdkcmt.sbi.bank.in vlc.sbi.bank.in
www.scfu.sbi.bank.in scf.sbi.bank.in www.ots.sbi.bank.in www.eproposal.sbi.bank.in
saftnoc.sbi.bank.in rewardz.sbi.bank.in www.cugapi.yonolite.sbi.bank.in
www.whatsappmobility.sbi.bank.in www.epay.sbi.bank.in pensionseva.sbi.bank.in
llmsclp.sbi.bank.in www.atmmon.sbi.bank.in api.yonolite.sbi.bank.in
www.pensionpsa.sbi.bank.in esbtr.sbi.bank.in whatsappmobility.sbi.bank.in
www.kiosk.sbi.bank.in www.etrade.sbi.bank.in fastag-app.sbi.bank.in
www.mobilityquick2.sbi.bank.in kiosk.sbi.bank.in webcrm.sbi.bank.in
www.nxtgengbss.sbi.bank.in agriswayam.sbi.bank.in snafms.sbi.bank.in
www.homeloans.sbi.bank.in www.prathamsmc.sbi.bank.in www.ccpm.sbi.bank.in
hrms-mservice.sbi.bank.in www.sfgmfa.sbi.bank.in yonobusiness.sbi.bank.in
www.apikony.ybmobile.sbi.bank.in www.prathamagri.sbi.bank.in suryashakti.sbi.bank.in
homeloans.sbi.bank.in cugapi.yonolite.sbi.bank.in www.apibanking.yb.sbi.bank.in
www.cmp.yonobusiness.sbi.bank.in apibanking.yb.sbi.bank.in nxtgengbss.sbi.bank.in
www.prathamfi.sbi.bank.in prathamfi.sbi.bank.in www.fs.online.sbi.bank.in
ots.sbi.bank.in merchant.sbi.bank.in vvm.sbi.bank.in fi.sbi.bank.in
mobilityretail.sbi.bank.in eissiwebuat.sbi.bank.in dbt.sbi.bank.in
www.emudra.sbi.bank.in cinbsfg.sbi.bank.in www.webcrm.sbi.bank.in The enumeration has
finished Discoveries are being migrated into the local database
```

Tool: Assetfinder

```
sbi.bank.in atmmon.sbi.bank.in atmoms.sbi.bank.in cmp.sbi.bank.in epay.sbi.bank.in
h2h.sbi.bank.in nxtgengbss.sbi.bank.in onlineapply.sbi.bank.in sbiepay.sbi.bank.in
scf.sbi.bank.in scfu.sbi.bank.in upiportals.sbi.bank.in vvm.sbi.bank.in
cmp.yonobusiness.sbi.bank.in dsrsbiacs.sbi.bank.in etrade.sbi.bank.in crh.sbi.bank.in
onlinesbi.sbi.bank.in retail.onlineyono.sbi.bank.in cdn.onlineyono.sbi.bank.in
cdnweb.onlineyono.sbi.bank.in proctering.spark.sbi.bank.in retail.sbi.bank.in
corp.sbi.bank.in
```

Tool: WebScraperRecon

```
[System] Command timed out.
```

Tool: Nmap Top 1000

Tool: WhatWeb

Tool: WafW00f

